## PART 02

1	. Which of these keywords is used a) upper b) <mark>super</mark> c	d to refer to member of bas ) this d) None of the	
3.	The modifier which specifies that a) public b) private		accessed in its own class is d) none
4.	Which of these is a mechanism to a) Object c) Interfaces	for naming and visibility cor b) <mark>Packages</mark> d) None of the	
5.	Which of the following is correct a) import pkg. c) import pkg.*	t way of importing an entire b) Import pkg. d) Import pkg.*	e package 'pkg'?
6.	Which of these method of class object? a) CHARAT() c) charAt()	String is used to extract a s b) charat() d) CharAt()	ingle character from a String
<mark>7.</mark>	Which of these method of class a) get() c) lengthof()	String is used to obtain leng b) Sizeof() d) <mark>length()</mark>	gth of String object?

## PART 03: Fill in the blanks using appropriate term.

- 1. Real-world objects contain state and behavior.
- 2. A software object's state is stored in fields.
- 3. A software object's behavior is exposed through methods.
- 4. Hiding internal data from the outside world, and accessing it only through publicly exposed methods is known as data encapsulation.
- 5. A blueprint for a software object is called a class.

- 6. Common behavior can be defined in a super class and inherited into a subclass using the extends keyword.
- 7. A collection of methods with no implementation is called an interface.
- 8. A namespace that organizes classes and interfaces by functionality is called a package.
- 9. The term API stands for Application Programming Interface.