## **NTest**

### **Execution Environment**

Host name HP - 20.23.0.56 Local OS Windows 11 64bit

Katalon version 9.5.0.217

Browser Chrome 125.0.0.0

Device name

Summary

ID Test Suites/NTest

Description

Total 2

Passed 0 Failed 2 Error 0 Incomplete 0

Skipped 0

Start 13-06-2024 12:11:54 End 13-06-2024 12:17:57

Elapsed 6m - 3.372s

#	ID	Description	Status
1	Test Cases/Krishna/Krishnatest		FAILED
2	Test Cases/Krishna/Srikrishtest		FAILED

## Information

ID Test Cases/Krishna/Krishnatest

Description

Tag

Start 13-06-2024 12:15:33 End 13-06-2024 12:16:26

Elapsed 52.148s
Status FAILED

### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.446s	PASSED
2	navigateToUrl("https://www.ladydoakcollege.edu.in/")  Navigate to 'https://www.ladydoakcollege.edu.in/" successfully	7.904s	PASSED
3	openBrowser("")  Browser is opened with url: "	1.545s	PASSED
4	navigateToUrl("https://www.ladydoakcollege.edu.in/")  Navigate to 'https://www.ladydoakcollege.edu.in/' successfully	7.625s	PASSED
5	click(findTestObject("Object Repository/Ladydoak/Page_Lady Doak College/a_Admission"))  Object: 'Object Repository/Ladydoak/Page_Lady Doak College/a_Admission' is clicked on	0.429s	PASSED
6	switchToWindowTitle("Lady Doak College")  Switched to window with title: 'Lady Doak College'	0.048s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Ladydoak/Page_Lady Doak College/img_DiplomaCertificate_banner-img"))	0.416s	PASSED


Object: 'Object Repository/Ladydoak/Page\_Lady Doak College/img\_DiplomaCertificate\_banner-img' is clicked on

Descrip	tion	Elapsed	Status
	dTestObject("Object Repository/Ladydoak/Page_Lady Doak /div_Home_open-nav-menu"))	31.700s	FAILED
Unable	to click on object 'Object Repository/Ladydoak/Page_Lady Doak		
	div_Home_open-nav-menu' (Root cause: com.kms.katalon.core.exception.		
	ledException: Unable to click on object 'Object Repository/Ladydoak/Page_Lady		
	bllege/div_Home_open-nav-menu'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(Webl II	KeywordMain.groovy:64)		
(110501	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(Webl II	KeywordMain.groovy:26)		
(**************************************	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:			
groovy	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKe	eyword.groovy:40)		
(Onortite	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
evecute	KeywordForPlatform(KeywordExecutor.groovy:74)		
CACCUIC	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(\Mehl lil	BuiltInKeywords.groovy:659)		
(VVCDOII	at Krishnatest.run(Krishnatest:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
java. i i c	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
java. i it	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
java. 100	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
(100100	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
(100100	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
,	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369			
•	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369			
,	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369			
•	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Commo	onExecutor.java:65)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:150)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)			
	at TempTestSuite1718260904465.run(TempTestSuite1718260904465.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	tingMethodAccessorImpl.java:43)		
	by: org.openqa.selenium.ElementNotInteractableException: element not		
interacta			
(Sessi	on info: chrome=125.0.6422.142)		
	o: version: '3.141.59', revision: 'unknown', time: 'unknown'		

Elapsed

Status

```
Description
System info: host: 'DESKTOP-9MQP000', ip: '20.23.0.56', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:61683}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 1e2f5d1b27a3ea72cb7911d0ec2947bc
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ or g. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
```



## Information

ID Test Cases/Krishna/Srikrishtest

Description

Tag

Start 13-06-2024 12:17:32 End 13-06-2024 12:17:55

Elapsed 22.593s Status FAILED

### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.708s	PASSED
2	navigateToUrl("https://www.queenmaryscollege.edu.in/")  Navigate to 'https://www.queenmaryscollege.edu.in/" successfully	17.255s	PASSED
3	click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/span_Since 1914_menubar-inner"))  Object: 'Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/span_Since 1914_menubar-inner' is clicked on	0.376s	PASSED
4	click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/a_Admission"))  Object: 'Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/a_Admission' is clicked on	0.318s	PASSED
5	click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/a_Admission Guidelines"))  Object: 'Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/a_Admission Guidelines' is clicked on	0.630s	PASSED

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/h4_Rules and Regulations"))	0.517s	PASSED
	Object: 'Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai- 04/h4_Rules and Regulations' is clicked on		
7	click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/h4_Admission Procedure"))	0.322s	PASSED
	Object: 'Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai- 04/h4_Admission Procedure' is clicked on		

Description	Elapsed	Status
click(findTestObject("Object Repository/Page_QUEEN MARYS COLLEGE (AUTONOMOUS) Chennai-04/a_Academics"))	0.435s	FAILED
Unable to click on object 'Object Repository/Page_QUEEN MARYS COLLEGE		
(AUTONOMOUS) Chennai-04/a_Academics' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to click on object 'Object Repository/Page_QUEEN MARYS		
COLLEGE (AUTONOMOUS) Chennai-04/a_Academics'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUlKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
groovy:74)		
at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
(ClickKeyword.groovy:40)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click		
(WebUiBuiltInKeywords.groovy:659)		
at Srikrishtest.run(Srikrishtest:34)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)		
at TempTestSuite1718260904465.run(TempTestSuite1718260904465.groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.ElementNotInteractableException: element not		
interactable		
(Session info: chrome=125.0.6422.142)		
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'		

Elapsed

Status

```
Description
System info: host: 'DESKTOP-9MQP000', ip: '20.23.0.56', os.name: 'Windows 11', os.arch:
'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f...,
userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:61841}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 28d6be5c924fd23c666874b753503da5
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openga.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
         at jdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
         at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
```

# Description

at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
 at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
 at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
 at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click

(WebUiBuiltInKeywords.groovy:659) at Script1718259552049.run(Script1718259552049.groovy:34)

VMASY



### QUEEN MARY'S COLLEGE (AUTONOMOUS)

Chennai-04.

Affiliated to University of Madras
Re-accredited by NAAC with 'A' Grade
Since 1914



#### **Admission**

Click here - Higher Education Guideliness

## **Eligibility Criteria**

- · Only Women candidates are eligible to apply.
- Should have appeared for the Plus Two examinations (HSC) conducted by the Tamil Nadu State Board or its
  equivalent and secured a pass in all the subjects.
- Should not exceed the age limit of 24 years as on July 1st. (Relaxation of 2 years permitted for the Physically Challenged candidates)
- For PG Courses, the candidate should have completed a UG Degree from the University of Madras or any other equivalent Universities

#### **Admission Procedure**

- The College follows the Government reservation norms in admitting the candidates.
- Rank Lists are prepared based on Part-III total (out of 400) secured by the candidate in the HSC examination and will be posted in the college website.
- Separate quotas are available for Physically Challenged, Sports (Priority for National Level and State Level), Tamil
  candidates from Andaman-Nicobar Islands and Ex-Servicemen
- . Shift I and Shift II admissions will be done on the same day.

#### **Rules and Regulations**

• The Application form should be duly completed in all aspects and no column should be left blank