

Cucumber Report

20-Jul-2024, 7:23:24 pm

Start : Jul 20, 7:23:01.892 pm

End : Jul 20, 7:23:23.004 pm

Duration : 21.112 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 5
SKIPPED - 27







#	Feature Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	5	0	5	0	21.112 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	<u>Login</u>	5	0	1	4	15.858 s
2	<u>Checking Functionality of Adactin Application</u>	<u>Search</u>	11	0	1	10	0.060 s
3	<u>Checking Functionality of Adactin Application</u>	<u>Select</u>	4	0	1	3	0.039 s
4	<u>Checking Functionality of Adactin Application</u>	<u>Book</u>	10	0	1	9	0.040 s
5	<u>Checking Functionality of Adactin Application</u>	<u>Booking Confirmation</u>	2	0	1	1	5.024 s

(F)- Checking Functionality of Adactin Application

FAILED	DURATION - 21.112 s	Scenarios		Steps	
/ 7:23:01.892 pm // 7:23:23.004 pm /		Total - 5	5	Total - 32	32
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 27	

(S)- Login



<div>FAILED</div> <div>DURATION - 15.858 s</div>			Steps		
/ 7:23:01.899 pm // 7:23:17.757 pm /			Total - 5		
Checking Functionality of Adactin Application			Pass - 0		
			Fail - 1		
				Skip - 4	

#	Step / Hook Details	Status	Duration
1	<p>Given user Lauches The Application</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319b9f9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)</pre>	FAILED	15.812 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:280) at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:48) at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) </pre>	FAILED	0.006 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, </pre>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshot(Hooks_Class.java:17)		
2	When user Enter Valid "NithyaBharathi" In The Username Field	SKIPPED	0.001 s
3	And user Enter "F86N67" In The Password Field	SKIPPED	0.001 s
4	And user Click On The Login Button	SKIPPED	0.000 s
5	Then user Confirms It Navigates To The Homepage	SKIPPED	0.000 s

(S)- Search

<div>FAILED</div> <div>DURATION - 0.060 s</div>		<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 7:23:17.797 pm // 7:23:17.857 pm /</div>				
<div>Checking Functionality of Adactin Application</div>				



#	Step / Hook Details	Status	Duration
1	Given user Is Logged In Successfully And In The Search Page org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<p>normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 *** Element info: {Using=xpath, value=//table/tbody/tr/td[@class='welcome_menu']/input[@name='username_show']}</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:424) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isDisplayed(Unknown Source) at com.qa.pom.PageObjects_03_SearchHotel.sendMessage(PageObjects_03_SearchHotel.java:78) at com.qa.stepdefinition.Adactin_StepDefinition.user_is_logged_in_successfully_and_in_the_search_page(Adactin_StepDefinition.java:92) at ?.user Is Logged In Successfully And In The Search Page(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:44)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bf9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) </pre>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319b9f9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshot(Hooks_Class.java:17) </pre>	FAILED	0.005 s
2	When user Selects The "New York" In The Location Field	SKIPPED	0.000 s
3	And user Selects The "Hotel Creek" In The Dropdown Field	SKIPPED	0.000 s
4	And user Selects The "1" In The Roomtype Field	SKIPPED	0.000 s
5	And user Selects The "5" In The Number Of Rooms Field	SKIPPED	0.000 s
6	And user Selects The "05/07/2024" In The Check In Date Field	SKIPPED	0.000 s
7	And user Selects The "07/07/2024" In The Check Out Date Field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	And user Selects The "4" In The Adults Room Field	SKIPPED	0.000 s
9	And user Selects The "2 - Two" In The Child Room Field	SKIPPED	0.000 s
10	And user Clicks On The Search Button	SKIPPED	0.000 s
11	Then user Confirms That The Search Is Carried Out Successfully	SKIPPED	0.000 s

(S)- Select



<div>FAILED</div> <div>DURATION - 0.039 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 7:23:17.869 pm // 7:23:17.908 pm /</div>				
<div>Checking Functionality of Adactin Application</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user Is On Select Hotel Page</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319b9f9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 *** Element info: {Using=xpath, value=//table/tbody/tr/td[@class='login_title']}</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322)</p>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:424) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isDisplayed(Unknown Source) at com.qa.pom.PageObjects_04_SelectHotel.lablelTitleSelectHotel(PageObjects_04_SelectHotel.java:45) at com.qa.stepdefinition.Adactin_StepDefinition.user_is_on_select_hotel_page(Adactin_StepDefinition.java:154) at ?.user Is On Select Hotel Page(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:62) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) </pre>	FAILED	0.004 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<p>goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshot(Hooks_Class.java:17)</p>		
2	When user Clicks On Radio Button To Select The Hotel	SKIPPED	0.000 s
3	And user clicks On Continue Button	SKIPPED	0.002 s
4	Then user Confirms The Confirmation Is Successfull	SKIPPED	0.000 s

(S)- Book

<div>FAILED</div> <div>DURATION - 0.040 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 7:23:17.921 pm // 7:23:17.961 pm /				
Checking Functionality of Adactin Application				



#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127,</p>	FAILED	0.009 s

#	Step / Hook Details	Status	Duration
	<p>chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getTitle(RemoteWebDriver.java:280) at com.qa.pom.PageObjects_05_BookHotel.title_BookHotelpage(PageObjects_05_BookHotel.java:102) at com.qa.stepdefinition.Adactin_StepDefinition. the_page_is_already_partially_autopopulated_and_the_rest_dropdown_to_be_filled(Adactin_StepDefinition.java:182) at ?.the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:68) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) </p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28)		
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319b9f9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshot(Hooks_Class.java:17)	FAILED	0.004 s
2	When user Enters "Nithya" In Firstname Field	SKIPPED	0.000 s
3	And user Enters "Bharathi" in Lastname Field	SKIPPED	0.002 s
4	And user Enters "2F/248" In Address Field	SKIPPED	0.002 s
5	And user Enters Valid "6684276875535765875" In Creditcard Filed	SKIPPED	0.000 s
6	And user Selects The "1" In The Cardtype Field	SKIPPED	0.001 s
7	And user Selects The "3" In The Date Field	SKIPPED	0.002 s
8	And user Selects The "2029" In The Year Field	SKIPPED	0.000 s
9	And user Enters Valid "455" In The Number Field	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
10	And user Clicks On Book Now Button	SKIPPED	0.000 s

(S)- Booking Confirmation

<div>FAILED</div> <div>DURATION - 5.024 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 7:23:17.980 pm // 7:23:23.004 pm /</div>				
<div>Checking Functionality of Adactin Application</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Filled With Details</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.base.BaseClass.Screenshot(BaseClass.java:95) at com.qa.stepdefinition.Adactin_StepDefinition.the_page_is_already_filled_with_details(Adactin_StepDefinition.java:235) at ?.the Page Is Already Filled With Details(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/</pre>	FAILED	5.008 s

#	Step / Hook Details	Status	Duration
	adactin.feature:86) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28)	FAILED	0.009 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=126.0.6478.127) Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:13685}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c7aa1d987f0afc1b177ea3e1335a480 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) at com.qa.stepdefinition.Hooks_Class.addScreenshot(Hooks_Class.java:17)		
2	When user Clicks On Myltinerary Button	SKIPPED	0.000 s