

Cucumber Report

08-Jun-2024, 10:38:43 pm

Start : Jun 08, 10:38:20.445 pm

End : Jun 08, 10:38:42.427 pm

Duration : 21.982 s

Features






PASSED - 0
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 2
FAILED - 3
SKIPPED - 0


Steps

PASSED - 17
FAILED - 3
SKIPPED - 12






#	Feature Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	5	2	3	0	21.982 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	<u>Login</u>	5	5	0	0	9.600 s
2	<u>Checking Functionality of Adactin Application</u>	<u>Search</u>	11	11	0	0	3.717 s
3	<u>Checking Functionality of Adactin Application</u>	<u>Select</u>	4	1	1	2	0.673 s
4	<u>Checking Functionality of Adactin Application</u>	<u>Book</u>	10	0	1	9	0.342 s
5	<u>Checking Functionality of Adactin Application</u>	<u>Booking Confirmation</u>	2	0	1	1	7.552 s


(F)- Checking Functionality of Adactin Application




(S)- Login



#	Step / Hook Details	Status	Duration
1	Given user Lauches The Application AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image  	PASSED	6.682 s
2	When user Enter Valid "NithyaBharathi" In The Username Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image  	PASSED	0.143 s
		PASSED	0.280 s


#	Step / Hook Details	Status	Duration
3	And user Enter "F86N67" In The Password Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.090 s
4	And user Click On The Login Button AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.138 s
5	Then user Confirms It Navigates To The Homepage AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.143 s

(S)- Search

#	Step / Hook Details	Status	Duration
1	Given user Is Logged In Successfully And In The Search Page AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.058 s
2	When user Selects The "New York" In The Location Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.205 s
3	And user Selects The "Hotel Creek" In The Dropdown Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.166 s
4	And user Selects The "1" In The Roomtype Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.225 s
5	And user Selects The "5" In The Number Of Rooms Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.153 s
		PASSED	0.248 s
		PASSED	0.143 s

#	Step / Hook Details	Status	Duration
			
6	And user Selects The "05/07/2024" In The Check In Date Field	PASSED	0.121 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
			
7	And user Selects The "07/07/2024" In The Check Out Date Field	PASSED	0.087 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
			
8	And user Selects The "4" In The Adults Room Field	PASSED	0.060 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
			
9	And user Selects The "2 - Two" In The Child Room Field	PASSED	0.113 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
			


#	Step / Hook Details	Status	Duration
			
10	And user Clicks On The Search Button	PASSED	0.826 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
			
11	Then user Confirms That The Search Is Carried Out Successfully	PASSED	0.057 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
			

(S)- Select

#	Step / Hook Details	Status	Duration
1	Given user Is On Select Hotel Page	PASSED	0.069 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
			

#	Step / Hook Details	Status	Duration
			
2	<p>When user Clicks On Radio Button To Select The Hotel</p> <pre>java.lang.AssertionError: expected:<Yes> but was:<true> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at com.qa.pom.PageObjects_SelectHotel.validate_yes_radio_is_selected(PageObjects_SelectHotel.java:56) at com.qa.stepdefinition.Adactin_StepDefinition.user_clicks_on_radio_button_to_select_the_hotel(Adactin_StepDefinition.java:158) at ?.user Clicks On Radio Button To Select The Hotel(file:///C:/Users/NITHYA/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:38) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.118 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.164 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.163 s
3	And user clicks On Continue Button	SKIPPED	0.002 s
4	Then user Confirms The Confirmation Is Successfull	SKIPPED	0.000 s


(S)- Book



#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#hotel_name_dis"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bfff..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10395}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d4b4af6831cec87a39fae570e90e28c *** Element info: {Using=id, value=hotel_name_dis}</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:368) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.getText(Unknown Source) at com.qa.pom.PageObjects_BookHotel.ppFields(PageObjects_BookHotel.java:103)</p>	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<p>at com.qa.stepdefinition.Adactin_StepDefinition. the_page_is_already_partially_autopopulated_and_the_rest_dropdown_to_be_filled(Adactin_StepDefinition.java:176) at ?.the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled(file:///C:/Users/NITHYA/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:43) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.144 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.156 s
2	When user Enters "Nithya" In Firstname Field	SKIPPED	0.000 s
3	And user Enters "Bharathi" in Lastname Field	SKIPPED	0.000 s
4	And user Enters "2F/248" In Address Field	SKIPPED	0.000 s
5	And user Enters Valid "6684276875535765875" In Creditcard Filed	SKIPPED	0.000 s
6	And user Selects The "1" In The Cardtype Field	SKIPPED	0.000 s
7	And user Selects The "3" In The Date Field	SKIPPED	0.000 s
8	And user Selects The "2029" In The Year Field	SKIPPED	0.000 s
9	And user Enters Valid "455" In The Number Field	SKIPPED	0.000 s
10	And user Clicks On Book Now Button	SKIPPED	0.000 s

(S)- Booking Confirmation



#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Filled With Details</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#order_no"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10395}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8d4b4af6831cec87a39fae570e90e28c *** Element info: {Using=id, value=order_no} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322) at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:368) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isDisplayed(Unknown Source) at com.qa.pom.PageObjects_BookingConfirmation.orderNo(PageObjects_BookingConfirmation.java:30)</pre>	FAILED	7.381 s

#	Step / Hook Details	Status	Duration
	<p>at com.qa.stepdefinition.Adactin_StepDefinition.the_page_is_already_filled_with_details(Adactin_StepDefinition.java:234)</p> <p>at ?.the Page Is Already Filled With Details(file:///C:/Users/NITHYA/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:61)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.070 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.097 s
2	When user Clicks On MyItinerary Button	SKIPPED	0.000 s