# Cucumber Report

| Start : Jun 12, 6:48:13.294 pm | End : Jun 12, 6:48:29.253 pm | Duration : 15.959 s |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 6<br>SKIPPED - 0 | PASSED - 10<br>FAILED - 6<br>SKIPPED - 33 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Checking Functionality of Adactin Application | 6 | 0 | 6 | 0 | 15.959 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Checking Functionality of Adactin Application | Register | 12 | 10 | 1 | 1 | 15.724 s |
| 2 | Checking Functionality of Adactin Application | Login | 6 | 0 | 1 | 5 | 0.022 s |
| 3 | Checking Functionality of Adactin Application | Search | 12 | 0 | 1 | 11 | 0.034 s |
| 4 | Checking Functionality of Adactin Application | Select | 5 | 0 | 1 | 4 | 0.021 s |
| 5 | Checking Functionality of Adactin Application | Book | 11 | 0 | 1 | 10 | 0.033 s |
| 6 | Checking Functionality of Adactin Application | Booking Confirmation | 3 | 0 | 1 | 2 | 0.018 s |

## (F)- Checking Functionality of Adactin Application

| FAILED | DURATION - 15.959 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| | | | Total - 6 | | Total - 49 | |
| / 6:48:13.294 pm // 6:48:29.253 pm / | | | Pass - 0 | 6 | Pass - 10 | 49 |
| | | | Fail - 6 | | Fail - 6 | |
| | | | Skip - 0 | | Skip - 33 | |

## (S)- Register

| FAILED | DURATION - 15.724 s | | Steps | |
|---|---|---|---|---|
| / 6:48:13.302 pm // 6:48:29.026 pm / | | | Total - 12 | |
| Checking Functionality of Adactin Application | | | Pass - 10 | 12 |
| | | | Fail - 1 | |
| @register | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | PASSED | 8.015 s |
| 2 | Given user Is On Login Page | PASSED | 0.069 s |
| 3 | When user Clicks New User Register Here Link | PASSED | 2.199 s |
| 4 | Then user Is Naviated To Registration Page | PASSED | 0.028 s |
| 5 | And user Enter "R" In Username Field | PASSED | 0.064 s |
| 6 | And user Enter "June@123456789" In Password Field | PASSED | 0.071 s |
| 7 | And user Reconfirms Password Entering "June@123456789" In Confirm Password Field | PASSED | 0.065 s |
| 8 | And user Enter "Risr" In Full Name Field | PASSED | 0.047 s |
| 9 | And user Enter "rj@gmail.com" In Email Address Field | PASSED | 0.078 s |
| 10 | And user Enters CaptchaText Referring to Captcha Image | PASSED | 5.015 s |
| 11 | Then user Clicks TermsandConditions Checkbox | FAILED | 0.028 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641 *** Element info: {Using=name, value=tnc_box}<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElementByName(RemoteWebDriver.java:400)<br>   at org.openqa.selenium.By$ByName.findElement(By.java:284)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)<br>   at jdk.proxy2/jdk.proxy2.$Proxy21.click(Unknown Source)<br>   at com.qa.pom.PageObjects_02_RegistrationPage.TandC(PageObjects_02_RegistrationPage.java:114)<br>   at com.qa.stepdefinition.Adactin_StepDefinition.user_clicks_termsand_conditions_checkbox(Adactin_StepDefinition.java:315)<br>   at ?.user Clicks TermsandConditions Checkbox(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:18)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) |  |  |
|  | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) |  |  |
|  | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) |  |  |
|  | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) |  |  |
|  | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) |  |  |
|  | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) |  |  |
|  | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) |  |  |
|  | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) |  |  |
|  | at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) |  |  |
| 12 | Then user Clicks Register Button | SKIPPED | 0.001 s |

## (S)- Login

| FAILED | DURATION - 0.022 s | | Steps | |
|---|---|---|---|---|
| / 6:48:29.045 pm // 6:48:29.067 pm / | | | Total - 6 | |
| Checking Functionality of Adactin Application | | | Pass - 0 | |
|  | | | Fail - 1 | |
|  | | | Skip - 5 | 6 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | FAILED | 0.008 s |
|  | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641 |  |  |
|  | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) |  |  |
|  | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) |  |  |
|  | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) |  |  |
|  | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) |  |  |
|  | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) |  |  |
|  | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) |  |  |
|  | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:276) | | |
| | at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:46) | | |
| | at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin. feature:4) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.006 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641 <br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) <br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) <br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) <br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) <br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) <br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) <br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) <br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605) <br>   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) <br>   at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) | | |
| 2 | Given user Lauches The Application | SKIPPED | 0.001 s |
| 3 | When user Enter Valid "NithyaBharathi" In The Username Field | SKIPPED | 0.000 s |
| 4 | And user Enter "F86N67" In The Password Field | SKIPPED | 0.000 s |
| 5 | And user Click On The Login Button | SKIPPED | 0.000 s |
| 6 | Then user Confirms It Navigates To The Homepage | SKIPPED | 0.000 s |

## (S)- Search

| FAILED | DURATION - 0.034 s | | Steps |
|---|---|---|---|

/ 6:48:29.093 pm // 6:48:29.127 pm /

Checking Functionality of Adactin Application



Steps
Total - 12
Pass - 0
Fail - 1
Skip - 11

12

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | FAILED | 0.012 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:276)<br>    at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:46)<br>    at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin. feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605)<br>  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294)<br>  at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) | | |
| 2 | Given user Is Logged In Successfully And In The Search Page | SKIPPED | 0.001 s |
| 3 | When user Selects The "New York" In The Location Field | SKIPPED | 0.000 s |
| 4 | And user Selects The "Hotel Creek" In The Dropdown Field | SKIPPED | 0.001 s |
| 5 | And user Selects The "1" In The Roomtype Field | SKIPPED | 0.000 s |
| 6 | And user Selects The "5" In The Number Of Rooms Field | SKIPPED | 0.000 s |
| 7 | And user Selects The "05/07/2024" In The Check In Date Field | SKIPPED | 0.000 s |
| 8 | And user Selects The "07/07/2024" In The Check Out Date Field | SKIPPED | 0.000 s |
| 9 | And user Selects The "4" In The Adults Room Field | SKIPPED | 0.000 s |
| 10 | And user Selects The "2 - Two" In The Child Room Field | SKIPPED | 0.000 s |
| 11 | And user Clicks On The Search Button | SKIPPED | 0.000 s |
| 12 | Then user Confirms That The Search Is Carried Out Successfully | SKIPPED | 0.001 s |

## (S)- Select

| FAILED | DURATION - 0.021 s | | Steps | |
|---|---|---|---|---|
| | / 6:48:29.146 pm // 6:48:29.167 pm / | | Total - 5 | |
| | Checking Functionality of Adactin Application | | Pass - 0 | |
| | | | Fail - 1 | |
| | | | Skip - 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | FAILED | 0.011 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:276)<br>    at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:46)<br>    at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin. feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.003 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605)<br>    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294)<br>    at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) | | |
| 2 | Given user Is On Select Hotel Page | SKIPPED | 0.004 s |
| 3 | When user Clicks On Radio Button To Select The Hotel | SKIPPED | 0.001 s |
| 4 | And user clicks On Continue Button | SKIPPED | 0.000 s |
| 5 | Then user Confirms The Confirmation Is Successfull | SKIPPED | 0.000 s |

## (S)- Book

| FAILED | DURATION - 0.033 s | | Steps | |
|---|---|---|---|---|
| / 6:48:29.188 pm // 6:48:29.221 pm / | | | Total - 11 | |
| Checking Functionality of Adactin Application | | | Pass - 0 | 11 |
| | | | Fail - 1 | |
| | | | Skip - 10 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | FAILED | 0.020 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:276)<br>  at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:46)<br>  at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin. feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294)<br>at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) | | |
| 2 | Given the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled | SKIPPED | 0.000 s |
| 3 | When user Enters "Nithya" In Firstname Field | SKIPPED | 0.000 s |
| 4 | And user Enters "Bharathi" in Lastname Field | SKIPPED | 0.000 s |
| 5 | And user Enters "2F/248" In Address Field | SKIPPED | 0.000 s |
| 6 | And user Enters Valid "6684276875535765875" In Creditcard Filed | SKIPPED | 0.000 s |
| 7 | And user Selects The "1" In The Cardtype Field | SKIPPED | 0.000 s |
| 8 | And user Selects The "3" In The Date Field | SKIPPED | 0.000 s |
| 9 | And user Selects The "2029" In The Year Field | SKIPPED | 0.000 s |
| 10 | And user Enters Valid "455" In The Number Field | SKIPPED | 0.000 s |
| 11 | And user Clicks On Book Now Button | SKIPPED | 0.000 s |

## (S)- Booking Confirmation

| FAILED | DURATION - 0.018 s |
|---|---|
| / 6:48:29.235 pm // 6:48:29.253 pm / | |
| Checking Functionality of Adactin Application | |

Steps

Total - 3

Pass - 0

Fail - 1

Skip - 2



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user Lauches The Application | FAILED | 0.008 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org. openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:276)<br>   at com.qa.stepdefinition.Adactin_StepDefinition.user_lauches_the_application(Adactin_StepDefinition.java:46)<br>   at ?.user Lauches The Application(file:///D:/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:4)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=125.0.6422.142) Build info: version: '3.14.0', revision: 'aacccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDataDir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:8448}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cc1962c0d08ccb2d22af119bc8249641<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)<br>   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:605)<br>   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:294) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   | at com.qa.stepdefinition.Hooks_Class.addScreenshots(Hooks_Class.java:28) |        |          |
| 2 | Given the Page Is Already Filled With Details | SKIPPED | 0.000 s |
| 3 | When user Clicks On MyItinerary Button | SKIPPED | 0.000 s |