

Cucumber Report

08-Jun-2024, 11:15:24 pm

Start : Jun 08, 11:15:01.336 pm

End : Jun 08, 11:15:22.938 pm

Duration : 21.602 s

Features



PASSED - 0
FAILED - 1
SKIPPED - 0


Scenarios

PASSED - 3
FAILED - 2
SKIPPED - 0


Steps

PASSED - 20
FAILED - 2
SKIPPED - 10





#	Feature Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	5	3	2	0	21.602 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking Functionality of Adactin Application</u>	<u>Login</u>	5	5	0	0	8.141 s
2	<u>Checking Functionality of Adactin Application</u>	<u>Search</u>	11	11	0	0	4.174 s
3	<u>Checking Functionality of Adactin Application</u>	<u>Select</u>	4	4	0	0	1.320 s
4	<u>Checking Functionality of Adactin Application</u>	<u>Book</u>	10	0	1	9	0.303 s
5	<u>Checking Functionality of Adactin Application</u>	<u>Booking Confirmation</u>	2	0	1	1	7.536 s


(F)- Checking Functionality of Adactin Application




(S)- Login




#	Step / Hook Details	Status	Duration
1	Given user Lauches The Application AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	5.708 s
2	When user Enter Valid "NithyaBharathi" In The Username Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.144 s
		PASSED	0.263 s

#	Step / Hook Details	Status	Duration
3	And user Enter "F86N67" In The Password Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.104 s
4	And user Click On The Login Button AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.778 s
5	Then user Confirms It Navigates To The Homepage AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.112 s

(S)- Search


PASSED	DURATION - 4.174 s	Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 11:15:09.545 pm // 11:15:13.719 pm /			
Checking Functionality of Adactin Application			



#	Step / Hook Details	Status	Duration
1	Given user Is Logged In Successfully And In The Search Page AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.060 s
2	When user Selects The "New York" In The Location Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.207 s
3	And user Selects The "Hotel Creek" In The Dropdown Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.168 s
4	And user Selects The "1" In The Roomtype Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.215 s
5	And user Selects The "5" In The Number Of Rooms Field AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario) image	PASSED	0.345 s
		PASSED	0.137 s

#	Step / Hook Details	Status	Duration
6	And user Selects The "05/07/2024" In The Check In Date Field	PASSED	0.119 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
7	And user Selects The "07/07/2024" In The Check Out Date Field	PASSED	0.083 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
8	And user Selects The "4" In The Adults Room Field	PASSED	0.078 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
9	And user Selects The "2 - Two" In The Child Room Field	PASSED	0.140 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s


#	Step / Hook Details	Status	Duration
			
10	And user Clicks On The Search Button	PASSED	1.034 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
			
11	Then user Confirms That The Search Is Carried Out Successfully	PASSED	0.062 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
			

(S)- Select

#	Step / Hook Details	Status	Duration
1	Given user Is On Select Hotel Page	PASSED	0.108 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
			

#	Step / Hook Details	Status	Duration
			
2	When user Clicks On Radio Button To Select The Hotel	PASSED	0.093 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
			
3	And user clicks On Continue Button	PASSED	0.555 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
			
4	Then user Confirms The Confirmation Is Successfull	PASSED	0.013 s
	AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
			


(S)- Book



#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled</p> <pre>java.lang.NullPointerException: Cannot invoke "com.qa.pom.PageObjects_BookHotel.ppFields()" because "this.bh" is null at com.qa.stepdefinition.Adactin_StepDefinition. the_page_is_already_partially_autopopulated_and_the_rest_dropdown_to_be_filled(Adactin_StepDefinition.java:177) at ?.the Page Is Already Partially Autopopulated And The Rest Dropdown To Be Filled(file:///C:/Users/NITHYA/ latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:43) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.006 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.102 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p>	PASSED	0.177 s
2	When user Enters "Nithya" In Firstname Field	SKIPPED	0.001 s
3	And user Enters "Bharathi" in Lastname Field	SKIPPED	0.000 s
4	And user Enters "2F/248" In Address Field	SKIPPED	0.000 s
5	And user Enters Valid "6684276875535765875" In Creditcard Filed	SKIPPED	0.000 s
6	And user Selects The "1" In The Cardtype Field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And user Selects The "3" In The Date Field	SKIPPED	0.000 s
8	And user Selects The "2029" In The Year Field	SKIPPED	0.000 s
9	And user Enters Valid "455" In The Number Field	SKIPPED	0.000 s
10	And user Clicks On Book Now Button	SKIPPED	0.000 s

(S)- Booking Confirmation



#	Step / Hook Details	Status	Duration
1	<p>Given the Page Is Already Filled With Details</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#order_no"} (Session info: chrome=125.0.6422.142) For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.14.0', revision: 'aaccce0', time: '2018-08-02T20:19:58.91Z' System info: host: 'LAPTOP-02PJ7JBS', ip: '192.168.43.71', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 125.0.6422.142, chrome: {chromedriverVersion: 125.0.6422.60 (3ac3319bff9f..., userDatadir: C:\Users\NITHYA\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:11904}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5c41f121b66e29a59180b2541578fcf *** Element info: {Using:id, value=order_no} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:322)</pre>	FAILED	7.344 s

#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:368) at org.openqa.selenium.By\$ById.findElement(By.java:188) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:314) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy21.isDisplayed(Unknown Source) at com.qa.pom.PageObjects_BookingConfirmation.orderNo(PageObjects_BookingConfirmation.java:34) at com.qa.stepdefinition.Adactin_StepDefinition.the_page_is_already_filled_with_details(Adactin_StepDefinition.java:235) at ?.the Page Is Already Filled With Details(file:///C:/Users/NITHYA/latest%20eclipse%20workspace/Adactin_QA_04_06_24/src/test/java/com/qa/feature/adactin.feature:61) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshots(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.088 s
	<p>AFTER_STEP - com.qa.stepdefinition.Hooks_Class.addScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.099 s
2	When user Clicks On MyItinerary Button	SKIPPED	0.000 s