Ex NO: 7

Building an Anonymous FTP Scanner using python

Aim:

To develop a python based anonymous FTP scanner using the builtin ftplib module and determine whether an FTP server permits anonymous access.

procedure:

* Import the ftplib module
* Enter the FTP server address
* Connect to the FTP server
* Test anonymous login
* Display the login status and directory contents
* Close the connection and observe the output.

Code:

```
from ftplib import FTP
from ftplib import all_errors
def anonymous_ftp_scan(host,port=21)
print("="*50)
print("Anonymous FTP SCANNER")
print("="*50)
print(f"Target:{host}")
print(f"port:{port}")
print()
ftp=FTP()
try:
    print("[1] Connecting to FTP server...")
    ftp.connect(host,port,timeout=10)
    print("[+] FTP server is reachable")
    print("[+] server response:", ftp.
                                getwelcome())
    print("\n[2] Testing anonymous login...")
    ftp.login(user="anonymous", passwd="
                anonymous@example.com")
```


o/p: Anonymous access successful

Enter FTP server address: 127.0.0.1

```
= = = = = = = = = = = = = = = = = = = = =
    ANONYMOUS FTP SCANNER
= = = = = = = = = = = = = = = = = = = = =
```

Target : 127.0.0.1
Port : 21

[1] connecting to FTP server...
[+] FTP server is reachable
[+] Server response: 220 Microsoft FTP Service
[2] Testing anonymous login
[+] Anonymous login successful
[!] The FTP server permits anonymous access
[5] checking accessible directory
[+] Directory listing is available:
file1.txt
documents
public



```
print ("[+] Anonymous login successful")
print ("[!] The FTP server permits anonymous access")
print ("\n[*] Checking accessible directory")
files = ftp.nlst()
if files:
    print ("[+] Directory listing is available:")
for item in files:
        print("  ", item)
else:
    print ("[-] Directory is empty or listing is unavailable.")
    ftp.quit()
except all-errors as error:
    print("[-] Anonymous login failed or FTP connection failed")
    print ["[!] Error:", error)
    try:
        ftp.close()
    except:
        pass
target = input("Enter FTP server address:")
anonymous-ftp-scan (target)
```

Result:

The python program successfully checks whether an authorized FTP server is reachable and whether its permits anonymous FTP login.