



Exp :1	Basic HTML programs	Date:7-1-26
--------	---------------------	-------------

By : Nitin.A

Roll no: CH.SC.U4CSE25030

Experiment 1a:

AIM: To Print A Paragraph

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>sample</title>
```

```
</head>
```

```
<body>
```

```
<p>HTML is a basic language used to create webpages. It helps structure content like text, images, and links on the internet. HTML is easy to learn and is the first step for anyone who wants to start web development.</p>
```

```
</body>
```

```
</html>
```

Output:



HTML is a basic language used to create webpages.It helps structure content like texts,images,and links on the internet.HTML is easy to learn and is the first step for anyone who wants to start web development.

Experiment 1b:

AIM:To print different Heading sizes

PROGRAM:

```
<!DOCTYPE html>

<html>

<head>

<title>HTML Heading sizes</title>

</head>

<body>

    <h1>This is heading 1(Largest)</h1>

    <h2>This is heading 2</h2>

    <h3>This is heading 3</h3>

    <h4>This is heading 4</h4>

    <h5>This is heading 5</h5>

    <h6>This is heading 6(Smallest)</h6>

</body>

</html>
```

OUTPUT:



Experiment 1c:

AIM:To change the background color


PROGRAM:

```
<!DOCTYPE html>
<html
<head>
<title>Background color example</title>
    <style>
        body{
            background-color:
lightblue;
        }
    </style>
</head>

<body>
    <h1>Background color demo</h1>
    <p>This page has a light blue background.</p>

</body>
</html>
```

OUTPUT:



Experiment 1d:


AIM:To bold the text in a paragraph

PROGRAM:

```
<!DOCTYPE html>
<html
<head>
  <title>Bold text example</title>
</head>

<body>
  <p><b>This text is bold using the b tag.</b></p>
  <p><strong>This text is bold using the strong tag.</strong></p>
</body>
</html>
```

OUTPUT:



Experiment 1e:


AIM: To implement HTML Styles

PROGRAM:

```
<!DOCTYPE html>
<html
<head>
  <title>HTML styles example</title>
</head>

<body>
  <p style="color:red;">This text is red</p>
  <p style="font-size:20px;">This text has bigger font size</p>
  <p style="background-color:yellow;">This text has a background color</p>
  <p style="font-family:Arial;">This text uses Arial font</p>
  <p style="text-align:centre;">This text is centre aligned</p>
</body>
</html>
```

OUTPUT:



Experiment 1f:

AIM: To implement HTML Text alignment

PROGRAM:

```
<!DOCTYPE html>
<html>
<head>
  <title>Text alignment</title>
</head>

<body>
  <h2 style="text-align:left;">This text is left aligned</h2>
  <h2 style="text-align:center;">This text is center aligned</h2>
  <h2 style="text-align:right;">This text is right aligned</h2>
  <p style="text-align:justify;">This text is justified. The spacing between words is adjusted so that each
line
has equal width, creating clean edges on both sides. Justified text is commonly used in newspapers,
magazines, and books because it gives a neat and professional appearance. It helps improve readability by
aligning the text evenly along both the left and right margins of the paragraph.</p>
</body>
</html>
```

OUTPUT:



This text is left aligned

This text is center aligned

This text is right aligned

This text is justified. The spacing between words is adjusted so that each line has equal width, creating clean edges on both sides. Justified text is commonly used in newspapers, magazines, and books because it gives a neat and professional appearance. It helps improve readability by aligning the text evenly along both the left and right margins of the paragraph.

Experiment 1g:

AIM:To implement HTML Shortquotations

PROGRAM:

```
<html>
<head>
  <title>Short Quotes</title>
</head>
<body>

  <p>
    <q>Small efforts every day lead to great results</q>.
  </p>

  <p>
    <q>Learning becomes powerful when practice is consistent</q>.
  </p>

  <p>
    <q>Confidence grows when you believe in your journey</q>.
  </p>

</body>
</html>
```

OUTPUT:



Experiment 1h:

AIM: To implement HTML Adresselement

PROGRAM:

```
<!DOCTYPE html>

<html>

<head>

    <title>HTML Address Element</title>

</head>

<body>

    <h2>Contact Information</h2>

    <address>

        Written by: Nitin<br>

        College: Amrita Vishwa Vidyapeetham<br>

        Email: sample@gmail.com<br>

        Location: Chennai, India<br>

        Website: www.htmladress.com

    </address>

</body>

</html>
```

OUTPUT:



Experiment 1i:

AIM: To implement HTML cite elements

PROGRAM:

```
<!DOCTYPE html>

<html>

<head>

    <title>Cite Tag Example</title>

</head>

<body>

    <p>

        My favorite book is <cite>The Alchemist</cite>.

    </p>

    <p>


        My favorite movie is <cite>Inception</cite>.

    </p>

</body>

</html>
```

OUTPUT:



Experiment 1j:

AIM: To implement HTML Small text

PROGRAM:

```
<!DOCTYPE html>
<html>
<head>
  <title>Small Text with Copyright</title>
</head>
<body>

  <p>
    This is normal text.
    <small>This is small text.</small>
  </p>

  <footer>
    <small>© 2026 All rights reserved.</small>
  </footer>

</body>
</html>
```

OUTPUT:





AMRITA

VISHWA VIDYAPEETHAM

Exp :2

Basic HTML tags and Tables

Date:20-1-26

By : Nitin.A

Roll no: CH.SC.U4CSE25030

Task2a)

Aim: To display a Table.

Program:

```
<table border="1">
  <tr>
    <th>Name</th>
    <th>City</th>
    <th>Age</th>
  </tr>
  <tr>
    <td>Nitin</td>
    <td>Chennai</td>
    <td>18</td>
  </tr>
  <tr>
    <td>Elan</td>
```

```
<td>Salem</td>
<td>18</td>
</tr>
<tr>
<td>Purusoth</td>
<td>Madurai</td>
<td>24</td>
</tr>
</table>
```

Screenshot of output/result:



Name	City	Age
Nitin	Chennai	18
Elan	Salem	18
Purusoth	Madurai	24

Task 2b)

Aim: Add background color and caption to a table

Program:

```
<!DOCTYPE html>
<html>
```

```
<head>
  <title>Table with Background</title>
  <style>
    table {
      border-collapse: collapse;
      width: 60%;
      background-color: lightblue;
    }
    td {
      border: 1px solid black;
      padding: 10px;
      text-align: center;
    }
    caption {
      font-size: 20px;
      font-weight: bold;
      margin-bottom: 10px;
    }
  </style>
</head>
<body>

<table>
  <caption>Department Course Details</caption>
```

```
<tr>
  <td rowspan="3">Computer Science</td>
  <td>CS101</td>
```

```
</tr>
```

```
<tr>
  <td>CS102</td>
```

```
</tr>
```

```
<tr>
  <td>CS103</td>
```

```
</tr>
```

```
<tr>
  <td>Physics Lab</td>
  <td>PHY110</td>
```

```
</tr>
```

```
<tr>
  <td rowspan="2">Mathematics</td>
  <td>MAT101</td>
```

```
</tr>
```

```
<tr>
  <td>MAT102</td>
```


```
</tr>
```

```
</table>
```

</body>

</html>

Screenshot of output/result:



Computer Science	CS101
	CS102
	CS103
Physics Lab	PHY110
Mathematics	MAT101
	MAT102

Task 2c)

Aim: Add width to a table

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Table Width</title>
```

```
  <style>
```

```
    table {
```

```
      width: 90%;
```

```
      background-color: lightblue;
```

```
      border-collapse: collapse;
```



```
}
td {
    border: 1px solid black;
    padding: 10px;
    text-align: center;
}
caption {
    font-size: 20px;
    font-weight: bold;
}
</style>
</head>
<body>

<table>
    <caption>Department Course Details</caption>

    <tr>
        <td rowspan="2">Computer Science</td>
        <td>CS101</td>
    </tr>
    <tr>
        <td>CS102</td>
    </tr>
```

<tr>

<td>Physics Lab</td>

<td>PHY110</td>

</tr>

<tr>

<td rowspan="2">Mathematics</td>

<td>MAT101</td>

</tr>

<tr>

<td>MAT102</td>


</tr>

</table>

</body>

</html>

Screenshot of output/result:



The screenshot shows a web browser window with the title 'Table Width'. The address bar shows the file path 'D:/Nitin.A/UID/width.html'. The browser displays a table with the following content:

Department Course Details	
Computer Science	CS101
	CS102
Physics Lab	PHY110
Mathematics	MAT101
	MAT102

Task 2d)

Aim: Hyperlink image as link

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Image as Hyperlink</title>
```

```
</head>
```

```
<body>
```

```
<h1>Click the image to redirect to the official FIFA page</h1>
```

```
<a href="https://www.fifa.com/">
```


```
  
```

```
</a>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:



Task 2e)

Aim: link to an email address.

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<a href="mailto:info@example.com">Send Email</a>
```


```
</body>
```

```
</html>
```

Screenshot of output/result:



After clicking on the link:



Task 2f)

Aim: Button as link


Program:

```
<!DOCTYPE html>  
<html>  
<body>  
  
<a href="https://www.google.com">  
    <button>Go to Google</button>  
</a>  
  
</body>  
</html>
```

Screenshot of output/result:



After clicking on the link:



Task 2g)

Aim: Link titles

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<a href="https://www.wikipedia.org" title="Visit Wikipedia website">
```


```
wikipedia website
```

```
</a>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:



After clicking on the link:





AMRITA

VISHWA VIDYAPEETHAM

Exp :3

HTML forms and video elements

Date:23-1-26

By : Nitin.A

Roll no: CH.SC.U4CSE25030

Task3a)

Aim: To use <form> element

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>HTML Forms</h2>
```

```
<form>
```

```
<label for="fname">First name:</label><br>
```


```
<input type="text" id="fname" name="fname"><br><br>
```

```
</form>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:



Task 3b)

Aim: To use `<input>` element and text fields

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>HTML Forms</h2>
```

```
<form>
```

```
<label for="username">Username:</label><br>
```

```
<input type="text" id="username" name="username"><br><br>
```

```
<label for="email">Email:</label><br>
```

```
<input type="email" id="email" name="email"><br><br>
```

```
<label for="age">Age:</label><br>
```


```
<input type="number" id="age" name="age"><br><br>
```

```
</form>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:



The screenshot shows a web browser window with a single tab titled 'input_and_textfields.html'. The address bar shows the file path 'file:///C:/Users/Nitin/Documents/uid/input_and_textfields.html'. The page content is titled 'HTML Forms' and contains three form fields: 'Username:' with a text input, 'Email:' with a text input, and 'Age:' with a number input. The browser's user interface includes a back button, a refresh button, and a tab bar with a close button and a plus sign for new tabs.

Task 3c)

Aim: To use radio buttons

Program:

```
<!DOCTYPE html>

<html>

<body>

<h2>User Details Form</h2>

<form>

  <label for="username">Username:</label><br>

  <input type="text" id="username" name="username"><br><br>

  <label for="email">Email:</label><br>

  <input type="email" id="email" name="email"><br><br>

  <p>Gender:</p>

  <input type="radio" id="male" name="gender" value="male">

  <label for="male">Male</label><br>

  <input type="radio" id="female" name="gender" value="female">

  <label for="female">Female</label><br>

  <input type="radio" id="other" name="gender" value="other">


  <label for="other">Other</label><br><br>

</form>

</body>

</html>
```

Screenshot of output/result:



The screenshot shows a web browser window with a single tab titled 'radio_button.html'. The address bar displays the file path 'file:///C:/Users/Nitin/Documents/uid/radio_button.html'. The page content features a heading 'User Details Form' followed by three form elements: a 'Username:' label with a text input field, an 'Email:' label with a text input field, and a 'Gender:' label with three radio button options: 'Male', 'Female', and 'Other'.

Task 3d)

Aim: To use checkboxes

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>User Details Form</h2>
```

```
<form>
```

```
  <label for="username">Username:</label><br>
```

```
  <input type="text" id="username" name="username"><br><br>
```

```
  <label for="email">Email:</label><br>
```

```
  <input type="email" id="email" name="email"><br><br>
```

<p>Gender:</p>

<input type="radio" id="male" name="gender" value="male">

<label for="male">Male</label>

<input type="radio" id="female" name="gender" value="female">

<label for="female">Female</label>

<input type="radio" id="other" name="gender" value="other">

<label for="other">Other</label>

<p>Interests:</p>

<input type="checkbox" id="sports" name="interests" value="sports">

<label for="sports">Sports</label>

<input type="checkbox" id="music" name="interests" value="music">

<label for="music">Music</label>

<input type="checkbox" id="reading" name="interests" value="reading">


<label for="reading">Reading</label>

</form>

</body>

</html>

Screenshot of output/result:



The screenshot shows a web browser window with a single tab titled 'checkboxbox.html'. The address bar displays the file path 'C:/Users/Amma/Documents/uid/checkboxbox.html'. The page content is a form titled 'User Details Form'. The form includes the following elements:

- Username:** A text input field.
- Email:** A text input field.
- Gender:** Three radio button options: 'Male', 'Female', and 'Other'.
- Interests:** Three checkbox options: 'Sports', 'Music', and 'Reading'.

Task 3e)

Aim: To use the submit button

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h2>User Details Form</h2>
```

```
<form>
```

```
<label for="username">Username:</label><br>
```

```
<input type="text" id="username" name="username"><br><br>
```

<label for="email">Email:</label>

<input type="email" id="email" name="email">

<p>Gender:</p>

<input type="radio" id="male" name="gender" value="male">

<label for="male">Male</label>

<input type="radio" id="female" name="gender" value="female">

<label for="female">Female</label>

<input type="radio" id="other" name="gender" value="other">

<label for="other">Other</label>

<p>Interests:</p>

<input type="checkbox" id="sports" name="interests" value="sports">

<label for="sports">Sports</label>

<input type="checkbox" id="music" name="interests" value="music">

<label for="music">Music</label>

<input type="checkbox" id="reading" name="interests" value="reading">

<label for="reading">Reading</label>



```
<input type="submit" value="Submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:



The screenshot shows a web browser window with the address bar displaying 'submit.html'. The page content is a form titled 'User Details Form'. The form contains the following fields and options:

- Username:** A text input field.
- Email:** A text input field.
- Gender:** Three radio button options: Male, Female, and Other.
- Interests:** Three checkbox options: Sports, Music, and Reading.
- Submit:** A button labeled 'Submit'.

Task 3f)

Aim: To allow multiple selections

Program:

```
<html>
```


```
<head>
```

```
<title> Forms </title>
```

```
</head>
```

```
<body>
<form>
<h1>Admission Form</h1><br>
<label>Enter your Name:</label>
<input type="text"></input><br><br>
<label>Enter your Age:</label>
<input type="number"></input><br><br>
<label>Enter your E-Mail:</label>
<input type="email"></input><br><br>
<label>Place:</label>
<select name="Sample">
<option></option>
<option>Chennai</option>
<option>Salem</option>
<option>Tiruvallur</option>
<option>Madurai</option>
<option>Ooty</option>
<option>Coimbatore</option>
</select><br><br>
<input type="button" value="Submit">
</form>
</body>
</html>
```

Screenshot of output/result:



The screenshot shows a web browser window with the title 'Forms'. The address bar displays the file path: file:///C:/Users/Nitin/Documents/uid/drop_down.html. The main content area features an 'Admission Form' with the following elements:

- Enter your Name:
- Enter your Age:
- Enter your E-Mail:
- Place:

A 'Submit' button is located to the left of the 'Place' dropdown. The dropdown menu is open, displaying a list of locations: Chennai, Salem, Tiruvallur, Madurai, Ooty, and Coimbatore.

Task 3g)

Aim: To add a video to a web page

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Forms</title>
```

```
</head>
```

```
<body>
```

```
<form>
```

```
  <h1>Admission Form</h1><br>
```

<label>Enter your Name:</label>

<input type="text" name="name">

<label>Enter your Age:</label>

<input type="number" name="age">

<input type="button" value="Submit">


<video src="Sample.mp4" width="300" height="200"></video>

</form>

</body>

</html>

Screenshot of output/result:



Task 3h)

Aim: To add play controls to the video

Program:

```
<!DOCTYPE html>

<html>

<head>

  <title>Forms</title>

</head>

<body>

  <form>

    <h1>Admission Form</h1><br>

    <label>Enter your Name:</label>

    <input type="text" name="name"><br><br>

    <label>Enter your Age:</label>

    <input type="number" name="age"><br><br>

    <input type="button" value="Submit"><br><br>


    <video src="Sample.mp4" width="300" height="200" controls>
  </video>

  </form>

</body>

</html>
```

Screenshot of output/result:



Task 3i)

Aim: To loop the video

Program:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Forms</title>
```

```
</head>
```

```
<body>
```

```
  <form>
```

```
    <h1>Admission Form</h1><br>
```

```
<label>Enter your Name:</label>
```

```
<input type="text" name="name"><br><br>
```

```
<label>Enter your Age:</label>
```

```
<input type="number" name="age"><br><br>
```

```
<input type="button" value="Submit"><br><br>
```

```
<video src="Sample.mp4" width="300" height="200" controls loop>  
</video>
```

```
</form>
```

```
</body>
```

```
</html>
```

Screenshot of output/result:

