
FINTECH · CYBERSECURITY

Fraud Flagger

Smart Transaction Fraud Detection System

Detect Suspicious Patterns. Prevent Financial Risks.



01 · THE SIGNAL

From transaction history to an early warning

Fraud Flagger turns ordinary CSV history into readable indicators before suspicious activity becomes easy to miss.



History in

Historical transaction data in CSV format.



Patterns read

Frequency, authentication, and amount behavior.



Signal out

Clear alerts and risk indicators.

02 · DETECTION LOGIC

Three triggers turn activity into a signal

Each mechanism compares activity with a recognizable behavioral pattern, then raises a visible flag.

Unusual frequency

Flags activity above a user's normal count in a defined period.

FREQUENCY FLAG

Repeated incorrect PINs

Flags more than three failed PIN entries.

AUTH FLAG

Sudden high-value deposits

Flags deposits that differ significantly from typical behavior.

AMOUNT FLAG

03 · SYSTEM DESIGN

Python + Streamlit, with a proposed risk layer

01	02	03	04
Upload CSV	Analyze	Compare	Flag
Bring historical transaction data into the app.	Check frequency, PIN failures, and amounts.	Use thresholds or historical patterns.	Show suspicious rows and indicators.

Python handles the logic · Streamlit provides the interface · CSV is the input.

PROPOSED ENHANCEMENT

FraudPulse Adaptive Risk Engine

Assigns weighted points to the three triggers and combines them into one score.

Low risk

Normal-looking activity

Medium risk

Review recommended

High risk

Multiple or severe indicators

FRAUD FLAGGER · PROJECT CLOSE

Thank you

Smarter detection. Safer transactions.

Jerlin V, Janani S, Jaidev S, and Nitin VR

