MACHINE LEARNING

ASSIGNMENT-1

V VIC	NO.1	(D)
AIND.	NO.T	וטו

ANS.NO.2 (D)

ANS.NO.3 (D)

ANS.NO.4 (A)

ANS.NO.5 (B)

ANS.NO.6 (D)

ANS.NO.7 (A)

ANS.NO.8 (B)

ANS.NO.9 (D)

ANS.NO.10 (A)

ANS.NO.11 (D)

ANS.NO.12 (A)

ANS.NO.13

This is calculated as the sum of squared distances between data points and the centers of the clusters they belong to. Inertia quantifies the within-cluster variation. Another popular metric is the silhouette coefficient, which attempts to summarize both within-cluster and between-cluster variation.

ANS.NO.14

To measure the quality of a clustering, we can use the average silhouette coefficient value of all objects in the data set.

ANS.NO.15

Cluster Analysis

Cluster analysis is a multivariate data mining technique whose goal is to groups objects (such as products, respondents, or other entities) based on a set of user selected characteristics or attributes. It is the basic and most important step of data mining and a common technique for statistical data analysis, and it is used in many fields such as data compression, machine learning, etc.

Types of Cluster Analysis

- 1. Hierarchical Cluster Analysis
- 2. Central Based Clustering

- 3. Distribution Based Clustering
- 4. Density-Based Clustering