Lead Intake & Duplicate Verification System

An intake workflow designed to verify existing records before creating unnecessary duplicate CRM entries.



Architected by Nitin Mishra

Founder & Automation Systems Specialist

nitinsystems.com

Form | Make.com Webhook | Make.com | Airtable | HubSpot | Outlook

Is this a new record, or does the system already know this person?

A simple form-to-CRM workflow often assumes: “New form submission = New lead.”

WHERE THE ASSUMPTION BREAKS

That assumption can create duplicate records when an existing contact submits the form again.

A repeat submission is not necessarily a duplicate. The contact may be:

- correcting information
- adding missing details
- continuing an existing inquiry
- returning with another inquiry

THE OPERATIONAL QUESTION

“Is this actually a new record, or does the system already know this person?”

The system answers this question before a CRM record is created.

What the system was designed to accomplish

01

Capture complete intake information

02

Maintain a broader intake record in Airtable

03

Verify whether an existing record is present

04

Avoid unnecessary duplicate CRM records

05

Allow an existing record to be intentionally updated

06

Selectively synchronize CRM-relevant information to HubSpot

07

Notify the business

08


Confirm submission to the prospect

Lead Intake & Duplicate Verification System

System Architecture & Operational Flow

SELF-INITIATED SYSTEM DESIGN
Designed & built by Nitin Mishra

Capture | Receive | Record | **Verify** | Route / Update | Synchronize | Communicate




USER INTAKE EXPERIENCE




NITIN SYSTEMS · B2B AUTOMATION & OPERATIONS

Form → Thank You → Existing-Record Prompt → Calendar


The intake layer captures the submission, confirms receipt, and introduces an existing-record decision point when the submitted email is already associated with a record.




1 · Form



2 · Thank You Page




3 · Existing-record prompt (when applicable)



4 · Calendar booking

The prompt shown in the build offers Update My Request, Email Me Directly, and Cancel. Calendar booking is part of the intake experience; it is not the duplicate-verification engine.

Lead Intake and Resubmission Engine




OPERATIONAL ROLE

- Webhook receives the submission
- Intake is processed and the full record is written to Airtable
- Existing-record verification runs on the submitted email
- New submissions proceed through the new-lead path
- CRM-relevant fields are selectively synchronized to HubSpot
- Internal notification and prospect confirmation are sent via Outlook

Lead Duplicate Verification Engine

The key operational distinction: an existing record triggers a decision instead of an automatic new CRM entry.



Existing record detected → user chooses Update or Cancel

UPDATE

Second scenario handles the update path.

Existing Airtable record updated.

Corresponding HubSpot record updated.


CANCEL

No new record created.

Existing record remains unchanged.

Full intake data vs. CRM operational data


Airtable retains the broader intake information, while HubSpot receives selected CRM-relevant fields.



Airtable · broader intake record

Intake data layer

Stores the full intake information and supports existing-record verification.




HubSpot · selected CRM fields


CRM record layer

Receives selected CRM-relevant fields only; not every Airtable field is synchronized.

One Nitin Systems Outlook identity for both messages



Internal notification to Nitin Systems




Lead confirmation to the prospect


The communication layer was standardized so internal and external messages use the same Nitin Systems identity, improving consistency across the implemented workflow.

Controlled record handling instead of automatic creation


The system uses the submitted email to identify whether an existing record is present. It does not assume every repeat submission is a duplicate.




System components shown from the implemented build




Make.com scenario inventory




Lead Intake and Resubmission Engine




Lead Duplicate Verification Engine



Airtable



HubSpot



Communication

Reasoning behind the design

Full intake data stays in Airtable

The broader record is kept in one intake data layer.

HubSpot receives selected fields

Only CRM-relevant information is synchronized.

Check before duplicating

Existing records are verified before unnecessary duplication.

Intentional updates

An existing record can be deliberately updated.

One communication identity

Internal and prospect messages share one Nitin Systems identity.

Two scenarios, two paths

Separate Make.com scenarios handle different operational paths.

Capability shown through design and implementation evidence

01	Lead intake design
02	Webhook-based workflow orchestration
03	Existing-record verification
04	Controlled duplicate handling
05	Airtable data organization
06	Selective CRM synchronization
07	Email communication automation
08	Multi-tool workflow design
09	Operational decision logic
10	Documentation of implementation evidence

Lead Intake & Duplicate Verification System

Capture → **Record** → Verify → Route → Update → Communicate



Architected by Nitin Mishra

Founder & Automation Systems Specialist

B2B Pipeline & Workflow Infrastructure

NitinSystems@outlook.com

nitinsystems.com

"Good automation does not only move data. It makes the next operational decision explicit."