Architecture Design

SHIPMENT PRICING PREDICTION



Project By: Mayank Yadav Nitish kr. dash

Document Version control

| Date issued | Version | Description | Author | | | | |
|---------------|---------|------------------------------|-------------------|--|--|--|--|
| 22/10/2024 | 1 | Initial Architecture | Mayank Yadav | | | | |
| . 23/10/2024 | . 2 | Review Architecture | . Nitish kr. Dash | | | | |
| . 23 /10/2024 | 2 | Last Revised Architecture | . Mayank Yadav | | | | |

Contents

| Document Version Control |
|-----------------------------------|
| Abstract |
| 1. Introduction5 |
| 1.1 What is Architecture Design?5 |
| 1.2 Scope5 |
| 1.3 Constraints5 |
| 2. Technical Specification6 |
| 2.1 Dataset6 |
| 2.2 Logging |
| 2.3 Deployment7 |
| 3. Technology Stack |
| 4. Proposed Solution |
| 5. Architecture |
| 5.1 Data Gathering10 |
| 5.2 Data Cleaning10 |
| 5.3 EDA |
| 5.4 Feature Engineering10 |
| 5.5 Model Selection10 |
| 5.6 Model Evaluation11 |
| 5.7 Model Deployment Process11 |
| 5.8 Github11 |
| 6 User Input-Output Workflow |

ABSTRACT

The goal of this project is to develop a model that can accurately predict supply chain shipment pricing based on a variety of factors. The market for supply chain analytics is expected to experience significant growth over the next few years, as organizations increasingly recognize the benefits of being able to forecast future events with a high degree of certainty. By accurately predicting supply chain pricing, supply chain leaders can address challenges, reduce costs, and improve service levels.

1. Introduction

1.1 What is Architecture design document?

Any software needs the architectural design to represents the design of software. IEEE defines architectural design as "the process of defining a collection of hardware and software components and their interfaces to establish the framework for the development of a computer system." The software that is built for computer-based systems can exhibit one of these many architectures.

The goal of Architecture Design (AD) is to give the internal design of the actual program code for the 'Shipment Pricing Prediction'. AD describes the class diagrams with the methods and relation between classes and program specification

1.2 Scope

Architecture Design (AD) is a component-level design process that follows a step-by-step refinement process. This process can be used for designing data structures, required software, architecture, source code, and ultimately, performance algorithms. Overall, the data organization may be defined during requirement analysis and then refined during data design work. And the complete workflow.

1.3 Constraints

We only predict the expected estimated Shipment cost for customers based on some past consignment shipment records the chances are many of our predicted values may vary to some extent.

2. Technical Specification

2.1 Dataset

The dataset is comprised of 10,324 records with 33 attributes. The data is in structured format. The data is a stored locally and is exported as a CSV file to be used for Data Pre-processing and Model Training.

The dataset looks as follows:

| ID | Project Code | PQ# | PO / SO # | ASN/DN # | Country | Managed By | Fulfill Via | Vendor INCO Term | Shipment Mode | PQ First Sent to Client Date | PO Sent to Vendor Date | Scheduled Delivery Date | Delivered to Client Date | Delivery Recorded Date | FIGURE | Sub Classification |
|----|--------------------|-------------------|--------------|-------------|------------------|---------------|----------------|------------------------|------------------|--|---------------------------------|-------------------------------|--------------------------------|------------------------------|--------|-----------------------|
| 1 | 100-CI- T01 | Pre-PQ Process | SCMS- | ASN-8 | Côte d'Ivoire | PMO - US | Direct Drop | EXW | Air | Pre-PQ Process | Date Not Captured | 2-Jun-06 | 2-Jun-06 | 2-Jun-06 | HRDT | HIV test |
| 3 | 108- VN- T01 | Pre-PQ Process | SCMS- 13 | ASN-85 | Vietnam | PMO - US | Direct Drop | EXW | Air | Pre-PQ Process | Date Not Captured | 14-Nov-06 | 14-Nov- 06 | 14-Nov- 06 | ARV | Pediatric |
| 4 | 100-CI- T01 | Pre-PQ Process | SCMS- 20 | ASN-14 | Côte d'Ivoire | PMO - US | Direct Drop | FCA | Air | Pre-PQ Process | Date Not Captured | 27-Aug-06 | 27-Aug- 06 | 27-Aug- 06 | HRDT | HIV test |
| 15 | 108- VN- T01 | Pre-PQ Process | SCMS- 78 | ASN-50 | Vietnam | PMO - US | Direct Drop | EXW | Air | Pre-PQ Process | Date Not Captured | 1-Sep-06 | 1-Sep-06 | 1-Sep-06 | ARV | Adult |
| 16 | 108- VN- T01 | Pre-PQ Process | SCMS- 81 | ASN-55 | Vietnam | PMO - US | Direct Drop | EXW | Air | Pre-PQ Process | Date Not Captured | 11-Aug-06 | 11-Aug- 06 | 11-Aug-06 | ARV | Adult |

| Vendor | Item Description | Molecule/Test Type | Brand | Dosage | Dosage Form | Unit of Measure (Per Pack) | Line Item Quantity | Line Item Value | Pack Price | Unit Price | Manufacturing Site | First Line Designation | Weight (Kilograms) |
|---|--|--|-----------|---------|--------------------|-------------------------------------|--------------------------|-----------------------|---------------|---------------|-------------------------------------|---------------------------|-----------------------|
| RANBAXY Fine Chemicals LTD. | HIV, Reveal G3 Rapid HIV-1 Antibody Test, 30 T | HIV, Reveal G3 Rapid HIV- 1 Antibody Test | Reveal | NaN | Test kit | 30 | 19 | 551.0 | 29.00 | 0.97 | Ranbaxy Fine Chemicals LTD | Yes | 13 |
| Aurobindo Pharma Limited | Nevirapine 10mg/ml, oral suspension, Bottle, 2 | Nevirapine | Generic | 10mg/ml | Oral suspension | 240 | 1000 | 6200.0 | 6.20 | 0.03 | Aurobindo Unit III, India | Yes | 358 |
| Abbott GmbH & Co. KG | HIV 1/2, Determine Complete HIV Kit, 100 Tests | HIV 1/2, Determine Complete HIV Kit | Determine | NaN | Test kit | 100 | 500 | 40000.0 | 80.00 | 0.80 | ABBVIE GmbH & Co.KG Wiesbaden | Yes | 171 |
| SUN PHARMACEUTICAL INDUSTRIES LTD (RANBAXY LAB | Lamivudine 150mg, tablets, 60 Tabs | Lamivudine | Generic | 150mg | Tablet | 60 | 31920 | 127360.8 | 3.99 | 0.07 | Ranbaxy, Paonta Shahib, India | Yes | 1855 |
| Aurobindo Pharma Limited | Stavudine 30mg, capsules, 60 Caps | Stavudine | Generic | 30mg | Capsule | 60 | 38000 | 121600.0 | 3.20 | 0.05 | Aurobindo Unit III, India | Yes | 7590 |

2.2 Logging

We should be able to log every activity done by the user

- ✓ The system identifies at which step logging require.
- ✓ The system should be able to log each and every system flow.
- ✓ The system should not be hung even after using so much logging. Logging is just because we can easily debug issuing so logging is mandatory to do.

2.3 Deployment

To deploy a model, you can use the following steps:

- ✓ Save the trained model as a pickle file using Python's pickle library.
- ✓ Create a Flask app in Python, which will act as the server for your model.
- ✓ Define the routes for the Flask app, which will determine the behavior of the server when it receives different HTTP requests.
- ✓ In the routes, you can load the pickle file and use it to make predictions based on the input received in the request.
- ✓ You can also create HTML templates to display the results of the predictions on a website.
- ✓ Test the Flask app using Postman or a similar API testing tool to ensure it is working correctly.


3. Technology Stack

| Front End | HTML/CSS | | | | | |
|------------|--------------------|--|--|--|--|--|
| Backend | Python/ Flask | | | | | |
| Deployment | Local Machine Host | | | | | |

4. Proposed Solution

- ✓ To accurately estimate the Shipment cost, we will utilize a combination of EDA and machine learning techniques.
- ✓ The client will input relevant information through our web application, which will be passed to the backend for validation and preprocessing.
- ✓ From there, the data will be fed into a machine learning model that has been optimized through hyper parameter tuning.
- ✓ The model's output will be the final prediction for the Shipment cost, which will be displayed to the client through the web application.

5. Architecture



5.1 Data Gathering

Data source: https://www.kaggle.com/datasets/divyeshardeshana/supply-chain-shipment-pricing-data

Data Dictionary and Source: https://data.usaid.gov/HIV-AIDS/Supply-Chain-Shipment-Pricing-Data/a3rc-nmf6

5.2 Data Cleaning

Data cleaning is the process of detecting and correcting errors, inconsistencies, or missing values in a dataset. It is an essential step in data pre-processing and is often the most time-consuming part of the data analysis process.

5.3 Exploratory Data Analysis

Visualized the relationship between the dependent and independent features. Also checked relationship between independent features to get more insights about the data.

5.4 Feature Engineering

After pre-processing standard scalar is performed to scale down all the numeric features.

Even one hot encoding is also performed to convert the categorical features into numerical features

5.5 Model Selection

In This step we apply different machine learning algorithms to our processed data and select the model with best results for further Hyper-parameter tuning to make the best possible model that can be made for accurate and correct prediction.

Model building is an iterative process, and the specific steps and techniques used will depend on the nature of the data and the goals of the analysis

5.6 Model Evaluation

We evaluate our regression model based on performance metrics such as R-square, Adjusted R-square, Root mean square values. We can also compare the model's predictions to the actual values using a scatter plot.

5.7 Deployment Process

To deploy a model, you can use the following steps:

- ✓ Save the trained model as a pickle file using Python's pickle library.
- ✓ Create a Flask app in Python, which will act as the server for your model.
- ✓ Define the routes for the Flask app, which will determine the behavior of the server when it receives different HTTP requests.
- ✓ In the routes, you can load the pickle file and use it to make predictions based on the input received in the request.
- ✓ You can also create HTML templates to display the results of the predictions on a website.

5.8 GitHub

The whole project directory will be pushed into the GitHub repository

6. User Input / Output Workflow.

