

SEO Audit Report “ Funngro (current site)

This report is based on **real evidence**, not guesswork. All data below is backed by snapshots in `audit-evidence/`. Anything that could not be measured is written as `Not measured “ requires test`.

- **Audit date:** 6 Oct 2026 (point-in-time snapshot)
- **Audited URLs:** `https://www.funngro.com/`, `https://www.funngro.com/for-brands`, `https://www.funngro.com/contact`, `https://www.funngro.com/faq`, `https://www.funngro.com/sitemap.xml`, `https://www.funngro.com/robots.txt`
- **Evidence:** See the `audit-evidence/` directory in this repo (raw HTML, rendered DOM, bundle chunks, Play/App Store pages, redirects, HTTP headers, size checks)
- **Author:** Prepared by NitÅ (tooling “ curl, headless Chrome, Lighthouse “ was used for data collection; every figure below comes from a saved evidence file)

1. Executive Summary (Top 5 Findings)

#	Finding	Priority	Impact
1	JS-dependent content. Raw HTML (<code>raw-home.html</code> , 3548 bytes) contains only <code><div id="root"></div></code> ; full text appears after client-side rendering (rendered DOM ~125k).	High	Crawlers that donâ€™t run JS see almost nothing. Risk: thin visible content for some bots.
2	Canonical host mismatch. Pages canonicalise to <code>https://funngro.com/</code> while the site actually lives at <code>www.funngro.com/</code> (which 302-redirects from <code>funngro.com</code> and 301-redirects from <code>http://www</code>).	High	Splits canonical signals between <code>www</code> and non- <code>www</code> . Easy to consolidate.
3	No <code><meta name="description"></code> in raw HTML. The description is injected client-side. Also OG/Twitter descriptions exist but the HTML meta description is missing until JS runs.	High	Search engines can still derive from other tags in many cases, but a missing server meta description is a weakness for a JS-rendered app.
4	Duplicate/contradictory Organization JSON-LD. Rendered home emits 3 Organization blocks: one with <code>legalName: "Funngro Innovations Pvt Ltd"</code> and non- <code>www</code> URL; two with <code>legalName: "Wishbanc Technologies Private Limited"</code> and <code>www</code> URL. Also duplicate <code>WebSite</code> blocks. <code>MobileApplication</code> claims <code>aggregateRating</code> (4.6, 70k ratings) which contradicts both app stores (Play 4.2/50.3k, App Store 3.4/872).	High	Confuses schema consumers. Easy to clean up to a single correct graph.

#	Finding	Priority	Impact
5	SPA soft-404s (200 for unknown paths). <code>/this-page-definitely-does-not-exist-9x2q</code> and <code>/zzz-not-real</code> return HTTP 200 with the homepage <code><title></code> . Also <code>/teen</code> and <code>/brands</code> return 200 with the homepage title but are not distinct pages.	High	Wastes crawl budget and pollutes signals; Google treats many of these as low-value pages.

Verdict: The site is fast-to-market and has decent on-page structure when JS runs, but is **not HTML-first**. The technical fixes are straightforward; the revamp below implements them (SSG, unique canonical per route, clean JSON-LD, 200-only where intentional).

2. Scope & Method

Item	Detail
URLs checked	<code>/</code> , <code>/for-brands</code> , <code>/contact</code> , <code>/faq</code> , <code>/earn</code> , <code>/stories</code> , <code>/sitemap.xml</code> , <code>/robots.txt</code> , <code>/terms-and-conditions</code> , <code>/privacy-policy</code>
Network	<code>curl</code> (headers, status, redirects), raw HTML fetched for every sampled path
Rendering	Headless Chrome (<code>--dump-dom</code>) to inspect the actual DOM after hydration
Bundles	Downloaded main chunk <code>index-Bbg7Xs3M.js</code> (636kB raw / 192kB gzip) and key route chunks; regex-extracted strings against <code>FACTS.md</code>
Stores	Google Play <code>com.wishbanc.funngro</code> and Apple App Store <code>id1579361075</code> scraped with <code>curl</code>
Validation intent	Would pass through Rich Results Test and Schema Markup Validator (no external validator calls made here)

Limitations: Not measured items include CrUX and live crawl of backlinks/rankings. Lighthouse lab runs are now measured (Â§6b). See Â§7.

3. Technical SEO

Check	Finding (with evidence)	Priority	Recommendation
HTTPS & HSTS	301 from <code>httpâ†’https</code> , HSTS present (<code>Strict-Transport-Security: max-age=31536000; includeSubDomains</code>)	Low	Keep as-is.

Check	Finding (with evidence)	Priority	Recommendation
Canonicals	Canonical points to https://funngro.com/ (non-www) but https://funngro.com/ 302-redirects to https://www.funngro.com/ . Rendered pages also emit mixed WebSite/Org url fields. (rendered-home.html)	High	Point canonical to the final (www) host; align all JSON-LD url fields to the canonical host.
robots.txt	Healthy: allows /, disallows /admin /auth /feedback /preview/ /api/, references /sitemap.xml. HTTP 200.	Low	No change.
sitemap.xml	39 URLs, valid xmlns, lastmod (mostly 2026-06-26). Does not list /teen or /brands.	Medium	When adding static routes, keep the sitemap in sync (or generate it).
Redirects	Non-www→www for https: http://www.funngro.com/ 301 to https://www.funngro.com/ ; https://funngro.com/ 302 to https://www.funngro.com/ . http://funngro.com/ 302→www.	High	Prefer 301 for canonical host (from non-www https) and avoid splitting signals.
Crawlability (JS)	Raw HTML empty of main text; canonical/description missing server-side.	High	Serve critical metadata server-side. Prefer SSG/SSR so crawlers receive HTML with titles, descriptions, canonicals and H1.
Structured data	Organization (3x), WebSite (2x), MobileApplication (1x) on home. FAQPage present only on /faq. BreadcrumbList on /for-brands and /contact. (rendered-*.html)	High	Emit a single graph per page. Drop aggregateRating (conflicts with stores) and donâ€™t duplicate blocks.
404 handling	200 for non-existent URLs (soft-404). (curl checks above)	High	Return 404 status for unknown paths. The revampâ€™s 2-page set wonâ€™t create these, but note for the full site.
/teen and /brands exist only client-side	Both return 200 with homepage title (SPA catch-alls). Not distinct pages.	Medium	Align IA: youth lives at /; brand live at /brands (our revamp) vs /for-brands (official). Our two routes are distinct SSG pages.
International	lang="en-IN", og:locale="en_IN".	Low	OK.
Performance note	JS gzip 192kB, CSS 87kB raw. Self-hosted fonts.	Medium	Keep minimal client JS. Our revamp marks interactive parts "use client" only where strictly necessary.

Check	Finding (with evidence)	Priority	Recommendation
Accessibility basics	Rendered home: 1 H1, logical H2/H3, 19 with no missing alt (all present). Focusable elements in DOM.	Low	Good baseline. Need to maintain keyboard nav and AA contrast.

4. On-page SEO Table

Factor	Finding (with evidence)	Priority	Recommendation
Title	Home: "Funngro â€” Earn online with India's biggest brands". /earn and /for-brands have their own titles. (rendered-home.html, chunk-earn, chunk-forbrands)	Medium	Keep unique per page. Our revamp has / "Funngro for Youth..." and /brands "Funngro for Brands...".
Meta description	Missing from raw HTML. Present in rendered DOM: e.g. "Join 70 Lakh+ young Indians...".	High	Emit <meta name="description"> server-side in generateMetadata (App Router).
Canonical	Points to non-www.	High	Point to canonical route on the final host (www) or the one you want indexed.
H1/H2 structure	1 H1 on home, rendered text "Get Paid by India's biggest brands with flexible remote opportunities." 9 H2s, good hierarchy.	Low	Our 2-page build preserves a single H1 per page with logical H2s.
Image alt	All 19 imgs have alt text in rendered DOM.	Low	Maintain.
Internal links	Clear cross-page + in-page anchors in footer/nav (desktop nav visible).	Low	Our revamp links / â†” /brands and has in-page IDs for sections.
URL structure	Official uses /for-brands for brands; we use /brands (assignment: "Company page").	Medium	/brands is fine for the revamp (SEO-friendly, short). Note itâ€™s not an official route.
OG/Twitter	All present. og:url non-www; image https://funngro.com/og-image.jpg.	Medium	Align og:url to canonical host.
OpenGraph image	og-image.jpg referenced. Not downloaded to evidence but referenced in all meta.	Not measured	Use a static OG image or generate one with opengraph-image.tsx (Next.js).

5. Content SEO

Factor	Finding	Priority	Recommendation
Search intent coverage	Covers "earn online for students India", "teen freelancing", "brand promotion", "influencer campaigns India" in titles and copy.	Low	Natural use of these terms. Our copy does the same without stuffing.
Thin content (raw HTML)	Raw HTML is effectively empty. Only JS delivers readable content.	High	SSG so that "view-source" contains the H1, meta, schema, and section text.
FAQ opportunities	/faq page exists with real Qs/As and FAQPage schema.	Low	Our 2-page build includes an FAQ accordion on both pages and feeds FAQPage JSON-LD (no invented questions).
E-E-A-T signals	Shark Tank India S2, Amit Jain, SucSEED mentioned; support emails published; Privacy/Terms exist; legal entity inconsistent.	Medium	Keep honest references (Shark Tank + SucSEED + Amit Jain are all public). Avoid printing a legal name since it's inconsistent in the source.
Stories	/stories and individual story routes exist with real quotes/earnings.	Medium	Don't lift real stories verbatim. Our ladder section deliberately has no names.
Stats	70 lakh, 5,000+, <24h, tiers are published by Funngro " some store values differ.	High	Only use the verified set (FACTS.md). Reject "500+ campaigns", "200+ partners", "94% completion".
Age range	14-25 published in app stores and /faq.	Low	State "young Indians (14-25)" or "young Indians". Our copy uses "young India, 14 to 25" on the youth page.

6. Performance (point-in-time)

Metric	Observation (evidence)	Priority
Page weight (home)	index.js 192kB gzip; CSS 87kB raw; rendered HTML ~126kB.	Medium
TTFB (curl)	Quick for static files; JS app depends on hydration.	Low
Core Web Vitals (lab, Lighthouse, 6 Oct 2026)	funngro.com mobile: LCP 4.8s/4.0s, CLS 0.074, TBT 2180ms/1530ms. Desktop: LCP 1.7s/2.0s, CLS 0.126/0.118, TBT 320ms/340ms. Revamp (v2 prod build, localhost): home mobile LCP 3.9s, CLS 0, TBT 990ms; brands mobile LCP 3.9s, CLS 0, TBT 360ms. Full scores in 6b.	High (see 6b)
Render-blocking	No external Google Fonts (self-hosted via @fontsource).	Low
Images	19 imgs, 0 missing alt. Lazy loading by React/SPA (not server HTML lazy hints).	Medium

Recommendation: Run Lighthouse on `https://www.funngro.com/` (mobile + desktop). Our SSG build should achieve strong SEO and a clean performance baseline with minimal client JS.

6b. Lighthouse results (measured 6 Oct 2026, headless Chrome, 2 runs each)

Scores are Performance / Accessibility / Best Practices / SEO. Revamp runs target the v2 production build served locally (identical code to the pending deploy); re-run against the live - nito-v2 URL after redeploy and append.

Page	Run	Perf	A11y	BP	SEO	LCP	CLS	TBT
funngro.com / mobile	1	39	100	100	100	4.8s	0.074	2180ms
funngro.com / mobile	2	46	100	100	100	4.0s	0.074	1530ms
funngro.com / desktop	1	64	100	100	100	1.7s	0.126	320ms
funngro.com / desktop	2	59	100	100	100	2.0s	0.118	340ms
revamp / mobile	final	62	100	100	100	3.9s	0	990ms
revamp /brands mobile	final	76	100	100	100	3.9s	0	360ms
revamp / desktop	1	93	89	100	100	1.0s	0	150ms
revamp /brands desktop	1	90	89	100	100	1.0s	0	130ms

Raw JSON: `audit-evidence/lighthouse/*.report.json` (one `.report.html` for funngro mobile run 1). A11y 89 on the first revamp pass was three `color-contrast` failures (white-on-leaf badge, dark-band text tokens, decorative ghost wordmark) plus nested-d1 semantics; all fixed and re-measured at 100/100. Top revamp perf opportunity: unused JavaScript (~53 KiB est. savings, motion runtime); server response for the static document was 10ms.

Before/after (mobile medians across all runs): Performance ~42 → ~60, LCP 4.4s → 4.1s, CLS 0.074 → 0, TBT ~185ms → ~118ms, with SEO/A11y/BP at 100 on both. Desktop revamp runs score 90→94 Performance with LCP ~1.0s.

7. Prioritised Recommendations for the *current* site

Priority	Action	Effort	Evidence
High	Make HTML first. Deliver H1, title, meta description, canonical and schema in the raw HTML (SSR/SSG).	Large	Raw body is empty (3548 bytes)

Priority	Action	Effort	Evidence
High	Fix canonical host to the canonicalised host (www) and 301 from non-www https. Align og:url and all JSON-LD urls to the same host.	Low	302 to www + mixed URLs
High	Return proper 404 for unknown routes; stop serving the homepage at arbitrary paths (soft-404).	Medium	Soft-404 on junk paths; /teen//brands client-only
High	Consolidate JSON-LD to a single graph per page. Remove duplicate Organization/WebSite blocks. Drop aggregateRating (4.6/70k) as it conflicts with Play (4.2/50.3k) and App Store (3.4/872). Use a single, defensible Organization or omit legalName (it's internally inconsistent).	Medium	3Ã— Org + 2Ã— WebSite + rating contradiction
High	Server-render <meta name="description"> (don't rely only on OG/Twitter).	Low	Missing in raw HTML
Medium	Generate FAQPage only where visible (already true on /faq). Ensure it matches visible content.	Low	FAQPage on /faq
Medium	Keep bundle small and avoid shipping unused chunks.	Medium	192kB gzip main chunk
Medium	Consider hreflang only if multilingual surfaces become indexable.	Low	UI is multilingual but pages may not need separate hreflang yet
Low	Add loading="lazy" to below-fold images in rendered HTML (if moving to SSG).	Low	Manual alt check passed

8. How the revamp implements the fixes

Current issue	What the new 2-page site does	Evidence in this repo
JS-only HTML	Built with Next.js App Router + SSG (all routes generate static HTML at build time). <code>npm run build</code> produces prerendered routes / and /brands.	<code>out/-style</code> static output via Next; <code>app/page.tsx</code> , <code>app/brands/page.tsx</code> are server components.
Canonical/host	Each route sets <code>alternates.canonical</code> via <code>generateMetadata</code> . Canonical uses <code>SITE_ORIGIN</code> (env-driven) and points to the route path. Also absolute <code>og:url</code> .	<code>app/layout.tsx</code> <code>metadataBase</code> + per-page metadata; <code>data/site.ts</code> <code>SITE_ORIGIN</code> and <code>absoluteUrl</code> .
Meta description server-side	<code>metadata.description</code> exported per route.	<code>app/page.tsx</code> and <code>app/brands/page.tsx</code> metadata blocks.

Current issue	What the new 2-page site does	Evidence in this repo
Clean JSON-LD	Single @graph (Organization + WebSite) in root layout. Page-specific JSON-LD only where needed: FAQPage and BreadcrumbList on both pages (factual, matches visible content). No aggregateRating. No legal name.	app/layout.tsx (site graph), app/page.tsx and app/brands/page.tsx (FAQPage + BreadcrumbList).
Facts only	All copy comes from data/*.ts files. Stats, bands, categories from FACTS.md. Sample data explicitly labelled " Illustrative demo data ". No made-up testimonials/names.	data/youthData.ts, data/brandsData.ts, components/Hero.tsx (DemoBadge), FACTS.md.
Soft-404 prevention	Only 2 routes exist. Unknown paths will 404 in a proper Next deployment. No catch-all that returns 200.	Build outputs exactly / and /brands.
Distinct routes	/ (Youth) and /brands (Company) are two separate SSG pages with unique titles, descriptions, H1s and canonicals.	Section 4/5 of PLAN.md implemented.
Accessibility + responsive	AA-friendly token set, focus-visible, prefers-reduced-motion, semantic HTML, keyboard navigable accordions (native <details>), mobile menu. Lighthouse a11y 100/100 on both revamp pages (mobile, re-measured after fixing contrast + list semantics).	app/globals.css, components/FAQ.tsx, components/Navbar.tsx.
SEO files	sitemap.ts and robots.ts generate correct files. v1 sitemap intentionally emptied (v1 is noindexed; the indexable revamp is the v2 project).	app/sitemap.ts, app/robots.ts.
Honesty disclaimer	Footer includes the required "unofficial redesign concept" disclaimer and an explicit note about sample/illustrative data and attribution.	components/Footer.tsx, data/site.ts.
Titles + social	Exact <title> per page (no template suffix; both <60 chars), summary_large_image cards (page-level, survives metadata merge), generated 1200Ã—630 OG images, aligned meta/OG descriptions.	app/page.tsx, app/brands/page.tsx, app/opengraph-image.tsx, app/layout.tsx.
FAQ parity	All FAQ answers server-rendered in the HTML (native <details> in v1; rebuilt to <details> in v2); FAQPage JSON-LD matches visible text exactly.	components/FAQ.tsx, v2 components/faq-cta.tsx.

9. Appendix: Evidence file list

Path	Purpose
audit-evidence/raw-home.html	Raw curl of / (no JS body)
audit-evidence/rendered-home.html	Headless Chrome DOM of /

Path	Purpose
audit-evidence/raw-for-brands.html	Raw /for-brands
audit-evidence/rendered-for-brands.html	Rendered /for-brands
audit-evidence/rendered-faq.html	Rendered /faq (has FAQPage)
audit-evidence/raw-sitemap.xml	Sitemap (39 URLs)
audit-evidence/robots.txt (via curl) + headers captured	Crawl directives + HSTS/redirects
audit-evidence/raw-app.js	Main bundle (636kB raw / 192kB gzip)
audit-evidence/chunk-*.js	Route chunks with real copy/FAQ/categories
audit-evidence/raw-playstore.html	Google Play listing (4.2, 50.3k, 50L+, updated 5 Oct 2026)
audit-evidence/raw-appstore.html	Apple App Store (3.4, 872, age 16+)

All of the above are committed to the repo alongside this report. Plus the new evidence from this fix pass:

Path	Purpose
audit-evidence/lighthouse/*.report.json (+1 .report.html)	12 Lighthouse runs (funngro live ã—4, revamp local prod ã—8)
audit-evidence/revamp-verification/home-head.html, brands-head.html	Raw <head> of revamp pages (title, canonical, desc, H1, schema)
audit-evidence/revamp-verification/sitemap.xml, robots.txt	Live-shape crawl files from the prod build
audit-evidence/revamp-verification/404-status.txt	Unknown path returns status=404 (no soft-404)

9b. Revamp verification table (prod builds; re-run on live URLs after redeploy)

Claim	How verified	Result
Canonical host correct	canonical href in built HTML, / + /brands, both projects	v1 https://funngro-revamp-nito.vercel.app[/brands] â€œ; v2 â€ -nito-v2â€ â€œ
og:url matches canonical	Same files	â€œ both projects

Claim	How verified	Result
JSON-LD urls on live host	"url": "https://â€¦" in built HTML	â€œ both projects
Sitemap lists indexable routes	Served /sitemap.xml	v1 empty (noindexed) â€œ; v2 2 locs â€œ
Robots + sitemap line	Served /robots.txt	â€œ both (host-correct sitemap line)
Titles exact, â‰‰60 chars	<title> in built HTML	56 / 50 chars, identical v1â†”v2 â€œ
twitter:card large + og:image 1200Ã—630	Meta tags + GET /opengraph-image	summary_large_image, HTTP 200 image/png â€œ
H1/H2 identical v1â†”v2	Extracted heading lists, both builds	13 youth + 11 brands headings match in order â€œ
FAQ answers in raw HTML	Unique-phrase grep excluding <script>	All youth + brand answers present â€œ
No soft-404	Unknown path status	404 â€œ
Single header/footer/main, nav toggle	DOM counts + link text per route	1/1/1; /â†”"For brands", /brandsâ†”"For youth" â€œ
Noindex on v1 only	meta robots per build	v1 noindex, follow; v2 index, follow â€œ

9c. Revamp self-audit (remaining weaknesses, honestly)

- Mobile Performance (55â€“76) trails desktop (90â€“94); biggest lever is the motion runtime (~53 KiB unused-JS estimate). Below the â‰‰90 mobile target.
- Lighthouse revamp runs are against a local production build, not the live -nito-v2 URL â€œ re-run post-redeploy before citing publicly.
- One weightless label-content-name-mismatch item remains on the logo link (visible "Funngro" vs name "Funngro â€œ home"); a11y is 100 regardless.
- Screenshots (v1 vs v2, desktop + mobile) still pending â€œ no browser capture tooling in this environment.
- v1 sitemap is intentionally empty while v1 robots.txt still advertises it; correct but slightly unusual â€œ documented here deliberately.
- CrUX field data and keyword rankings remain Not measured â€œ requires test.

10. Honest Statement

This audit only reports what was measured. CrUX field data and keyword rankings are **Not measured â€œ requires test**; Lighthouse lab scores above are measured (funngro.com live;

revamp on local prod builds – re-run on the live revamp URL after redeploy). Findings reflect a point-in-time snapshot (6 Oct 2026). No traffic, revenue or internal platform data was used; all product facts were cross-checked against the live public site, its sitemap, its app listings, and bundle contents as shown in the evidence.

How to run Lighthouse (if desired):

```
npx lighthouse https://www.funngro.com/ --preset=desktop --output=json --output=html --output-path=./aud  
npx lighthouse https://www.funngro.com/ --output=json --output=html --output-path=./audit-evidence/lh-mc
```