Cucumber Report

| Start : Nov 16, 11:36:22.902 AM	End : Nov 16, 11:36:22.961 AM	Duration : 0.059 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 3

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to orangehrm.com	0.059 s	1	0	1	0	4	0	1	3

#	Feature Name	Scenario Name
1	Login to orangehrm.com	Login with Invalid Credentials

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@InvalidCredentials	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login to orangehrm.com	1	0	1	0	0.059 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to orangehrm.com	Login with Invalid Credentials	4	0	1	3	0.054 s

Login to orangehrm.com

FAILED	DURATION - 0.059 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 4 Pass - 0 Fail - 1 Skip - 3
/ 11:36:22.902 AM // 11:36:22.961 AM /			

Login with Invalid Credentials

FAILED	DURATION - 0.054 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3
/ 11:36:22.907 AM // 11:36:22.961 AM /			
Login to orangehrm.com			
@InvalidCredentials			

#	Step / Hook Details	Status	Duration
1	Given User landed at orangehrm.com HomePage	FAILED	0.036 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because "com.Utility.HelperClass.driver" is null
	    at com.Utility.HelperClass.openPage(HelperClass.java:35)
	    at com.StepDefinitonclass.StepofDefinitionOFLogin.user_landed_at_orangehrm_com_home_page(StepofDefinitionOFLogin.java:21)
	    at ?.User landed at orangehrm.com HomePage(file:///C:/Pilot_Project/Venture_Vultures-OrangeHRM/src/test/resources/Features/Login.feature:5)
	* Not displayable characters are replaced by '?'.		

2	When User enter the invalid username and password	SKIPPED	0.001 s
3	And User clicks login button	SKIPPED	0.000 s
4	Then User see the error message	SKIPPED	0.000 s