

Content:

1.1. I

1. Introduction to CSS
2. CSS selectors
3. Colours & Background
4. Borders
5. Box Model
6. Text & Fonts
7. Units & Size
8. Display
9. Position
10. Flexbox
11. Grid
12. Transition & Transform
13. Animation
14. Responsive Design
15. Mini project

Chapter - 1

→ CSS

CSS (Cascading Style Sheets) is used to style HTML webpage

X HTML website ka structure (Hadi) banata hai,
aur CSS us "website" ko beautiful banata hai.

→ HTML vs CSS

HTML	CSS
Structure	Design
Content	Style

→ Why CSS

- Change text color
- Change background
- Add border
- Change font size
- Make a website beautiful.

→ Types of CSS

There are three

i) Inline CSS

ii) Internal CSS

iii) External CSS

i) Inline CSS

- This is used directly in tags

X CSS directly HTML tag ke andar likhte hai.

code:

```
<h1 style="color: red;" > Hello </h1>
```

<ii> Internal CSS

- Write CSS in HTML file

X CSS <style> tag ke andar likhte hai.

code: <head>

<style>

h1 {

color: red;

}

</style>

</head>

iii) External CSS

- This is used in another file and link with HTML file.

X Ye dusre file me likha jata hai jaise (style.css) fir usko HTML se link kar dete hai

Step 1: Link CSS in HTML

code: `<link rel="stylesheet" href="style.css">`

Step 2: Create file then write CSS

```
h1 {  
    color: green;  
}
```

Chapter - 2

→ Selector

- A CSS selector is used to select HTML elements that you want to style

X Selector banta hai ki CSS kis HTML element par apply hogi.

→ Types

i) Element Selector

ii) Class Selector (.)

iii) ID Selector (#)

iv) Universal Selector (*)

v) Group Selector (,)

i) Element Selector

- Selects all elements with the same HTML tag

X Same HTML tag ke sabhi elements ko select karta hai

X Ek tag use kro jaise h1 to sab jagh change hojta hai

Syntax:

```
h1 {
```

```
    color: blue;
}
```

iii) Class Selector (.)

- Selects all elements with the same class name

X Same class name wale ke sath use karte hai.

Syntax:

```
.hell {
```

```
    color: red;
```

```
}
```

//_

(iii) ID Selector (#)

- Selects one unique element using its ID.

X Ek unique element ko select karta hai.

Syntax:

```
#heading {  
    color: green;  
}
```

<iv> Universal Selector (*)

- Selects all HTML elements.

X Sabhi HTML elements ko select karta hai.

Syntax:

```
* {  
    color: blue;  
}
```

v) Group Selector (,)

- Applies the same style to multiple selectors.

X Ek hi CSS ko multiple elements par apply karta hai.

Syntax:

```
h1, p {  
    color: purple;  
}
```

→ Class vs ID

Class (.)	ID (#)
- Used for multiple elements - Reusable - Starts with (.)	- Used for one unique element - Unique - Starts with #

vi) Pseudo Class (:)

- Styles an element based on its state.

X Element ki condition/state, ke according style lagata hai.

code:

```
button:hover {  
    background-color: blue;  
    color: white;  
}
```

vii) Pseudo Element (::)

- Styles a specific part of an element.

X Element ke kisi specific part

Code:

```
p::first-letter {  
    color: red;  
    font-size: 30px;  
}
```

Output:

Paragraph ka first letter Red aur bada ho jayega.

* ::first-letter , ::before , ::after

→ Cheat Sheet

code:

<pre>/* Element */ h1 { }</pre>	<pre>/* ID */ #AddharCard { }</pre>
<pre>/* Class */ .baak { }</pre>	<pre>/* Group */ h1, p { }</pre>
<pre>/* Universal */ * { }</pre>	<pre>/* Pseudo Class */ h1 button : hover { }</pre>
	<pre>/* Pseudo Element */ p::first-letter</pre>

Chapter 3- Colors & Background

→ Colors

(i) Colors

- Changes the text color.

X Jo bhi Text likhte hai uska color change hota hai

Syntax:

color: blue;

Ex:→

h1 {

color: red;

}

Output:

h1 me jo bhi likha hoga
o red color hojayege.

(ii) Color Values

- Different method to write color values.

X Color likhne ka different tarika.

Method	Example	Use
Name	red	Easy & Beginner Friendly
Hex	#FF0000	Most Used
RGB	rgb(255, 0, 0)	Custom Colors

~~Note~~ Note:→ Sabse jada Hex use hota hai


Ex:→

color: red;

color: #FF0000;

color: rgb(255, 0, 0);

→ Background



<i> background-color

- Changes the background color

X Background ka color change hota hai.

Syntax:

```
background-color: yellow;
```

Example:

```
body {
```

```
    background-color: lightblue;
```

```
}
```

<i> background-image

- Adds an image to the background.

X Background me image lagata hai.

Syntax:

```
background-image: url("bg.jpg");
```

<i> background-repeat

- Image to be repeat or not

X Image repeat (bar bar lana hai) hogi ya nahi

Syntax:

```
background-repeat: repeat;
```

```
background-repeat: no-repeat;
```

← Photo ko repeat karna hai to use karo

← Photo ko repeat nahi karna to use karo

<iv> background-size

- It control image size

X Image ka size control karta hai.

Example:

background-size: cover;

isko use karne par
puri photo laptop
me bara dikhi

background-size: contain;

Isme photo agar
chota hai to choto
dikhi bara ba ta bara
dikhi

<v> background-position

- It set a image position

X Image ki position set karti hai.

code:

background-position: center;

Image bich me aa
jayega

left
right
top
bottom
center

→ Cheatsheet

- /* Text */
color: red;
- /* Background */
background-color: yellow;
- /* Background Image */
background-image: url("bg.jpg");
- /* Background Repeat */
background-repeat: repeat;
- /* Background Don't Repeat */
background-repeat: no-repeat;
- /* Background Size */
background-size: cover;
- /* Background Image position */
background-position: center;

x ————— x ————— x ————— x ————— x

Practice

- Make the heading Blue.
- Make the paragraph Green.
- Set the page background to Light Gray.
- Add a background image.
- Make the image cover the full screen and don't repeat

4 Chapter 4 - Border

__/__/__

→ What is Border?

- A border is a line around an HTML element.

X Ye kisi bhi tag ke bahar ek line banata hai.

X Iska use button, card, image, input box, table me hota hai.

<i>(i)</i> border

- Adds a border around an element

X Element (tag) ke aas paas border lagta hai.

Syntax:

border : width style color;

Example:

div {

border : 2px solid black;

}

Output:

div

<i>(ii)</i> border-width

- Changes border thickness

X Border kitna mota aur patla hona chahiye wo dekhta hai.

Syntax:

border-width : 5px;

Example:

div {

border-width : 4px;

border-style : solid;

border-color : black;

}

Output:

div

<iii> border-style

- Change the border style.

X Border ka design change karta hai.

Syntax:

border-style: solid;

Example:

border-style: solid;

Output:

Solid

dashed

dotted

double

none

.....

=====

No Border

<iv> border-color

- Changes border color.

X Border ka color change hota hai.

Syntax:

border-color: red;

Example:

div {

border: 2px solid blue;

}

Output:

Kuwaraji

<v> border Radius

<v> border-radius

- Makes border corner round
X Element (Tag) ka corners ko round banata hai

Syntax:

border-radius: 10px;

Example:

button {

border-radius: 10px;
}

Output:

button

→ Real Example

<button> Login </button>

← HTML

button {

← CSS

border: 2px solid blue;

border-radius: 8px;

padding: 10px;

}

Output:

Login

Knowledge

→ CheetSheet

/* Border */

border: 2px solid black;

/* Border thickness */

border-width: 2px;

/* Border design */

border-style: solid;

/* Border color */

border-color: red;

/* Border radius */

border-radius: 10px;

Task

<div> CSS Border </div>

- Q Add a 3px solid blue border.
- Q Make the corner 15px rounded.
- Q Change the border color to green.