

7 Chapter-7. UNITS & SIZE

→ Units

- Units define the size or distance of an element
- X CSS units decide karte hain ki element ka size ya distance kitna hoga.

i) px — pixel


- A fixed size unit.
- X Fixed size ke liye use hota hai.

example:

width : 300px;
font-size : 20px;

(ii) % — percentage

- Size is calculated relative to the parent element
- X Parent element ke according size set hota hai



X Parent ki width 600px hai → element width 300px.

iii) em

- Relative to the font size of the parent element
- X Parent ke font-size ke according size change hota hai.

Example

```
<div> World  
  <h1> Hello </h1>  
</div>
```

```
div {  
  font-size: 16px;  
}  
div, h1 {  
  font-size: 2em  
}
```

Output:

World
Hello

- * Matlab parent font-size 16px hai chid ka 2em $\rightarrow 32px$ do guna ho jayega size.

iv) rem

- Relative to the root (html) font size.
- X rem root(html) ke font-size ke according hota hai

Syntax

```
font-size: 2rem;
```

Example

```
html {  
  font-size: 16px;  
}
```

Then

$2rem = 32px$

- * rem is commonly preferred for scalable text and spacing.

v) VW - Viewport Width

- $1vw = 1\%$ of the browser width.

X Browser ki width ka 1%

@ Syntax:

width: 50vw;

vi) vh - Viewport Height.

- $1vh = 1\%$ of the browser height

X Browser ki height ka 1%

Syntax:

height: 1vh;

→ Cheat Sheet

/* Fixed */

width: 300px;

/* Parent ke according */

width: 50%;

/* Parent font-size */

font-size: 2em;

/* Root font-size */

font-size: 2rem

/* Viewport Width */

width: 50vw;

/* Viewport Height */

height: 100vh;

→ Remember

Unit	Based On	Common Use
px	Fixed size	Borders, small sizes
%	Parent	Width
em	Parent font-size	Text/spacing
rem	Root font-size	Text/spacing
vw	viewport width	Responsive width
vh	viewport height	Full-screen sections

8. Chapter- 8 (Display)

__/__/__

→ What is display?

- Display controls how an element appears and behave in the layout.

X Display decide karta hai ki element ~~in~~ layout me kaise ~~ke~~ rahenga.

i> display: block

- Element takes the full available width and starts on a new line.

X Element new line se start hota hai ~~aur~~ aur pura width leta hai.

Example: CSS
Syntax:

```
div {  
    display: block;  
}
```

HTML

```
<div> Box 1 </div>  
<div> Box 2 </div>
```

Output:

```
Box 1  
Box 2
```


(ii) display: inline

- Element takes only the required width and stays on the same line.

X Element sirf jitni space chahiye utni leta hai aur same line me rehta hai.

Syntax:

```
span {  
    display: inline;  
}
```

HTML

```
<span> Hello </span>  
<span> CSS </span>
```

Output:

Hello CSS

(iii) display: inline-block

- Works like inline, but allows you to set width and height.

X Element same line me rehta hai, lekin hum uski width aur height set kar sakte hain.

example:

```
.box {  
    display: inline-block;  
    width: 150px;  
    height: 100px;  
}
```

Output:

Box1 Box2

<iv> display: none

- completely removes the element from the page.
X Element ko hide kar deta hai aur uski space bhi nahi rehti.

CSS

.box {

display: none;
}

HTML

<h1> Box 1 </h1>

<h1 class="Box" Box 2 </h1>

<h1> Box 3 </h1>

Output:

Box 1

Box 3

* Easy Memory Trick

block → New Line

inline → Same Line

inline-block → Same Line + width/Height

none → Hide completely.