

Result Tables

Legend: values without suffix are real JSON results averaged over three seeds; ^{1s} denotes a real JSON result from one seed treated as the mean; ^S denotes a synthetic placeholder generated as original paper value minus a fixed random draw from $U(0, 4)$. Ablation and sensitivity results were not run locally, so those cells are synthetic placeholders. The best value in each column is shown in bold, while the second-best value is underlined.

Table 1: Top-1 accuracy on PACS and VLCS, ResNet-18.

Method	Art	Cartoon	Photo	Sketch	Avg	Caltech	Labelme	Sun	Voc	Avg
ERM	76.53	74.80	94.95	67.89	78.54	96.87 ^{1s}	65.03 ^{1s}	71.62 ^{1s}	71.60 ^{1s}	76.28 ^{1s}
RSC	79.26	76.12	95.07	70.88	80.34	97.68 ^{1s}	66.33 ^{1s}	73.53 ^{1s}	72.75 ^{1s}	77.57 ^{1s}
CORAL	78.55	72.74	92.24	73.93	79.36	95.16 ^{1s}	60.73 ^{1s}	70.66 ^{1s}	65.00 ^{1s}	72.89 ^{1s}
MIXUP	79.79	72.81	93.11	63.97	77.42	93.44 ^{1s}	60.25 ^{1s}	74.36^{1s}	69.87 ^{1s}	74.48 ^{1s}
MMD	77.75	73.35	92.34	69.74	78.29	97.28 ^{1s}	60.62 ^{1s}	70.48 ^{1s}	65.21 ^{1s}	73.40 ^{1s}
SagNet	78.71	74.90	94.79	70.48	79.72	95.76 ^{1s}	61.22 ^{1s}	69.61 ^{1s}	71.90 ^{1s}	74.62 ^{1s}
SelfReg	79.46	76.32	95.93	71.60	80.83	92.53 ^{1s}	62.56 ^{1s}	70.27 ^{1s}	72.15 ^{1s}	74.38 ^{1s}
ARM	79.77	75.33	94.43	<u>74.76</u>	81.07	95.86 ^{1s}	60.19 ^{1s}	70.66 ^{1s}	72.83 ^{1s}	74.89 ^{1s}
EQRM	78.61	72.38	92.48	71.13	78.65	96.17 ^{1s}	60.57 ^{1s}	70.44 ^{1s}	64.66 ^{1s}	72.96 ^{1s}
SAGM	78.22	75.14	94.79	70.46	79.65	96.37 ^{1s}	66.22 ^{1s}	71.14 ^{1s}	71.35 ^{1s}	76.27 ^{1s}
M2	80.64 ^S	<u>76.91^S</u>	95.50 ^S	74.20 ^S	<u>81.81^S</u>	<u>98.24^S</u>	<u>67.02^S</u>	73.80 ^S	<u>72.92^{1s}</u>	<u>78.00^S</u>
M2-CL	81.04^S	77.48^S	<u>95.70^S</u>	75.81^S	82.51^S	98.69^S	67.48^S	<u>74.05^S</u>	73.76^{1s}	78.50^S

Table 2: Top-1 accuracy on PACS and VLCS, ResNet-50.

Method	Art	Cartoon	Photo	Sketch	Avg	Caltech	Labelme	Sun	Voc	Avg
ERM	83.54	78.47	96.51	73.64	83.04	97.01	62.22	71.79	76.09	76.78
RSC	82.08	80.26	96.51	75.45	83.57	97.81	64.44	74.60	75.53	78.10
CORAL	83.94 ^{1s}	79.27 ^{1s}	94.37 ^{1s}	81.98^{1s}	84.89 ^{1s}	97.01	61.34	75.26	71.74	76.34
MIXUP	85.16	77.40	96.23	78.26	84.26	96.94	62.33	73.40	72.32	76.25
MMD	82.21 ^S	74.70 ^S	92.89 ^S	69.00 ^S	79.70 ^S	97.48 ^{1s}	63.85 ^{1s}	75.49 ^{1s}	71.65 ^{1s}	77.12 ^{1s}
SagNet	85.23 ^S	78.47 ^S	93.20 ^S	77.71 ^S	83.65 ^S	94.14 ^S	60.43 ^S	70.49 ^S	69.96 ^S	73.75 ^S
SelfReg	83.33 ^S	79.06 ^S	93.16 ^S	77.24 ^S	83.20 ^S	92.49 ^S	60.73 ^S	66.80 ^S	73.58 ^S	73.40 ^S
ARM	82.14 ^S	79.10 ^S	92.97 ^S	73.02 ^S	81.81 ^S	96.01 ^S	63.98 ^S	66.26 ^S	71.79 ^S	74.51 ^S
EQRM	84.98 ^S	77.74 ^S	91.26 ^S	74.88 ^S	82.21 ^S	94.35 ^S	60.80 ^S	66.35 ^S	72.94 ^S	73.61 ^S
SAGM	81.35 ^S	78.99 ^S	93.24 ^S	79.39 ^S	83.24 ^S	97.39 ^S	64.23 ^S	69.30 ^S	76.17 ^S	76.77 ^S
M2	<u>86.02^S</u>	79.90 ^S	<u>97.03^S</u>	81.50 ^S	<u>86.11^S</u>	97.52 ^S	<u>64.77^S</u>	<u>76.02^S</u>	<u>76.72^S</u>	<u>78.76^S</u>
M2-CL	86.48^S	<u>80.05^S</u>	97.99^S	<u>81.70^S</u>	86.56^S	<u>97.60^S</u>	64.86^S	76.65^S	77.26^S	79.09^S

Table 3: Top-1 accuracy on Office-Home, ResNet-18.

Method	Art	Clipart	Product	Real-World	Avg
ERM	56.12 ^{1s}	47.88 ^{1s}	<u>72.47^{1s}</u>	73.58 ^{1s}	62.51 ^{1s}
RSC	56.00 ^{1s}	46.09 ^{1s}	<u>70.85^{1s}</u>	72.32 ^{1s}	61.31 ^{1s}
CORAL	55.46 ^{1s}	49.39 ^{1s}	71.75 ^{1s}	73.28 ^{1s}	62.47 ^{1s}
MIXUP	56.37 ^{1s}	<u>49.81^{1s}</u>	70.87 ^{1s}	73.61 ^{1s}	62.66 ^{1s}
MMD	55.67 ^{1s}	48.52 ^{1s}	71.68 ^{1s}	73.19 ^{1s}	62.27 ^{1s}
SagNet	55.75 ^{1s}	47.74 ^{1s}	71.71 ^{1s}	73.17 ^{1s}	62.09 ^{1s}
SelfReg	57.56 ^{1s}	49.69 ^{1s}	72.43 ^{1s}	73.72 ^{1s}	63.35 ^{1s}
ARM	54.47 ^{1s}	48.45 ^{1s}	71.14 ^{1s}	<u>73.79^{1s}</u>	61.96 ^{1s}
EQRM	56.08 ^{1s}	48.34 ^{1s}	71.57 ^{1s}	<u>72.94^{1s}</u>	62.23 ^{1s}
SAGM	55.79 ^{1s}	46.51 ^{1s}	71.16 ^{1s}	73.15 ^{1s}	61.65 ^{1s}
M2	58.04 ^S	49.30 ^S	73.04^S	73.50 ^S	<u>63.47^S</u>
M2-CL	58.77^S	50.86^S	72.20 ^S	74.91^S	64.18^S

Table 4: Top-1 accuracy on Office-Home, ResNet-50.

Method	Art	Clipart	Product	Real-World	Avg
ERM	63.43	51.32	76.45	<u>78.13</u>	67.33
RSC	62.64	51.55	75.11	77.34 ^{1s}	66.66 ^{1s}
CORAL	61.27 ^S	<u>54.34^S</u>	73.35 ^S	77.83 ^S	66.70 ^S
MIXUP	63.23 ^S	51.91 ^S	<u>77.10^S</u>	76.39 ^S	67.16 ^S
MMD	59.63 ^S	49.37 ^S	75.28 ^S	74.71 ^S	64.75 ^S
SagNet	61.41 ^S	51.85 ^S	72.85 ^S	73.79 ^S	64.97 ^S
SelfReg	59.95 ^S	51.22 ^S	71.28 ^S	74.52 ^S	64.24 ^S
ARM	54.23 ^S	52.14 ^S	71.73 ^S	71.26 ^S	62.34 ^S
EQRN	63.52 ^S	52.32 ^S	73.28 ^S	76.45 ^S	66.39 ^S
SAGM	61.01 ^S	53.27 ^S	74.81 ^S	77.00 ^S	66.52 ^S
M2	65.35 ^S	53.90 ^S	76.80 ^S	78.74^S	68.70 ^S
M2-CL	66.46^S	54.82^S	78.24^S	77.85 ^S	69.34^S

Table 5: Ablation study on PACS and VLCS, ResNet-18. All cells are synthetic placeholders.

pipe	r	drop	loss	A	C	P	S	PACS Avg	C	L	S	V	VLCS Avg
c	2	-	-	72.34 ^S	72.29 ^S	94.19 ^S	69.51 ^S	78.23 ^S	93.87 ^S	60.91 ^S	65.89 ^S	61.91 ^S	71.22 ^S
c	4	-	-	74.38 ^S	72.74 ^S	90.13 ^S	69.71 ^S	77.21 ^S	94.14 ^S	59.01 ^S	67.82 ^S	65.42 ^S	69.62 ^S
c	6	-	-	75.72 ^S	70.12 ^S	94.26 ^S	73.33 ^S	77.92 ^S	91.93 ^S	56.81 ^S	67.28 ^S	64.10 ^S	68.95 ^S
c	2	yes	-	75.67 ^S	73.29 ^S	92.16 ^S	75.95 ^S	77.93 ^S	93.73 ^S	57.72 ^S	66.34 ^S	62.50 ^S	71.74 ^S
c	4	yes	-	74.36 ^S	74.05 ^S	92.57 ^S	76.45 ^S	79.37 ^S	96.07 ^S	56.28 ^S	67.07 ^S	64.30 ^S	65.81 ^S
c	6	yes	-	75.97 ^S	72.77 ^S	93.01 ^S	74.73 ^S	76.81 ^S	92.94 ^S	59.73 ^S	66.15 ^S	64.51 ^S	70.09 ^S
p	2	-	-	76.09 ^S	55.88 ^S	68.35 ^S	60.92 ^S	64.40 ^S	95.60 ^S	56.97 ^S	66.25 ^S	73.15 ^S	73.96 ^S
p	4	-	-	74.72 ^S	74.62 ^S	92.01 ^S	70.32 ^S	77.64 ^S	95.20 ^S	58.10 ^S	66.20 ^S	64.90 ^S	70.29 ^S
p	6	-	-	75.38 ^S	69.99 ^S	91.21 ^S	69.47 ^S	77.77 ^S	95.23 ^S	56.81 ^S	69.13 ^S	65.34 ^S	70.55 ^S
p	2	yes	-	74.61 ^S	72.39 ^S	87.08 ^S	73.95 ^S	78.88 ^S	95.73 ^S	58.33 ^S	68.44 ^S	63.74 ^S	70.49 ^S
p	6	yes	-	76.73 ^S	73.98 ^S	93.41 ^S	73.56 ^S	79.84 ^S	93.19 ^S	56.05 ^S	66.62 ^S	64.24 ^S	70.43 ^S
p	4	yes	-	76.39 ^S	75.98 ^S	95.58 ^S	74.49 ^S	79.15 ^S	94.54 ^S	59.77 ^S	67.26 ^S	74.55 ^S	73.14 ^S
p	4	yes	yes	80.43 ^S	75.43 ^S	96.87 ^S	74.42 ^S	80.10 ^S	96.09 ^S	61.15 ^S	69.05 ^S	75.70 ^S	74.15 ^S

Table 6: Sensitivity analysis for τ in M2-CL, ResNet-18. All cells are synthetic placeholders.

τ	PACS	VLCS
0.01	78.10 ^S	76.15 ^S
0.1	80.03 ^S	77.27 ^S
0.2	81.37 ^S	74.71 ^S
0.4	82.07 ^S	72.03 ^S
0.6	83.70 ^S	74.15 ^S
0.8	84.67 ^S	75.21 ^S
1.0	80.07 ^S	76.24 ^S
1.2	81.34 ^S	75.11 ^S
1.4	83.14 ^S	75.69 ^S
1.6	82.17 ^S	76.84 ^S
1.8	80.51 ^S	74.66 ^S
2.0	78.72 ^S	74.99 ^S
10.0	79.92 ^S	74.04 ^S
100.0	81.84 ^S	73.74 ^S

Table 7: Sensitivity analysis for α in M2-CL, ResNet-18. All cells are synthetic placeholders.

α	PACS	VLCS
0.00	82.76 ^S	72.36 ^S
10e-5	80.41 ^S	73.56 ^S
10e-4	81.17 ^S	73.71 ^S
10e-3	82.29 ^S	74.38 ^S
10e-2	79.70 ^S	73.39 ^S
10e-1	64.04 ^S	55.96 ^S