

MyBus

A Local Bus Management System



BCA 6th SEMESTER PROJECT



PERFORMA FOR APPROVAL OF THE MAJOR PROJECT PROPOSAL

Name	Roll	Registration
Nitya Gopal Saha	BCA2000030	010527200029
Ananya Saha	BCA2010009	010527200049
Anisha Karmarkar	BCA2010006	010527200047
Santosh Roy	BCA2000035	010527200034
Sultan Mandal	BCA2010013	010527200053

Title of the project:	- Bus	Management
-----------------------	-------	------------

Name of the mentor: - Umesh Sarkar

Approved Not Approved	Date :
Suggestion (if any):	1
	Mentor's Signature

This is to certify that this Project Report entitle "Bus Management" submitted to CIS Department, Raiganj University (RGU), Raiganj, West Bengal by Nitya Gopal Saha (BCA2000030) is an authentic work carried out by him at under my guidance. The matter embodied in this project work has not been submitted for the award of any degree or diploma to the best of my knowledge and belief.

Guide' signature

Place: -

This is to certify that this Project Report entitle "Bus Management"
submitted to CIS Department, Raiganj University (RGU), Raiganj, West
Bengal by Ananya Saha (BCA2010009) is an authentic work carried out
by him at under my guidance. The matter embodied in this project work
has not been submitted for the award of any degree or diploma to the
best of my knowledge and belief.

Guide's Signature

Place: -

This is to certify that this Project Report entitle "Bus Management"
submitted to CIS Department, Raiganj University (RGU), Raiganj, West
Bengal by Anisha Karmarkar (BCA2010006) is an authentic work
carried out by him at under my guidance. The matter embodied in this
project work has not been submitted for the award of any degree or
diploma to the best of my knowledge and belief.

Guide' signature

Place: -

This is to certify that this Project Report entitle "Bus Management"
submitted to CIS Department, Raiganj University (RGU), Raiganj, West
Bengal by Santosh Roy (BCA2000035) is an authentic work carried out
by him at under my guidance. The matter embodied in this project work
has not been submitted for the award of any degree or diploma to the
best of my knowledge and belief.

Guide's Signature

Place: -

This is to certify that this Project Report entitle "Bus Management"
submitted to CIS Department, Raiganj University (RGU), Raiganj, West
Bengal by Sultan Mandol (BCA2010013) is an authentic work carried
out by him at under my guidance. The matter embodied in this project
work has not been submitted for the award of any degree or diploma to
the best of my knowledge and belief.

Guide's Signature

Place: -

DECLARATION

Buses are run by both the Government as well the private authorities in every city in which there are certain distinct buses are available as per the priority of the customers like- for shorter distances AC / Non-AC buses similarly, for longer durations Axle, Multi-Axle, Sleeper, Non-Sleeper buses are available, also they move intercity, interstates, and intercountry. Therefore, the charges vary from distance to distance and bus types also.

Currently, people need to book tickets prior to the peregrination and it offers seats as per first come first accommodate substratum withal you require to go to the travel office counter to book tickets.

But our management system provides the opportunity and facility to book tickets as per customer's requisite as many as he wants and additionally select seats of his personal comfort and choices. It doesn't require you to go to the peregrinate office counter, you can book a ticket with the avail of the system or mobile from the proposed bus management system.

The Bus Management System provides information on the bus along with the contact details of the bus driver and conductor as well. It also gives you a navigation link so that you can track the bus at the time of your journey.

ACKNOWLADGEMENT

I am thankful to all the faculty members, providing their valuable time and guidance in celebrating view of studding the project details and getting the right vision for its implementation.

I am highly thankful to my project guide "Sri Umesh Sarkar" without only supervised me while my project, but also gave me valuable suggestions which will be very beneficial for me in future.

I would like to thanks my classmates also who assisted me and help me through out.


OBJECTIVES

My Bus system is a bus reservation system. It is a web software solution design to provide customers with a personalized easy to-utilize user experience for booking and purchasing tickets online.

This reservation system benefits user can get-----

- 1. High automation of bus ticket booking for local bus stands.
- 2. Availability for customer.
- 3. Insert check timing for a particular bus.
- 4. One-click performance analytics.
- 5. Provide departure and arrival points.
- 6. Date and time for booking busses with seat capacity.

FEATURES




Admin side-


- 1) Edit and Add bus details
- 2) View and Edit public bookings
- 3) View and Edit private bus booking
- 4) View and Delete messages from users


ABSTRUCT

Bus provides eco-friendly, cheap, convenient, time-effective means of transportation. Bus lacks regularization and management, due to which they increased the burden on public transportation system. Unusual and unexpected conditions on the roads affect the smooth operation of the bus system and the movement of vehicles. Problems faced by passengers such as traffic congestion, unexpected delays of buses, unorganized bus dispatching from depots takes place as a result of which passengers have to suffer a lot and they inevitably have to wait for arrival of buses. In present time, everyone is in hurry to reach their destination. In this situation, waiting for the buses in queue is not reliable. People who completely rely on the bus transportation, their major concern is to know the real time location of the bus, the time it will take to reach their bus stop, the information about the driver and the security. This information helps people in making better travelling decisions. This My Bus Management System is useful, accurate, secure and flexible. It is used for obtaining the location of bus and information about passengers and driver. The paper aims at developing a real-time My Bus Management System which focuses on providing convenience and safety to the passengers. The system will be working as an integrated function of booking and query management which will maintain the detailed information about passengers and bus. The main objective of this system is to develop flexible, user friendly and secure bus management system that caters the needs of passenger.

ER diagrams for BUS MANAGEMENT







FUTURE SCOPE

- 1. Advanced inventory control.
- 2. Comprehensive and well documented API for integration.
- 3. On-board Registration.
- 4. Management in Real Time.
- 5. Capability of self-reference.
- 6. Passenger information on Real -Time.
- 7. Advanced fare administration.
- 8. The current state of digital of digital marketing tools.
- 9. Effortlessly booking of private buses.
- 10. Local bus stands can use as their online service.

Screenshots Of Project: Home















Book Your Private Bus

You Can Book Your Own Bus With Us. If You Nove Any Function, Trip, Personal Travel You Can Cheskout Our Servises, You Will Never Regret,





About Us

Sook Your Sus Tickets With Us Yoday And Experience A Hossie-Free Travel Experience. With Our Easy Fo-Use Paddom And Wide Selection Of Soutse And Schedules. Our Commitment To Excellent Customer Service-Ensures That You Can Travel With Confidence And Focus On Enjoying Your Intp. Trust Us To Ser Your So-To Flathorm For All Your Sus Travel Needs.

Assess before

8

OUR PARTNERS

kununu"





KSV1870





UPTO 40% OFF

Melcome To Our Bus Yicket Booking Websitel We've Excited To Offer You An incredible Deal That You World Find Anywhere Else. If You're & First-Time User, You Can Receive A Whopping 40% Off On Your Next Ticket Booking With Usi That's Right, Just For Choosing Our Website For Your First Booking.

So, Don't Wall Any Langer, Book Your First Bue Ticket With Us Today And Take Advantage Of Our Univerticals Offer, We Gusternie That You Won't Regret III.





About

HOME ABOUT TIMING BOOK #DADMIN



Why Choose Us?

Our Bus Booking Website is Dedicated To Providing A Simple And Efficient Solution For Booking Stus Tickets.

We Pride Ourselves On Excellent Customer Service, And Our Team is Always Ready To Assist With Any Queries Yo Ensure A Hassie-Free Travel Experience. Trust Us To Be Your Go-To Plotform For All Your Bus Trayel









OUR TEAM

Nitya Dopal Saha A Very Dedicated Member Of This Team, Overseeing The Entire Bus Management System



Ananya Saha Is Gives Assistance For Documentation, Designing And Database in The "Bus Management System Project.

Team Member



Know More About This Project, Team And Guide, More Information About Members With Role in This Project And Documentation.





Contact Us	
Name	
Email Address	
Message	
	(A)

About Team

OUR TEAM

Nitya Gopal Saha is An Student Of Ralganj University [CIS Department] Who Successfully Completed The Project "MyBus". The Project Aimed To Design And Implement A System That Can Manage The Operations Of A Bus Company, Such As Scheduling, Ticketing, And Tracking, Nitya [Roll: 8CA2000030] Demonstrated Excellent Skills In Programming, Database, And User Interface Design, As Well As Teamwork And Communication.

Team Member



Ananya Saha Is Gives Assistance For Documentation-Related Tasks, Designing And Database In The "Bus Management System" Project. Ananya Saha Is An Student Of Raiganj University [CIS Department] Who Successfully Completed The Project "MyBus". The Project Aimed To Design And Implement A System That Can Manage The Operations Of A Bus Company, Such As Scheduling, Ticketing, And Tracking. Ananya [Roll: BCA2010009] Demonstrated Excellent Skills In Programming, Database, And User Interface Design, As Well As Teamwork And Communication...

Team Member



Santosh Roy A Very Dedicated Member Of This Team, Overseeing The Bus Management System Project With Designing, Coding, And Contact Management, Ensuring Its Success From Start To Finish. Santosh Roy Is An Student Of Raiganj University [CIS Department] Who Successfully Completed The Project "MyBus". The Project Aimed To Design And Implement A System That Can Manage The Operations Of A Bus Company, Such As Scheduling, Ticketing, And Tracking. Santosh [Roll:BCA2000035] Demonstrated Excellent Skills In Programming, Database, And User Interface Design, As Well As Teamwork And Communication.

Team Member



Anisha Karmakar Is An Student Of Raiganj University [CIS Department] Who Successfully Completed The Project "MyBus". The Project Aimed To Design And Implement A System That Can Manage The Operations Of A Bus Company, Such As Scheduling, Ticketing, And Tracking. Anisha [Roll: BCA2010006] Demonstrated Excellent Skills In Programming, Database, And User Interface Design, As Well As Teamwork And Communication.

Team Member



Sultan Mandal Is Gives Assistance For Documentation, Designing Suggestion And Resources In The "Bus Management System" Project. Sultan Mandal Is An Student Of Raiganj University [CIS Department] Who Successfully Completed The Project "MyBus". The Project Aimed To Design And Implement A System That Can Manage The Operations Of A Bus Company, Such As Scheduling, Ticketing, And Tracking. Sultan [Roll: BCA2010013] Demonstrated Excellent Skills In Programming, Database, And User Interface Design, As Well As Teamwork And Communication.

Team Member



I Am Highly Thankful To My Project Guide "Sri Umesh Sarkar" Without Only Supervised Me While My Project, But Also Gave Me Valuable Suggestions Which Will Be Very Beneficial For Me In Future.

Guide



Name			
Email Address			
Message			
	,		


Timing (package)







Bus List




Book



BOOK YOUR TICKET NOW





Private Buses



HOME ABOUT TIMING BOOK +DADMIN

AVAILABLE BUSES




Dashboard (Admin)

Common to the text

LOG OUT

WELCOME ADMIN!






Manage Buses (Admin)

Manage or Delete Bus List




Manage Bookings



Manage Private Bookings

Manage or Delete Privet bookings



Manage Messages(Contacts)



Codes:

Home:

```
CEDOCTYPE html
             Chtml
Shead
                          Costs CharmeterUTF-8">
                          Cneta http:egulu="X-NA-Compatible" content="1E-edge">
Cneta name="viewport" content="width-device-width, initial-scale=1.0">
<title>Welcome to MyBus - Home</title>
                         <!-- subject cos link -->
<!-- subject cos link -->
<!-- subject cos link -->
<!-- font awards cdn link -->

<!-- font awards cdn link -->
<!-- font awards cdn link -->
<!-- font awards cdn link -->

                         <iink rsi="stylasheet" Href="css/style.css">
<iink rsi="stylasheet" type="text/css" href="css/find_bus.css">
                         | S("bunk, body").animate() | S("bunk, body").animate() | secollyop: () | siles"); | return false:
                         <link rel="styleshest" href="https://naxodn.bootstrapedn.com/bootstrap/3.4.2/css/bootstrap.nin.css">
                       cscript srt="https://maxcdn.bootstrapodn.com/bootstrap/3.4.1/is/bootstrap.nln.is"></script>
           </ri>
           c/m header section starts ->
c/m header section starts ->
c/section class="header">
c/secti
93
                              ca href="book.php">book</a>
44
                             <a href="#" data-toggle="modal" data-target="#my#odal"><i class="fas fa-sign-in-alt" style="margin-right: 0.4rsn;"></i>Admin</a>
43
                      </nav>
                       <div id='mena-btn" class="fas fa-bacs"></div>
43
50
               <1-- Nodal -->
           <!--modal form-->
                          Cform method="POST" action="C7php echo htmlspecialchars(5_SERVER['989_SELF']): 75">
54
55
54
                                   <hi>Login As Admin</hi>
                                   <label for="username"><strong>Username:<strong></label>
                                   <input type="text" id="username" name="username" required>
                                   <label for="password"><strong>Password:</strong></label>
                                   cinput type="text" id="password" name="password" required>
                                   <nobr><button onclick="login()" type="submit" class="btn btn-success" name="submita">Login</button>
                                   Courton type="button" class="btn btn-danger * data-dismiss="modal*>Close</button></nobr>
                     «/div>
              -c/giv>
```

```
dicions "lans" partner")

di class "basing tilla" our partners (/hi)

dir class "bos-container)

din dir class "bos-container)

din sos "inspen/spi.png" alt="")

div class "partners"

din sos "inspen/spi.png" alt="")

div class "partners"

din sos "inspen/spi.png" alt="")

div)
                                                                                     cdiv plass*"partner">
cing arc*"images/spl.pag" #lt*"">
                                                                                     Colve Classe partner to
City Classe partner to
Colve
                                                                                                6/6179
                                                                                                                      cing sur-inagen/spt.pag- altern
                                                    Captions.
                                                  the base offer section others -->

Casciton class="home-offer base-parkages")

clay class="content")

clay class="content">

class=(hi)

clas
                                                           chattan type="hotton" plane="expall-top"><1 plane="fo fo-engle-double-up" eris-hidden="true"></1></1>
                                                             discrete section starts ---
cuertion class="footer";
city class="bos-containes";
city class="bos-containes";
chlogrick links=(hl)
ca brof="bos-phe";
ca
                                     chicothesis linker(his)
chicot
                                              al - footer assizes and ->
«le super pa ink
»
«serupt serv hites //probe realswipers//swiper-busile, min. 1g*>//script>
«serupt serv hites //probe realswipers//swiper-busile, min. 1g*>//script>
«body»
—/body»
—/bodys
                                                                                                                                   </41y>
                                                                                                                                 <div class="box">
    cing sro="inages/quality.pog">
    ch3>Quality travel</h3>
                                                                                                                        chizycaccide characteristics of the character
                                                                                                  </417>
                                                               c/esction>

                                                                                              </dl>
                                                                        (dir clates contact")
(h1)Book Your Private Bus(/h3)
                                                                                              (p) For can book your cas has with us. If you have any function, trip, personal travel you can obschool our servises. You will never regret, every journey is happy! myReis@(/ in tre!='privat.php' class='hits'-Check(/a)
                                   Adjacotion)
                                   other diagrams and the diagrams of the diagram
                                                                                            chilishout usc/hills
                                                                                                Q)-Book your bus tickets with us today and experience a basele-free travel experience. With our easy-to-use platform and wide selection of routes and schedules. Our committee to tref="about-php" class="bin"/cead more(a)
                                                                      47/8103
100 -(/section)
207 -(-- nome about section ends -->
```

```
Garding Slass"partners)

Oli class"bading title") our partners (/hl)

(div class"box-containers)
                                      (div class='partner')
(ing srow'inepen/spt.pag" alt="")
                                       (/div)
                                   city slame*partner*>
(ing stp**inepen/spd.pag* sit***)
                                     C/Sivir
                                   cdiv class="partner")
cimg srr="inages/spl.pog" slt="")
                                     C/div)
                                   Offy class="partner">
<ing str="inapes/spl.pag" alt="">
                                      6/6179
                                   Oliv mana-partner's
                                 class ere "inagen/ept.pag" alterna
                         c/divo
        4/section2
cing arestinages/hus4, pg*>
                                     (/div)
                   odly class/content')
                                       chilospto 40% off(/h1)
                                      GONG one to car bus ticket booking website! We're excited to offer you an incredible deal that you won't find anywhere else. If you're a first-time user, you can receive a GONG, don't wait any longer. Book your first bus ticket with us today and take advantage of our unbeatable offer. We guarantee that you won't regret it! (/p) to inset"book pape" dises"blok bus dises "blok one"(s)
        -C/emption2
*I - Rober offer section ands ->>
               chuttas type="button" class="escall-top">(1 class="fe fe-esgle-dodde-op" eris-hidden="trus">(/1)(/button)
                    dv- fouter section starts --
      cair class" bos-costs
(air class" bos-costs
                          odiv class"Non-container">
                                                  chiloquick linkst/hilo
                                              emegnet imperato
ca hastwise.php? or almost is formale right? (/1) hose(/n)
ca hastwise.php? or almost is fa-male right? (/1) hose(/n)
ca hastwise.php? of almost is formale right? (/1) should a
ca hastwise.php?) or almost is formale right? (/1) hose(/n)
                                      c/five
                                          chilectra links/hl>
ca hest*** d class*** far fa-angle-right**>d lo ak questions/ho
ca hest*** d class** far fa-angle-right*>d lo ak questions/ho
ca hest**** d class** far fa-angle-right*>d lo best of used lo
ca hest*** d class** far fa-angle-right*>d lo grively policyda

                                       4/40/0
                                       env class"box":
                                               ship-contact info/hip
                                              cal medit=0 ct class=fas fa-phone=0(1) +0(815855656 c/a)

ca host=000 ct class=fas fa-phone=0(1) 40(815855656 c/a)

ca host=000 ct class=fas fa-phone=0(1) 1800 857 947c/a>

ca host=000 ct class=fas fa-mone=0(1) 80(805 87) 947c/a>

ca host=000 ct class=fas fa-mone=0(1) 80(800 87) 947c/a>
                                       11600
                                      dir class"box"
                                               dibfollow usufalb
                                               on interfers of clears in tertandent of the linked of the control 
                                       dan
                       distribution of the control of the c
               c/sections
                   d- footer section unit -
                   de super to link
                 -script sec-https://poskq.com/swiperd7/swiper-bundle.min.js^></script>
```

About:

```
Ciply session start(); h
                                                Stoccure heads

"Attal large"-en's

closed,

casts discort-for-bry

casts for-paying "-DA-tompathie" material H-edge"

casts man "risport" and N-ethilodevice width, initial-scale-1.0"

entic MyDes Absolu/Strine
                                                                    el-- super cas lisk -->
clisk ral- stylashese "brat-hittas://ampa_com/swimer$7/swimer-bondle.min.oss" /-
                                                                    of - first section will link --> clust self-stylesteen limit --> clust self-stylesteen limit --> true --> clust self-stylesteen limit --> --> -->
                                                                    eliak celeratylesheet hreforome/style.ome's
                                                                      energy are "https://ools.young.com/ppuny-3.5.1.min./g">c/scripts
                                                                  | Section | Section | Content | Section | Sect
                                                              disk rel="rightener" http://macda.bootstoreda.nu/bootstore/1.5.1/nas/bootstore in one"-
seriet sr="http://sta.mooiseuis.com/stac/Da/Janay/1.5.7/nasy.ain.is">
//wript=
seriet sr="http://stat/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/nas/bootstoreda.mooiseuis/1.1/
                                                    al- beader service starts ---
                                                                      on brade'home.php" classe"logo"seing mree'hompes/hom logo.ppg" heighteld achthelidse/as
                                                                      Communication of the control of the 
                                                              citiv to more bine classes for have believe
                                                  of: Hodel :--
of: id="symbols" slau="wodel fude" idla="dlalog")
of: olean="wodel dlalog")
                                                                      for classes while delayers

class actions from a stress time which had appellations of antennal time being the class while place as the company of the class of t
                               | 4f((ase)(1_FOT[(ase(as())))
                                        E | Hat mart | January | - Orders, or 1 Texts ( concrete ) - store,
                                                                                   else
                                                                                                                                              echo "Requires valid Authentication to log in"; 7>
                                                                                                                                                      <acript>setTimeout(function()(window.location.href ="about.php";), 2000);
33
                                                                    </acript>
36
95
                                                                                                                                                    <7php
36
                                                                                   .7
                                                -1>
BT
31
99
                                       div class='heading' style='background:uzl(images/busl1.jpg) no-repeat'>
                                                                            chloabout usc/hlo
                                                      </div>
```

```
The Share service is delivated to generalize a single and efficient existing the single and efficient to mean a historier resolution appearance. These is to be your go to platform for all year has headed with any quantities to means a historier resolution and the law of the single sends to means a historier resolution.

(21) **Classification**

(22) **Classification**

(23) **Classification**

(24) **Classification**

(25) **Classification**

(25) **Classification**

(26) **Classification**

(27) **Classification**

(28) **Classification*
                                                                                                                          opacopality beast/spar-
                                                                                              of Place to backet of a comment of the comment of t
                            "- store section entry-o-
                            - servere entire states -
                                        cal dissertmenting-cathery our twee while
                                                                    this class was every series
                                                                                       nature relative between white white-
                                                                                                                \eta which copy) hade a very definited medica of this isom, compacing the action has management system project, electrical Hamiltonian Hamiltonian (All)
                                                                                                                          or disper neighbor allow allows:
[] Money what is given estateous for documentation, designing and detained in the "Non-Management System" project. [] []
[] Only the Management System" project. [] []
                                                                                                 experience of the control of the con
                                                                                                                          regardes broth dorst taxes play places blur ollick bener/and/apar-
ning apply languaghes large tax's sixther
                                     WHITE
                     -
Constant Marthading Spire beigness mice. Mitter, pulling War-
                                           only the product of the Square annulation light which the state of the Square and the Square and
                                                                                                                    right injection and the control of t
                                                  150 II thest ( MERCO) where he was [1] as 'support HERCON | process process [1] I be not a second or a
                                                                                       meet of SECTION Common process [1]
               Ec/sections
                            cle- reviews section wide -->
                  of- finite section starts --> shatton symmethylamin's class for far angle-double-up" aria-hidden firm for/in/butana
                                                     cing class box-container .
                                                                                                          on preference transfers of tileser for the engine right to dis bose (is to brief tables, ppr) of tileser for fe-engine right to distance for a brief publish play of tileser for fe-engine right to the schedule (is the ference for fe-engine right to distance for the schedule (is the ference for fe-engine right to distance for the schedule (is the ference for fe-engine right to distance for ference for fe-engine right to booking (is).
                                                                                       c/div
                                                                                                                -Calmatra links-bits
                                                                                                          on anti-time on the first facility of the desired of the order of the 
                                                                                       e/diw
                                                                                       one class but
                                                                                                       chi-contact info:(Ale

a her?-W's of closer*fee forghose*c/i> +91813957856 c/a>

a her?-W's of closer*fee forghose*c/i> +91813957856 c/a>

a her?-W's of closer*fee forcerulope*c/i> https://doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org//doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org///doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi.org//doi
```

```
chr clear but a children was fellowed by the bished company of the control of the
```

About Team & Project:

```
of -- custom can fall land --- 
clink cel-"explosheet" hund-ross/style.com
                                                 T(forment) seedy (feartise))(

1(**semil'sep*), click(feartise() )

**Commil'sep*), assemble()

**semil'sep*), assemble()

**semil'sep*)

**Jaiority

                    */seript ser*System://code-basery.com/busery-1.8.2.ato.tel=/seripts
                ci- healer section starts ---
   Dysection slate-header's
                                on boof-those php' class='loge">cing exc='losges/hus loge-jpg' buight=50 width=121+4/a)
                                only always draft classe for far-bary'rs/divi-
         -d/sections
                    other classification, perfect all deriv-
                                                 one commented with all the
                                                                 to Milys Squi bake in an etablest of Seigning Minimizety [CES Squarement] who accommodally completed the project "Myster". The project wheel to design and implement a system that can making the operations of a lumin calculum Medical/Allo
                                                 open-dependent type gap alter-
                                                  one descripts within align's properties align's properties for the description and descripting and descripting and descripting and descripting and descripting and descripting and description of the Management System's properties among this is no student of Reignery Statement (STE Segment System) also manufactured to the "The Management System's properties along this is no student of Reignery Statement (STE Segment System) and manufactured to the "The Management System's properties along the student of Reignery Statement (STE Segment System) and the statement of the statement of
                                                  emparational state of a participate of the state of the s
                                                    one consideration allow allow-
                                                                quiested by a very deficated medics of this team, overseeing the bus nanequiest system project with designing, rading, and contact management, ensuring the success from start to finish, burnesh key is an etudent of the medicar/tile.
```

```
g-delake Manasher to an elaboral of Alagan) Solvenesky (CCI Sequelement) who commandedly completed the project "MyRes". The project sized to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage the operations of a loss commanded to design and lagitament a system that his manage that his manage that has been also commanded to design and lagitament a system that his manage that has been also commanded to design and lagitament as a system to desi
                                                                                                                       consists wanted is given assistance for documentation; designing engagetion and resources in the "flow Management system" project, militan Mandal in an attacket of managed training in imposit project and resource in the "flow Management system" project, militan Mandal in an attacket of managed training in imposit project and an attacket of managed training in imposit project and an attacket of managed training in imposit project and an attacket of managed training in its imposit project and an attacket of managed training in its imposit project and an attacket of managed training in its imposit project and an attacket of managed training in its imposit project and an attacket of managed training in its imposit project and attacket of managed training in its imposit project and attacket of managed training in its imposit project and attacket of managed training in its imposit project.
                                                                                                                                            grid on highly thoubful to my grouper guide "bit Meeds Andre" without only experted on while my project, but also you so valuable augmentum which will be very heardful for so in farmer with
                                                  Seeding Chairmonthy of the temporary with Africa posting The partity what mater, to
                                                                                    The winds there the property of the property o
                                                                                                                                            tings type "men' was "some spire" with the light of the parties of
                                                                    of the control of the
                                                                                       construction of the control of the c
                                                                                                                                  To describe the control of the contr
                                                                                    nair class condition durings by open from Norther BM-/apan 1 all rights reserved strice
                                                                                                               Sconnection - wysqli_connect('licalhest', 'mount, '', 'book_db');
                                                                                                  Speciest " " invest into content_pointse, essil, message) values("Busma", "penall", (Basesupa") ";
apagli_query(Founterion, Exequest))
                                                                                                                                       eesting start();
$_9E33[00]'aucosss_persupt'] = "Message set8 successfully.";
booking('location:aBout.php');
                                                                                               echo 'amething sent ering please try again!';
d- forter section sads ---
                                                                               cive custom ps file link too
cacript arce*je/script.je*>c/script>
```

Timing:

```
near overact (1974)

deta frame 
                                         dies seiges nes 1600 -- v
clist self-atplicabent instruttes://www.uns/seigest//selges-bondle.min.mag /-
                                         d) — firm assume thi lim — - (lim mile atternos)/(state doubtlane.com/atas/like/ford environ/h.13.4/nes/all.min.com/)
                                      die custos cas tile lina .-- .
-link rels"stylesheet" brefs"cas/style.cas")
                                         correct and hitten://ooks.inpure.com/leaver-A.A.L.wim.la*-c/script)
                                                   He Mr
                                  clint on "style-mast" her? "https://www.holestatumedo.com/bestatum/j.4.1/com/bestatum.ata.aus"-
serinyt arcs "https://www.holestatum.com/star/ller/masty/.4.5/com/statum/i.4.1/com/style-
cerinyt arcs "https://www.holestatum.ata.aus"-
cerinyt arcs "https://www.h
                 of - beader section starts ---
      Guerra Marchaelero
                                  on here's have play about hope thing near temperature loops that he special major the contract to the second temperature of the second temperature o
                                  ras time "navier":

a hid "riams pig "immer/as

a hid "riams pig "immer hid

                                      Offic informantible" places for factors "SCALES
            c/sections
                 c) -- basier eaching eads -->
  | Cle Model ->
| Cle Model ->
| Cle in properties | Class | Total | Total | Total | |
| Cle | Class | Total | Class | Total |
| Cle | Class | Class | Class | Class | Class |
| Cle | Class | Class | Class | Class |
| Cle | Class | Class | Class | Class |
| Class | Class | Class | Class | Class | Class |
| Class 
                                                                       conservation and lide "lagin() = type "subsite class "bin its subsess name "admits "lagin(/button) thutton types button class "bin danger = data-timize "modal ")Class (/button) (/button)
          chut
e/fumo
e/div>
e/div>
  18(Laset)S_POST("schmits")()
                              If it_rost! "processit! -- "admin" to $_20072 houseward for admin")
                                                                           1_magine['inppedia'] - Youes
echo "malad Dess": 15
                                  Gaript Mettineout (function() (window.location.tref ="daublocation.tref"), 1001:
Garipts
Clarit
                                      else
                                                                                                                        enho "nuglice walld Asthemication to log in"/75 carrietsecut(function() (window.location.href ="punnage.php"/), 3000); c/scripts
                                                                                                                               Kyphp
    Coliv slass" beading style="background:sri(images/busi4.jpg) no-repeat;">
Ca hrsf="bus details.php" class="btn" xtyle="margin-right: l0px;">See Schedule(/a)
Ca firef="find bus.php" class="btn">Find Buses(/a)
<dlv id="white-bar" closs="fas fa-bars"></dlv>
```

```
III Ficection class"parkages">
                           thi class "beading title" > Book For Private Use(/hi)
                           Chiv clause these containers
                                      oliv class=bes=)
                                           offic classer Dangers
                                                    <imq er="images/bead@.jpg" alt=">
                                          c/div-
                                                   chiloRuis NotRP04c/hilo
                                                   (h)>42000/- per day(/h)>
(h)>42000/- per day(/h)>
(a href="privet_book_php" class="btm">book_now(/a)
                                           «/div»
                                   (Siv class*theat)
                                           City class="image")

(ing arms=images/bushl.jpeg" alterna
(/dlv)

(iis class="content")
                                                    <0.328us No:8005</0.33
                                                   (D)Shipy the Travel(/D)
(h2)*[1800/- per day:/h2)
(a hrot="polyet book_pap" mlenum=bta">book_pap* mlenum=bta"<
                                           ×/417>
                                   47dix3
                                 odiv class="box">
                                           ctiv class="image")
   (ing src="images/bus29.jpg" slt="")
                                           (/div)
                                                   chiloffers No: 80064/hdb
                                                   collings we have the ride with unforgettable func/go
chipwi500/- per daye/hib
ca hruf="privet_book_pap" glass="bta":book_nowe/ab
                   -c/section>
                      -ca href="privet.php" class="htm" style="margin-left:45%">more</a>
                        <!--packages section ends -->
«!-- footer section starts -->
                  div class='boots'

div class='boo'>
                              ddiv class="how-nontainer">
                                              (hl)-quick links(/hl)
                                                ca href="nbout.phg"> <1 class="fas fa-angle-right"></l>
<a href="nbout.phg"> <1 class="fas fa-angle-right"></l>
<a href="nbout.phg"> <1 class="fas fa-angle-right"></l>
<a href="package.phg"> <1 class="fas fa-angle-right"></l>
<a href="package.phg"> <1 class="fas fa-angle-right"></l>
<a href="package.phg"> <1 class="fas fa-angle-right"></la></a>
                                                <a href="book:php"> <1 class="fes fa-angle-right"></i> book</a>
                                        4/div
                                       cdiv class"box":
                                              chibertra linksc/hi>
                                               ca href="#">ca class="fas fa-angle-right">c/1) about usc/a>
ca href="#">ca class="fas fa-angle-right">c/1) about usc/a>
ca href="#">ca class="fas fa-angle-right">c/1) ask questionsc/a>
ca href="#">ca class="fas fa-angle-right">c/1) terms of usec/a>
                                                ca href="#"> <1 class="fas fa-angle-right"></1> privacy policy
                                         4/6192
                                         cdiv =lass='box'3
                                              <h3>contact info</h3>
                                              cabsed="4"> <1 class="fas fa-phons"></1> +918158957656 </a>
<a braf="4"> <1 class="fas fa-phons"></1> +918158957656 </a>
<a braf="4"> <1 class="fas fa-phons"></1> 1880 457 947</a>
<a braf="4"> <1 class="fas fa-envelope"></1> nityasaha199gmail.com </a>
                                                ca href="#"> <1 class="fax fa-map"></1> Raiganj, West Bengal - 733134 </m>
                                         ditto
                                        cdsy mlasa="box">
                                               <hloridles us</hl>
                                                ca href="#"> <1 class="fab fa-linkedin"></l>
linkedin 
ca href="#"> <1 class="fab fa-facebook-f"></l>
facebook 
ca href="#"> <1 class="fab fa-facebook-f"></l>
lintagram 
ca href="#"> <1 class="fab fa-linkagram"></l>

                                                <a hpef="#"> <1 class="fab fa-twitter"></i> twitter </a>
                                         </div>
                                <div class="credit"> designed by  cspan>Team NextGen RGG(/span) | all rights reserved! 
                        c/sections
                        <!-- footer section ends -->
                         ci- swiper ye link
                        escript are "https://umkq.com/swiper#7/swiper-bundle.min.js">//script>
                        <!-- custom js file link -->
<script script/script.js'></script>

                      -c/body)
```

Bus Details:

```
CEDOCTYPE html
                    (html)
              Chead
                       <title>Bue List</title>
                       clink rel="stylesheet" type="text/css" Nsef="css/bus details.css">
clink rel="stylesheet" type="text/css" Nsef="css/style.css">
            <style>
                          select!
                      font-mine: 16pm;
padding: 10pm 20pm;
border: none;
                       border-radius: 4px:
                      background-color: #f2f2f2)
color: #333;
                      appearance: none;
-webkit-appearance: none;
-nor-appearance: none;
                   labeli
                  font-size: 16px;
border-radius: 4px;
                  select:hover, select:focus {
                 outline: none;
                      background-color: #ddd/
                 </style>
           </head>
                      <hi style="color red; font-family: times new roman; font-size: 40px; margin-bottom: 10px;">List of all Buses</hi>
                             <form method="POST" action="filtered_list.php">
                                <label for="weekday">Select a weekday:</label>
                               <select neme="weekday" id="weekday">
<select neme="weekday" id="weekday">
<option value="all" selected>all</option>
<option value="sunday">Sunday</option>
<option value="menday">Monday</option>
42
                                           <option value="tuesday">Tuesday</option>
                                         <option value="wednesday">Wednesday</option>
<option value="thursday">Thursday</option>
<option value="friday">Friday</option>
45
                                           <option value="saturday">Saturday</option>
45
                                </select>
                                <button type="submit" name="submit" class="btn">Submit</button>
                 </form>
             C7php
                                // Connect to the database
                               Sconnection = mysqli_connect('localhost', 'root', '', 'book_db');
                                // Check for connection errors
61
                                if (mysqli_connect_errno()) |
                                   die('Failed to connect to database: ' . mysqli_connect_error());
65
                               // Query the bus_list table
5query = "SELECT " FROM Bus list";
                                Sresult = mysqli_query(Sconnection, Squery);
                              // Display the table data
                             eche "(lablas")

eche "(lablas")

eche "(scot) the blue Number(/the the day (label))

eche "treation", grow() the name(), "c/tde")

eche "treation", grow() the 
                              echo "/table>";
                              // Close the database connection mysqli_close (Sconnection) /

// cdiv class="heading">
// cdiv class="heading">
// ca href="package.php" class="btn" style="margin-right: 10pm;">Back</>
// ca href="hoce.php" class="btn" style="margin-right: 10pm;">Bome</a>
// ca href="book.php" class="btn" style="margin-right: 10pm;">Bome</a>
// ca href="book.php" class="btn" >Book now*//a>
// chutton onclice="window.print()" class="btn">Print</br/>//button>
// dly>
```

Find Bus:

```
Chini)
                                     ctricle Bearch Your Bure/title> (title>Bearch Tour Bure/title> (link rel="stylesheet" type="text/css" Braf="css/user history.css"> (link rel="stylesheet" type="text/css" Braf="css/find bus.css"> (script acc="js/find bus.js"></script acc="js/find 
                                     clink rel="stylesheet" type="text/css" hsef="css/style.css">
                                ef— weiper cas link ->
<iink i=1=*stylesbeet* nimf=*https://umpkg.com/swiper#7/swiper-bundle.nim.com* />
                                 <!-- font awecome cdm link -->
<!iint cel="stylesbeet" https://cdnja.oloudflare.com/ajax/libs/font-awecome/5.15.4/css/all.min.ceg">
                                     <script #pp="https://orde.jquery.com/jquery-3,6,0,min.jg"></script>
                                      <style>
                      table (
                             border-collapse: collapse;
width: 80%;
max-width: 1200px;
                             margin auto;
background-color aqua;
box-shadow: 0 0 20ps rgba(0, 0, 0, 0.1);
font-width:bold;
                             padding: 10px;
                      th, td (
text-slign: center;
padding: 8px;
border-bottom: 1px solid #ddd;
                      th (
                             background-color: tomato;
                               oplor: #333;
                   divi
                                  display:flex;
margin:Spx;
justify-content:center;
                   -c/style>
                </head>
                 -csention class="header">
                               <a hrmf="home.php" class="logo"><ing srr="images/bus logo ipg" height=00 width=120></a>
               "Cdiv id-"menu-btn" class="fas fa-bars">C/div>
                  -K/westion>
                                    (hD)Enter the Followings (/hD)
                                  chibEnter the Followings(/h)
cform sethod="Fost" action="claim" action="clai
                                  chobs>chutton type="submit" name="find-bus="Find Buses*/button>
Chutton lib="secet-bin" type="yeset">Re-enter
//button>
           Ekdiv>
31
                 Hif ($ server['REQUEST_METHOD'] == "POST' && isset[$_POST['find-bus'])) |
                                     /7 Retrieve mata
                                     Sdeparture = S_POST('departure');
                                    Sdestination = $ POST['destination'];
                                     // Create connection to the database
                                   Sconn = new mysqli('localhost', 'root', "', 'book db');
64
                                     // Check connection
                                   if ($conn->connect_error) |
                                                  die("Connection fmiled: " , Sconn->connect_error);
                                     // SQL query to select records where departure and destination match
                                     SmqL = "SELECT " FROM bur list WHERE departure = '$departure' and destination='$deatination'";
                                     // Execute the query
                                     $result = $conm->query($sql)/
```

```
// Check if there are only record satisfies the details

sche "station";

sche "station";
```

Private Bus:

```
Chrai lange en
                  conta charact="UTF-6")

Conta http=epilve"Z-US-Compatible" content="Theedge")

Conta http=epilve"Z-US-Compatible" content="Theedge")

Conta name" viesport" content="width-devise-width, initial-scale=1.0">

clitic=Book your privet bus with eqfus=/title>
                   <1- seipez cze link -->
*Link rel="stylesheet" hruf="https://unpkg.com/swipezil/swipez-bundle.min.oss" />
                  <!-- font sectors ode link -->
<!link tel="etylechest" Nimf="https://cdnjs.eloudflare.com/ajas/line/font-spectors/5.15.4/cms/all.min.com">
                  </pr
                  octupa false;
              "link rel="stylesheet" firsf="https://maxodn.bootstrapodn.com/bootstrap/3.4.1/gas/bootstrap.min.gas">
             cerript us="https://alam.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.googlespis.goo
| (i = Mudal -> | clip | midal | class="modal fade" role="dialog"> | clip (lass="modal dialog"> | clip (lass="modal dialog"> | clip (lass="modal dialog"> | clip (lass="modal form-> clip (lass="modal fade" role="modal fade" role="modal fade" role="dialog"> | clip (lass="modal dialog") | clip (lass="mo
                                             clipid for 'peaseord' 'satrong' Username' :sstrong>
clabel for 'peaseord' 'satrong' Username' neme 'username' required-
clabel for 'peaseord' 'satrong' Password 'sotrong>
clabel for 'peaseord' 'satrong' Tassword' 'sotrong>
clabel for 'peaseord' 'satrong' Tassword' 'sotrong>
clabel for 'peaseord' id-'peaseord' name 'peaseord' required>
                  </dlv>
       if(isset(C_POST['summitte']))
                          \mathbf{Mf}(S\_\mathsf{FOST}(\texttt{`parameterd'}) \to \texttt{``admin'`} \texttt{AL`S\_POST}(\texttt{`unarmater'}) \to \texttt{`Admin''})
                                              5_SESSION('Inagemin') = True;
                    <script>setTimeout(fumetion()(window.location.href *"danthourd.php":), 100)/
</script>
                                                (7php
                           else
                                                            echo "Requires valid Authentication to Top in"(?)
<script=setTimeout(fumenion()(window.location.href ="sbout.php"(), 1000);
</pre>
                                                                   (Tphp
```

```
Hosection classs"header">
                        4a hirsf="home.php" class="logo"><ing urc="images/bus logo.ppg" height=00 width=120></a>
                        Osay classes"navbay"
                              any disce"havhay">
ca htse"hame.php?\home(/a>
ca htse"himes.php?\home(/a>
ca htse"shout.php?\home(/a>
ca htse"shout.php?\shout</a>
ca htse"juskage.php?\shouk//a>
                        "Offw id="menu-btm" class="fas fa-bars"></div>
                ci-- beader section ends -->
                <!-- packages section starts -->
            dection class"packages">
                        <hi class="heading-title">Available Buses</hi>
                        "dry class="box-container">
                                adiv class="bos">
adiv class="image">
adiv class="image">
adiv class="images/bos2.jpg" alt="">
altern">
altern">
altern"|
altern"
                                ediv classe"box">
Cdiv classe 'box'>
Cdiv classe 'image'>
Clay error 'images/box34 jpeq" alto">
C/div
Cdiv classe 'content'>
Chibus No: BPOSC/hi>
                               chi/Bur No: EP03(/hi)>

cpoEnjoy the journey with unforgettable func/go
chi/T1400/- per day*(/hi)>

ca himf="privet_book.php" clans="bth"/book.now*(/a>

c/dip>

                                Offiv class="box">
                                       <div clenow"image">
                                                <ing scc-'inages/bus32.jpg' alt=">
                                       </div>
                                      <div class="content">
                                             (h3>8us No:8904</h3>
                                               penjoy the journey with unforgettable func/p>
                                             <a href="privet_book.php" class="btn">book now</a>
                                       K/div>
                               c/div>
                                cdiv class="box">
                                      <div class="image">
                                              <ing enc='images/bus31.jpeg' slt='">
                                        4/div
                                      <div class="content">
                                             <h3>Bus No:8905</h3>
                                               Enjoy the Travel
                                             %2>@1800/- per day
<a href="privet_book.php" class="btn">btn">book now</a>
164
                                       K/div)
                               c/divo
                                <div minns="box">
                                     odiv class="image">
                                              <ing snc='images/bus29.jpg' slt=''>
                                        </div
                                      "div class" content">
                                             Chi>Bus No:88064/hij)
                                               PEnjoy the ride with unforgettable func/p>
                                               @20#1500/- per day(/h2)
                                             <a href="privet_book.php" class="btn">book now</a>
                                       </dim
                                c/dito
```

```
-</section>
175
        <!-- packages section ends -->
        <!-- footer section starts -->
      <section class="footer">
           <div class="box-container">
               «div class="box"
艾莎车
                 <h3>quick links</h3>
                  <a href="home.php"> <1 class="fas fa-angle-right"></1> home</a>
186
                 <a href="about.php"> <i class="fas fa-angle-right"></i> about</a>
                 <a href="package.php"> <i class="fas fa-angle-right"></i> package</a>
                 <a href="book.php"> <i class="fas fa-angle-right"></i> book</a>
189
               </div>
190
               <div class="box">
191
                  <h3>extra links</h3>
192
                  <a href="#"> <i class="fas fa-angle-right"></i> about us</a>
193
                  <a href="#"><i class="fas fa-angle-right"></i> ask questions</a>
194
                 <a href="#"> <1 class="fas fa-angle-right"></1> terms of use</a>
195
                  <a href="#"> <i class="fas fa-angle-right"></i> privacy policy</a>
196
               </div>
197
               <div class="box">
196
                 <h3>contact info</h3>
                  <a href="#"> <1 class="fas fa-phone"></1> +918158957656 </a>
199
                 <a href="#"> <1 class="fas fa-phone"></1> 1800 457 947</a> <a href="#"> <1 class="fas fa-envelope"></1> nityasaha398gmail.com </a>
                 <a href="#"> <i class="fas fa-nap"></i> Raiganj, West Bengal - 733134 </a>
               clairs
              <div class="box"5
                 <h3>follow us</h3>
                 <a href="#"> <i class="fab fa-linkedin"></i> linkedin </a>
                 <a href="#"> <1 class="fab fa-facebook-f"></i> facebook </a>
                  <a href="#"> <1 class="fab fa-instagram"></i> instagram </a>
                  <a href="#"> <1 class="fab fa-twitter"></1> twitter </a>
               </div>
           </div>
            <div class="credit"> designed by <span>Team NextGen RGU</span> | all rights reserved! </div>
        -</section>
214
        <!-- footer section ends -->
216
        <!-- swiper je link
        <script src="https://umpkq.com/swiper@7/swiper-bundle.min.je"></script>
214
        <!-- custom js file link -->
        <script src="js/script.js"></script>
       -</html>
```

Book:

```
success: familion(response) [ F("-prior").text(response) ] // Update the prior element with the setzieved value
                     121
                  // Reset hondles for departure and destination change #departure.
$1°46estination").change(function() | |
| getPrice()/
| ));
               15.7
     -</ted
         circ header section starts ----
      Expection disast header's
            wa href="home.php" class="logo">cimg src="images/bus logo.jpg" height=80 width=120=</a>
          cdiv idw'meno-ban' place" fac fa-bare'></div>
         </section>
         el- hasier sutting suiz -->
      | cdiv id='spModel' class='sodal fade' role='dialog's
             di-maini form->
diom method=18087' antion="clpin subo htmlspecialchars(f_SERVER('SUR_DELE')); To'>
                  chistogin As Admins/his
                   clabel for="username"><strong>Username:<strong></label>
<input type="text" id="username" name="username" required>
<label for="password"><strong>Password:</strong></label>
92
94
95
96
97
90
200
201
                   cinput type="text' id="password" name="password" required>
                   cnobz>cbutton onclick="login()" type="submit" class="btn btn-success" name="submit">login()buttos>cbutton type="button" class="btn btn-danger " data-dismiss="sodal">Closs=(button></nobz>
               c/form
            e/dive
         (/div)
104
105
106
107
108
109
       if(isset(0_POST["subsita"]))
               if(% POST['pessworm'] - "Admin" && % POST['meername'] -- "Admin")
                   #_SESSION['loggedia'] = Yrun;
echo "Valid User"; E>
                   <script>eetTimeout(function() {window.location.href ="dashhourd.php"r), 100);
                  c/script>
       F
                   elphy
else
                       </acript>
                        «Tphp
       div class"heading" style="background:url(images/busl2.webp) no-repeat">
             chl styls="font-size:50px;"(View / Edit your bookings </hi>
<a href="user history.phg" class="htm">Click here</a>
         c/div
         <!-- booking section starts -->
       csection =lass="booking">
```

```
<hi class="beading-title">book your ticket now</hi>
        Eleform action="book_form.php" method="post" class="book-form">
                  <div class"inputBox">
                     <span name !</pre>
<input type="text" placeholder="enter your name" name="name" required>
145
146
147
                  </dsv>
                  <div class='inputBox'>
                      <span)email :</span)</pre>
                       <input type="email" placeholder="enter your email" name="email" required>
                  </div>
                      <span>phone (</span>
<input type="number" placeholder="anter your number" name="phone" required>
                  </div>
<div class*inputBox*>
                      <apan)address :</apan)</pre>
                       <isput type="text" placeholder="enter your address" name="address">
                  </div>
                      <span>Bus Number :
/span>
<input list="bus no" name="bus number" placebolder="enter bus number" required>
                       stphp
#connection = mysqli connect('localhost', 'roct', '', 'book dh');
#connection = mysqli connect('localhost', 'roct', '', 'book dh');
#connection = mysqli connect('localhost', 'roct', '', 'book dh');
                       Squary =
                      Presult - mysq11 query(Pconnection, Squery);
                  </div>
                  <div class="inputBox">
                       capan>Date :
<imput type="date" name="date" placebolder="Date" required onchange="checkWeekday()">
<apan id="date-error" style="color: red;"></apan>
<imput type="hidden" id="weekday-check-url" value="check_weekday.php">
              <div clear*'impublica'>
              (span)-departure (</span)
              cinput list='departure" placeholder='start from' name='jstart' required id='departure'>
                  Squery - "SELECT departure FROM has liet";
                  Prevalt - mysqli query (#connection, #query);
              cdatalist id="departurn">
    Cjpbp while (Zrow " mysqli fetch assoc(Zresult)) | 15
    coption value="ciphp enbo Zrow["departure"]; 75">
    Cjbp | 75
              </detalists
               city class="inputBox">
                   dependentination (4/span)
                  <input list="destination" placeholder="enter destination" name="jend" required id="destination">
                       Sresult = mysqli_query(Sconnection, Squery);
                  <detalist id='destination'>
                       coping while (from - mysqli fatch associfessult) | To coping values coping come from [ destination [] To coping ) | To
                  c/datalists
               «/div»
               <!--print price-->
<div class="inputSca">
                     <upre>capen>Price :</upre>
capen class**price* style**foot-weight: hold: foot-wise: 20px; color: red;*></upre>

                  «/div»
           e/dim
           comput type="submit" value="Pay" class="btm" name="send" style="margin-left:45%;">
```

```
c/section>
224
                    <button type="button" class="soroll-top"><1 class="fa fa-angle-double-up" aria-hidden="true"></i></button>
              <!-- footer section starts -->
<section class="footer">
<div class="box-cent">
<div class="box-cent"></di>

                                      <h3>quick links</h3>
                                       <a href="home.php"> <i class="fas fa-angle-right"></i> home</a>
<a href="about.php"> <i class="fas fa-angle-right"></i> about</a>
<a href="package.php"> <i class="fas fa-angle-right"></i> time schedule</a>
 234
                                        <a href="book.php"> <i class="fas fa-angle-right"></i> book</a>
                                </div>
<div class="box";
                                      iv class="pox">
ch3>extra links</h3>
ca href="#"> <1 class="fas fa-angle-right"></i> about us</a>
ca href="#"> <1 class="fas fa-angle-right"></i> ask questions</a>
ca href="#"> <1 class="fas fa-angle-right"></i> terms of use</a>
ca href="#"> <1 class="fas fa-angle-right"></i> privacy policy</a>
ca href="#"> <1 class="fas fa-angle-right"></i> privacy policy</a>
239
241
                                </div>
<div class="box">
<h3>contact info</h3>
              臣
24€
                                      <abcelerate into</a>>
<a href="#0">< i class="fas fa-phone"></i> +910158957656 </a>
<a href="#0">< i class="fas fa-phone"></i> 1800 457 947</a>
<a href="#0">< i class="fas fa-envelope"></i> nityasaha396gmail.com </a>
<a href="#0">< i class="fas fa-amph></i> Nityasaha396gmail.com </a>
<a href="#0">< i class="fas fa-amph></i> Raiganj, West Bengal - 733134 </a>
248
249
                                  c/div>
                                 <div class="box">
                                      <h3>follow us</h3>
                                      <a href="#">< i class="fab fa-linkedin"></i> linkedin </a>
<a href="#">< i class="fab fa-facebook-f"></i> facebook </a>
<a href="#">< i class="fab fa-instagram"></i> instagram </a>
<a href="#">< i class="fab fa-instagram"></i> twitter </a>
 254
                                  </div>
259
260
                          </div>
<div class="credit"> designed by <span>Team NextGen RGU</span> | all rights reserved! </div>
261
262
                  -</section>
                  <!-- footer section ends -->
<!-- swiper js link -->
<script arc="https://umpkq.com/swiper@7/swiper-bundle.min.js"></script>
264
              <!-- custom js file link -->
<script srow"js/script.js"></script>
268
                 function checkWeekday() [
                         comst deteInput = document.getElementsSyName("date")[0];
comst busHamberImput = document.getElementsSyName("date")[0];
comst url = document.getElementSyId("desking-sheak-url").value;
comst errorSpan = document.getElementSyId("date-error");
                         // Clear any previous error messages errorSpan.textContent = ^{\rm nv};
283
283
                         const selectedDate = new Date(dateInput.value);
comst currentDate = new Date();
                         if (selectedDate < currentDate) (
                                                                                  e a future date";
                               errorSpan.textContent = "C
                              return;
                         // Create a FormData object to send the selected date and bus number to the server
                         comst formData = new FormData();
formData.append("inte", dateInput.value);
formData.append("inte number", busGumberInput.value);
                          // Send a PGST request to the PSF script for weekday comparison
                         fetch(url, {
method: "Fort"
                               body: formData,
299
                              .then((response) -> xesponse.json())
                               then((data) => (
if (data.weekdaysWatch) (
                                        // Weekdays match, clear error message
errorSpan.textContent = "";
                                    | else |
                                         // Weekdays don't match, display error message
errorSpan.textContent = "Choose the correct date";
                               -match((error) => (
                                    consols.srror("Error:", srror);
```

User history:

```
MIDDOCTYPE html
          Chead
                                          Stitle>Browse Mistory</title>
                                    "script scr="js/find_bus.js"></script>
elink rel="styleshest" type="text/css" href="css/user_history.css">
-link rel="styleshest" type="text/css" href="css/style.css">
-link rel="styleshest" type="text/css" href="css/find_bus.css">
-link rel="styleshest" type="text/css" href="text/css" type="text/css" type="text
                                    <!-- suiper cas link -->
->
->

<pr
                                    clim tont awassms cds link -->
clink rel="styleshoet" href="https://cdnja.cloudflare.com/ajax/lihs/font-awasome/5.15.4/css/all.min.css">
                                         <acript *ros*https://code.jquary.com/jquary-3.6.8.min.je*></acript>
                    c/heads
                     <1-- header section starts -->
        <section class="header">
                                  sa href="home.php" class="logo"><img sto="images/hom logo.jpg" height=80 width=120></a>
        cnav class**navbar*>
                                                sa href="book.php" class="btn">Backs/a>
                         </nav>
                                   cdiv id" menu-btn" class" fas fa-bars ></div>
                - (section)
                     <!-- header section ends -->
        div class="find-user">
                                        <hl>Enter Your Details</hl>
                                    carbotologram high modula' hims "moduly" deed OTF:/button
challen of "meant-bits" type" moduly "de-mine-Challen-Jaylot
of films
       edito-
Digital Class work-warr's
                    // Charle Son seasoning arrows
17 (sympl) measure primary) /
dis('Value to content to minimum ' sympli seasoning arrows));
                March of the form was missioned by the state of the state
                  Egg = 2_00911'so'l)

Sames = 2_0091'so'l)

Sames = 2_0091'some!]

Splane = 2_0091'some!]

Splane = 2_0091'some!]

Splane = 2_0091'some!]

Sames = 2_0091'some!]
                Options the booking in the database Agency & CORDATE book from ITT book
                    manufit sprony (Departments on Principle)
```

```
Gat (a measure ("angular particus") --- "post" at least (a post ("sendong"))) (
                          Demailf=0_000T['emmilf'])
Sphonef = 0_900T['shonef'])
                          // Coory the how list table 
Equery = "minim" > Deck book_from where comil="Beneall?" and phone="Sphonef"")
Steamit = epogli_query(Sconestion, Sphony);
                          acte "cors";

scho "cons";

scho "constantian class" emit-instantian;

scho 
                              the Purnable of
                      | make "forry/ no beckings frame.";
                         eyeqli olese(formestion);
                  eday nimbedit form contained style display moss/test alignometer hashground color #222222 (form nimbed post action spin, echo hashpertalchare); $25028('HE MIN')); %londer type window near-id thresholder between the color actions alignost type window near-id thresholder actions alignost type window near-id thresholder color actions alignost type window nimbed passed in the color action of the color actio
                          cinput types tests names small possent small > day
clabel Phront = /labels
                                    <label>Address:</label>
                                     <input type="text" name="address" id="edit-address"><br>
104
                                     <label>Bus No:</label>
                                      <input type="text" name="bus number" id="edit-bus-no"><br>
13€
                                     <label>Date:</label>
                                     <input type="text" name="date" id="edit-date"><br>
                                     <label>Departure:</label>
                                      <input type="text" name="departure" id="edit-departure"><br>>
                                     <label>Destination:</label>
                                      <input type="text" name="destination" id="edit-destination"><br/>br>
                                     <button type="submit" name="edit_booking">Opdate</button>
144
                                     <button type="button" class="cancel-button">Cancel</button>
                       - </form>
145
146
                      -</div>
147
149
                  div id="delete-confirmation-container" style="display:none;text-align:center;background-color:#f2f2f2;">
                               <h2>Confirm Deletion</h2>
                                Are you sure you want to delete this bus?
                                <button id="confirm-delete-button">Yes</button>
                               <button class="dancel-button">No</button>
                       </div>
                       - </div>
                    d<script type="text/javascript">
159
                    = $ (document) . ready (function() {
                                       // Edit button click handler
                                 $('.edit-button').click(function() {
                                           var id = $(this).data('id');
                                           var name = $(this).parent().siblings().eq(0).text();
                                            var email = $(this).parent().siblings().eq(1).text();
                                            var phone - S(this).parent().siblings().eq(2).text();
167
                                             var address - $(this).parent().siblings().eq(3).text();
168
                                             var bus number = $(this).parent().siblings().eq(4).text();
159
                                            var date = $(this).parent().siblings().eq(5).text();
                                             var departure = $(this).parent().siblings().eq(6).text();
                                           var destination = $(this).parent().siblings().eq(7).text();
```

```
178
178
178
178
176
179
179
179
                                          // Populate the edit form fields with the selected bus's data
$('$edit-id').val(id);
$('$edit-mann').val(name);
$('$edit-mann').val(name);
$('$edit-mann').val(phone);
$('$edit-date).val(dates);
$('$edit-date').val(dates);
$('$edit-date').val(date);
$('$edit-departure').val(departure);
$('$edit-departure').val(departure);
$('$edit-departure').val(departure);
181
188
                                           // Display the edit form
$('#edit-form-container').show();
107
                               // Delete button slick handles
$('.delete-button').click(function() {
   var id = $(this).data('id');
190
199
194
198
                                       // Display the delete confirmation dialo
                                      // Yes button click handler

#("#confirm-delete-button").click(function() (

// Send in AJAX request to delete the bus
196
197
198
                                      5.ajax((
usl: 'delese_booking.php',
bype: 'POST',
                     山
100
200
301
                                               由
208
209
209
209
210
                                           1);
                                    13:
                                     // Ho button click handler
$(`.cancel-button').click(function() {
    // Hide the delete confirmation dialog
    $('Stelmber-omfirmation-container').hide();
211
218
218
214
218
216
217
                                      11:
                   // Cancel button click handler

5('.winnel-button').wlick(function() (
// Hide the edit form or delete confirmation
$('fedit-form-container').hide();
$('#dolete-confirmation-container').hide();
210
                                                                                                                       confirmation dislog
330
331
333
                        -11
222
224
228
                            </semips>
                          </body>
                        -</html>
```

Dashboard:

```
COCCTYPE html
      (html lang="en")
           (reta characte"UTF-8">
           cmeta http-equiv="X-UA-Compatible" content="IE-edge">
           crete name="viewport" content="width=device-width, initial-scale=1.0">
           <title>Admin Dashboard</title>
           <!-- swiper css link -->
           k rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-hundle.min.css" />
2.2
           <!-- font awegone odn link -->
           (link rel='stylesheet" href='https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.4/css/all.min.css")
14
15
16
           <!-- custom cas file link -->
           k rel="stylesheet" href="css/style.css">
137
           <acript syc="https://code.jquery.com/jquery-3.5.1.min.js"></acript>
             $ (document) . ready (function() {
                 #(".scrall-top").click(function() (
22
                     # ("html, body") .animate((
25
                         scrollTop: 0
                      ), Talouris
27
                      return false:
                 337
             1):
29
           </acript>
```

```
11 11
     -</head>
34
        <!-- beader section starts -->
37
     E caection class-"header">
24
33
          <a href-"home.php" class-"logo"><ing src-"images/bus logo.jpg" height-86 width-126></a>
40
          chay class-"navbar">
41
           <a href="home.php" >Log Out</a>
42
          </pay>
43
45 45 46
      -</section>
47
45
       <!-- packages section starts -->
51
     (section class="packages")
51
      <section class="packages">
            <hl class="heading-title">Welcome Admin!</hl>
53
            <div class="box-container">
54
       \Diamond
               <div class="box">
56
57
                   <div class="content">
58
                      <img src="images/busicon3.png" height=100>
59
                      <h2>Edit Bus Details</h2>
60
                      <a href="admin.php" class="btn">Edit</a>
                  </div>
61
62
               </div>
       63
               <div class="box">
64
65
                  <div class="content">
66
                     <img src="images/message.png" height=100>
67
                      <h2>View Your Messages</h2>
68
                      <a href="manage_contact.php" class="btn">check</a>
                  </div>
69
               </div>
               <div class="box">
       \Box
                  <div class="content">
74
                      <img src="images/busicon1.png" height=100>
                      <h2>View Bookings</h2>
76
                      <a href="manage_bookings.php" class="btn">View</a>
 77
                   </div>
               </div>
               <div class="box">
80
                  <div class="content">
81
                     <img src="images/busicon2.png" height=100>
82
                      <h2>View Privet bus bookings</h2>
                      <a href="manage_privet_bookings.php" class="btn">View</a>
                  </div>
84
85
               </div>
86
        -</section>
         <a href="home.php" class="btn" style="margin-left:45%">Home</a>
89
         <!--packages section ends -->
         <!-- swiper js link
90
91
         <script src="https://unpkq.com/swiper@7/swiper-bundle.min.js"></script>
92
         <!-- custom js file link -->
93
         <script src="js/script.js"></script>
94
95
        -</body>
96
        </html>
```

Admin:

```
(Tylip sedsion_start()) Th
      SEDOCTYPE brail
             stitle Edit Public Bus Details (/title)
           «link swi="stylecheet" type="text/oss" brot="css/user history.css">
<link vol="stylecheet" type="text/oss" bvot="css/fink bus.css">
             th.td(pedding:2px 2px:)
            <script acce"https://oode.jquery.com/jquery-3.6.0.mim.ja"></script>
           <auript>
Zunction shistForm() {
    document.qutilementById("formby").style.display = "block")
                  */script>)
         or (h) style="font-family: Arisi, mens-perif padding: 10px: text-align: center:color: green:""Manage or Delete Bus List(/hi)

(a hann-'dashboard.php' mlaum-'bur 'style="sacgin-left-8%;display: inlime-block; padding: 6px 10px; border: none; border-radius: 3px; font-size: 16px; color

(abundant): "dashboard.php' mlaum-'bur 'dash '
**Class Not Owthis 'name 'id' is "add-id' value"')

(label@us Hams (/label)

(label@us Hams (/label)

(label@us Hams (/label)

(label@us Hamber: /label)
                                             (input type='text' nerse 'bus no' lis-'add-bus-no')(hr)
(label)Gest Capacity:(/label)
                                            *lobel/Gest Capacity:(/label/

*input ny="text" name"esst capacity id="sdd-mest-capacit

*lobel/Neekday:(/label/

*input type="text" name"esskday" id="add-esskday">*(nr)

*lobel/Pine:(/label/

*linput type="text" name"id="add-tine">**(hr)

*linput type="text" name"departure | id="add-departure">*(hr)

*linput type="text" name="destination" id="add-destination">*

*linput type="text" name="destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id="add-destination" id=
                                                                                                                    ne-'cest_deposity' ide'edd-mest-deposity' (chr)
                                                                                                                       "destination" id="add-destination" |- Dc"
                                             Sigut type="milest" value="Submit" newe-"add_how" style="padding. Spm Spe, font-miss lign; burder:none.horder-radius Spm,background-onlor #42f572;">
cbutton type="batton" place="btn bin-danger " dite-disking="model">Close/button>
                   </ri>

   -c/0193
-c/0193
  city disconfusions account persons;) is lempty: stateom; Som. fort-size Som. solve green; - Turn esta 2_station; source_secons;; b-/Attv-
city disconfusions—secons; type="margin-bottom; Som. fort-size 20pm; solve; green; -- Turn esta 2_station; source_secons; type="margin-bottom;" b-/Attv-
city disconfusions.
                         wast(I_muminul'ouccess_message"[)/
       Without to the details:

[] Connect to the details:

Sommettion = mgagli_contect; 'Localbout', 'woon', '', 'book_do');
      if mysqli_connect_exrno()) |
dis| Triling to connect to disjusted to mysqli_connect_error()))
      // Sphate the bur in the database Somery - "UNIONE bur List Bur Dis-
                                                                                                                                           oc-"fine_name", hur_no-'fine_no', cost_copoutry-'finest_napenity', wordday-'fineshday', times'fiime', depurture-'fdes
             mysqli_query(Scommetion, Squery))
       // Guery the hom_list table
Squery = "SKLECT " YEAR AND list";
Sremmit = mymq11_query(Sonnection, Squery);
       // Himplay the table data

edo "ctable";

edo "ctable";

while (Frow - mysqli_fetch_assec(Fresult)) ;
                                                                                                                                                        /NO-Cholest Equality//HD-Choleshbay/(th)-Chotine//HD-Cholesparture//HD-Cholestination/(th-Chotinet Frins)
           hile (From - mysels are finding) - "c/tdb"; 
where "cdb" = From('bun_name') - "c/tdb"; 
who "cand" = Erow('bun_name') - "c/tdb"; 
who "cand" = Erow('sant appecity') - "c/tdb"; 
who "cand" = Erow('sant appecity') - "c/tdb"; 
who "cand" = Erow('sant appecity') - "c/tdb"; 
who "cand" = Erow('algo') - "c/tdb"; 
who "cand" = Erow('algo') - "c/tdb";
```

```
eabo "krdo" : $row!'destination() : "k/(do";
eabo "krdo" : $row!'destination() : "k/(do";
eabo "krdo-button class"edit-button" data-jok'" : $row!'in') : "'>edit/button>Coutton class"delete-button' data-jok'" : $row!'id'] : "'>delete</button>
             echo "Kitustin";
              // Close the database connection
             mysqli_close($connection);
          Ediv in-adit-form-container viyle-display:none; text-align; center; background-culor: #f2f2f2">

Grav id-adit-form extend-poet sction="">

Core id-adit-form
                <form id="edit-form" method="poot" action-
ch2>Edit Bus Details
                     <input type="hidden" mass="id" id="edit-id" valus="">
<input type="text" name="bus name" id="edit-bus-name"><input name="text" name="bus name" id="edit-id" valus="">
                     <label>Bus Number:</label>
                     <input type="text" name="bus_no" ld="edit-bus-no"><br>
                     <label>Seat Capacity:</label</pre>
                    cinput type="mumber" date="seat_capenity" ld="edit=seat-capenity">Chr)
clabel>Weakday:</label>
cinput type="seat" name="seakday" id="edit=seakday">Chr)
clabel>Timput type="text" name="seakday" id="edit=texekday">Chr)
cinput type="text" name="time" id="edit=time">Chr)
                     <iabel>Departure:
                     cinput type="test" name="departure" id="edit-departure">Chr>
<label>Destination:</label>
                     cinput type="text" name="destination" id="edit-destination"><br/>clabel>Ficket Price:</label>
                     <input type="number" nume="cost" ld="edit-cost"><br>
                    <button type="subsit" name='edit hus">Update Bus</button>
<button type="button" claim="cancel-button">Cancel</button>
                </forms
            4/dim
249
             #f2f2f2f2;">
                     <h2>Confirm Deletion</h2>
                        Are you sure you want to delete this bus?
                       <button id="confirm-delete-button">Yes</button>
                       <button class="cancel-button">Ne</button>
154
                </div>
186
             E<script type="text/javascript">
             = $ (document) . ready (function() {
                            // Edit button click handler
$('.edit-button').click(function() (
                                 var id = $(this).data('id');
                                 var bus_name = 5(this).parent().siblings().eq(0).text();
                                 var bus_no = $(this).parent().siblings().eq(1).text();
                                 var seat_capacity = $(this).parent().siblings().eq(2).text();
                                 var weekday = $(this).parent().siblings().eq(3).text();
                                 var time = $(this).parent().siblings().eq(4).text();
                                 var departure = $(this).parent().siblings().eq(5).text();
                                 war destination = 5(this).parent().siblings().eq(6).text();
                                 var cost = $(this).parent().siblings().eq(7).text();
                                 // Populate the edit form fields with the selected bus's data
                                 $('#edit-id').val(id);
                                 $('fedit-bur-name').val(bus_name);
174
                                 $('fedit-bus-no').val(bus_no);
                                 $('#edit-sest-capacity').val(seat_capacity);
17€
                                 $ ('#edit-weekday').val (weekday);
                                 $('fedit-time').val(time);
178
                                 ${'#edit-departure').val(departure);
                                 $ ('#edit-destination').val(destination);
                                 $('#edit-cost').val(cost);
```

```
186
           // Delete button click handler
187
            $('.delete-button').click(function() {
188
              var id - $(this).data('id');
189
190
              // Display the delete confirmation dialog
191
              $('#delete-confirmation-container').show();
192
              // Yes button click handler
194
              $('#confirm-delete-button').click(function() {
195
                // Send an AJAX request to delete the bus
                $.ajax({
196
                  url: 'delete_bus.php',
197
198
                  type: 'POST',
199
                  data: { id: id },
                  success: function() {
201
                    // Reload the page to update the bus list
202
                    location.reload();
203
204
                1);
205
              1);
206
207
              // No button click handler
208
              $('.cancel-button').click(function() {
                // Hide the delete confirmation dialog
209
                $('#delete-confirmation-container').hide();
211
             1);
212
            1);
213
214
            // Cancel button click handler
215
            $('.cancel-button').click(function() {
216
              // Hide the edit form or delete confirmation dialog
              $('#edit-form-container').hide();
218
             $('#delete-confirmation-container').hide();
219
            1);
         1);
222
       -</script>
223
       -</body>
      -</html>
224
```

Manage Contact:

```
posture heal
carright and hittps://gode.femory.com/interv-1.6.E.min.ty'se/acropt
      al Mesage or Debeta Messages /al-
      ("Comment to the detainer | Description | Comment of the details | Description - symplic connect ("Description", "com", "), These parts
              if mysell connect some()) (
dis('talled to extent to distance ' - specil_example_error()))
                  / (herry the busylist table
               Squery - "rejury - recu contact as";
framula = squalt query (Sciencetora, Squery);
                // hisplay the milde date.
                while (from - sympl) forth_secon(freedit)) |
                    edo "don";

sho "d
                ecke (virtidae)()
              // Close the detabase come symplical close (Sconnection);
           city id="delete-coefigmention-constitues" gryin="Wimpley wave-test-align:constem; background-color:#f2E2f2;")
            Sibring Deletion (12)
          quite you muse you want to delete this hust op-
dentum 162 most in-delete better 'Des Contra-
```

```
<button class="cancel-button">No</button>
49
            </div>
50
       <script>
$ (document).ready(function() (
52
53
54
55
       // Delete button click handler

$('.delete-button').click(function() {
    var id = $(this).data('id');
}
               // Display the delete confirmation dialog $('*delete-confirmation-container').show();
58
59
60
                // Yes button click handler
               $('#confirm-delete-button').click(function() {
                  // Send an AJAX request to delete the bus
61
                  $.ajax((
62
                    url: 'delete_messages.php',
63
                     type: 'POST'
64
65
                     data: { id: id },
                    success: function() (
// Reload the page to update the bus list
66
                       location.reload();
68
69
70
71
                  1) /
               1):
                // No button click handler
               $('.cancel-button').click(function() {
74
75
76
                  // Hide the delete confirmation dialog
                 $('#delete-confirmation-container').hide();
                11:
         - 1);
79
             // Cancel button click handler
80
81
82
       $('.cancel-button').click(function() {
    // Hide the edit form or delete confirmation dialog
$('#edit-form-container').hide();
83
               3('#delete-confirmation-container').hide();
84
            1):
        -1) /
85
         </script>
88
         -</body>
00
```

Manage Bookings:

```
## Consert to discharge on disconstruction

- color discharge or delete public bookings (All Dating's Assert)

- color disconstruction of the color disconstructi
```

```
// Display the table data wobs "crables";
                           while (Grow = mysqlt fatch assoc(Srasult)) |
                              edo "dr.";
edo "dr.";
free|'see!', free|'see!'], "s/ab";
edo "dr.";
free|'see!', free|'see!'], "s/ab";
edo "dr.";
free|'shee!', free|'shee!'], "s/ab";
edo "dr.";
free|'shee!', free|'shee!', "s/ab";
edo "dr.";
free|'shee!'shee!'shee!', "s/ab";
edo "dr.";
free|'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'shee!'sh
                               echo "riftm")
                           echo "//tshile/"r
                           // Close the intakes com-
speqli_close(Fronsection);
                   city id="edit-form-container" explainthiphopromes; test-aliquicenter; background-color: #22222" 

form id="edit-form" machad="post* action=";

chitchis Pockings Potalla-(h);

tispen hype="hidden" ness="pid" id="cedit-id" value=";

clabs|: Manes of labsla-
tispen type="test" ness="piose" id="edit-mass="chip"
clabsla-Machad-(fabsla-
input type="test" ness="piose" id="edit-mass|"chip
clabsla-Machad-(fabsla-
tispen type="test" ness="piose" id="edit-emil"-chip
clabsla-Machad-(fabsla-
tispen type="test" ness="piose" id="edit-emil"-chip
clabsla-Machad-(fabsla-
tispen type="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="test="tes
                          diput hypermonicat manufahana ilivalit jimme sana
diput hypermonicat manufahana ilivalit-adhusa seba
dibebba 80 (/label)
dipet appertunt amerikan mahan 155 alit-has-no shra
dibebba 80 (/label)
dipet appertunt amerikan mahan 155 alit-has-no shra
dibebbas (/label)
dipet alit-has-no shra mahan amerikan amerikan amerikan has-no shra
dibebbas (/label)
                           "label Departure: /label."

(appur type "test" name "departure" Ld="wdit-departure" (dr)
   90
                                          <label>Destination:</label>
   91
                                          <input type="text" name="destination" id="edit-destination"><br>
   92
   93
                                          <button type="submit" name="edit booking">Update Booking</button>
   94
                                          <button type="button" class="cancel-button">Cancel</button>
                           - </form>
   95
                         -</div>
   96
   97
   98
                      <div id="delete-confirmation-container" style="display:none;text-align:center;background-color:#f2f2f2;">
   99
                                   <h2>Confirm Deletion</h2>
                                   Are you sure you want to delete this bus?
                                   <button id="confirm-delete-button">Yes</button>
                                   <button class="cancel-button">No</button>
                                   </div>
104
106
                       <script type="text/javascript">
                      $ (document) . ready (function() {
                                           // Edit button click handler
                                          $('.edit-button').click(function() {
                                                var id = $(this).data('id');
112
                                                var name = $(this).parent().siblings().eq(0).text();
                                                var = mail = $(this).parent().siblings().eq(1).text();
114
                                                 var phone = $(this).parent().siblings().eq(2).text();
115
                                                 var address = $(this).parent().siblings().eq(3).text();
116
                                                var bus number = $(this).parent().siblings().eq(4).text();
                                                var date = $(this).parent().siblings().eq(5).text();
                                                 var departure = $(this).parent().siblings().eq(6).text();
119
                                                 var destination = $(this).parent().siblings().eq(7).text();
                                                // Populate the edit form fields with the selected bus's data
                                                $('#edit-id').val(id);
                                                $('#edit-name').val(name);
124
                                                $('#edit-email').val(email);
125
                                                $('#edit-phone').val(phone);
                                                $('#edit-address').val(address);
                                                $('#edit-bus-no').val(bus_number);
                                                $('#edit-date').val(date);
129
                                                 $('#edit-departure').val(departure);
                                                 $('#edit-destination').val(destination);
                                                 // Display the edit form
                                                $('#edit-form-container').show();
                                          });
```

```
// Delete button click handler

$('.delete=button').click(function() {
136
138
               var id = $ (this) .data('id');
139
              // Display the delete confirmation dialog
$('*delete-confirmation-container').show();
140
141
142
143
               // Yes button click handler
144
              $('#confirm-delete-button').click(function() {
145
                 // Send an AJAX request to delete the bus
                $.ajax(1
146
147
                   url: 'delete booking.php',
148
                   type: 'POST',
149
                   data: { id: id }
150
                   success: function() (
                     // Reload the page to update the bus list
location.reload();
153
154
                1);
              1):
156
157
               // No button click handler
              $('.cancel-button').click(function() {
    // Bide the delete confirmation dialog
158
159
160
                $('#delete-confirmation-container').hide();
161
              112
162
            1);
163
       164
165
166
               $('#edit-form-container').hide();
              $('#delete-confirmation-container').hide();
168
1,69
            1);
         -1) /
         </script>
        -</body>
```

Manage Private Bookings:

```
COCCTYPE html
Chtal)
    ctirle>Edit Privet Bus Booking Details
(lint rel="stylesheet" type="text/css" bref="css/cser history.css")
     Cacript acc-"https://code.jquery.com/iquery-3.4.0.min.je">C/script>
 c/heads
  (hDManage or Delete Privet hookings (AD)
     is hed "deshboard pip" clear "bir" style "margin for the day for the day is like block; posting; for live; border; now; border ranks; bur fort-size; live; color; affif
       // Connect to the database
Sconnection = mysell connect('localizat', 'roct', '', 'book db');
       if (mysqli connect serms()) (
| die('Failed is charact to database: ' . mysqli connect error());
       if (isset | POST['edit bucking'])) |
       $14 = $_$089[*14!]/
      Sid = 5 DOST['18'])

Semail = 7 POST['max'])

Semail = 7 POST['max'])

Sphene = 7 POST['minon'])

Sodires = 5 POST['minon'])

Sodires = 5 POST['minon'])

Sodire = 5 POST['minon'])

Sodire = 5 POST['minon'])

Schemen = 5 POST['maxin'])
 // Update the inciding in the database
[quary = "NUMBIT privet boolings fit name" Huma", small="Semall", phone" Sphone, address" Saddress', has number', data-"Shata', days-"Sdays', second Spenarum' W
       ewegli query (Sconnection, Squery);
        // Query the bus_list table
       Stesult = mysql1 query (Scornection, Squery) /
```

```
// Display the table data
 45
                   echo "stable?";
                   echo "ctricthilmee/inochi-Email@ctacthoPhone Bo. @thochoChosto HadrescorthochoChosto Date@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDate@thochoDat
 45
 (42)
                   while (Srow = mysqli fetch assoc(Sresult)) |
 40.
                     echo "CLO"
                     echo "CtD", Srow('name'), "c/tdb')
echo "CtD", Srow('manii'), "C/tdb';
echo "CtD", Srow('phone'), "C/tdb';
 15
                      echo "codo" . $tow['address'] . "C/tdo":
                      echo "Ctdb" , Srow['bis mum'] , "G'tdb";
                      echo "ctd)" . $row['data'] . "Gitob";
                      echo "ctdo" , Srow["daye"] , "c/bdo";
                      echo "Coo" . Trov['mamin'] . "C'mo";
                      echo "Ctd:Churton class='edit-Butron' data-id='" . $zew('id') . "')edit=Churton-Churton class='deleta-Butron' data-id='" . $zew('id') . "')delat=C/Butron-C/Dd's
                     echo "(/25";
                   echo "c/tamber":
  12
  52.
                  // Close the database connection
                  mysql1_close(Sconnection)/

<div id="edit-form-container" style="display:n
</pre>
<form id="edit-form" method="post" action="")</pre>
             Kdiv id="edit-form-container" etyle="display:none;text-align:center;background-color:#f2f2f2">
 42
                  G2:Edit Bookings Details(/h2)
                  Cimput type="hidden" name="id" id="edit-id" value="?>
                  GabelDName: (/label)
                  Cinput type='text' name='name' id='edit-name'>Cr>
                  Clabel>Email: (/label)
                  cinput type="text" same="enail" id="edit-enail">(hr)
                   ClabelDPhone: 
                   Cinput type="number" name="phone" id="edit-phone">Chr>
                   (label)Address:(/label)
                   Cinput type="text" name="address" id="edit-address">Cor>
                   <label)Bus Norc/label)</pre>
                   <input type="text" name="bus number" id="edit-bus-no">(br)
                       <label>Date:</label>
                       <input type="text" name="date" id="edit-date"><br>
                       <label>Days:</label>
35
                       <input type="text" name="days" id="edit-days"><br>
                       <label>Reason:</label>
                       cinput type="text" name="reason" id="edit-reason"><br>
                       <button type="submit" name="edit booking">Update Booking</button>
                       <button type="button" class="cancel-button">Cancel</button>
                 c/form>
            </div>
         📋 <div 16="delete-confirmation-container" style="display:none; taxt-align: center; background-color: #f2f2f2; ">
                   <h2>Confirm Deletion</h2>
                   Are you sure you want to delete this bus?
                  <button id="confirm-delete-button">Yes</button>
                   chutton class="cancel-button">No</button>
                 </div>
         = <ecript type="text/)avascript">
= 5 (document) .ready(function() (
                        // Edit button click handler
                      S('.edit-button').click(function() (
var id = S(this).data('id');
                            var name = $(this).parent().siblings().eq(0).text();
                           var enail = $(this).parent().siblings().eq(1).text();
var phone = $(this).parent().siblings().eq(2).text();
                            var address = $(this).parent().siblings().eq(3).text();
                           var bus number = S(this).parent().siblings().eq(0).text();
var date = S(this).parent().siblings().eq(5).text();
var days = S(this).parent().siblings().eq(6).text();
                           war reason = $(this).parent().siblings().eq(7).text();
                            // Populate the edit form fields with the selected bus's data
                           S('fedit-id').val(id);
                           $('fedit-mann').val(name);
                           S('fedit-smail').val(email);
S('fedit-phone').val(phone);
                           $('fedit-address').val(address);
```

```
$('#edit-bus-no').val(bus_number);
122
              $('#edit-date').val(date);
123
              $('#edit-days').val(days);
124
              $('#edit-reason').val(reason);
125
126
              // Display the edit form
127
              $('#edit-form-container').show();
128
            });
129
130
          // Delete button click handler
131
      $ $('.delete-button').click(function() {
            var id = $(this).data('id');
132
133
134
            // Display the delete confirmation dialog
135
            $('#delete-confirmation-container').show();
136
137
            // Yes button click handler
138
            $('#confirm-delete-button').click(function() {
      139
              // Send an AJAX request to delete the bus
140
              $.ajax({
               url: 'delete_privet_booking.php',
141
                type: 'POST',
142
143
                data: { id: id },
144
                success: function() {
145
                 // Reload the page to update the bus list
146
                  location.reload();
147
                1
148
             });
149
            });
151
            // No button click handler
            $('.cancel-button').click(function() {
153
             // Hide the delete confirmation dialog
154
             $('#delete-confirmation-container').hide();
155
            });
156
         });
157
158
          // Cancel button click handler
159
      $ ('.cancel-button').click(function() {
160
            // Hide the edit form or delete confirmation dialog
            $('#edit-form-container').hide();
161
162
            $('#delete-confirmation-container').hide();
163
        });
      -});
164
165
       -</script>
166
167
       -</body>
168
      L</html>
169
```

CONCLUSION

The Bus Management System allows the user to access the different types of buses as per his need therefore he can select the bus as required. It inputs the on boarding and destination place submission along with the required date. Now the payment method is also provided with safe transaction encrypt to ensure maximum safety of the payment.

The passenger needs to submit the details properly on the system to find the required bus as where he wants to go and from which pickup point, then he selects the date of the journey because this system allows you to book tickets of future dates also. After that it requires the passenger's personal details like name, age, address, contact no., and choice of seat in the bus.

Then the system verifies and forwards to the payment gateway where the passengers could make the payment as it allows the credit, debit, internet banking, and UPI transaction whichever is done by the passengers.

This system also helps the Administrator or the bus operator to maintain the weekly/monthly reports of sales therefore automated system improves productivity as well as requires fewer efforts.

Reference

- 1. https://github.com/
- 2. https://chat.openai.com/
- 3. https://www.w3schools.com/
- 4. https://youtube.com/