

Experiment no:8

Experiment name: Wireshark sniffer for network traffic &analyse

Procedure:

Step 1: Install and open Wireshark.

Step 2: Go to Capture tab and select Interface option. Here WIFI connection is chosen

Step 3: The source, Destination and protocols of the packets in the WIFI network are displayed

Step 4: Open a website in a new window and enter the user id and password. Register if needed.

Step 5: Enter the credentials and then sign in

Step 6: The wireshark tool will keep recording the packets.

Step 7: Select filter as http to make the search easier and click on apply. Step 9:

Now stop the tool to stop recording

Step 8: Find the post methods for username and passwords

Step 9: U will see the email- id and password that you used to log in.

OUTPUT:

```
kali@kali: ~  
Session Actions Edit View Help  
zsh: corrupt history file /home/kali/.zsh_history  
(kali@kali)~  
$ nmap -sV scanme.nmap.org  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-03 12:24 -0400  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.0059s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 987 filtered tcp ports (no-response)  
PORT      STATE SERVICE VERSION  
22/tcp    open  tcpwrapped  
53/tcp    closed domain  
80/tcp    open  http      Apache httpd 2.4.7 ((Ubuntu))  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
443/tcp   closed https  
500/tcp   closed isakmp  
3389/tcp  closed ms-wbt-server  
5002/tcp  closed rfe  
5060/tcp  open  sip?  
5061/tcp  open  sip-tls?  
8080/tcp  closed http-proxy  
8081/tcp  closed blackice-icecap  
  
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 107.37 seconds  
  
(kali@kali)~  
$ nmap -A scanme.nmap.org  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-03 12:27 -0400  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.00089s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 988 filtered tcp ports (no-response)  
PORT      STATE SERVICE VERSION  
22/tcp    open  tcpwrapped  
|_ssh-hostkey: ERROR: Script execution failed (use -d to debug)  
53/tcp    closed domain  
80/tcp    open  http      Apache httpd 2.4.7 ((Ubuntu))  
|_http-server-header: Apache/2.4.7 (Ubuntu)  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
443/tcp   closed https  
993/tcp   closed imaps  
3389/tcp  closed ms-wbt-server  
5060/tcp  open  sip?  
5061/tcp  open  sip-tls?  
8080/tcp  closed http-proxy  
8085/tcp  closed unknown  
Device type: VoIP adapter|bridge|general purpose  
Running (JUST GUESSING): AT&T embedded (90%), Oracle Virtualbox (88%), Slirp (88%), QEMU (86%)  
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:qemu
```

```
Device type: VoIP adapter|bridge|general purpose  
Running (JUST GUESSING): AT&T embedded (90%), Oracle Virtualbox (88%), Slirp (88%), QEMU (86%)  
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:qemu  
Aggressive OS guesses: AT&T BGW210 voice gateway (90%), Oracle Virtualbox Slirp NAT bridge (88%), QEMU user mode ne  
twork gateway (86%)  
No exact OS matches for host (test conditions non-ideal).  
Network Distance: 1 hop  
  
TRACEROUTE (using port 80/tcp)  
HOP RTT ADDRESS  
1 0.25 ms scanme.nmap.org (45.33.32.156)  
  
OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 134.13 seconds  
  
(kali@kali)~  
$ sudo nmap -O scanme.nmap.org  
[sudo] password for kali:  
Starting Nmap 7.99 ( https://nmap.org ) at 2026-08-03 12:29 -0400  
Nmap scan report for scanme.nmap.org (45.33.32.156)  
Host is up (0.012s latency).  
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f  
Not shown: 989 filtered tcp ports (no-response)  
PORT      STATE SERVICE  
22/tcp    open  ssh  
53/tcp    closed domain  
80/tcp    open  http  
139/tcp   closed netbios-ssn  
143/tcp   closed imap  
161/tcp   closed snmp  
443/tcp   closed https  
3389/tcp  closed ms-wbt-server  
5060/tcp  open  sip  
5061/tcp  open  sip-tls  
8080/tcp  closed http-proxy  
OS fingerprint not ideal because: Didn't receive UDP response. Please try again with -sSU  
No OS matches for host  
  
OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .  
Nmap done: 1 IP address (1 host up) scanned in 37.87 seconds
```