

Experiment 15

Information Gathering Using theHarvester

Aim:

- To perform information gathering (OSINT) on an authorized domain using theHarvester.
- To collect publicly available information such as email addresses, subdomains, hostnames, and IP addresses for security assessment purposes.

Procedure:

1. Open a Linux terminal (e.g., Kali Linux).
2. Ensure theHarvester is installed on the system.
3. Choose an authorized target domain for information gathering.
4. Run theHarvester with the required options and specify the data source (such as search engines or public databases).
5. Collect the discovered email addresses, subdomains, hostnames, and IP addresses.
6. Review and analyze the gathered information.
7. Save the output for documentation and reporting.
8. Interpret the results and identify potential security exposure based on publicly available information.

OUTPUT

[illegible]

```

kali@kali: ~
Session Actions Edit View Help

-a, --api-scan          Scan for API endpoints.
-q, --quiet             Suppress missing API key warnings and reading the api-keys file.
-b, --source SOURCE    baidu, bevigil, bitbucket, brave, bufferoverun, builtwith, censys, certspotter, chaos,
                        commoncrawl, criminalip, crtsh, dehashed, dnsdumpster, duckduckgo, fofa, fullhunt,
                        github-code, gitlab, hackertarget, haveibeenpwned, hudsonrock, hunter, hunterhow, intelx,
                        leakix, leaklookup, netlas, onyphe, otx, pentesttools, projectdiscovery, rapiddns,
                        robtex, rocketreach, securityscorecard, securityTrails, shodan, subdomaincenter,
                        subdomainfinder99, thc, threatcrowd, tomba, urlscan, venacius, virustotal,
                        waybackarchive, whoisxml, windvane, yahoo, zoomeye

(kali@kali)-[~]
$ theHarvester -d example.com -b bing
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
*
* [ASCII ART]
*
* theHarvester 4.10.1
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
*
*****
The following engines are not supported: {'bing'}

[!] Invalid source.

(kali@kali)-[~]
$ theHarvester -d example.com -b bing -f report
Read proxies.yaml from /etc/theHarvester/proxies.yaml
*****
*
* [ASCII ART]
*
* theHarvester 4.10.1
* Coded by Christian Martorella
* Edge-Security Research
* cmartorella@edge-security.com
*
*****
The following engines are not supported: {'bing'}

[!] Invalid source.

```