

DBMS-PAYMENT SYSTEM MANAGEMENT


BOOKSWAGON- E-Commerce Order Management Database System

1.DATABASE DESIGN

1.1 PAYMENT TABLE

Attribute	Description
Payment_ID	Unique payment ID
Order_ID	Related order ID
Payment_Date	Date of payment
Payment_Method	UPI / Credit Card / Debit Card / Cash on Delivery / Net Banking
Payment_Amount	Amount paid
Payment_Status	Paid / Pending / Failed

2. TABLE RELATIONSHIP



3. TABLE CREATION

3.1 PAYMENT TABLE

```
SQL> CREATE TABLE BookswagonPayment (  
2     Payment_ID NUMBER PRIMARY KEY,  
3     Order_ID NUMBER REFERENCES BookswagonOrders(Order_ID),  
4     Payment_Date DATE NOT NULL,  
5     Payment_Method VARCHAR2(30),  
6     Payment_Amount NUMBER(10,2),  
7     Payment_Status VARCHAR2(20)  
8 );
```

Table created.

```
SQL> DESC BookswagonPayment;
```

Name	Null?	Type
PAYMENT_ID	NOT NULL	NUMBER
ORDER_ID		NUMBER
PAYMENT_DATE	NOT NULL	DATE
PAYMENT_METHOD		VARCHAR2(30)
PAYMENT_AMOUNT		NUMBER(10,2)
PAYMENT_STATUS		VARCHAR2(20)

3.2. VALUE INSERTION

```
SQL> INSERT INTO BookswagonPayment VALUES (6, 5006, TO_DATE('20-09-2026','DD-MM-YYYY'), 'UPI', 450.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (7, 5007, TO_DATE('20-09-2026','DD-MM-YYYY'), 'Net Banking', 897.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (8, 5008, TO_DATE('21-09-2026','DD-MM-YYYY'), 'Credit Card', 998.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (9, 5009, TO_DATE('21-09-2026','DD-MM-YYYY'), 'UPI', 550.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (10, 5010, TO_DATE('21-09-2026','DD-MM-YYYY'), 'Cash on Delivery', 700.00, 'Pending');  
  
1 row created.  
  
SQL>  
SQL> COMMIT;  
  
Commit complete.
```

```
Table created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (1, 5001, TO_DATE('23-09-2026','DD-MM-YYYY'), 'UPI', 1250.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (2, 5002, TO_DATE('19-09-2026','DD-MM-YYYY'), 'Credit Card', 898.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (3, 5003, TO_DATE('20-09-2026','DD-MM-YYYY'), 'Debit Card', 1196.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (4, 5004, TO_DATE('21-09-2026','DD-MM-YYYY'), 'UPI', 775.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (5, 5005, TO_DATE('22-09-2026','DD-MM-YYYY'), 'Cash on Delivery', 1025.00, 'Pending');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (6, 5006, TO_DATE('20-09-2026','DD-MM-YYYY'), 'UPI', 450.00, 'Paid');  
  
1 row created.  
  
SQL> INSERT INTO BookswagonPayment VALUES (7, 5007, TO_DATE('20-09-2026','DD-MM-YYYY'), 'Net Banking', 897.00, 'Paid');
```

4. DISPLAY SUCCESSFUL PAYMENTS

```
SQL> SELECT * FROM BookswagonPayment;
```

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

1	5001	23-SEP-26	UPI	1250
---	------	-----------	-----	------

Paid

2	5002	19-SEP-26	Credit Card	898
---	------	-----------	-------------	-----

Paid

3	5003	20-SEP-26	Debit Card	1196
---	------	-----------	------------	------

Paid

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

4	5004	21-SEP-26	UPI	775
---	------	-----------	-----	-----

Paid

5	5005	22-SEP-26	Cash on Delivery	1025
---	------	-----------	------------------	------

Pending

6	5006	20-SEP-26	UPI	450
---	------	-----------	-----	-----

6	5006	20-SEP-26	UPI	450
---	------	-----------	-----	-----

Paid

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

7	5007	20-SEP-26	Net Banking	897
---	------	-----------	-------------	-----

Paid

8	5008	21-SEP-26	Credit Card	998
---	------	-----------	-------------	-----

Paid

9	5009	21-SEP-26	UPI	550
---	------	-----------	-----	-----

Paid

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

PAYMENT_ID	ORDER_ID	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT
------------	----------	-----------	----------------	----------------

10	5010	21-SEP-26	Cash on Delivery	700
----	------	-----------	------------------	-----

Pending

```

PAYMENT_ID  ORDER_ID PAYMENT_D PAYMENT_METHOD          PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          10      5010 21-SEP-26 Cash on Delivery          700
Pending

10 rows selected.

```

5. DISPLAY FAILED / PENDING PAYMENTS

```

SQL> SELECT *
      2 FROM BookswagonPayment
      3 WHERE Payment_Status = 'Failed';

PAYMENT_ID  ORDER_ID PAYMENT_D PAYMENT_METHOD          PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          10      5010 21-SEP-26 Cash on Delivery          700
Failed

```

6. MODIFY PAYMENT STATUS

```

SQL> SELECT *
      2 FROM BookswagonPayment
      3 WHERE Payment_ID = 5;

PAYMENT_ID  ORDER_ID PAYMENT_D PAYMENT_METHOD          PAYMENT_AMOUNT
-----
PAYMENT_STATUS
-----
          5      5005 22-SEP-26 Cash on Delivery          1025
Paid

```

7. ANALYZE PAYMENT METHODS

7.1. COUNT TRANSACTIONS BY PAYMENTS METHOD

```
SQL> SELECT
  2     Payment_Method,
  3     COUNT(*) AS Total_Transactions
  4 FROM BookswagonPayment
  5 GROUP BY Payment_Method
  6 ORDER BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_TRANSACTIONS
-----	-----
Cash on Delivery	2
Credit Card	2
Debit Card	1
Net Banking	1
UPI	4

```
SQL> SELECT
  2     Payment_Method,
  3     SUM(Payment_Amount) AS Total_Amount
  4 FROM BookswagonPayment
  5 WHERE Payment_Status = 'Paid'
  6 GROUP BY Payment_Method
  7 ORDER BY Payment_Method;
```

PAYMENT_METHOD	TOTAL_AMOUNT
-----	-----
Cash on Delivery	1025
Credit Card	1896
Debit Card	1196
Net Banking	897
UPI	3025

8. PAYMENT TRANSACTION REPORT

```

SQL> SELECT
  2     p.Payment_ID,
  3     p.Order_ID,
  4     c.Customer_ID,
  5     c.Customer_Name,
  6     p.Payment_Date,
  7     p.Payment_Method,
  8     p.Payment_Amount,
  9     p.Payment_Status
10 FROM BookswagonPayment p
11 JOIN BookswagonOrders o
12 ON p.Order_ID = o.Order_ID
13 JOIN BookswagonCustomer c
14 ON o.Customer_ID = c.Customer_ID
15 ORDER BY p.Payment_Date DESC;

```

PAYMENT_ID	ORDER_ID	CUSTOMER_ID	CUSTOMER_NAME	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT	PAYMENT_STATUS
1	5001	1	Nandhini Sri	23-SEP-26	UPI	1250	Paid

5	5005	5	Karthik S	22-SEP-26	Cash on Delivery	1025	Paid
---	------	---	-----------	-----------	------------------	------	------

PAYMENT_ID	ORDER_ID	CUSTOMER_ID	CUSTOMER_NAME	PAYMENT_D	PAYMENT_METHOD	PAYMENT_AMOUNT	PAYMENT_STATUS
4	5004	4	Divya Raj	21-SEP-26	UPI	775	Paid
10	5010	10	Swetha Priya				

PAYMENT_ID ORDER_ID CUSTOMER_ID

CUSTOMER_NAME

PAYMENT_D PAYMENT_METHOD PAYMENT_AMOUNT PAYMENT_STATUS

21-SEP-26 Cash on Delivery 700 Failed

8 5008 8

Keerthana R

21-SEP-26 Credit Card 998 Paid

9 5009 9

PAYMENT_ID ORDER_ID CUSTOMER_ID

CUSTOMER_NAME

PAYMENT_D PAYMENT_METHOD PAYMENT_AMOUNT PAYMENT_STATUS

Vignesh M

21-SEP-26 UPI 550 Paid

3 5003 3

Arun Kumar

20-SEP-26 Debit Card 1196 Paid

PAYMENT_ID ORDER_ID CUSTOMER_ID

CUSTOMER_NAME

PAYMENT_D PAYMENT_METHOD PAYMENT_AMOUNT PAYMENT_STATUS

6 5006 6

Harini Devi

20-SEP-26 UPI 450 Paid

7 5007 7

Rahul Kumar

20-SEP-26 Net Banking 897 Paid

PAYMENT_ID ORDER_ID CUSTOMER_ID

CUSTOMER_NAME

PAYMENT_D PAYMENT_METHOD PAYMENT_AMOUNT PAYMENT_STATUS

2 5002 2

Priya Kumar

19-SEP-26 Credit Card 898 Paid

```
PAYMENT_ID  ORDER_ID  CUSTOMER_ID
```

```
-----
```

```
CUSTOMER_NAME
```

```
-----
```

```
PAYMENT_D  PAYMENT_METHOD  PAYMENT_AMOUNT  PAYMENT_STATUS
```

```
-----
```

```
2          5002          2
```

```
Priya Kumar
```

```
19-SEP-26 Credit Card
```

```
898 Paid
```

```
10 rows selected.
```