
Group 21

**Trilingual Customer Support Ticket Management System
Software Requirements Specification**

Version 1.0

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

Revision History

Date	Version	Description	Author
30/Jul/26	1.0	Initial version aligned with the supplied document template.	Group 21

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

Table of Contents

1	Introduction	4
1.1	Purpose	4
1.2	Scope	4
1.3	Definitions, Acronyms, and Abbreviations	4
1.4	References	4
1.5	Overview	4
2	Overall Description	5
3	Specific Requirements	5
3.1	Functionality	5
3.1.1	User Authentication and Access Control	5
3.1.2	Ticket Submission and Validation	6
3.1.3	Multilingual Text Processing	6
3.1.4	Ticket Category Classification	6
3.1.5	Urgency and Sentiment Prediction	6
3.1.6	Image Evidence Processing	7
3.1.7	Ticket Routing and Lifecycle	7
3.1.8	Context-Aware Response Generation	7
3.1.9	Agent Dashboard and Evaluation	7
3.2	Usability	8
3.3	Reliability	8
3.4	Performance and Security	8
3.4.1	Performance Requirements	8
3.4.2	Security Requirements	9
3.5	Supportability	9
3.6	Design Constraints	9
3.7	On-line User Documentation and Help System Requirements	9
3.8	Purchased Components	9
3.9	Interfaces	10
3.9.1	User Interfaces	10
3.9.2	Hardware Interfaces	10
3.9.3	Software Interfaces	10
3.9.4	Communications Interfaces	10
3.10	Database Requirements	10
3.11	Licensing, Legal, Copyright, and Other Notices	10
3.12	Applicable Standards	11
4	Supporting Information	11

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

Software Requirements Specification

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) defines the functional and nonfunctional requirements for version 1.0 of the Trilingual Customer Support Ticket Management System. It describes the externally observable behaviour, interfaces, quality constraints, data requirements, and evaluation expectations required to design, implement, and test the prototype.

1.2 Scope

The product is a web-based research prototype that automates the initial handling of banking customer-support tickets. It shall accept a text description and an optional supporting image; process English, Sinhala, Tamil, Singlish, Tanglish, and mixed-language messages; classify the ticket category; predict urgency and sentiment; extract useful image evidence; generate an editable response draft; and route the ticket to a support agent for review.

The category-classification component shall use the Banking77 dataset or an approved subset. English records may be translated or transliterated into Sinhala, Tamil, Singlish, and Tanglish. Derived versions of one source record shall remain in the same data split to prevent translation leakage. Audio input, speech transcription, direct banking transactions, and fully autonomous customer responses are outside the approved scope.

1.3 Definitions, Acronyms, and Abbreviations

Term	Definition
Banking77	Intent-classification dataset containing 77 online-banking customer-query categories.
Code-mixed text	A message containing elements from more than one supported language or script.
Singlish	Sinhala represented partly or fully using Latin characters.
Tanglish	Tamil represented partly or fully using Latin characters.
NLP	Natural Language Processing.
OCR	Optical Character Recognition.
LLM	Large Language Model.
SRS	Software Requirements Specification.
Translation leakage	Evaluation inflation caused by placing translated or transliterated versions of one source record in different data splits.

1.4 References

- [1] IEEE Computer Society, *IEEE Recommended Practice for Software Requirements Specifications*, IEEE Std 830-1998, 1998.
- [2] I. Casanueva, T. Temčinas, D. Gerz, M. Henderson, and I. Vulić, “Efficient Intent Detection with Dual Sentence Encoders,” in *Proc. 2nd Workshop on NLP for ConvAI*, 2020.
- [3] Group 21, *Project Proposal: Trilingual Customer Support Ticket Management System*, 2026.
- [4] Banking77 dataset documentation, Hugging Face Datasets, accessed 30 July 2026.

1.5 Overview

Section 2 describes the product context, users, operating environment, constraints, and dependencies. Section 3 defines all specific functional, quality, interface, database, legal, and standards requirements. Section 4 provides supporting information, including the interface/data-flow diagram, data lineage rules, evaluation expectations, and unresolved decisions.

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

2. Overall Description

Product Perspective

The system is a new academic prototype consisting of a browser-based user interface, backend API, ticket database, multilingual text-processing pipeline, machine-learning inference services, optional OCR/vision processing, and an LLM-based response generator. It may operate as a standalone demonstration system; integration with a production bank or help-desk platform is not required for the first release.

Product Functions

The system shall authenticate authorised users; capture ticket text, metadata, and an optional image; preserve original and processed text; classify category, priority, and sentiment; extract supplementary image evidence; route tickets; generate editable response drafts; record agent corrections; track ticket status; and report evaluation results by language form.

User Characteristics

User Class	Characteristics and Responsibilities
Customer	Submits a multilingual ticket and optional image and views its status or final response.
Support Agent	Reviews predictions, edits the draft response, corrects model outputs, and resolves or escalates tickets.
Administrator / Project Team	Manages users, label mappings, model versions, confidence thresholds, evaluation datasets, and configuration.
Project Evaluator	Uses authorised read-only views of system behaviour, metrics, and traceability evidence.

Constraints

The solution shall use Unicode-safe storage and multilingual tokenisation. Category data shall originate from Banking77 and approved language variants. Urgency and sentiment labels shall use a separately documented source or annotation procedure. Image input shall remain optional. LLM output shall be treated as a draft and shall not invent banking facts. The system shall remain feasible within the team's available time, data, and computing resources.

Assumptions and Dependencies

The project assumes that translations preserve the original intent, category mappings are approved, users provide meaningful text, and adequate labelled data exists for each trained task. Dependencies may include a multilingual encoder, OCR/vision library, LLM service or local model, database, and object storage. Performance may decline for unseen slang, spelling variation, low-quality images, rare categories, or natural code-mixed patterns absent from training data.

3. Specific Requirements

3.1 Functionality

3.1.1 User Authentication and Access Control

Priority: Medium

ID	Requirement
FR-AUTH-01	The system shall authenticate users before protected functions are available.
FR-AUTH-02	The system shall enforce server-side permissions for Customer, Agent, Administrator, and Evaluator roles.
FR-AUTH-03	The system shall support secure logout and session expiration.

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

ID	Requirement
FR-AUTH-04	The system shall store passwords using secure salted hashes and shall not log plaintext credentials.

3.1.2 Ticket Submission and Validation

Priority: High

ID	Requirement
FR-ING-01	The system shall accept English, Sinhala, Tamil, Singlish, Tanglish, and mixed-language ticket text.
FR-ING-02	The system shall preserve the original text and store a separate model-ready representation.
FR-ING-03	The system shall accept an optional JPEG or PNG image subject to configured size and security limits.
FR-ING-04	The system shall reject empty, unsupported, corrupted, oversized, or unsafe input with corrective guidance.
FR-ING-05	The system shall assign a unique ticket ID, submission time, and initial status.
FR-ING-06	The system shall not require audio input or speech transcription.

3.1.3 Multilingual Text Processing

Priority: High

ID	Requirement
FR-NLP-01	The system shall support Unicode English, Sinhala, and Tamil text.
FR-NLP-02	The system shall normalise only documented patterns without altering the intended meaning.
FR-NLP-03	The system shall process a code-mixed ticket as one message rather than requiring one message-level language gate.
FR-NLP-04	The system shall process Singlish and Tanglish directly with the trained model or a documented transliteration component.
FR-NLP-05	Language or script detection, when used, shall support preprocessing, analytics, or fallback and shall not block classification.
FR-NLP-06	The system shall flag extremely short, unreadable, or unsupported input for manual review.

3.1.4 Ticket Category Classification

Priority: High

ID	Requirement
FR-CLS-01	The system shall assign one approved Banking ⁷⁷ category or mapped category to each valid ticket.
FR-CLS-02	The system shall store the predicted label, confidence where supported, model version, and inference time.
FR-CLS-03	The system shall allow an agent to accept or correct the category.
FR-CLS-04	The system shall flag predictions below the configured confidence threshold for manual review.
FR-CLS-05	The system shall evaluate category performance separately for English, Sinhala, Tamil, Singlish, Tanglish, and available code-mixed sets.

3.1.5 Urgency and Sentiment Prediction

Priority: High

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

ID	Requirement
FR-ANA-01	The system shall assign a configured priority such as Low, Medium, High, or Critical.
FR-ANA-02	The system shall assign an approved sentiment label such as Negative, Neutral, or Positive.
FR-ANA-03	The system shall store each label, confidence where supported, model version, and correction history.
FR-ANA-04	The system shall permit deterministic escalation rules for explicitly defined critical conditions.
FR-ANA-05	Sentiment alone shall not trigger critical escalation.
FR-ANA-06	Urgency and sentiment models shall not be trained until their label sources and annotation methods are documented.

3.1.6 Image Evidence Processing

Priority: Medium

ID	Requirement
FR-IMG-01	The system shall validate image format, size, readability, and safety before analysis.
FR-IMG-02	The system shall extract visible text using OCR when useful to the ticket.
FR-IMG-03	The system shall associate extracted evidence and processing status with the original image and ticket.
FR-IMG-04	Image-derived evidence shall not silently override explicit customer text or agent judgement.
FR-IMG-05	Failure of image processing shall not prevent text-based category, priority, sentiment, or response processing.

3.1.7 Ticket Routing and Lifecycle

Priority: High

ID	Requirement
FR-LIF-01	The system shall map approved categories to configured teams or queues.
FR-LIF-02	The system shall support manual assignment, reassignment, and escalation by an authorised user.
FR-LIF-03	The system shall support New, In Review, Assigned, Escalated, Resolved, and Closed statuses.
FR-LIF-04	The system shall retain timestamped status, assignment, correction, note, and response history.
FR-LIF-05	Higher-priority tickets shall appear before lower-priority tickets when other queue rules are equal.

3.1.8 Context-Aware Response Generation

Priority: High

ID	Requirement
FR-RSP-01	The system shall generate an editable response draft using available ticket context.
FR-RSP-02	The system shall support draft output in English, Sinhala, or Tamil when supported by the selected model.
FR-RSP-03	The system shall clearly mark generated content as a machine-generated draft.
FR-RSP-04	The system shall require authorised human approval before a generated response becomes final.
FR-RSP-05	The generator shall not invent balances, transaction states, approvals, personal data, or actions absent from authorised context.
FR-RSP-06	The system shall store the final response and its relationship to the generated draft where permitted.

3.1.9 Agent Dashboard and Evaluation

Priority: Medium

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

ID	Requirement
FR-EVL-01	The system shall support search and filtering by ticket ID, text, category, priority, sentiment, language form, status, and date.
FR-EVL-02	The system shall record authorised corrections without automatically adding them to training data.
FR-EVL-03	The system shall display accuracy, macro precision, macro recall, macro F1-score, class-wise results, and confusion matrices for category classification.
FR-EVL-04	The system shall report suitable metrics for priority and sentiment and compare results across supported language forms.
FR-EVL-05	The system shall record dataset version, split, preprocessing configuration, model version, and evaluation date.
FR-EVL-06	Only authorised users shall change model versions, thresholds, or label mappings.

3.2 Usability

ID	Requirement
NFR-USA-01	A trained support agent shall be able to review predictions, correct outputs, edit a response, and update ticket status without developer assistance.
NFR-USA-02	The ticket-detail screen shall present original text, optional image, predictions, confidence values, extracted evidence, draft response, and correction controls in one coherent workflow.
NFR-USA-03	Error messages shall identify the invalid field or failed operation and provide a corrective action.
NFR-USA-04	English, Sinhala, Tamil, Singlish, Tanglish, and mixed-script text shall render correctly on supported screens.
NFR-USA-05	Common agent actions shall require no more than three primary interactions after opening a ticket.

3.3 Reliability

ID	Requirement
NFR-REL-01	The prototype shall achieve at least 99% availability during scheduled demonstrations, excluding planned maintenance.
NFR-REL-02	A failed optional OCR, vision, or generation service shall not delete or corrupt the stored ticket.
NFR-REL-03	The system shall preserve the original ticket and expose the processing state when a downstream service fails.
NFR-REL-04	After an application-level failure, the service should be restorable within 30 minutes using documented recovery steps.
NFR-REL-05	Repeated inference with the same deterministic model version and preprocessing configuration shall produce reproducible labels.

3.4 Performance and Security

3.4.1 Performance Requirements

ID	Requirement
NFR-PER-01	Under normal demonstration load, 95% of text-only tickets shall receive category, priority, and sentiment outputs within 5 seconds.
NFR-PER-02	The agent ticket list shall load within 3 seconds for project-scale data and typical filters.
NFR-PER-03	Image processing and response generation shall provide timeout or progress feedback when processing exceeds 10 seconds.

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

ID	Requirement
NFR-PER-04	Batch evaluation shall be repeatable using recorded dataset, split, preprocessing, and model versions.

3.4.2 Security Requirements

ID	Requirement
NFR-SEC-01	Network communication shall use TLS when deployed over a network.
NFR-SEC-02	The system shall enforce least-privilege server-side authorisation.
NFR-SEC-03	The system shall validate and sanitise text, files, queries, and API input.
NFR-SEC-04	Attachments and sensitive ticket data shall be accessible only to authorised users.
NFR-SEC-05	Secrets and credentials shall not be stored in source code, logs, generated text, or client bundles.
NFR-SEC-06	Model-configuration, final-response, and security-sensitive actions shall be auditable.

3.5 Supportability

ID	Requirement
NFR-SUP-01	Classification, urgency, sentiment, OCR/vision, and response-generation components shall expose documented replaceable interfaces.
NFR-SUP-02	Source code shall follow agreed naming, formatting, and version-control conventions.
NFR-SUP-03	Each functional requirement shall be traceable to at least one test case.
NFR-SUP-04	Logs shall include processing status and error identifiers without exposing passwords or unnecessary personal data.
NFR-SUP-05	Deployment and model-update procedures shall be documented.

3.6 Design Constraints

- Category-classification data shall originate from Banking77 and approved English, Sinhala, Tamil, Singlish, and Tanglish variants.
- All translations or transliterations derived from one Banking77 record shall remain in the same train, validation, or test split.
- The system shall use UTF-8-compatible storage and multilingual tokenisation.
- Naturally written code-mixed evaluation data shall be distinguished from translated or synthetically mixed data.
- Image processing shall remain supplementary; the text pipeline shall continue when image analysis fails.
- Generated responses shall require human approval and shall not execute banking actions.
- The backend should support deployment on a standard Linux environment using Python-based services and documented APIs.

3.7 On-line User Documentation and Help System Requirements

The prototype shall provide a customer ticket-submission guide, an agent workflow guide, administrator/model configuration notes, deployment instructions, and a model-evaluation report. Form-level help shall explain supported languages, accepted image formats, mandatory fields, and common validation errors.

3.8 Purchased Components

No purchased component is mandatory for the academic prototype. Open-source libraries, hosted APIs, cloud storage, or LLM services may be used only when their licences, costs, data-retention behaviour, and usage restrictions are reviewed and documented. The architecture shall permit replacement of a hosted service with a local or alternative component where feasible.

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

3.9 Interfaces

3.9.1 User Interfaces

The system shall provide login, ticket-submission, agent-queue, ticket-detail, prediction-review, response-editing, status-management, evaluation, and basic administration views. The submission view shall contain a multilingual text area, optional image upload, submit button, validation feedback, and ticket identifier. The ticket-detail view shall show the original ticket, predictions, confidence values, extracted image evidence, draft response, and agent correction controls.




Figure 1. Main user and software interfaces of the prototype.

3.9.2 Hardware Interfaces

Users shall enter text through a keyboard or touchscreen and may upload images from a camera or storage device. No specialised customer hardware is required. A client device should have at least 4 GB RAM and a modern browser. The server shall have sufficient disk space for the configured datasets, models, tickets, logs, and optional attachments. GPU resources may be used for training but shall not be mandatory for basic demonstration inference unless documented.

3.9.3 Software Interfaces

The web client shall communicate with a backend REST API. The backend shall interface with the ticket database, multilingual inference services, optional OCR/vision service, and response-generation component. Interfaces shall use documented request/response schemas and include validation status, model version, processing state, and meaningful errors. Production banking-core integration is outside the first-release scope.

3.9.4 Communications Interfaces

Client-server and service-to-service communication shall use HTTPS when deployed over a network. Structured requests and responses shall use UTF-8 JSON unless otherwise documented. Requests shall use timeouts, controlled retries where safe, and error handling so that failure of an optional component does not lose the submitted ticket.

3.10 Database Requirements

The database shall store tickets, original and processed text, optional attachment metadata, predictions, confidence values, model versions, response drafts, final responses, assignments, statuses, corrections, evaluation results, and audit events. Dataset records shall retain source ID, language form, translation/transliteration lineage, label, and split. The database shall enforce unique ticket identifiers, required relationships, authorised access, and consistent timestamp storage. Binary files may be stored in object storage with protected references in the database.

3.11 Licensing, Legal, Copyright, and Other Notices

The project shall comply with the licences and attribution requirements of Banking77, pretrained models, libraries, OCR/vision components, and LLM services. Personal or financial information shall be minimised, access-controlled, and excluded from public datasets or reports. Research and training data shall be de-identified where practicable. The system shall display that generated responses are drafts and shall not imply that the prototype is an authorised production banking service.

Trilingual Customer Support Ticket Management System	Version: 1.0
Software Requirements Specification	Date: 30/Jul/26
G21-SRS-001	

3.12 Applicable Standards

The requirements document should follow the supplied institutional SRS template and the principles of IEEE 830-1998. Implementation should follow applicable secure-coding, privacy, accessibility, UTF-8 internationalisation, REST API, and version-control practices adopted by the project team. References to websites shall include an access date, and research claims shall use IEEE-style citations.

4. Supporting Information

Data and Model Evaluation Rules

- Category experiments shall use a held-out test set and report accuracy, macro precision, macro recall, macro F1-score, class-wise results, and confusion matrices.
- English performance shall be compared with Sinhala, Tamil, Singlish, and Tanglish performance using the same source-record split lineage.
- Translation quality and intent-label preservation shall be checked through a documented validation sample.
- Naturally written code-mixed data, when available, shall be evaluated separately from translated or synthetically mixed data.
- Priority and sentiment datasets, labels, baselines, metrics, and acceptance thresholds shall be documented independently of Banking77.
- LLM drafts shall be evaluated for relevance, language appropriateness, factual grounding, safety, and agent usefulness.

Business Rules

1. Only an authorised agent may approve a final response or mark a ticket resolved.
2. Critical tickets and low-confidence predictions require explicit agent review.
3. Model corrections become candidate feedback and shall not automatically become approved training data.
4. Category, priority, sentiment, and generated text shall be presented as model outputs rather than guaranteed facts.
5. Model, threshold, or label-mapping changes require an authorised user and a recorded version.

To Be Determined

1. Final university, department, member names, and submission/approval date.
2. Whether all 77 Banking77 categories or an approved subset will be used.
3. Final multilingual encoder and preprocessing/transliteration approach.
4. Source and annotation procedure for urgency and sentiment labels.
5. Final OCR/vision and LLM response-generation components.
6. Confidence thresholds and quantitative acceptance targets for each task.
7. Maximum image size, retention period, and deployment hardware.
8. Availability and size of naturally written code-mixed evaluation data.