

		install-default				install-default-unless-selinux				install-force-daemon				install-force-no-daemon			
		interactive	login	login-interactive	ssh	interactive	login	login-interactive	ssh	interactive	login	login-interactive	ssh	interactive	login	login-interactive	ssh
alpine-3-5	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
alpine-3-6	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
alpine-3-7	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
alpine-3-8	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
arch	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
centos-6	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
centos-7	testnixchannel	P	P	P	P	F	P	P	F	P	P	P	P	F	P	P	F
	testnixenv	P	P	P	P	F	P	P	F	P	P	P	P	F	P	P	F
	testnixinfo	P	P	P	P	F	P	P	F	P	P	P	P	F	P	P	F
	testshell	P	P	P	P	F	P	P	F	P	P	P	P	F	P	P	F
debian-7	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
debian-8	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
debian-9	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F

	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
fedora-25	testnixchannel	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
fedora-26	testnixchannel	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
fedora-27	testnixchannel	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
fedora-28	testnixchannel	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	F	F	F	F	P	P	F	F	F	F	F	F	P	P	F
gentoo	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
macos-sierra	testnixchannel	F	F	P	F	F	F	P	F	F	F	P	F	F	P	P	F
	testnixenv	F	F	P	F	F	F	P	F	F	F	P	F	F	P	P	F
	testnixinfo	F	F	P	F	F	F	P	F	F	F	P	F	F	P	P	F
	testshell	F	F	P	F	F	F	P	F	F	F	P	F	F	P	P	F
ubuntu-12-04	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
ubuntu-14-04	testnixchannel	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	F	F	F	F	P	P	F
ubuntu-16-04	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
ubuntu-17-10	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F

ubuntu-18-04	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
ubuntu-18-10	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixchannel	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixenv	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testnixinfo	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F
	testshell	F	P	P	F	F	P	P	F	F	P	P	F	F	P	P	F

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53m04n266vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-gentoo

Vagrantfile:([see full dataset](#))
 image-name: gentoo
 install-method: install-default
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53m04n266vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 26s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-gentoo

install-method: install-force-no-daemon
 image-name: gentoo
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 5s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m04nz66vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 23s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org/...' Hello, world!	pass in 2s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-gentoo

run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 image-name: gentoo
 install-method: install-force-daemon

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-arch

install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: arch

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0pp7w7d3r3bkzxaklqdz6qg-user-environment.dr'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 19s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 3s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org/...' Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-arch

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

image-name: arch
 install-method: install-default
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	pass in 7s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	pass in 1s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	pass in 0s (full log) <pre>(truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaqlqdzq6q-user-environment.drv'... created 0 symlinks in user environment</pre>	pass in 1s (full log) <pre>(truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>
testnixinfo	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	pass in 20s (full log) <pre>(truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'</pre>	pass in 3s (full log) <pre>(truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>
testshell	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found</pre>	pass in 1s (full log) <pre>(truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!</pre>	pass in 1s (full log) <pre>./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found</pre>

install-force-no-daemon-arch

install-method: install-force-no-daemon
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: arch

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	pass in 6s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	pass in 1s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	pass in 1s (full log) <pre>(truncated) uninstalling 'hello-2.10' building '/nix/store/bj71qjczsb26adcs3mw04n26v5vj5v-user-environment.drv'... created 0 symlinks in user environment</pre>	pass in 1s (full log) <pre>(truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>
testnixinfo	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	pass in 19s (full log) <pre>(truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'</pre>	pass in 4s (full log) <pre>(truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>
testshell	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found</pre>	pass in 1s (full log) <pre>(truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!</pre>	pass in 1s (full log) <pre>./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found</pre>

install-force-daemon-arch

install-method: install-force-daemon
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: arch

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	pass in 7s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	pass in 1s (full log) <pre>(truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	exit code 127 in 0s (full log) <pre>./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	pass in 1s (full log) <pre>(truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaqlqdzq6q-user-environment.drv'... created 0 symlinks in user environment</pre>	pass in 0s (full log) <pre>(truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	exit code 127 in 0s (full log) <pre>./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 19s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-macos-highsierra

	interactive	login	login-interactive	ssh
testnixchannel	None	None	None	None
testnixenv	None	None	None	None
testnixinfo	None	None	None	None
testshell	None	None	None	None

install-default-macos-highsierra

	interactive	login	login-interactive	ssh
testnixchannel	None	None	None	None
testnixenv	None	None	None	None
testnixinfo	None	None	None	None
testshell	None	None	None	None

install-force-no-daemon-macos-highsierra

	interactive	login	login-interactive	ssh
testnixchannel	None	None	None	None
testnixenv	None	None	None	None
testnixinfo	None	None	None	None
testshell	None	None	None	None

install-force-daemon-macos-highsierra

	interactive	login	login-interactive	ssh
testnixchannel	None	None	None	None
testnixenv	None	None	None	None
testnixinfo	None	None	None	None
testshell	None	None	None	None

install-default-unless-selinux-macos-sierra

run-log:([see full dataset](#))

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

image-name: macos-sierra

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	pass in 20s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0pp7wd3r3bkzaxklqdzq6q-user-environment.drv'... created 0 symlinks in user environment	exit code 127 in 1s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	pass in 64s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	pass in 4s (full log) (truncated) /nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10 copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-macos-sierra

Vagrantfile:([see full dataset](#))

install-method: install-default

run-log:([see full dataset](#))

image-name: macos-sierra

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	pass in 31s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy8pp7w7d3r3bkzxxaklqzq6q-user-environment.driv'... created 0 symlinks in user environment	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	pass in 114s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	pass in 5s (full log) (truncated) /nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10 copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-macos-sierra

install-method: install-force-no-daemon

image-name: macos-sierra

run-log:([see full dataset](#))

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	pass in 42s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 5s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/ngzlwijqlash2jcnz3iah05f36vlddcn-user-environment.driv'... created 9 symlinks in user environment	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixenv:18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	pass in 91s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/Users/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 9s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.add63e95d1e_nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/Users/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	pass in 5s (full log) (truncated) /nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10 copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpfd0-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 5s (full log) (truncated) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-macos-sierra

run-log:([see full dataset](#))

install-method: install-force-daemon

Vagrantfile:([see full dataset](#))

image-name: macos-sierra

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	pass in 21s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdzq6q-user-environment.dr'... created 0 symlinks in user environment	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	pass in 62s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 1s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	pass in 4s (full log) (truncated) '/nix/store/a36fmxl0cf2d1cp7jddrcihypfxipf0-hello-2.10' copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihypfxipf0-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-debian-9

run-log:([see full dataset](#))

install-method: install-default-unless-selinux

Vagrantfile:([see full dataset](#))

image-name: debian-9

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdzq6q-user-environment.dr'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 38s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.13174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 6s (full log) (truncated) '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-debian-9

install-method: install-default

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

image-name: debian-9

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdzq6q-user-environment.dr'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 26s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 6s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.13174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

interactive

login

login-interactive

ssh

install-force-no-daemon-debian-9

install-method: install-force-no-daemon
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: debian-9

interactive

login

login-interactive

ssh

testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 15s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/bj717qjczsb26adc53m04n266vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 98s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 6s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-debian-9

run-log:([see full dataset](#))
 install-method: install-force-daemon
 image-name: debian-9
 Vagrantfile:([see full dataset](#))

interactive

login

login-interactive

ssh

testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 78s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 19s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/xsk9wjy0dpp7w7d3r3bkzxxakldqz6q-user-environment.drv'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 39s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels (root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 8s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-fedora-28

image-name: fedora-28
 install-method: install-default-unless-selinux
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))

interactive

login

login-interactive

ssh

testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 19s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/bj717qjczsb26adc53m04n266vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:(see full dataset)
 image-name: gentoo
 Vagrantfile:(see full dataset)
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 29s (full log) (truncated) ./testscript::runtest::39 testnixinfo - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5s (full log) (truncated) ./testscript::runtest::10 testnixinfo - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 3s (full log) (truncated) ./testscript::runtest::39 testshell /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-fedora-28

image-name: fedora-28
 Vagrantfile:(see full dataset)
 run-log:(see full dataset)
 install-method: install-default

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 2s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-force-no-daemon-fedora-28

install-method: install-force-no-daemon
 Vagrantfile:(see full dataset)
 run-log:(see full dataset)
 image-name: fedora-28

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 19s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel:0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53mw0a4n266vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv:0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 27s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-fedora-28

image-name: fedora-28
 run-log:(see full dataset)
 Vagrantfile:(see full dataset)
 install-method: install-force-daemon

install-default-unless-selinux-gentoo

run-log:(see full dataset)

image-name: gentoo

Vagrantfile:(see full dataset)

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 1s (full log) ./testscript:runtest:10 testnixchannel ./testscript:testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript:testnixchannel:0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript:runtest:39 testnixchannel ./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript:testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixchannel ./testscript:testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript:testnixchannel:0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript:runtest:39 testnixchannel ./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript:testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testnixinfo	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixinfo ./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixinfo ./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixinfo ./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript:runtest:39 testnixinfo ./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 0s (full log) ./testscript:runtest:10 testshell ./testscript:testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript:runtest:39 testshell ./testscript:testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript:runtest:10 testshell ./testscript:testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript:runtest:39 testshell ./testscript:testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-default-unless-selinux-debian-8

image-name: debian-8

Vagrantfile:(see full dataset)

run-log:(see full dataset)

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixchannel ./testscript:testnixchannel:15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 9s (full log) (truncated) Hello, world! ./testscript:testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript:testnixchannel:19 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixchannel ./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixenv ./testscript:testnixenv:9 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz6q-user-environment.drv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript:testnixenv:11 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixenv ./testscript:testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixinfo ./testscript:testnixinfo:1 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 32s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 6s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.131f4.ddd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixinfo ./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript:runtest:10 testshell ./testscript:testshell:5 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) ./nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript:runtest:10 testshell ./testscript:testshell:5 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript:runtest:39 testshell ./testscript:testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-debian-8

image-name: debian-8

Vagrantfile:(see full dataset)

install-method: install-default

run-log:(see full dataset)

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixchannel ./testscript:testnixchannel:15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript:testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript:testnixchannel:19 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixchannel ./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixenv ./testscript:testnixenv:9 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz6q-user-environment.drv'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript:testnixenv:11 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixenv ./testscript:testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript:runtest:10 testnixinfo ./testscript:testnixinfo:1 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 20s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.131f4.ddd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript:runtest:39 testnixinfo ./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-debian-8

Vagrantfile:([see full dataset](#))

install-method: install-force-no-daemon

run-log:([see full dataset](#))

image-name: debian-8

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::19 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::9 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53mw0a4n26vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::11 nix-env --uninstall 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-debian-8

image-name: debian-8

run-log:([see full dataset](#))

install-method: install-force-daemon

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::19 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::9 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzkaqlgdz06q-user-environment.driv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::11 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 19s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 7s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::5 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-alpine-3-8

install-method: install-default-unless-selinux

run-log:([see full dataset](#))

Vagrantfile:([see full dataset](#))

image-name: alpine-3-8

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) Hello, world! uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26adc53m04n266vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-alpine-3-8

Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: alpine-3-8
 install-method: install-default

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) Hello, world! uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26adc53m04n266vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-alpine-3-8

image-name: alpine-3-8
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 install-method: install-force-no-daemon

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) Hello, world! uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26adc53m04n266vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 20s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-alpine-3-8

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
image-name: alpine-3-8 Vagrantfile:(see full dataset) run-log:(see full dataset) install-method: install-force-daemon				
testnixchannel	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>
testnixinfo	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>
testshell	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found</pre>

install-default-unless-selinux-fedora-27

image-name: fedora-27
 install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	<pre>pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	<pre>pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53mw0a4n266vj5vj-user-environment.drv'... created 6 symlinks in user environment</pre>	<pre>pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>
testnixinfo	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	<pre>pass in 24s (full log) (truncated) - version: 'nix-env (Nix) 2.1.lpre6385_d16ff76c' - channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'</pre>	<pre>pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1.lpre6385_d16ff76c' - channels (vagrant): 'nixos-18-03-18.03.133174.dd68e95d1e, nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>
testshell	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found</pre>	<pre>pass in 1s (full log) (truncated) '/nix/store/z07ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!</pre>	<pre>pass in 2s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found</pre>

install-default-fedora-27

Vagrantfile:([see full dataset](#))
 install-method: install-default
 run-log:([see full dataset](#))
 image-name: fedora-27

	interactive	login	login-interactive	ssh
testnixchannel	<pre>exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>
testnixenv	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix- info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>
testshell	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>

install-force-no-daemon-fedora-27

image-name: fedora-27

run-log:([see full dataset](#))

install-method: install-force-no-daemon

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found</pre>	<pre>pass in 9s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel:0 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found</pre>
testnixenv	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello bash: nix-env: command not found</pre>	<pre>pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m0w04n266vj5vj-user- environment.drv'... created 6 symlinks in user environment</pre>	<pre>pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv:0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found</pre>
testnixinfo	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found</pre>	<pre>pass in 24s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'</pre>	<pre>pass in 5s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e0d1e.nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found</pre>
testshell	<pre>exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello bash: nix-shell: command not found</pre>	<pre>pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dmblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dmblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!</pre>	<pre>pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello Hello, world!</pre>	<pre>exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found</pre>

install-force-daemon-fedora-27

Vagrantfile:([see full dataset](#))

image-name: fedora-27

install-method: install-force-daemon

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	<pre>exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:0 nix-channel -- update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:23 nix-channel -- update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:0 nix-channel -- update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript::testnixchannel:23 nix-channel -- update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory</pre>
testnixenv	<pre>exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>
testnixinfo	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 1s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix- info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>
testshell	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>	<pre>exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello -- run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)</pre>

install-default-unless-selinux-centos-7

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

run-log:([see full dataset](#))
 install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))
 image-name: centos-7

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest:10 testnixchannel ./testscript::testnixchannel:::371 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::27 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest:39 testnixchannel ./testscript::testnixchannel:::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest:10 testnixenv ./testscript::testnixenv:::377 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad3m04nz66vj5vj-user- environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv:::35 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest:39 testnixenv ./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest:10 testnixinfo ./testscript::testnixinfo:::385 nix-shell -p nix- info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest:39 testnixinfo ./testscript::testnixinfo:::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest:10 testshell ./testscript::testshell:::381 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest:10 testshell ./testscript::testshell:::41 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest:39 testshell ./testscript::testshell:::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-centos-7

install-method: install-default
 Vagrantfile:([see full dataset](#))
 image-name: centos-7
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::367 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::27 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'
testnixenv	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv:::375 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3f3bkzka1qdz0q-user- environment.driv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv:::35 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv:::18 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'
testnixinfo	pass in 3s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 17s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 3s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'
testshell	pass in 0s (full log) ./testscript::runtest:10 testshell ./testscript::testshell:::381 nix-shell -p hello -- run hello Hello, world!	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 0s (full log) ./testscript::runtest:10 testshell ./testscript::testshell:::41 nix-shell -p hello -- run hello Hello, world!	pass in 0s (full log) ./testscript::runtest:39 testshell ./testscript::testshell:::12 nix-shell -p hello -- run hello Hello, world!

install-force-no-daemon-centos-7

image-name: centos-7
 run-log:([see full dataset](#))
 install-method: install-force-no-daemon
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest:10 testnixchannel ./testscript::testnixchannel:::371 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel:::27 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest:39 testnixchannel ./testscript::testnixchannel:::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest:10 testnixenv ./testscript::testnixenv:::377 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad3m04nz66vj5vj-user- environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv:::35 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest:39 testnixenv ./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::381 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::41 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-centos-7

run-log:([see full dataset](#))
 image-name: centos-7
 install-method: install-force-daemon
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::367 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 5s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::27 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'
testnixenv	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::375 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/xsk9wjy0pp7w7d3r3bxxzaklqdz6q-user-environment.driv... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::35 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'
testnixinfo	pass in 4s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 20s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 2s (full log) (truncated) - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
testshell	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::381 nix-shell -p hello --run hello Hello, world!	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::41 nix-shell -p hello --run hello Hello, world!	pass in 1s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!

install-default-unless-selinux-debian-7

image-name: debian-7
 install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 11s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::18 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/bj717qczsb26adcs3m0a4nz66vj5vj-user-environment.driv... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::10 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 35s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-debian-7

Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 install-method: install-default
 image-name: debian-7

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-default-unless-selinux-gentoo

run-log:[\(see full dataset\)](#)

image-name: gentoo

Vagrantfile:[\(see full dataset\)](#)

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 3s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::10 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 35s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 3s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-debian-7

install-method: install-force-no-daemon

image-name: debian-7

run-log:[\(see full dataset\)](#)

Vagrantfile:[\(see full dataset\)](#)

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 14s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::10 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 107s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-debian-7

run-log:[\(see full dataset\)](#)

install-method: install-force-daemon

image-name: debian-7

Vagrantfile:[\(see full dataset\)](#)

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::4 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-alpine-3-7

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))
 image-name: alpine-3-7
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj71qjczsb26ad53m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-alpine-3-7

run-log:([see full dataset](#))
 image-name: alpine-3-7
 Vagrantfile:([see full dataset](#))
 install-method: install-default

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj71qjczsb26ad53m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 18s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runttest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-alpine-3-7

run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 image-name: alpine-3-7
 install-method: install-force-no-daemon

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runttest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj71qjczsb26ad53m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell:12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-alpine-3-7

Vagrantfile:([see full dataset](#))

install-method: install-force-daemon

image-name: alpine-3-7

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell:12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-fedora-26

install-method: install-default-unless-selinux

Vagrantfile:([see full dataset](#))

image-name: fedora-26

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 9s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --install 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel:0 nix-env --install 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26dc53m0a4n266vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv:0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 23s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-fedora-26

install-method: install-default

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

image-name: fedora-26

interactive

login

login-interactive

ssh

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-force-no-daemon-fedora-26

install-method: install-force-no-daemon

run-log:([see full dataset](#))

image-name: fedora-26

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53mw0a4n26vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript::line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 20s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pr6385_d16ff76c' - channels(vagrant): 'nixos-18-03-18.03.13174.edd63e68d1e_nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript::line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript::line 12: nix-shell: command not found

install-force-daemon-fedora-26

install-method: install-force-daemon

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

image-name: fedora-26

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::0 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:0 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-default-unless-selinux-centos-6

image-name: centos-6
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 9s (full log) (truncated) ./testscript::testnixchannel:26 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) ./testscript::testnixchannel::22 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::32 nix-env -IA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53m04nz66vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) ./testscript::testnixenv::30 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:40 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-centos-6

Vagrantfile:([see full dataset](#))
 image-name: centos-6
 run-log:([see full dataset](#))
 install-method: install-default

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 10s (full log) (truncated) ./testscript::testnixchannel:26 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) ./testscript::testnixchannel::22 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::32 nix-env -IA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53m04nz66vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) ./testscript::testnixenv::30 nix-env --uninstall 'hello.' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:40 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 17s (full log) (truncated) - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-centos-6

Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 install-method: install-force-no-daemon
 image-name: centos-6

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 9s (full log) (truncated) ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) ./testscript::testnixchannel::22 nix-env --uninstall 'hello.*' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53mw0a4n266vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) ./testscript::testnixenv::30 nix-env --uninstall 'hello.*' GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 21s (full log) (truncated) - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread Hello, world!	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-centos-6

install-method: install-force-daemon
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: centos-6

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::36 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-alpine-3-6

install-method: install-default-unless-selinux
 image-name: alpine-3-6
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53mw0a4n266vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 24s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

interactive login login-interactive ssh

install-default-alpine-3-6

run-log:([see full dataset](#))
 install-method: install-default
 Vagrantfile:([see full dataset](#))
 image-name: alpine-3-6

interactive login login-interactive ssh

testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6S (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2S (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0S (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53mw0a4nz66vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0S (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 23S (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 5S (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixos-18-03-18.03.133174.edd63e85d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1S (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' building '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1S (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-alpine-3-6

Vagrantfile:([see full dataset](#))
 install-method: install-force-no-daemon
 image-name: alpine-3-6
 run-log:([see full dataset](#))

interactive login login-interactive ssh

testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8S (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1S (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 0S (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53mw0a4nz66vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0S (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 19S (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3S (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixos-18-03-18.03.133174.edd63e85d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2S (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2S (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello Hello, world!	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-alpine-3-6

run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 install-method: install-force-daemon
 image-name: alpine-3-6

interactive login login-interactive ssh

testnixchannel	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-fedora-25

run-log:([see full dataset](#))
 image-name: fedora-25
 install-method: install-default-unless-selinux
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel:27 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv:6 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' '/nix/store/bj717qjczsb26ad53m04n266vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv:35 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:2 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 24s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 7s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18.03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:2 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 2s (full log) (truncated) '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell:41 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-fedora-25

run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 install-method: install-default
 image-name: fedora-25

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 2s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:13 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel:31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:30 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel:23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:2 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo:45 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:2 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell:41 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell:12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-force-no-daemon-fedora-25

Vagrantfile:([see full dataset](#))
 install-method: install-force-no-daemon
 run-log:([see full dataset](#))
 image-name: fedora-25

interactive login login-interactive ssh

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::27 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::6 nix-env -IA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26adc53m04nz66vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::35 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 23s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49*' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixos-18-03-18.03.13174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49*' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::2 nix-shell -p hello --run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org/...' Hello, world!	pass in 2s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::41 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-fedora-25

run-log:([see full dataset](#))
 install-method: install-force-daemon
 image-name: fedora-25
 Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::13 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 1s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::30 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript::testnixchannel::23 nix-channel --update error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
testnixenv	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) (truncated) installing 'hello-2.10' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::2 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 1s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::2 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::41 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory (use '--show-trace' to show detailed location information)

install-default-unless-selinux-alpine-3-5

image-name: alpine-3-5
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::6 nix-env -IA nixpkgs.hello bash: nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26adc53m04nz66vj5vj-user-environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49*' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixos-18-03-18.03.13174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49*' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 ./testscript::testshell::12 nix-shell -p hello -- run hello copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-alpine-3-5

image-name: alpine-3-5

Vagrantfile:([see full dataset](#))

install-method: install-default

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 6s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m0a4n26vj5vj-user- environment.driv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-alpine-3-5

install-method: install-force-no-daemon

run-log:([see full dataset](#))

image-name: alpine-3-5

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	pass in 5s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello bash: nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello- 2.10' created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::18 nix-env --uninstall 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	pass in 22s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello bash: nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-alpine-3-5

install-method: install-force-daemon

image-name: alpine-3-5

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::10 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 bash: nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixenv	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello bash: nix-env: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::10 testshell ./testscript::testshell::12 nix-shell -p hello --run hello bash: nix-shell: command not found	exit code 1 in Os (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-18-04

image-name: ubuntu-18-04

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqz6q-user-environment.drv... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 26s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-ubuntu-18-04

run-log:([see full dataset](#))

image-name: ubuntu-18-04

install-method: install-default

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building /nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqz6q-user-environment.drv... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 7s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 59s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 7s (full log) (truncated) - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e" - channels(root): "nixpkgs-18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10 from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in Os (full log) (truncated) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-18-04

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

install-method: install-force-no-daemon

image-name: ubuntu-18-04

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-channel nix-channel: command not found	pass in 9s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-env nix-env: command not found	pass in 3s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53m04nz66vj5vj-user- environment.driv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 32s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-18-04

image-name: ubuntu-18-04
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 install-method: install-force-daemon

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdz0q-user- environment.driv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 26s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels (vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - channels (root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-16-04

install-method: install-default-unless-selinux
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 image-name: ubuntu-16-04

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-channel nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::13 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdz0q-user- environment.driv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixenv::5 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 30s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels (root): "nixpkgs- 18.09pre150352.7c826371c49" - channels (vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 1 in 0s (full log) (truncated) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found --nix-shell nix-shell: command not found	pass in 3s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::1 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) (truncated) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

interactive login login-interactive ssh

install-default-ubuntu-16-04

image-name: ubuntu-16-04
 Vagrantfile:([see full dataset](#))
 install-method: install-default
 run-log:([see full dataset](#))

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 15s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::13 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 4s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkz2aklqdzq6q-user- environment.drv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::5 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 3s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 27s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (root): 'nixpkgs- 18.09pre150352.7c826371c49' - channels (vagrant): 'nixos-18-03- 18.03.133174.edd63e85d1e' - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels (root): 'nixpkgs- 18.09pre150352.7c826371c49' - channels (vagrant): 'nixos-18-03- 18.03.133174.edd63e85d1e' - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlv54i613ch8k10-hello- 2.10 building '/nix/store/bj17jqczsb26adc53mw0a4n266vj5vj-user- environment.drv'... copying path '/nix/store/z87ns3bv8d29c7dnlv54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::-1 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-16-04

install-method: install-force-no-daemon
 image-name: ubuntu-16-04
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::13 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj17jqczsb26adc53mw0a4n266vj5vj-user- environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::5 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 7s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 47s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixpkgs- 18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixos-18-03- 18.03.133174.edd63e85d1e, nixpkgs- 18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 1s (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnlv54i613ch8k10-hello- 2.10 building '/nix/store/z87ns3bv8d29c7dnlv54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::-1 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-16-04

Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 install-method: install-force-daemon
 image-name: ubuntu-16-04

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 10s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::13 nix-env -- uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '[' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkz2aklqdzq6q-user- environment.drv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::5 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 29s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (root): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels (root): 'nixpkgs-18.09pre150352.7c826371c49' - channels (vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::-1 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-14-04

install-method: install-default-unless-selinux
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 image-name: ubuntu-14-04

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::14 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) (truncated) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' '/nix/store/bj717qjczsb26adc53m04nz66vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::6 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 27s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-ubuntu-14-04

install-method: install-default
 image-name: ubuntu-14-04
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 14s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::14 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adc53m04nz66vj5vj-user-environment.driv'... created 6 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::6 nix-env --uninstall 'hello.*' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 28s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 0s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-14-04

install-method: install-force-no-daemon
 run-log:([see full dataset](#))
 Vagrantfile:([see full dataset](#))
 image-name: ubuntu-14-04

interactive login login-interactive ssh

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 25s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::14 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 5s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53m0a4n266vj5vj-user- environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript: testnixenv::6 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 26s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dmb1vj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dmb1vj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-14-04

install-method: install-force-daemon

run-log:([see full dataset](#))

image-name: ubuntu-14-04

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env nix-env: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env nix-env: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in 0s (full log) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-12-04

run-log:([see full dataset](#))

image-name: ubuntu-12-04

install-method: install-default-unless-selinux

Vagrantfile:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix- channel nix-channel: command not found	pass in 8s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::14 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix- env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qczsb26ad53m0a4n266vj5vj-user- environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript: testnixenv::6 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix- shell nix-shell: command not found	pass in 28s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels (vagrant): "nixos-18-03- 18.03.13174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix- shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dmb1vj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dmb1vj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

interactive login login-interactive ssh

install-default-ubuntu-12-04

install-method: install-default
 image-name: ubuntu-12-04
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 10s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) ./testscript::testnixchannel::14 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m0a4n266vj5vj-user- environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::6 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 30s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 3s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-12-04

image-name: ubuntu-12-04
 install-method: install-force-no-daemon
 Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 12s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::14 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 1 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m0a4n266vj5vj-user- environment.dr'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::6 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 35s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 3s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 1 in 0s (full log) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-12-04

Vagrantfile:([see full dataset](#))
 run-log:([see full dataset](#))
 image-name: ubuntu-12-04
 install-method: install-force-daemon

interactive login login-interactive ssh

	interactive	login	login-interactive	ssh
testnixchannel	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-channel nix-channel: command not found	exit code 1 in 0s (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found	exit code 1 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found'] /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-channel nix-channel: command not found	exit code 1 in 0s (full log) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found

install-default-unless-selinux-gentoo

run-log:(see full dataset)

image-name: gentoo

Vagrantfile:(see full dataset)

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixenv	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-env nix-env: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-env nix-env: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found	exit code 1 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/bin/python /usr/lib/command-not-found -- nix-shell nix-shell: command not found	exit code 1 in Os (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-18-10

run-log:(see full dataset)

install-method: install-default-unless-selinux

image-name: ubuntu-18-10

Vagrantfile:(see full dataset)

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz06q-user- environment.drv'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 21s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.13174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 3s (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblv54i613ch8k10-hello- 2.10' copying path '/nix/store/z87ns3bv8d29c7dnblv54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-ubuntu-18-10

image-name: ubuntu-18-10

run-log:(see full dataset)

Vagrantfile:(see full dataset)

install-method: install-default

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz06q-user- environment.drv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixenv ./testscript::testnixenv::16 nix-env -IA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 8s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 56s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.13174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in Os (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) '/nix/store/z87ns3bv8d29c7dnblv54i613ch8k10-hello- 2.10' copying path '/nix/store/z87ns3bv8d29c7dnblv54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) (truncated) ./testscript::runttest::10 testshell ./testscript::testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in Os (full log) (truncated) ./testscript::runttest::39 testshell ./testscript::testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-18-10

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))
 image-name: gentoo
 Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

install-method: install-force-no-daemon
 Vagrantfile:([see full dataset](#))
 image-name: ubuntu-18-10
 run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 16s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26ad53m04nz66vj5vj-user- environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 31s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	pass in 7s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e, nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/home/vagrant/.nix- defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-18-10

Vagrantfile:([see full dataset](#))
 image-name: ubuntu-18-10
 run-log:([see full dataset](#))
 install-method: install-force-daemon

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 10s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz6q-user- environment.drv'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 27s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e05d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

install-default-unless-selinux-ubuntu-17-10

Vagrantfile:([see full dataset](#))
 install-method: install-default-unless-selinux
 run-log:([see full dataset](#))
 image-name: ubuntu-17-10

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

testnixchannel	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 3s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxaklqdz6q-user- environment.drv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) (truncated) ./testscript: runtest::39 testnixenv ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found

install-default-unless-selinux-gentoo

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixinfo	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 25s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 4s (full log) (truncated) - channels(root): 'nixpkgs-18.09pre150352.7c826371c49' - channels(vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 2s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-default-ubuntu-17-10

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

install-method: install-default

image-name: ubuntu-17-10

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 48s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' '/nix/store/xsk9wjy0dpp7w7d3r3bkxzaklqdzq6q-user-environment.drv'... created 0 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 42s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 30s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(root): 'nixpkgs-18.09pre150352.7c826371c49' - channels(vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels(root): 'nixpkgs-18.09pre150352.7c826371c49' - channels(vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e' - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 1s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 2s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-no-daemon-ubuntu-17-10

Vagrantfile:([see full dataset](#))

image-name: ubuntu-17-10

install-method: install-force-no-daemon

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript::testnixchannel::26 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	pass in 2s (full log) (truncated) Hello, world! ./testscript::testnixchannel::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixchannel ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 1s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/bj717qjczsb26adcs3m04nz66vj5vj-user-environment.drv'... created 6 symlinks in user environment	pass in 0s (full log) (truncated) Hello, world! ./testscript::testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixenv ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 25s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	pass in 4s (full log) (truncated) - nix-env (Nix) 2.1pre6385_d16ff76c' - channels(vagrant): 'nixpkgs-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49' - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript::runtest::39 testnixinfo ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found '] /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 11s (full log) (truncated) /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10 copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'... Hello, world!	pass in 1s (full log) ./testscript::runtest::10 testshell ./testscript::testshell::0 nix-shell -p hello --run hello Hello, world!	exit code 127 in 0s (full log) ./testscript::runtest::39 testshell ./testscript::testshell::12 nix-shell -p hello --run hello ./testscript: line 12: nix-shell: command not found

install-force-daemon-ubuntu-17-10

image-name: ubuntu-17-10

install-method: install-force-daemon

Vagrantfile:([see full dataset](#))

run-log:([see full dataset](#))

	interactive	login	login-interactive	ssh
--	-------------	-------	-------------------	-----

run-log:([see full dataset](#))

image-name: gentoo

Vagrantfile:([see full dataset](#))

install-method: install-default-unless-selinux

	interactive	login	login-interactive	ssh
testnixchannel	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found-1' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-channel nix-channel: command not found	pass in 7s (full log) (truncated) Hello, world! ./testscript: testnixchannel::26 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixchannel::0 nix-env -- uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript: runtest::39 testnixchannel ./testscript: testnixchannel::22 nix-channel -- add https://nixos.org/channels/nixos-18.03 nixos- 18-03 ./testscript: line 22: nix-channel: command not found
testnixenv	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found-1' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env nix-env: command not found	pass in 0s (full log) (truncated) uninstalling 'hello-2.10' building '/nix/store/xsk9wjy0dpp7w4d33bkzkaqlqz6q-user- environment.driv'... created 0 symlinks in user environment	pass in 1s (full log) (truncated) Hello, world! ./testscript: testnixenv::0 nix-env --uninstall 'hello.' uninstalling 'hello-2.10'	exit code 127 in 0s (full log) ./testscript: testnixenv::16 nix-env -iA nixpkgs.hello ./testscript: line 16: nix-env: command not found
testnixinfo	exit code 127 in 1s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found-1' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 23s (full log) (truncated) - version: 'nix-env (Nix) 2.1pre685_d16ff7f6c' - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	pass in 5s (full log) (truncated) - channels(root): "nixpkgs- 18.09pre150352.7c826371c49" - channels(vagrant): "nixos-18-03- 18.03.133174.edd63e95d1e" - nixpkgs: '/nix/var/nix/profiles/per- user/root/channels/nixpkgs'	exit code 127 in 0s (full log) ./testscript: runtest::39 testnixinfo ./testscript: testnixinfo::8 nix-shell -p nix- info --run 'nix-info -m' ./testscript: line 8: nix-shell: command not found
testshell	exit code 127 in 0s (full log) (truncated) /etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found-1' /etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell nix-shell: command not found	pass in 4s (full log) (truncated) /nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10-hello- 2.10 copying path '/nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10- hello-2.10' from 'https://cache.nixos.org/... Hello, world!	pass in 1s (full log) (truncated) ./testscript: runtest::10 testshell ./testscript: testshell::0 nix-shell -p hello -- run hello Hello, world!	exit code 127 in 0s (full log) ./testscript: runtest::39 testshell ./testscript: testshell::12 nix-shell -p hello -- run hello ./testscript: line 12: nix-shell: command not found

all logs

install-default-unless-selinux-debian-9-login-interactive-testnixenv

```
./testscript: runtest::10 testnixenv
./testscript: testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript: testnixenv::0 hello
Hello, world!
./testscript: testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-8-login-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f2zhsyf9qf3425cv49p8m9pb9g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcr7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz89rLxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp71xvqpp6jhy70kxnxpwkcf-zlib-1.2.11
/nix/store/92gpnymmm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rglqlwxc8glfmd4qs4944ajy8c-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z658lyczx5z5yhcw5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s54fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6d4r74y2bzhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsqrl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbck57fpqzc-glibc-2.27-dev
/nix/store/i17vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r3r7ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xf2r19da1dfwcp9ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/j7lnmjbyaqcpgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravwrdd0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyz6i9-xz-5.2.4-bin
/nix/store/qcvnrLrYrd4xm78nf6vsvza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gabz0p04ajyg6flh-nix-info
/nix/store/qw8f80d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfjcc00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfbfhwkvw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykzb66khn9vqv5bn6197921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r3r7ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravwrdd0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/j7lnmjbyaqcpgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykzb66khn9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xf2r19da1dfwcp9ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s54fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f2zhsyf9qf3425cv49p8m9pb9g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/qvw0f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rx1qpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/17vcsww4p6n5lb72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7lsop1lpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/90c0809rpqlwxc8glf4m4sv494ajy8a-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmywx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692qslazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fmgwgryan523pfbck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyi3yhmwx6wysp66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbv9yrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1l4lf22hsyfq9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6v5z5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzic4bfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmd2lppskfj00g0wswsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: 'Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-macos-sierra-login-interactive-testshell

```
./testscript::runtest:::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpf0-hello-2.10
copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpf0-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-debian-8-login-testshell

```
./testscript::runtest:::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-interactive-testnixinfo

```
./testscript::runtest:::10 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.9.32-0-virtheadened, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-gentoo-login-testnixinfo

```
./testscript::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-interactive-testnixinfo

```
./testscript::runtest:::10 testnixinfo
./testscript::testnixinfo:::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-fedora-28-ssh-testnixinfo

```
./testscript::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-interactive-testnixenv

```
./testscript::runtest:::10 testnixenv
./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-16-04-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0w117f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyaynyfhnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdzk0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp217ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881cklcnx59lm8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn444bp7mlyqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c809y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n090z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650y2czx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fj0svzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290m6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq5572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4w6pn51b72a12y5psj31579wkD3-patch-2.7.6
/nix/store/i9k17rd3r37ms17rdsqsrk58gslavl-linux-headers-4.15
/nix/store/j2clxfb2r19da1dfwcp8ywgjxs9yxmz-ncurses-6.1
/nix/store/jicmavp929l2032ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwrdd0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin
/nix/store/qcavnrlryrd4xm78nfhv5z5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xad7yblv36sr9y1x9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xz22anv77hxb7zi24hbfyh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vvq5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdzk0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17rd3r37ms17rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn444bp7mlyqvp6jhy70kxnxpwkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vvq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp217ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xad7yblv36sr9y1x9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/jz22anv77hxb7zi24hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcg6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwrdd0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881cklcnx59lm8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929l2032ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c809y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0w117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4w6pn51b72a12y5psj31579wkD3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290m6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynyfhnv9crk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcavnrlryrd4xm78nfhv5z5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650y2czx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjx3k59n102sq5572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hxb7zi24hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(root): "`nixpkgs-18.09pre150352.7c826371c49`"
- nixpkgs: "`/nix/var/nix/profiles/per-user/root/channels/nixpkgs`"
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::7 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv:0 hello
Hello, world!
./testscript::testnixenv:0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-28-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-5-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-gentoo-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
  /nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel:25 hello
Hello, world!
./testscript::testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-gentoo-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1l7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyaynyfbnv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6r1zl89rlxdll-gcc-7.3.0-lib
/nix/store/6v88icklcnxm591m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnodymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glf4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymw1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n9l8fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9kl7jms17rdsqsr58gslavl-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwcp8ywgjx9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0z32ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1r4xm78fnh6vsvza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qw8f8g0dli7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfbh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9smv215h517i57kcsz3-findutils-4.6.0
/nix/store/ykz666khn9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7jms17rdsqsr58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0z32ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88icklcnxm591m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0dli7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnodymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9smv215h517i57kcsz3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6r1zl89rlxdll-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n9l8fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymw1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbrl9daldfwcp8ywgjx9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glf4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khn9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkyaynyfbnv9cyrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1r4xm78fnh6vsvza5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfbh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-linux'
- host os: 'Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): '' nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::-36 hello
Hello, world!
./testscript::testnixenv::-35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-debian-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-arch-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-gentoo-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-gentoo-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wkgphk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb9g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x117f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyaynyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd417121qch09zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6r1z189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxn59m1m9rrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c8099rpl1wxc8gl1fm4qsv494ay8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcw5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg08kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcx290m6d6q4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fng0wryan523pfbdc57fpqzcglibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsr58gslavl-linux-headers-4.15
/nix/store/j2c1xfb2r19dadlfwcp8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0u419ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyxz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmcmyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmcd2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9y1x9a1x25yr2n0z9rix-pcre-0.42
/nix/store/xzz2anv77hx8jzi24hbfyh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0
/nix/store/ykz666khhm9vq55bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd417121qch09zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37msl7rdsqsr58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxn59m1m9rrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb9g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0u419ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6r1z189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg08kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wkgphk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wryan523pfbdc57fpqzcglibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcx290m6d6q4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19dadlfwcp8ywgjx59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nsmcmyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9y1x9a1x25yr2n0z9rix-pcre-0.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c8099rpl1wxc8gl1fm4qsv494ay8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khhm9vq55bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692slazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcw5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmcd2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.14.65-gentoo, Gentoo, noversion"
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385.d16ff76c
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-gentoo-ubuntu-18-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-16-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-fedora-27-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-28-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-arch-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-arch-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhLraq58ngyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-centos-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k6f8zlc-r-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5md17y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlzl89rlxd1l-gcc-7.3.0-lib
/nix/store/6v8b1ck1cxn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbn444p7mlyqvp6jhy70kxwpxwxf-zlib-1.2.11
/nix/store/92gpndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z650y2cx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh88vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwy1pcxv290md6dq4r74zvbhsk-gnutar-1.30
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```

```
/nix/store/fai75p2q3gc/1sqp1lpsqzrL5snsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq5572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fn0gwyryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmapv929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvni3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v419ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn71638c6692qs1azyxz6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nhfv5z5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004jy6f1h-nix-info
/nix/store/qw8f8g0d1l714wsj33551hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw0swsvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vvq55bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7ya5lbcdd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmapv929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v8i6ck1cnn591m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a851axa9p8rx1qgpbaasvghyxb08kb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l714wsj33551hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai75p2q3gc/1sqp1lpsqzrL5snsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22h5yfg9fq3425c49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidy6mm60dsx9f07jv89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v419ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp177ng87qx6r3lz89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l89kpid73ss4fjs0rvzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i2jaakzb8mhrkb4wghpk6k8fz1c-enumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fn0gwyryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f8sxdhda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymw1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbwxqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx17f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/90c80y9rplq1wxc8glfm4qsv494ajy8g-gnupg-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vvq55bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004jy6f1h-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692qs1azyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44bp7m1qvpp6jhy70kxnpwxk-fzlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nhfv5z5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzczx5zyhcv5n36ya6x4j4q436m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjk3k59n102sq5572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw0swsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
- host os: 'Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-alpine-3-7-ssh-testnixenv

```
./testscript: runtest:39 testnixenv
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-ssh-testshell

```
./testscript: runtest:39 testshell
./testscript: testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-14-04-login-interactive-testnixchannel

```
./testscript: runtest:10 testnixchannel
./testscript: testnixchannel:10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: testnixchannel:11 nix-channel --update
unpacking channels...
./testscript: testnixchannel:12 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript: testnixchannel:13 hello
Hello, world!
./testscript: testnixchannel:14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-centos-6-login-interactive-testnixenv

```
./testscript: runtest:10 testnixenv
./testscript: testnixenv:32 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-fedora-27-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-centos-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgp6k6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcr7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn44bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnnyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650zyccz5zyhcv5n36ya6x4jq436mrr-gcc-wrapper-7.3.0
/nix/store/a8s1axaq3p8rxiqppbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpi073ss4fjso8vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bxb4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n182qs572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgj5x9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232rly0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrw0g0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvvnr1ryrd4xm78fn6vsvzafndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmcmy13yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24fbhy0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vq55bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232rly0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rxiqppbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnnyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrw0g0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpi073ss4fjso8vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wkgp6k6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bxb4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgj5x9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nsmcmy13yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khh9vq55bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnr1ryrd4xm78fn6vsvzafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650zyccz5zyhcv5n36ya6x4jq436mrr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24fbhy0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n182qs572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): "" nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-fedora-28-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-fedora-27-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-28-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49*'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-centos-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng07gk6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881cklcnxms59lmg0rrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mllyqvp6jhy70kxnxpkxf-zlib-1.2.11
/nix/store/92gpndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n6z92r9nlvbbxwgqwjfn60zd-paxctl-0.9
/nix/store/9z650y2cz5z5yhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rixqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg09kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq5572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n018fnq0wgryan523pbdck57fpqzcg-glibc-2.27-dev
/nix/store/i7wscw4p6m51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/19kl7g3rd3r7ms17rdsqsrk58gs1avl1-linux-headers-4.15
/nix/store/j2clxf2r19da1dfwcp8ywgjxs9yxgmz-nurses-6.1
/nix/store/jicmavp9291x0232ryl0za94r9rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6mvl3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0w4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyzxb6i9-xz-5.2.4-bin
/nix/store/qcgvnrLr9d4xm78fh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iv-patchelf-0.9
/nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmcd2lppskfj00g0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbfbh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p4rl2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn619792inadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3rd3r7ms17rdsqsrk58gs1avl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94r9rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881cklcnxms59lmg0rrqww0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rixqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0w4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p4rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6mvl3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng07gk6rlz189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg09kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n018fnq0wgryan523pbdck57fpqzcg-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxf2r19da1dfwcp8ywgjxs9yxgmz-nurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7wscw4p6m51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iv-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n6z92r9nlvbbxwgqwjfn60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn619792inadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzxb6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn619792inadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/qcvnr1ryrd4xm78fh6vsvza5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzcz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz24hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-arch-login-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-ssh-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-arch-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgpk6kf8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nfybnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0qz9fhdzk0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87gx6rlzL89rLxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8g1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm909n0z92r9nlvbbwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiaqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgdgfvmd42r2bs1kv-glibc-2.27
/nix/store/i4n918fn0wgryan523pfbcdk57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rfrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vfmvl3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qksvpp6vrrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0w4i9ravwr0gcwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78fh6vsvza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa27xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz24hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i9792inadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qksvpp6vrrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvm13fjv6j7qksvpp6vrrjygm2s1336-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgdgfvmd42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0w4i9ravwr0gcwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rfrslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vfmvl3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87gx6rlzL89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm909n0z92r9nlvbbwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i9792inadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4b07m1qvov6ihv70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
```



```
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhk4wkgphk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgryan523pfbdc6k57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsW4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqp1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rx1qqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyl3yhmw60wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amj7i638c6692gs1azzyz2xi9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynyfhnv9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmywx1pcxv290m6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9ycq0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/l141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcz5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv7hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n10zsq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwb0jcnmdc2lppskfj00g0w0swsynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-fedora-27-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-14-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-arch-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-1 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::~12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-centos-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-381 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-centos-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-36 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-macos-sierra-login-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/ijaaz4krpzakv5dpnlx9ijklh5df6743-hello-2.10
copying path '/nix/store/ijaaz4krpzakv5dpnlx9ijklh5df6743-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/7gsk3llnhoykyrg5smxybw3ccinh9n9-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-212 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-fedora-26-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::370 nix-channel --update
unpacking channels...
./testscript::testnixchannel::369 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::368 hello
Hello, world!
./testscript::testnixchannel::367 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-27-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-debian-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:9 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-12-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-centos-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-5-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/ijaaz4krpzakv5dpnlx91jklhsdf6743-hello-2.10
copying path '/nix/store/ijaaz4krpzakv5dpnlx91jklhsdf6743-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/79s3k1lnhoykyrg5Smxybw3ccinhd9n9-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
```

```
Hello, world!
./testscript::testnixchannel:::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-7-login-testnixinfo

```
./testscript:::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wxli7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyay7nfbvny9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albdc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87qx6r1zl89rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8grqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yczx5z5yhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg089kpid73ss4fj50vzyg37-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymwx1pccx290m6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq5572kkspdjy383kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3dr3r7msl7rdsqsk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6vrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v4i9ravrdg0cwq5i8fircnc-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qz1azyz619-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfhv5z5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dq4gab8z9004ajyg6flh-nix-info
/nix/store/qww8f8g0d1l7l4w5j33551hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xad7yb1v36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vvq5bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6vrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albdc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3dr3r7msl7rdsqsk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxnn5g91m8grqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qww8f8g0d1l7l4w5j33551hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v4i9ravrdg0cwq5i8fircnc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87qx6r1zl89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg089kpid73ss4fj50vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwx1pccx290m6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xad7yb1v36s9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wxli7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vvq5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dq4gab8z9004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qz1azyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyay7nfbvny9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfhv5z5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yczx5z5yhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n102sq5572kkspdjy383kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.65-1-virthardened, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-ubuntu-18-10-ssh-testnixinfo

```
./testscript:::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-5-login-interactive-testnixinfo

```
./testscript:::runtest:::10 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.4.59-0-virtgrec, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
```

```
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-fedora-26-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-28-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-macos-sierra-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-macos-sierra-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-debian-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-12-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::17 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-12-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::36 nix-shell -p hello --run hello
GCC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
Hello, world!
```

[top of log](#)

install-default-unless-selinux-macos-sierra-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::30 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-gentoo-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-25-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-debian-8-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-arch-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-debian-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.9.65-1-virtheadened, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-fedora-26-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-centos-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::36 nix-shell -p hello --run hello
GCC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
Hello, world!
```

[top of log](#)

install-force-no-daemon-debian-8-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6kf8fzlc-r-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb0g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1l7f43zr1q9y91b4-readline-7.0p5
/nix/store/514qkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpn4ymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
```

```
/nix/store/9xm9n99n8z2r9nlvdbxwqgwjntb0zd-paxctl-0.9
/nix/store/9z650yzcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmxyx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0gwgdfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2r19daldfwp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0g0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f80gd1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbffh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517157kcv5z3-findutils-4.6.0
/nix/store/ykz2b60khn9vqv5bn6197921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albdc4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0gwgdfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i1ckicxnn59m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f80gd1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/l141f22hsyfq9r3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnym60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0g0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87y6r1z189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakz8bhmkrk4wkqpk6k8fzlc-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmxyx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19daldfwp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n99n8z2r9nlvdbxwqgwjntb0zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz2b60khn9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692slazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnrd4bp7mlqyvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9yrcrk7cbmdnph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz24hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-macos-sierra-login-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-interactive-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-14-04-interactive-testnixinfo

```
./testscript: runtest::10 testnixinfo
./testscript: testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-debian-9-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-27-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-5-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k6f8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyaynyf0bnv9ycrk7cbmdInph8br-gcc-7.3.0
/nix/store/5mlD175albDcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng07g6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn44d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnDymw60dsx9f07jvn89z6z88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8gl4fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zyhcv5n36ya6x4j346mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvgxyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmYw1pcxv290md6dq4r74y2bhs-k-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h29w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fng0wgyan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7ccw4p6n51b72a12y5p5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdR3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jcmavp9291x0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8fircns-expand-response-params
/nix/store/mzx4y6amjn7i638c66923slazyxz619-xz-5.2.4-bin
/nix/store/qcgvnr1rYrd4xm78nfhv6szya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7Xk6d9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwdjcnmfc21p0skfjc00q0w0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alx2syrf2n0z9rix-ncre-8.42
/nix/store/xzz2anv77hx8jziza24hbhy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khn9vq55bn6i9792Inadrp2m-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlD175albDcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdR3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdR3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/jicmavp929lx0z32ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwq7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g7cisap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfav04i9ravwrdd0cwq5i8f1rncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l989kpid73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz80hmrbk4wkghp6k6f8z1crr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgyan523pfbdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2v2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwx1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9axr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykzb66mkm9vq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c669zqs1azyzxb619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkya7nyfbnv9crk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfh6vszysfndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcv5n36ya6x4j4q36m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbffyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-linux'
- host os: 'Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385 d16ff76c'
- channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-fedora-27-login-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript: testnixinfo:8 nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz80hmrbk4wkghp6k6f8z1crr-gnumake-4.2.1
/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghh0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcv5n36ya6x4j4q36m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8l989kpid73s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2v2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcxv290md6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3g7cisap1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fng0wgyan523pfbdck57fpqz-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2r19daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0z32ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yas56kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfav04i9ravwrdd0cwq5i8f1rncs-expand-response-params
/nix/store/mxz4y6amjn71638c669zqs1azyzxb619-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfh6vszysfndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwq7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9axr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbffyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykzb66mkm9vq5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yas56kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0z32ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwq7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g7cisap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfav04i9ravwrdd0cwq5i8f1rncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l989kpid73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz80hmrbk4wkghp6k6f8z1crr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgyan523pfbdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2v2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwx1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9axr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykzb66mkm9vq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c669zqs1azyzxb619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-25-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-8-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-ssh-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-ubuntu-16-04-ssh-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-27-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-gentoo-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-fedora-28-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-fedora-27-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-fedora-25-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::2 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-macos-sierra-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-27-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-alpine-3-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-8-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-gentoo-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-debian-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-debian-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-centos-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiihc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
```

```
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building /nix/store/ksk9wjy0dpp7w7d3r3bkzxlqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-fedora-25-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::6 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-8-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x117f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfhnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87qx6rlzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1c1xnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqjwnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zylhcw5n36ya6x4jg436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxjqpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fj0svzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f5xhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6d4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0ggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kqzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyf0v4i9ravrdg0cwq5i8firnc-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcvnrlr4dxm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f80gd11714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmcmy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbhy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kqzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0ggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1c1xnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxjqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f80gd11714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyf0v4i9ravrdg0cwq5i8firnc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87qx6rlzL89rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f5xhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6d4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nsmcmy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqjwnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkya7nyfhnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlr4dxm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzcz5zylhcw5n36ya6x4jg436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz24hbhy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjx3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385_d16ff76c
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
```

[top of log](#)

install-default-arch-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: 'yes'
```

```
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-testshell

```
./testscript:runtest:39 testshell
./testscript:testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-gentoo-ssh-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-fedora-26-ssh-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-macos-sierra-login-interactive-testnixenv

```
./testscript:runtest:39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/9bmxbadk3xkvy3c9ml2adjws2mch5wkd-user-environment.drv'...
created 2 symlinks in user environment
./testscript:testnixenv:17 hello
Hello, world!
./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-fedora-27-login-interactive-testnixinfo

```
./testscript:runtest:10 testnixinfo
./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-debian-9-login-testshell

```
./testscript:runtest:39 testshell
./testscript:testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-centos-6-ssh-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-login-interactive-testnixinfo

```
./testscript:runtest:10 testnixinfo
./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-ssh-testshell

```
./testscript:runtest:39 testshell
./testscript:testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-25-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::2 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-fedora-25-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::30 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::5 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-gentoo-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-fedora-28-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-macos-sierra-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6kf8fzlc-gnumake-4.2.1
/nix/store/1141f22shyfq9fa3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wxli7f43zr1qy9jb4-readline-7.0p5
/nix/store/514qkya7nyfbnv9yck7cbmdinph8br-gcc-7.3.0
/nix/store/5mlldi7y5albcd4i712lqch0q9zfdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zpz17ng87q6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
```



```
/nix/store/9z659yzzc5z5yhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjsvzyg3g7-glibc-2.27-bin
/nix/store/agh8vq5q8f5xhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wgdfvgdm4r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgyryan523pfbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3dr3r7msl7rdsqsrk50gslav1-linux-headers-4.15
/nix/store/j2clxfbrl9da1d7fcpbywgyx9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yas56kzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfav0y419ravrgd0cwg518fircs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvvnrlryrd4xm78fh6vsvzy5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40m263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfbf0vkwv006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yas56kzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml0d17y5a1bcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wgdfvgdm4r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3dr3r7msl7rdsqsrk50gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/l14f122h5fg9f9q3425cv49p8m9pb0g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfav0y419ravrgd0cwg518fircs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2l77ng87g6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fjsvzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i12aakz80mhrkb4wkghp6k6f8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgyryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vq5q8f5xhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbrl9da1d7fcpbywgyx9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqkwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw1l7f43zrl9y9jy84-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glf1f4qsv494ajy84-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4b7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40m263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkya7nyfbnv9ycrc7k6mdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlryrd4xm78fh6vsvzy5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z659yzzc5z5yhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfbf0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.32-0-virtheadened, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-fedora-28-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiiibc4pjn9y05fs5v29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3kzbxzaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-daemon-ubuntu-16-04-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::4 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle::2 [' -x /usr/lib/command-not-found ']
```

```
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-gentoo-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-macos-sierra-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-28-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-fedora-27-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::212 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-centos-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
```

```
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
Gc Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-9-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-fedora-27-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-ubuntu-18-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-25-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-arch-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgpk6k6fzlcrgnumake-4.2.1
/nix/store/1141f2hshyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92gpdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rrplqwxc8glfm4qsv494ajy8q-gnugrep-3.1
```

```
/nix/store/9xm9n09n0z92r9n1vbbxwqgwxjnf60zd-paxctl-0.9
/nix/store/9z650yczcz5zyhcn5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqpbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fj8vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f8sxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3g74isap1psq2rl30hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0gwgdvfgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdcck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9dadlwfcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmmv13n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr9dg0cwq5i8fircns-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfhv5z5afndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qv8f8g0d1174wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yc0z7wx0nwq7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00g0wswsvnd-bash-interactive-4.4-p23-dev
/nix/store/x7yblv36sr9yx9alx2r5y2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz24hbfyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vq55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/lxj4zas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch09zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0gwgdvfgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73s4fj8vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i12aa2k8bhmrbk4wghpk6k8f8z1crgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9dadlwfcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/x7yblv36sr9yx9alx2r5y2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrmd4b97m1yqyp6jhy70kxwpxwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f8sxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ckicnxxn59m8rrqrw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/qv8f8g0d1174wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqgwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khh9vq55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmmv13n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr9dg0cwq5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdcck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rpiqlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819w7aghg0w11743z1e0y91b4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g74isap1psq2rl30hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yc0z7wx0nwq7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9q97a325cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfhv5z5afndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yczcz5zyhcn5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz24hbfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00g0wswsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-ubuntu-16-04-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-arch-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-gentoo-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-28-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-16-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-18-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-fedora-28-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-fedora-28-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-arch-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkghpk6kf8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/514qhky7n7fbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glf4ms4v94ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxqgwjnf60zd-paxctl-0.9
/nix/store/9z650yczx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8lq89kpid73s4fj80vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bxd4js-gnused-4.5
/nix/store/dkh9cmxw1lpcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cqw5i8firncs-expand-response-params
/nix/store/mxz4y6amjn71638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcwnrlryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qa70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbfyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khhm9vvq5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cqw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lq89kpid73s4fj80vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wkghpk6kf8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bxd4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmxw1lpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glf4ms4v94ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khhm9vvq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qa70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7n7fbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcwnrlryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yczx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz24hbfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-linux'
- host os: 'Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): ''nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-ubuntu-12-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
- system: 'x86_64-linux'
- host os: 'Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin'
```

```
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels (vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-25-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::13 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-fedora-28-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-16-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-centos-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
- system: `"x86_64-linux"`
- host os: `Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels (vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-fedora-26-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-arch-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-gentoo-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
```

```
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::41 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-debian-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (69.40 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-18-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wkgpk6k6f8fzlc-r-gnumake-4.2.1
/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyaynyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0g9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib
/nix/store/6v88i3cklcnx5991m6grrcw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy78kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rpl1qwcx8gl4fm4qsv494y8g-gnugrep-3.1
/nix/store/9xm9n9n6z92r9n1vbbxwqxjnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8f5xhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq4r74y2bshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq572kkspdjy303k45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl90wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7wscw4p6n51b72a12y5p5j31579wk43-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslavl-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6fvmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c66923slazyxz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1r4xm78nfhv6svzya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajygflh-nix-info
/nix/store/qw8f8g0d1i7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6d9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3n3zmmcy13yhm6w6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwb0jcmddc2lppskfjc00g0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9y1x9alx2sy20029rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbfiy0wkw0066d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khn9vvq55bn6i9792lnadp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch0g9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl90wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
```



```
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20n1n6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxcn5991m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyf0v4i9ravwrdd0cw5i8f1rnrcs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnny6m60dsx9f07jvn89z6z88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjx9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnrd44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/09i12aakz88mhk4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l89kpkd73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rx1qpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbwxgwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd70y936sr9yix9a1x25yr20e9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/nkz66m8khn9vq58n6i9782lnadp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12y5p3j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wxli7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhm6w5g66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yck7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f2zhsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p4rlr2w9p9swnv215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfv6svza5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5zylhcw5n36ya6x4jg436m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hb5y0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvz1p9mhbw74iglq97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj17lqjczsb26ad53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-centos-6-login-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- system: "x86_64-linux"
- host os: "Linux 2.6.32-696.28.1.el6.x86_64"
- multi-user?: "no"
- sandbox: "no"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-debian-8-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09i12aakz88mhk4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f2zhsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wxli7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yck7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxcn5991m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrnrd44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnny6m60dsx9f07jvn89z6z88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbwxgwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zylhcw5n36ya6x4jg436m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rx1qpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8l89kpkd73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl9wggd7vgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p3j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gs1av1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjx9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94frs1xj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20n1n6h0g-gawk-4.2.1
/nix/store/ksvml3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064jbd008s74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyf0v4i9ravwrdd0cw5i8f1rnrcs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfv6svza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhm6w5g66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
```

```
/nix/store/x0y0v1v0b0s1y1x9d4x1zsy1z0z91ix-pcr-e-0.4z
/nix/store/xzz2anv77hx8jziz4hbfbh0vkwv006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny2l5h51757kcv5z3-findutils-4.6.0
/nix/store/ykz666khh9vqv55bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpm6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgdffvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0x232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fj0svzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vfmv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xrb2r19da1dfwcpbywgjx59yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6r1zl89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpn9ymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyf0v94i9rawrdg0cqv5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0ddi7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbxbwqxgwnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khh9vqv55bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcr-e-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxa3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40m263xk32f07788srg159yycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/rhwczwz7xk6dq9z2h9ycabz7w0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692slazyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcj1yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41r12w9p9swny2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332d4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlryrd4xm78nfh6vszya5fnfdflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzcz5zyhcw5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfbh0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-7-login-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.9.65-1-virtheadened, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-26-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6r1zl89rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpn9ymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbxbwqxgwnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zyhcw5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxa3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fj0svzy3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdev-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgdffvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xrb2r19da1dfwcpbywgjx59yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0x232ryl0za94rrslxj0p-attr-2.4.47
```

```
/nix/store/jz7Lnmjbyaqpcgfv6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswnp6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v4i9ravwr0gcw5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnrLrYrd4xm78fnhfv6sz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7Xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjcc00qwbwsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9a1x72sy72n029rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w99swy2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswnp6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlDi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gIgw9dgvfvgdm42r2b5lkr-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i8ckicxnn5g91m0qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7Lnmjbyaqpcgfv6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6rl2L89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz88mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8l98k9pid73s54fj8vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidy6m60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xlb2rL9gdldfwpbcywgjx9yxgmz-nurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v4i9ravwr0gcw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9a1x72sy72n029rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n022r9nlvobkxgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44b7m1yqvp6jhy78kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fshkda24fxj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n5l72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/90c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g7cisap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1l7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7Xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cymwxlpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzcg-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9yck7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/l141f22hyf9fq3q25cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w99swy2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnrLrYrd4xm78fnhfv6sz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z659yzzc5xyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjcc00qwbwsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-alpine-3-5-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzvp9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-centos-7-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzvp9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript:line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74ig14q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-fedora-28-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::16 nix-channel --update
unpacking channels...
./testscript::testnixchannel::17 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::18 hello
Hello world!
```

```
./testscript: testnixchannel:19 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-debian-8-login-testnixchannel

```
./testscript: runtest:39 testnixchannel  
./testscript: testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript: testnixchannel:23 nix-channel --update  
unpacking channels...  
created 5 symlinks in user environment  
./testscript: testnixchannel:24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10  
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...  
building '/nix/store/q264qcanqjmmh8hl76zc953awr2miy7-user-environment.drv'...  
created 38 symlinks in user environment  
./testscript: testnixchannel:25 hello  
Hello, world!  
./testscript: testnixchannel:26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-gentoo-interactive-testnixinfo

```
./testscript: runtest:10 testnixinfo  
./testscript: testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'  
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-14-04-login-interactive-testnixinfo

```
./testscript: runtest:10 testnixinfo  
./testscript: testnixinfo:4 nix-shell -p nix-info --run 'nix-info -m'  
- system: "x86_64-linux"  
- host os: "Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr"  
- multi-user?: "no"  
- sandbox: "no"  
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"  
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"  
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-centos-7-ssh-testnixinfo

```
./testscript: runtest:39 testnixinfo  
./testscript: testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'  
- system: "x86_64-linux"  
- host os: "Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"  
- multi-user?: "yes"  
- sandbox: "no"  
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"  
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"  
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"  
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-ubuntu-18-04-interactive-testnixchannel

```
./testscript: runtest:10 testnixchannel  
./testscript: testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
/etc/bash.bashrc: command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'  
/etc/bash.bashrc: command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel  
nix-channel: command not found
```

[top of log](#)

install-force-daemon-gentoo-login-interactive-testnixenv

```
./testscript: runtest:10 testnixenv  
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello  
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-arch-interactive-testshell

```
./testscript: runtest:10 testshell  
./testscript: testshell:12 nix-shell -p hello --run hello  
bash: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-ssh-testnixenv

```
./testscript: runtest:39 testnixenv  
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello  
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-ssh-testnixinfo

```
./testscript: runtest:39 testnixinfo  
./testscript: testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'  
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzqip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-centos-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::381 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-12-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::5 hello
Hello, world!
./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-8-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-18-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-arch-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
```

```
installing 'hello-2.10'
./testscript: testnixchannel::0 hello
Hello, world!
./testscript: testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-6-interactive-testshell

```
./testscript: runtest::10 testshell
./testscript: testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-macos-sierra-login-testshell

```
./testscript: runtest::39 testshell
./testscript: testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-login-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
```

```
/nix/store/09ij2aakzb8mhrkb4wkgpk6kf8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnnyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbvbwkxw9nf60zd-paxctl-0.9
/nix/store/9z650yzzc5z5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxixqpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fscxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54qgnr64gl0wgddfgvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12y5p31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rL9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/j1cmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwrDg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs3lazyzyx6i9-xz-5.2.4-bin
/nix/store/qcvnrLryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qwv8f80gd1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz6b6mkm9vva5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54qgnr64gl0wgddfgvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/j1cmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxixqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qwv8f80gd1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnnyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwrDg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/09ij2aakzb8mhrkb4wkgpk6kf8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fscxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rL9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12y5p31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbvbwkxw9nf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz6b6mkm9vva5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs3lazyzyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrLryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5z5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
```

```
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- system: "x86_64-linux"
- host os: "Linux 2.6.32-696.28.1.el6.x86_64"
- multi-user?: "no"
- sandbox: "no"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
```

```
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
```

[top of log](#)

install-force-daemon-ubuntu-18-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-gentoo-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-arch-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-fedora-28-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-debian-9-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-gentoo-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-debian-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl7zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-gentoo-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.14.65-gentoo, Gentoo, noversion`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
```

```
- nixpkgs: ` /home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-ubuntu-18-10-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcx290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdyj303kv45-stdev-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v4i9ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyzvx6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfh0vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z0p004jy6fhl-nix-info
/nix/store/qww8f9g0d1i7l4wrsj33s51hlyjw2na4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2hy9ca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alx2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfbh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path 'nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path 'nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path 'nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path 'nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path 'nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path 'nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path 'nix/store/6v881ck1cnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/qww8f9g0d1i7l4wrsj33s51hlyjw2na4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path 'nix/store/mdpvyfa0v4i9ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path 'nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path 'nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/6nqk63zypz177ng87qx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path 'nix/store/091j2aakzb8mhrkb4wghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path 'nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path 'nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path 'nix/store/9xm9n09n0z92r9nlvbbxwqxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/xd7yblv36sr9yix9alx2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path 'nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path 'nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path 'nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path 'nix/store/i7vcsu4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path 'nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path 'nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path 'nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/rhzcwaz7xk6dq9z2hy9ca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path 'nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/dkh9cmwx1pcx290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path 'nix/store/mzx4y6amjn7i638c6692qs1azyzvx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path 'nix/store/5l4qhkyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path 'nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path 'nix/store/qga70q7m5332d4gab8z0p004jy6fhl-nix-info' from 'https://cache.nixos.org'...
copying path 'nix/store/qcvnrlryrd4xm78nfh0vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/9z650yzzc5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/xzz2anv77hx8jziz4hbfbh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/fjxk3k59n102sq572kspdyj303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path 'nix/store/xadwbdjcnmdc21ppskfj00g0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (root): ""nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-default-unless-selinux-debian-8-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcx290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdyj303kv45-stdev-linux
```

```
/nix/store/h2f9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvml3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr9g0cwq518firncs-expand-response-params
/nix/store/mxz4y6amj7i638c6692qs1azyyx6i9-xz-5.2.4-bin
/nix/store/qcwnvrlryrd4xm78nfh6vszys5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc49y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swmy215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvml3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/h2f9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n0n0e292r9nlvbbxwqwjnf60z-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhk4wkgpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87gx6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr9g0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxw12xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg9k9pid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidymm60ds9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i1c1kxnn59l8m0qrrgw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amj7i638c6692qs1azyyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1q1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc49y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rx1qqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc71sqp1lpsq2r138hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0xli7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky27nyfhnv9yrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cymwx1pcxv290md6dq474yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/l141f22hsyfy9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qcwnvrlryrd4xm78nfh6vszys5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41r12w9p9swmy215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4j4q36m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n10zsq572kkspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-alpine-3-5-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-interactive-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-debian-7-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::8 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::9 hello
Hello, world!
./testscript:testnixenv::10 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-25-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::2 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

(use '--show-trace' to show detailed location information)

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-14-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-ubuntu-17-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-macos-sierra-login-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/ijaaz4krzakv5dplx9ijklh5df6743-hello-2.10
copying path '/nix/store/ijaaz4krzakv5dplx9ijklh5df6743-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/7gsk31lnhqqykrz5smxybw3ccinhd9n9-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-gentoo-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::-2 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle::2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8bmrkb4wkgphk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb0g0-diffutils-3.6
/nix/store/3bn0819v7aghw0w1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyaynyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881cklcnx59lmg8rqrw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlqyvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glf4m4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z659y2czx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8l989kpid73s4fj0svzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74zyzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq5572kkspdjy303kv45-stenv-linux
/nix/store/h2f9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wgddfvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n5l72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9kl7g3dr3r7ms17rdsqsrk58gslavl-linux-headers-4.15
/nix/store/j2c1xfb2rl9da1dfwcp0ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaapcgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwrddg0cwg5i8fircns-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1r4xm78fnh6vsvz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajygflh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc49y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jz1z4hb7y0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz666khhm9vqv55bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wgddfvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3dr3r7ms17rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881cklcnx59lmg8rqrw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaapcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l989kpid73s4fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8bmrkb4wkgphk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khhm9vqv55bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlqyvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9da1dfwcp0ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwrddg0cwg5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/h2f9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/sc49y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n5l72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glf4m4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74zyzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0w1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9f3425cv49p8m9pb0g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajygflh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1r4xm78fnh6vsvz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z659y2czx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jz1z4hb7y0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjk3k59n102sq5572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
- multi-user?: "yes"
- sandbox: "no"
version: "nix-env (Nix) 2.10rc6385.4166f76c"
```

```
- version: nix-env (nix) 2.1pre6385_d16ff76c
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-27-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-27-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::10 nix-channel --update
unpacking channels...
./testscript::testnixchannel::11 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::12 hello
Hello, world!
./testscript::testnixchannel::13 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-debian-9-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: `x86_64-linux`
- host os: `Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-26-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-debian-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-arch-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-centos-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-alpine-3-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-17-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-macos-sierra-login-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (131.08 MiB download, 703.61 MiB unpacked):
/nix/store/04bnzqnvqvxrhly898ys6jhbv7r77z8-compiler-rt-5.0.2
/nix/store/14k27l19psmi201brzm3yhiLm7nq0fcf-bzip2-1.0.6.0.1
/nix/store/19xwrnwvdxh278wd2hzf04fhd619fqv-clang-5.0.2
/nix/store/1vrn6x735av17sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info
/nix/store/2571v4g663w2490rzm1q1qzrj1qjw5-clang-5.0.2-lib
/nix/store/2k48k9b7mkrcys444r9la48ly12di3mx-ctools-port-895
/nix/store/365x532d88l13zyi84qlwmh00lnr749-gnugrep-3.1
/nix/store/39mw7i8qjmv94pqlx62znmkxwlg17p-adv_cmds-osx-10.5.8-locale
/nix/store/3whkmrfl55pwi5yxz8qfp7clsl17j7l-libffi-3.2.1
/nix/store/59rrgildqwf88nrwkf0xp3glc46akf8k-Libsystem-osx-10.11.6
/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-ctools-binutils-darwin
/nix/store/6jmyb8qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev
/nix/store/7hcnb7l6kq05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin
/nix/store/7qw2hb02ychpaabvxs2yq16p1cc0iljc-clang-wrapper-5.0.2
/nix/store/7vsmbsps21kl7mvp305ac13qzsh5bmk-gnutar-1.30
/nix/store/8jwl96k4va9bvc18ds2rgjq2073gbij-bash-interactive-4.4-p23
/nix/store/9a762m9ld7f6z0x5d47lvnn2nd0f2xw-gettext-0.19.8.1
/nix/store/agyf6aqhvqszyjn4ad4b47rx008c1039k-ed-1.14.2
/nix/store/bc6vyvbmwvvpk1bfk0dgpw3i192phlp3-libc+abi-5.0.2
/nix/store/c8z9hdriqbm6cxcldkwpq3ivdbifz4-readline-7.0p5
/nix/store/cwgp49bjfc9hgm63kcj3i2qy1qql1s-ncurses-6.1
/nix/store/cwx44shnhrjigh3g6zplln4wdnm8agh-binutils-2.30
/nix/store/d3w7zyl2wdb14ajilypfmm454d29c4pn-gzip-1.9
/nix/store/f0ymknfjldn3lsmxcm3wrla2dp6bqi-q-libc++-5.0.2
/nix/store/fjilysyz08s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev
/nix/store/fsdi16i3g3lfpqmdvb22gbf9fm3pjr35-ctools-binutils-darwin-wrapper
/nix/store/g309ikgbr76zcn4809sww0j89qqlqyz-nix-info
/nix/store/gvxxqbcxrvhl55cy2wf8m89hfrg8qgw-findutils-4.6.0
/nix/store/hyrf63yjfca6qlwp3dfc5y4xvshal-expand-response-params
/nix/store/ilj27ynsq0b965qrm1976m28h2sy1g6-patch-2.7.6
/nix/store/jyslglidy52pv6rs2y4l04qszbwxjfh8y-libiconv-osx-10.11.6
/nix/store/kdnhvzavik62vf5cshyz2233x4pa136-gnused-4.5
/nix/store/kh9sj73nffqfkb1kn6fvbqnm5prg698-xz-5.2.4-bin
/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn2y3fzv-ICU-osx-10.10.5
/nix/store/la4az1fd63wq795jl6s1ym0044pxry6-bash-interactive-4.4-p23-doc
/nix/store/p0cdc7rzfla69k013vnf4av7a6xcnngp-llvm-5.0.2-lib
/nix/store/psry9nab69wi27zixgy4z1h7pcn1qx-zlib-1.2.11
/nix/store/ps843bnp833hjsb5yxyrrazn0spkd-gawk-4.2.1
/nix/store/qmxyi0v65y3k8xfwjcxd4gsk39g1fi-bash-interactive-4.4-p23-man
/nix/store/qxpvlfw29qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2
/nix/store/r765b4lxndy8ymqlq0b98cbgycpska4-DarwinTools-1
/nix/store/r7v5bdfdximacxj26xij8vr0n4yh03b-stdev-darwin
/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnspr3qxs-coreutils-8.29
/nix/store/rq2524vqncw9m9kljaq53lslg14cws-diffutils-3.6
/nix/store/vsqzq5h8fsywjw95h64azqpw49cswc9-CF-osx-10.10.5
/nix/store/yLmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1
/nix/store/z0x9h91vvbavfgn48ybaz0vi9scxn2i-pcre-8.42
/nix/store/z4k8fk58pw5lpm1bi1lj1mpji0v033-xz-5.2.4
/nix/store/zbhk0jhc9y8hmbcax9nvd6bik3rgsary-bash-4.4-p23
copying path '/nix/store/la4az1fd63wq795jl6s1ym0044pxry6-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/1vrn6x735av17sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ps843bnp833hjsb5yxyrrazn0spkd-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qmxyi0v65y3k8xfwjcxd4gsk39g1fi-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/59rrgildqwf88nrwkf0xp3glc46akf8k-Libsystem-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/39mw7i8qjmv94pqlx62znmkxwlg17p-adv_cmds-osx-10.5.8-locale' from 'https://cache.nixos.org'...
copying path '/nix/store/14k27l19psmi201brzm3yhiLm7nq0fcf-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/hyrf63yjfca6qlwp3dfc5y4xvshal-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ps843bnp833hjsb5yxyrrazn0spkd-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/yLmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/kdnhvzavik62vf5cshyz2233x4pa136-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/bc6vyvbmwvvpk1bfk0dgpw3i192phlp3-libc+abi-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/3whkmrfl55pwi5yxz8qfp7clsl17j7l-libffi-3.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/jyslglidy52pv6rs2y4l04qszbwxjfh8y-libiconv-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/cwgp49bjfc9hgm63kcj3i2qy1qql1s-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/z0x9h91vvbavfgn48ybaz0vi9scxn2i-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/z4k8fk58pw5lpm1bi1lj1mpji0v033-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/psry9nab69wi27zixgy4z1h7pcn1qx-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/7hcnb7l6kq05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/agyf6aqhvqszyjn4ad4b47rx008c1039k-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/d3w7zyl2wdb14ajilypfmm454d29c4pn-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/f0ymknfjldn3lsmxcm3wrla2dp6bqi-q-libc++-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/kh9sj73nffqfkb1kn6fvbqnm5prg698-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/cwx44shnhrjigh3g6zplln4wdnm8agh-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/ilj27ynsq0b965qrm1976m28h2sy1g6-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/365x532d88l13zyi84qlwmh00lnr749-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn2y3fzv-ICU-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/04bnzqnvqvxrhly898ys6jhbv7r77z8-compiler-rt-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/2k48k9b7mkrcys444r9la48ly12di3mx-ctools-port-895' from 'https://cache.nixos.org'...
copying path '/nix/store/9a762m9ld7f6z0x5d47lvnn2nd0f2xw-gettext-0.19.8.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qxpvlfw29qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2' from 'https://cache.nixos.org'...
copying path '/nix/store/2571v4g663w2490rzm1q1qzrj1qjw5-clang-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/p0cdc7rzfla69k013vnf4av7a6xcnngp-llvm-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnspr3qxs-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/6jmyb8qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/rq2524vqncw9m9kljaq53lslg14cws-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/gvxxqbcxrvhl55cy2wf8m89hfrg8qgw-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/vsqzq5h8fsywjw95h64azqpw49cswc9-CF-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/7vsmbsps21kl7mvp305ac13qzsh5bmk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/r765b4lxndy8ymqlq0b98cbgycpska4-DarwinTools-1' from 'https://cache.nixos.org'...
copying path '/nix/store/c8z9hdriqbm6cxcldkwpq3ivdbifz4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-ctools-binutils-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/g309ikgbr76zcn4809sww0j89qqlqyz-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/fsdi16i3g3lfpqmdvb22gbf9fm3pjr35-ctools-binutils-darwin-wrapper' from 'https://cache.nixos.org'...
copying path '/nix/store/19xwrnwvdxh278wd2hzf04fhd619fqv-clang-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7qw2hb02ychpaabvxs2yq16p1cc0iljc-clang-wrapper-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/8jwl96k4va9bvc18ds2rgjq2073gbij-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/r7v5bdfdximacxj26xij8vr0n4yh03b-stdev-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/fjilysyz08s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-darwin"
- host os: "Darwin 16.7.0, macOS 10.12.6"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-gentoo-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::36 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-5-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-17-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-gentoo-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.14.05-gentoo, Gentoo, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "'nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49'"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-centos-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:::32 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell:::36 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-28-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel:::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyx9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyx9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58ngyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel:::25 hello
Hello, world!
./testscript::testnixchannel:::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-9-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-fedora-27-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel:::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel:::0 hello
Hello, world!
./testscript::testnixchannel:::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-27-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-28-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
```

```
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmmh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-28-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-arch-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-arch-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-fedora-27-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-alpine-3-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/00i72ak7h8mbrkhh4ukahnk6kf8fz1cc_nixmake-4.7.1
```

```
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx117f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0

/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxqwgxjnf60zd-paxctl-0.9
/nix/store/9z650yzzcz5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n10zsq572kspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9da1d4fwcp8ywgxjs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcmy3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40m263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbjcnmd2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbffh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40m263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i1z2aakz8mhkfb4wkgpk6kfb8z1cfr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9da1d4fwcp8ywgxjs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxqwgxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khn9vqv5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40m263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcmy3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12y5p5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcz5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n10zsq572kspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbffh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmd2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-linux'
- host os: 'Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385.d16ff76c'
- channels (root): ''nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-ssh-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-interactive-testnixenv

```
./testscript:runtest:10 testnixenv
./testscript:testnixenv:0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc: command not found handle:2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc: command not found handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-login-interactive-testnixchannel

```
./testscript:runtest:10 testnixchannel
./testscript:testnixchannel:14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:15 nix-channel --update
unpacking channels...
./testscript:testnixchannel:16 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript:testnixchannel:17 hello
Hello, world!
./testscript:testnixchannel:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-12-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::11 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-fedora-28-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-gentoo-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-16-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::10 nix-channel --update
unpacking channels...
./testscript::testnixchannel::11 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::12 hello
Hello, world!
./testscript::testnixchannel::13 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-16-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-debian-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
```

```
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-default-ubuntu-17-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-debian-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-debian-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-interactive-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-arch-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::3 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: `x86_64-linux`
- host os: `Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bcd86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-centos-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
GG Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnlbvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnlbvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-centos-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::-29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::-28 hello
Hello, world!
./testscript::testnixchannel::-27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz2b8mrk4k4wghpk6k6f8fzlc-r-gnumake-4.2.1
/nix/store/1141f2zhsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qkya7nyf0bv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5m1di7y5a1bcd4i712lqch09zfidkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87x6r1z189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkff-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rpl1q1wxc8glfm4qsv494ay8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzx5zyhcw5n30ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvgxyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0p0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fng0wgyan523pfbdck57fpqz-glibc-2.27-dev
/nix/store/i7csw4p6n51b72a12y5p5j31579wkd3-patch-2.7.6
/nix/store/j9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbr19daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6vmmv13n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrlygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8fircns-expand-response-params
/nix/store/mzx4y6amjn7i638c6692s3lazyxz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1r4rd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmd2l1p0skfjc00q0w0vsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alx2sy72n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbfiy0wkw006ed-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h5l7157kcv5z3-findutils-4.6.0
```

```
/nix/store/ykzb66mhm9vvq5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/Lxj4y2as56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjvj6j7qksvpm6qvrrjym2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml0d17y5abdc417121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdi3r7ms17rdsqsr58gs1avl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/hk54ggnr64glg0wgdffvgdm42z2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/jiicmavp929l8x23ryl0za94rrsLxj0p-atrr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidyymm60sxs9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq8q9kpi73s45fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydpnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88iCk1cnn59m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yxc9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0d1i7L4wsj33s5lhljwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbwbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhk4k4wghpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87q6rlzL89rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ykzb66mhm9vvq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19dad1fwcp0ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrrnd4b7m1yqv6jhy70kxpxpwwkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2y5p5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxa3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g7cisap1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692s1azyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwxlpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7x6kdq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyci3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n018f9gwgryan523pfbdc6k57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/y0p41rl2w0p9swny215h5175kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9f93425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkya7nyfbnv9ycrk7cbmd1nph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvn1ryrd4xm78nfh6vszya5fndlp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/q9a70q7m532d4gab8z004ajy06flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzcz5z2hcv5n36ya6x4j4q343mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k5n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppsckfj00g0w0svsynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: `x86_64-linux`
- host os: `Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)`
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385 d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzvp9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv:17 hello
Hello, world!
./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-fedora-26-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-alpine-3-5-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-5-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-arch-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell:12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv:4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv:5 hello
Hello, world!
./testscript:testnixenv:6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-17-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-gentoo-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-ubuntu-14-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::5 hello
Hello, world!
./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-27-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-32 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixenv::-31 hello
Hello, world!
./testscript::testnixenv::-30 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-8-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-6-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-208 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::9 hello
Hello, world!
./testscript::testnixenv::10 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5md17y5albcd4i712lqch0qz9fhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v8b1ck1cxn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbn4d4bp7mlyqvp6jy70kwxpwkff-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c809y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzycz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh88vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4yjn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wgdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12yp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk50savl1-linux-headers-4.15
/nix/store/j2clxfb2r9daldfwcp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94r9sxlj0p-attr-2.4.4
```

```
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fvj6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9rawrwdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin
/nix/store/qcvvnrlyrd4xm78nhfvosz5afndfpl-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zpp004jygf6flh-nix-info
/nix/store/qvw8f8g0dl17l4w5j33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2hyca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2yr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfiyhvkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vvq5bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fvj6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0ggdfvgdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/19k17q3dr3r7msl7rdsqsk58gsavl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/j1cmavp929lx0232ryl0za94rrs1xj9p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v8b1cklcnm59lmbqrrqw0lrlr27a-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaa0p8rxlqapbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0dl17l4w5j33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2hyca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1l4l1f22h5y9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnodymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9rawrwdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6rlz189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z8x8lq89kpi73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb89hkrb4wkgphk6k8fzlc-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgyryan523pfbdc5f7pqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg58f8sxdh24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwxlpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn90vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r9da1dfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/17vcsw4p6n51b72a12yp5j31579wkD-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n092929nlv0bbwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2yr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x1f743zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vvq5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zpp004jygf6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44b7m1yqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkyaf7nyfbnv9yck7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlyrd4xm78nhfvosz5afndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzcz5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfiyhvkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n1025qs572kspdy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-5-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript:line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2my7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-centos-7-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-macos-sierra-interactive-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.49 MiB download, 417.33 MiB unpacked):
/nix/store/09i1j2aakz8bhmrk4wkghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghh0wx1l7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albdc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnym60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yczcz5zyhcv5n36ya6x4j4q36m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg089kpid73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymw1pcxv290m6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2y5pj31579wk3-patch-2.7.6
/nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xf2rl9daldfwpc8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232rly0za94rrslxj0p-atr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jdb9085h74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvvnlrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z004ajy6fhl-nix-info'
/nix/store/qw8f8g0dl17l4wjs33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbhfy0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path 'nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path 'nix/store/lxj4yza56kzsr064jdb9085h74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path 'nix/store/5mldi7y5albdc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path 'nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path 'nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path 'nix/store/jicmavp929lx0232rly0za94rrslxj0p-atr-2.4.47' from 'https://cache.nixos.org'...
copying path 'nix/store/6v88ick1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path 'nix/store/qw8f8g0dl17l4wjs33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path 'nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path 'nix/store/fai750p2q3gc7isapilpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path 'nix/store/92gpnym60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path 'nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path 'nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path 'nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path 'nix/store/ach9z9x8lg089kpid73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/09i1j2aakz8bhmrk4wkghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path 'nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path 'nix/store/dkh9cmymw1pcxv290m6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path 'nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path 'nix/store/3bn0819v7aghh0wx1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path 'nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path 'nix/store/ykz66m6khn9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path 'nix/store/qga70q7m5332d4gab8z004ajy6fhl-nix-info' from 'https://cache.nixos.org'...
copying path 'nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/5l4qhky7nyfbnv9cyrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/qcvvnlrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/9z650yczcz5zyhcv5n36ya6x4j4q36m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/xzz2anv77hx8jziz4hbhfy0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path 'nix/store/xadwbdjcnmdc21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-26-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-debian-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-12-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/944dc86il2z1pvzjp9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
```

```
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building /nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-centos-6-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-centos-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09i1z2aakzb8mhrkb4wkgphk6k8fzlc-r-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyafnyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mlD17y5a1bcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp177ng87qx6r1zL89rLxd1l-gcc-7.3.0-lib
/nix/store/6v881cklcn59g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn44b7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c980y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650y2cx5zyhcv5n36ya6x4jg436m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fng0wgyan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/19k17g3rd3r7msl7rdsqsrk58gslavl-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyzx6i9-xz-5.2.4-bin
/nix/store/qcgvnrlryrd4xm78nf6vsvzya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f80d11714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0ngw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788rrgl59rycsna-binutils-2.30
/nix/store/xadwbjdnmcd21ppskfj00g08wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-ncurses-6.1
/nix/store/xz2anv77hx8jziz4hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlD17y5a1bcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44b7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp177ng87qx6r1zL89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881cklcn59g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f80d11714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i1z2aakzb8mhrkb4wkgphk6k8fzlc-r-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788rrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/98c980y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692slazyzx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgyan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0ngw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyafnyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnrlryrd4xm78nf6vsvzya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/9z650ydzx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-fedora-25-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-27-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-centos-6-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-arch-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-debian-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-28-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-14-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-27-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/0c5ps8qr34id3knfryybi9a02y312wsw-user-environment.drv'...
created 40 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/ngzlwijqlash2jcnzslah05f36vlddcn-user-environment.drv'...
created 9 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-fedora-25-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-fedora-27-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-centos-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-32 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixenv::-31 hello
Hello, world!
./testscript::testnixenv::-30 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/mi2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/mi2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```



```
these paths will be tested (by.4w mir downloa, 41.55 mir unpacked):
/nix/store/091j2aakz8mhrkb4wkgphk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readLine-7.0p5
/nix/store/514qhkyay7nfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6r1zL89rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8rrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc55zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg089kpid73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3dr3r7ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmapv9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswnp6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0gcwq5i8fircns-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz619-xz-5.2.4-bin
/nix/store/qcwnvrlryrd4xm78nfh6vsz5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw08f8g0dl17l4wjs3355lhlywz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xad7yb1v36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiy0vkwv006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vvq5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswnp6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/Lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3dr3r7ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmapv9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6r1zL89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0dl17l4wjs3355lhlywz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0gcwq5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6r1zL89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg089kpid73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wkgphk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqgwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xad7yb1v36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readLine-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vvq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyay7nfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcwnvrlryrd4xm78nfh6vsz5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc55zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz4hbfiy0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385 d16ff76c
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
```

[top of log](#)

install-default-centos-7-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-alpine-3-8-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-centos-6-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-debian-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-18-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-25-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8bhmrbk4wkgpk6k8fz1cr-gnumake-4.2.1
/nix/store/l141f22hsyfq9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0w117f43zr1q9y9j4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbxbwqxwjnf60zd-paxctl-0.9
/nix/store/9z650yzzcz5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzy3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmxw1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isap1psq2r138hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303k45-stdevn-linux
/nix/store/h2r9w516x4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0vgddfvvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2y5p3j5179wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyzxi69-xz-5.2.4-bin
/nix/store/qcvvnr1ryrd4xm78nfh6vzsy5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw08f8g0d117l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6d9z2h9ycab0z7w0mw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmdc21ppskfjcc00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbvyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p1rl2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykzb66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0vgddfvvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0d117l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6d9z2h9ycab0z7w0mw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isap1psq2r138hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/l141f22hsyfq9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p1rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8bhmrbk4wkgpk6k8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmxw1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516x4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72al2y5p3j5179wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbxbwqxwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0w117f43zr1q9y9j4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykzb66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkya7nyfbnv9crk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnr1ryrd4xm78nfh6vzsy5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcz5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbvyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n102sq572kkspdjy303k45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc21ppskfjcc00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.13.16-100.fc25.x86_64, Fedora, 25 (Twenty Five)"
- multi-user?: no
- sandbox: no
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel:25 hello
Hello, world!
./testscript:testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-28-login-interactive-testshell

```
./testscript:runtest:10 testshell
./testscript:testshell:0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-interactive-testnixenv

```
./testscript:runtest:10 testnixenv
./testscript:testnixenv:-208 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-interactive-testshell

```
./testscript:runtest:10 testshell
./testscript:testshell:0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-fedora-28-ssh-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-centos-6-interactive-testnixenv

```
./testscript:runtest:10 testnixenv
./testscript:testnixenv:-32 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-fedora-25-login-interactive-testnixenv

```
./testscript:runtest:10 testnixenv
./testscript:testnixenv:-37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-centos-6-login-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
created 5 symlinks in user environment
./testscript:testnixchannel:24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel:25 hello
Hello, world!
./testscript:testnixchannel:26 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-26-interactive-testnixinfo

```
./testscript:runtest:10 testnixinfo
./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

(use '--show-trace' to show detailed location information)

[top of log](#)

install-default-alpine-3-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-26-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-centos-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-32 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-macos-sierra-login-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (131.08 MiB download, 703.61 MiB unpacked):
/nix/store/04bnzqng1vgxrhly898ys6jhbv7r7z8-compiler-rt-5.0.2
/nix/store/14k27l19psmi201brzm3yhi1m7nq0fcf-bzip2-1.0.6.0.1
/nix/store/19xwrmwdbx278wd2hzf0f4fd619fqv-clang-5.0.2
/nix/store/lvrn6x735av17sq6wfw5h505lb4666j7-bash-interactive-4.4-p23-info
/nix/store/2571v4q6663w2490rzmlqi4qzrjlqijw5-clang-5.0.2-lib
/nix/store/2kd8k0h7mkrwc444r9la481ly12di3mx-cctools-port-895
/nix/store/365x532d881j3zyi84qlwmm0nlnr749-gnugrep-3.1
/nix/store/39mw7i8qjmv94pqlx62znmkxw1ga17p-adv_cmds-osx-10.5.8-locale
/nix/store/3whkmrfl5pwi5yxz8qfp7clsl17l-libffi-3.2.1
/nix/store/59r9rg1dqwf88nrkff0xp3glc46akf8k-Libsystem-osx-10.11.6
/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-cctools-binutils-darwin
/nix/store/6jmyb8qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev
/nix/store/7hcnb7lk6q05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin
/nix/store/7qw2hb02ychpaabvxs2yq16p1cc0iljc-clang-wrapper-5.0.2
/nix/store/7vsmbsps21kl7mvp305aql3qzsh5bmk-gnutar-1.30
/nix/store/8jwl96k4va9bvc18ds2rgjpp2073gbi-jbash-interactive-4.4-p23
/nix/store/9a762m9ld7f6z0x5d47lvnnw2nd0f2xw-gettext-0.19.8.1
/nix/store/agyf6aghwqszyjn4ad047rx008c1039k-ed-1.14.2
/nix/store/bc6ywbmwwpk1bfk0dppw31192phlp3-libc++abi-5.0.2
/nix/store/c8zq8hdriqbm6cxcldwkqpc31vdbifz4-readline-7.0p5
/nix/store/cwqp49bjf9hjm663k3j3i2qyiq1syl-ncurses-6.1
/nix/store/cwx4dshnhrjigh3g6zplln4wddm8agh-binutils-2.30
/nix/store/d3w71z2wdb14ajilyfmm454d29c4pn-gzip-1.9
/nix/store/f0ymknfjldn3lsmxc3wrla2dp6bqi-libc++-5.0.2
/nix/store/fj1lysy089v1lbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev
/nix/store/fsdi16i3g3lfpqmdvb2gfb9fmd3pr35-cctools-binutils-darwin-wrapper
/nix/store/g309i.kqb76z2n44809swx0j89qqlygz-nix-info
/nix/store/gvxxgcbxr7h155cy2wf8m89hfrg8qw-findutils-4.6.0
/nix/store/hyrf63y3fcay6qlwp3dfc5y4xvshal-expand-response-params
/nix/store/ilj27ynsq0b965qrlm976mz8h2sy1g6-patch-2.7.6
/nix/store/jsy1gl52pv6rs2y4l04qszbwxfjh8y-libiconv-osx-10.11.6
/nix/store/kdnhuzav1kr62uf5rhz7733x4na136-nvme-d-4.5
```

```
/nix/store/...  
/nix/store/kh9sj73nffqfkb1kn6fvvbnqwm5prg698-xz-5.2.4-bin  
/nix/store/kv4021pbn0xrb0pm7v9kpxjvgnudy3fxv-ICU-osx-10.10.5  
/nix/store/La4az1fd63wq795jl6symbL0044pxry6-bash-interactive-4.4-p23-doc  
/nix/store/p0cdc7rzf1a69k013vnf4av7a6xcscngp-llvm-5.0.2-lib  
/nix/store/psry9nab69pwi27izxgy41zh7pcnqix-zlib-1.2.11  
/nix/store/ps843nbpn833hjsbgyxsrzazn0spkd-gawk-4.2.1  
/nix/store/qmxyi0v65y3k8xf8jcdx4gsk39gijfi-bash-interactive-4.4-p23-man  
/nix/store/qxplfwz9qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2  
/nix/store/r765bx4lndy8ymwlg0b098cbgycpska4-DarwinTools-1  
/nix/store/r7v5bdfdxgimakkxj26xij0vrr0n4yh03b-stenv-darwin  
/nix/store/rm5hs2mg6rw6p1j2f5a1y4jnspr3qxs-coreutils-8.29  
/nix/store/rq2524vqncw0m9klja953llsqi4lcvw-diffutils-3.6  
/nix/store/vsgz05h8fsywjw95h64azqpw4q9cswc9-CF-osx-10.10.5  
/nix/store/ylmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1  
/nix/store/z0x9h91vvbavfgn4ybaz0vi9scxzn2i-pcre-8.42  
/nix/store/z4k8fk58pw5lpm1bib1jklmpji0v033-xz-5.2.4  
/nix/store/zbhk0jhc9y8hmbcax9vnddbik3rgsary-bash-4.4-p23  
copying path '/nix/store/La4az1fd63wq795jl6symbL0044pxry6-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...  
copying path '/nix/store/lvrn0x735av7l5q6mwf5h50slb4666j7-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...  
copying path '/nix/store/qmxyi0v65y3k8xf8jcdx4gsk39gijfi-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...  
copying path '/nix/store/59rgilqdfw88nwrkF0px3glc46akf8k-Libsystem-osx-10.11.6' from 'https://cache.nixos.org'...  
copying path '/nix/store/39mw718qjmv948wqLx62zmmkxw1ga17p-adv_cmds-osx-10.5.8-locale' from 'https://cache.nixos.org'...  
copying path '/nix/store/zbhk0jhc9y8hmbcax9vnddbik3rgsary-bash-4.4-p23' from 'https://cache.nixos.org'...  
copying path '/nix/store/14k271l9psml201brz3m3yhihm/nq0cfc-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/ps843nbpn833hjsbgyxsrzazn0spkd-gawk-4.2.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/hyryxf63yjfcayqglwp3dfc5y4xvshla-expand-response-params' from 'https://cache.nixos.org'...  
copying path '/nix/store/ylmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/kdnhvzavick62vf5cshyz223x4pai36-gnused-4.5' from 'https://cache.nixos.org'...  
copying path '/nix/store/bc6yvmwmmvqk1bfk0dgpw31192hlp3-libc+abi-5.0.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/3whkmrfl55pwi5yxx2afp7cl5l7j7l-libffi-3.2.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/j5yglldy52pbrs2y4l04qs2bxwjfh8y-libiconv-osx-10.11.6' from 'https://cache.nixos.org'...  
copying path '/nix/store/cwgp49bJf9hjm63kci3j2qiyq1l5yl-ncurses-6.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/z0x9h91vvbavfgn4ybaz0vi9scxzn2i-pcre-8.42' from 'https://cache.nixos.org'...  
copying path '/nix/store/z4k8fk58pw5lpm1bib1jklmpji0v033-xz-5.2.4' from 'https://cache.nixos.org'...  
copying path '/nix/store/psry9nab69pwi27izxgy41zh7pcnqix-zlib-1.2.11' from 'https://cache.nixos.org'...  
copying path '/nix/store/7hcnb7l6k05zyq5g2x9yac89nk46yv8-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...  
copying path '/nix/store/avf6aqhvaszyjnad4b7rx008c1039k-ed-1.14.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/d3w7zyl2wdb14ajilyfpm454d29c4pn-gzip-1.9' from 'https://cache.nixos.org'...  
copying path '/nix/store/cwx4dshnbrjigh3g6zplln4wdm8agh-binutils-2.30' from 'https://cache.nixos.org'...  
copying path '/nix/store/kh9sj73nffqfkb1kn6fvvbnqwm5prg698-xz-5.2.4-bin' from 'https://cache.nixos.org'...  
copying path '/nix/store/f0ymknfjldn3lsmxcn3wclra2dp0bqig-libc++-5.0.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/1lj27ynsxo0965qrlm976m28z2sylv6-patch-2.7.6' from 'https://cache.nixos.org'...  
copying path '/nix/store/365x532s88l3zyi84qlwmh0nlnr749-gnugrep-3.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/kv4021pbn0xrb0pm7v9kpxjvgnudy3fxv-ICU-osx-10.10.5' from 'https://cache.nixos.org'...  
copying path '/nix/store/2kd8k0h7mkrwc444r9la48liyl2di3mk-ctools-port-895' from 'https://cache.nixos.org'...  
copying path '/nix/store/257lv4g66w2490zrln1q4qrzjlqjw5-clang-5.0.2-lib' from 'https://cache.nixos.org'...  
copying path '/nix/store/04bnzqniqvgxrhlf898y56jhvb7r7z8-compiler-rt-5.0.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/9a762m9ld7f6z0x5d47lvnn2nd0f2xw-gettext-0.19.8.1' from 'https://cache.nixos.org'...  
copying path '/nix/store/qxplfwz9qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/p0cdc7rzf1a69k013vnf4av7a6xcscngp-llvm-5.0.2-lib' from 'https://cache.nixos.org'...  
copying path '/nix/store/rm5hs2mg6rw6p1j2f5a1y4jnspr3qxs-coreutils-8.29' from 'https://cache.nixos.org'...  
copying path '/nix/store/6jmyb0qzj77pnpflz3k95zfhxd6v1l-compiler-rt-5.0.2-dev' from 'https://cache.nixos.org'...  
copying path '/nix/store/vsgz05h8fsywjw95h64azqpw4q9cswc9-CF-osx-10.10.5' from 'https://cache.nixos.org'...  
copying path '/nix/store/rq2524vqncw0m9klja953llsqi4lcvw-diffutils-3.6' from 'https://cache.nixos.org'...  
copying path '/nix/store/gvxxgcbxrvh155cy2f8m89hfrg8qgw-findutils-4.6.0' from 'https://cache.nixos.org'...  
copying path '/nix/store/r765bx4lndy8ymwlg0b098cbgycpska4-DarwinTools-1' from 'https://cache.nixos.org'...  
copying path '/nix/store/c8z9hdirqbm6cxcldwqkq3ivdbifz4-readline-7.0p5' from 'https://cache.nixos.org'...  
copying path '/nix/store/g309i1kgrb7zcn4809sww0j89qqlyqz-nix-info' from 'https://cache.nixos.org'...  
copying path '/nix/store/5im29qx9rni3w8l3j8i2r22s2s5kxv-ctools-binutils-darwin' from 'https://cache.nixos.org'...  
copying path '/nix/store/7vsmbsp21kl7mvp9305acl3qzsh5bmk-gnutar-1.30' from 'https://cache.nixos.org'...  
copying path '/nix/store/fsd1l6i3gl3fpmqdvb2g6f9fm3pjr35-ctools-binutils-darwin-wrapper' from 'https://cache.nixos.org'...  
copying path '/nix/store/19xwrnwmdhx27wd2hf0f4hd619fq-clang-5.0.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/7qw2h02ychaabvxs2yq16lpc0i1j-c-lang-wrapper-5.0.2' from 'https://cache.nixos.org'...  
copying path '/nix/store/8jwl96k4va9bvc18ds2rglqq2073gbij-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...  
copying path '/nix/store/r7v5bdfdxgimakkxj26xij0vrr0n4yh03b-stenv-darwin' from 'https://cache.nixos.org'...  
copying path '/nix/store/fjilyzy08s9vl1bdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...  
- system: 'x86_64-darwin'  
- host os: 'Darwin 16.7.0, macOS 10.12.6'  
- multi-user?: 'yes'  
- sandbox: 'no'  
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'  
- channels (root): ''nixpkgs-18.09pre150352.7c826371c49''  
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-debian-7-login-testnixchannel

```
./testscript:runtest::39 testnixchannel  
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript:testnixchannel::23 nix-channel --update  
unpacking channels...  
created 5 symlinks in user environment  
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10  
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...  
building '/nix/store/q264qcanqjrmh81h76zc953awr2mzy7-user-environment.drv'...  
created 38 symlinks in user environment  
./testscript:testnixchannel::25 hello  
Hello, world!  
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-ssh-testnixenv

```
./testscript:runtest::39 testnixenv  
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello  
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-debian-9-interactive-testnixenv

```
./testscript:runtest::10 testnixenv  
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello  
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel  
./testscript:testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript:testnixchannel::10 nix-channel --update
```

```
unpacking channels...
./testscript: testnixchannel::11 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript: testnixchannel::12 hello
Hello, world!
./testscript: testnixchannel::13 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-5-ssh-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-gentoo-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-ssh-testshell

```
./testscript: runtest::39 testshell
./testscript: testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-fedora-26-interactive-testshell

```
./testscript: runtest::10 testshell
./testscript: testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-27-interactive-testnixenv

```
./testscript: runtest::10 testnixenv
./testscript: testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-interactive-testnixenv

```
./testscript: runtest::10 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-interactive-testshell

```
./testscript: runtest::10 testshell
./testscript: testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-interactive-testnixenv

```
./testscript: runtest::10 testnixenv
./testscript: testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-fedora-27-ssh-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-gentoo-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-debian-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-gentoo-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-gentoo-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-fedora-26-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-alpine-3-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-27-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-14-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-27-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-25-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::-36 hello
Hello, world!
./testscript::testnixenv::-35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-centos-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-gentoo-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-36 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-debian-9-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-arch-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-ubuntu-18-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-18-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-debian-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-fedora-26-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-27-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-fedora-25-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-debian-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
```

```
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
```

```
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8bmrk4wkghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkyaynfybnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87qx6r1zL89rLxd1l-gcc-7.3.0-lib
/nix/store/6v88icklcnm59lmgrraw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn44b7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c88099rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwgqxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f5xhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wgddfvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12yssp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9dadlfcwp8ywgjx9yqxmz-ncurses-6.1
/nix/store/jicmavp929lx0z23ryl0za94r4rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kz9s064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qvw8f8g0dli174wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9y1x9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfyh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9smv215h517157kcv5z3-findutils-4.6.0
/nix/store/ykz2b66khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kz9s064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wgddfvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0z23ryl0za94r4rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88icklcnm59lmgrraw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0dli174wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9smv215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6r1zL89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8bmrk4wkghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f5xhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9dadlfcwp8ywgjx9yqxmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12yssp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwgqxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9y1x9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c88099rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz2b66khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44b7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynfybnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.13.16-100.fc25.x86_64, Fedora, 25 (Twenty Five)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-centos-7-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86112z1pvzip9mbw74ig1q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
```

```
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'  
building '/nix/store/bj717qczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...  
created 6 symlinks in user environment
```

[top of log](#)

install-default-fedora-26-ssh-testnixenv

```
./testscript::runtest::39 testnixenv  
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello  
installing 'hello-2.10'  
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory  
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-interactive-testshell

```
./testscript::runtest::10 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
bash: nix-shell: command not found
```

[top of log](#)

install-default-arch-login-testnixenv

```
./testscript::runtest::39 testnixenv  
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello  
installing 'hello-2.10'  
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...  
created 2 symlinks in user environment  
./testscript::testnixenv::17 hello  
Hello, world!  
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'  
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxyzakldzq6q-user-environment.drv'...  
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-arch-ssh-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-login-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10  
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...  
Hello, world!
```

[top of log](#)

install-default-fedora-27-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel  
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::0 nix-channel --update  
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-macos-sierra-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo  
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'  
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel  
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::23 nix-channel --update  
unpacking channels...  
created 5 symlinks in user environment  
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10  
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...  
building '/nix/store/q264qcanqjrmh8hl76zc953awr2mly7-user-environment.drv'...  
created 38 symlinks in user environment  
./testscript::testnixchannel::25 hello  
Hello, world!  
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-28-ssh-testnixenv

```
./testscript::runtest::39 testnixenv  
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello  
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-16-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::3 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::4 hello
Hello, world!
./testscript::testnixenv::5 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-26-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-ubuntu-17-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::2 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
```

```
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-fedora-26-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-centos-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- system: "x86_64-linux"
- host os: "Linux 2.6.32-696.28.1.el6.x86_64"
- multi-user?: "no"
- sandbox: "no"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: nix-env (Nix) 2.1pre6385_d16ff76c
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e095d1e_nixpkgs-18.09pre150352.7c826371c49"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzjp9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-alpine-3-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-arch-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-debian-9-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjmrh8hl7zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-centos-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8hmhkrk4wkgphk6k8fzlcrgnumake-4.2.1'
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wxli7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp217ng87qx6rlz189lxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8grqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650ycz5z5zyhcx5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg089kpi073ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f8sxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmywx1pcxv290m6dq474y2zhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102qs572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/19k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v419ravrdg0cw5i8f1rnrcs-expand-response-params
/nix/store/mzx4y6amjnr7i638c6692qslazyxz619-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nf8v6sva5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z0p004ajy6flh-nix-info
/nix/store/qww8f8g0dl17l4w5j33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiyh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcc4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/19k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxnn5g91m8grqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qww8f8g0dl17l4w5j33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v419ravrdg0cw5i8f1rnrcs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp217ng87qx6rlz189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg089kpi073ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8hmhkrk4wkgphk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f8sxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmywx1pcxv290m6dq474y2zhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wxli7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332d4gab8z0p004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjnr7i638c6692qslazyxz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1ryrd4xm78nf8v6sva5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650ycz5z5zyhcx5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz4hbfiyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102qs572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- system: 'x86_64-linux'
- host os: 'Linux 2.6.32-696.28.1.el6.x86_64'
- multi-user?: 'no'
- sandbox: 'no'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: 'nix-env (Nix) 2.1pre6385.d16f76c'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-debian-8-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-16-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-5-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::11 nix-channel --update
unpacking channels...
./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::13 hello
Hello, world!
./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-centos-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-arch-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```



```
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-17-10-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09i1j2aakzb8mhk4b4wkghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/514qhkyay7nfbv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqxjnf60zd-paxctl-0.9
/nix/store/9z650yczcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fj0vzvyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hs281-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvqdm42r2bslkv-glibc-2.27-dev
/nix/store/i4n918fnq0wgyryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vnmv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v4i9ravwrddgcwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs5lazyz6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfhvsv5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z0p04ajyg6flh-nix-info
/nix/store/qw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw0swsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yb1v36sr9yx9alx2r2y2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvqdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fj0vzvyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i1j2aakzb8mhk4b4wkghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v4i9ravwrddgcwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbrl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vnmv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yb1v36sr9yx9alx2r2y2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgyryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs5lazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hs281-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyay7nfbv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhvsv5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yczcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw0swsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
- host os: 'Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): ""nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::17 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-centos-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
building '/nix/store/944dc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
building '/nix/store/bj17qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-debian-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-debian-9-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-28-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-arch-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-28-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-16-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/xi4mi4bc4p9n9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxakldzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i6l3ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i6l3ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-fedora-25-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-fedora-26-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::36 hello
Hello, world!
./testscript::testnixenv::35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-26-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09i1j2aakz8mhk4bkwgpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfy9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwgxjvnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg08kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwx1pcxv290mddq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc71asqplpsq2rl38hs81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k39n102sq5572kkspdjy303kv45-stdevm-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvqdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gsavl1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgj5y9xgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94r9rs1xj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs3lazyz619-xz-5.2.4-bin
/nix/store/qcvvnr1ryrd4xm78fnh3vz5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw8f8g0d1i7l4wsj33s5lhlywz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dqz2h9ycabz7w0hwg7c-coreutils-8.29
/nix/store/sc49y5a3nszmmcyi3ymmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00g0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbhfvkww006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path 'nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path 'nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path 'nix/store/hx54ggnr64gl0wgddfvqdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path 'nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path 'nix/store/i9k17g3rdr3r7msl7rdsqsrk58gsavl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path 'nix/store/jicmavp929lx0232ryl0za94r9rs1xj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path 'nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path 'nix/store/mdpwyfa0v419ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path 'nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/6nqk63zypz177ng87gx6rlz189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path 'nix/store/ach9z9x8lg08kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/09i1j2aakz8mhk4bkwgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path 'nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path 'nix/store/9xm9n09n0z92r9n1vbbxwgxjvnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path 'nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path 'nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path 'nix/store/j2clxfb2rl9daldfwcp8ywgj5y9xgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path 'nix/store/qw8f8g0d1i7l4wsj33s5lhlywz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path 'nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path 'nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path 'nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path 'nix/store/sc49y5a3nszmmcyi3ymmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/dkh9cmwx1pcxv290mddq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path 'nix/store/fai750p2q3gc71asqplpsq2rl38hs81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/mzx4y6amjn7i638c6692qs3lazyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path 'nix/store/3bn0819v7aghw0x1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path 'nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/1141f22hsyfy9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path 'nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path 'nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path 'nix/store/qcvvnr1ryrd4xm78fnh3vz5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/9z650yzcz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/xzz2anv77hx8jzi24hbfbhfvkww006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/fjk3k39n102sq5572kkspdjy303kv45-stdevm-linux' from 'https://cache.nixos.org'...
copying path 'nix/store/xadwbjcnmdc2lppskfj00g0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
- host os: 'Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-14-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path 'nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
```

```
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-gentoo-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-25-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::5 hello
Hello, world!
./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-gentoo-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-fedora-27-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-arch-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion`
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-centos-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-377 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::-376 hello
Hello, world!
./testscript::testnixenv::-375 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-27-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzvp9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26ad53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::3 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::4 hello
Hello, world!
./testscript::testnixenv::5 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-interactive-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-arch-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-fedora-27-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-debian-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5v29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
```

created 0 symlinks in user environment

[top of log](#)

install-force-no-daemon-ubuntu-18-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wghpk6kf8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnrdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5z5yh5cn536ya6x4j3436mr-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmymwlpqcxv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdjy303kv45-stenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rnsc-expand-response-params
/nix/store/mx4y6amjn7i638c6692qs1azyxz6i9-xz-5.2.4-bin
/nix/store/qcvnrlyrd4xm78nfh6vsz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332r4gab8z0p004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwa7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnrdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rnsc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87gx6rlz189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wghpk6kf8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwlpqcxv290md6d474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332r4gab8z0p004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mx4y6amjn7i638c6692qs1azyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlyrd4xm78nfh6vsz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5z5yh5cn536ya6x4j3436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.1-100.fc27.x86_64, Fedora, 27 (Twenty Seven)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/9bmxbadk3xkvy3c9ml2adjws2mch5wkd-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-18-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkba4wghpk6k8fzlc-r-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1l7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn44bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnrdymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqxjnf60zd-paxctl-0.9
/nix/store/9z650y2cz5zyhcv5n36ya6x4jq436m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8lq89kpid73s54fj3s0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwylpcxv290md6dq474y2bshk-gnutar-1.30
/nix/store/fai1750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n182qs572kkspdjy303k45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfdck57fpqc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vml3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8fjrnsc-expand-response-params
/nix/store/mzx4y6amj7i638c6692qs1azyzxb6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f890d117l4wsj3s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4y9530smcmy3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcmndc21ppskfjcc080w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xz2anv77hx81zi24hbffh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnrdymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8fjrnsc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lq89kpid73s54fj3s0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f890d117l4wsj3s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkba4wghpk6k8fzlc-r-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vml3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/fai1750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfdck57fpqc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amj7i638c6692qs1azyzxb6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4y9530smcmy3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwylpcxv290md6dq474y2bshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lq89kpid73s54fj3s0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
```



```
copying path '/nix/store/qvwm1c1y04mfr0n0mvszgd7m0t0p-02h0t11s-wrapp-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbhfy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-debian-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle::2 ['x /usr/lib/command-not-found ']
/etc/bash.bashrc::command_not_found_handle::3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wkgpk6k8fzlc-ghnumake-4.2.1
/nix/store/1141f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6rlzL89Lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rpiqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n0n0z92r9nlvbbwkwgwnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z8x1g89kpiD73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq474zyzhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pbdck57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p31579wkD3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gsavl1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94frslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswp6ovrjgm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyf0v4i9ravwrDg0Cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692slazyx619-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vsvz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info
/nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9ca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc49y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbhfy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
```

```
copying path '/nix/store/ksvmi3fjv6j7qkswp6ovrjgm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gsavl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94frslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9ca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyf0v4i9ravwrDg0Cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6rlzL89Lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z8x1g89kpiD73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wkgpk6k8fzlc-ghnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pbdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq474zyzhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12y5p31579wkD3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc49y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n0n0z92r9nlvbbwkwgwnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rpiqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692slazyx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9cyrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vsvz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbhfy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
```

```
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `"nixpkgs-18.09pre150352.7c826371c49"`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-fedora-26-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-arch-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: `"x86_64-linux"`
- host os: `Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-debian-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: `"x86_64-linux"`
- host os: `Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-26-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-fedora-25-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-18-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
```

```
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2m1y/-user-environment.drv'...
created 38 symlinks in user environment

./testscript: testnixchannel: 25 hello
Hello, world!
./testscript: testnixchannel: 26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-7-login-interactive-testnixinfo

```
./testscript: runtest: 10 testnixinfo
./testscript: testnixinfo: 0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): ''nixos-18.03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-testnixinfo

```
./testscript: runtest: 39 testnixinfo
./testscript: testnixinfo: 8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1
/nix/store/114f122hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4dqhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/6nqk63zypz177ng87gx6r1zL89rLxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn44bp7m1yqp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glf1m4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm909n0z92r9n1vbbwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yycz5zyhcv5n36y6a64q436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8l89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm4r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgyryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgj5xyxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswnp6qvrygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jbd008h74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyx6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z0p04ajy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa27xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00gw0wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswnp6qvrygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd008h74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4dqhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm4r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwa27xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/114f122hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...

copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6r1zL89rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgyryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgj5xyxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm909n0z92r9n1vbbwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glf1m4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z0p04ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44bp7m1yqp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4dqhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yycz5zyhcv5n36y6a64q436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfjc00gw0wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: 'Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): ''nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-debian-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-fedora-26-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript::testnixchannel::11 nix-channel --update
unpacking channels...
./testscript::testnixchannel::12 nix-env -iA nixos-18.03.hello
installing 'hello-2.10'
./testscript::testnixchannel::13 hello
Hello, world!
./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-gentoo-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrk4bkwgpk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wxli7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gprdyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzcz5zyh5c5n30ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqppbaaskvghyx0akb-acl-2.2.52
/nix/store/ach9z9x8lq09kp1d073s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/asyh8vqg5q8fsvhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkn9cmxwlpccv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz8l-bzip2-1.0.6.0-1-bin
/nix/store/fjxk359n102sqs572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0gwgd4fvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgyran523pfbcdk57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvml3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rnccs-expand-response-params
/nix/store/mzx4y6amj7i638c6692qs5lazyzyx619-xz-5.2.4-bin
/nix/store/qcvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
```

```
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmdc2lppskfj00gw0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx0jzi24hbfyh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p4lr12w99swy215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz2b6mhm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qksvwpn6qrvjgm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q2fhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0ggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i1ck1cxn5991m8qrrqw0lr1r27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai175p0z3q9z1s0p1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb80g-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpn0ymmm60dsx9f07jvn8926zx889g-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfaw0y149rswrd0cwg5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p4lr12w99swy215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vymvl3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp177ng87qx6rlz189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l98kpi73ss4fjs0vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakz8mhkfb4wkgphk6kfbfz1crgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fmgwgryan523pfbdc57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f5xhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwxlpcxv290md6dq4r74yzbhs-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4dyjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xlb2r19da1dfwcp8ywgjxs9yngm-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7wscw4p65n1b7a212ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbwwxqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0w1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9p9rlq1wxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz2b6mhm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qqa707m5332d49ab8z004jy6f1h-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amj716386692gs1azyx819-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbnrd4b0m1yqv6jty70kxv0wxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfhnv9yrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/gcvvnrlryrd4xm78nfh6vszva5fndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcn5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx0jzi24hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k5n10zsq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc2lppskfj00gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.59-0-virtgsec, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-gentoo-login-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmrhm8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel:25 hello
Hello, world!
./testscript:testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-6-ssh-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-macos-sierra-interactive-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-ssh-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-arch-login-interactive-testnixinfo

```
./testscript:runtest:10 testnixinfo
./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
```

```
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-debian-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
  /nix/store/nic2bl8ry6vfyr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-gentoo-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-arch-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-ubuntu-12-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
  /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-fedora-27-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-debian-9-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-gentoo-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8b8mhrk4wkgpk6kf8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw1l7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjn60zd-paxctl-0.9
/nix/store/9z650yzzcz5zyhcnw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzy3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isap1psq2rl38hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303k4v5-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wgddfvugd42r2bskv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbck57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2y5p3j51579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rfsrxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6fvmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692slazyzx6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vz5a5fndflp-binutils-wrapper-2.30
/nix/store/qga70g7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw08f8g0d117l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwz7xk6dq9z2h9yca0z7w0mw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcvzi3ymmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnmdc21ppskfj00g8w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qrvjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wgddfvugd42r2bskv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rfsrxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0d117l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwz7xk6dq9z2h9yca0z7w0mw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isap1psq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcg6fvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73ss4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8b8mhrk4wkgpk6kf8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjx59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2y5p3j51579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcvzi3ymmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjn60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw1l7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70g7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692slazyzx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vz5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcz5zyhcnw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n102sq572kkspdjy303k4v5-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmdc21ppskfj00g8w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
- host os: 'Linux 4.14.65-gentoo, Gentoo, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-fedora-27-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-27-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.49 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrk4wkgpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw1x1f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnidymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcn5n36ya6x4j4q36m-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymw1pcxv290md6dq474yzbbsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk459n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbck57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p3j1579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7ms17rdsqsrk58gs1av1-linux-headers-4.15
/nix/store/j2c1xf2rl9daldfwpc8ywgjx59yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-atr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064jbd908574wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfh6vsz5a5fndfpl-binutils-wrapper-2.30
/nix/store/qqg70q7m5332d4gab8z004ajy6f1h-nix-info
/nix/store/qww8f8g0d1l7l4wjs33s5lh1ywjz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcmy13yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbhf0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path 'nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path 'nix/store/lxj4zas56kzsr064jbd908574wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path 'nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path 'nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path 'nix/store/i9k17g3rd3r7ms17rdsqsrk58gs1av1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path 'nix/store/jicmavp929lx0232ryl0za94rrslxj0p-atr-2.4.47' from 'https://cache.nixos.org'...
copying path 'nix/store/6v88ick1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/a85laxaq3p8rxiqqbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path 'nix/store/qww8f8g0d1l7l4wjs33s5lh1ywjz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path 'nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path 'nix/store/fai750p2q3gc7isapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path 'nix/store/92gpnidymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path 'nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path 'nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path 'nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/6nqk63zypz177ng87qx6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path 'nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/091j2aakzb8mhrk4wkgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/i4n918fnq0wgryan523pfbck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path 'nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path 'nix/store/dkh9cmymw1pcxv290md6dq474yzbbsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path 'nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path 'nix/store/j2c1xf2rl9daldfwpc8ywgjx59yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path 'nix/store/i7vcsu4p6n51b72a12y5p3j1579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path 'nix/store/sc4w9y5a3nszmcmy13yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path 'nix/store/3bn0819v7aghw1x1f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path 'nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path 'nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path 'nix/store/qqg70q7m5332d4gab8z004ajy6f1h-nix-info' from 'https://cache.nixos.org'...
copying path 'nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/qcvnrlryrd4xm78nfh6vsz5a5fndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/9z650yzzcx5zyhcn5n36ya6x4j4q36m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/xzz2anv77hx8jzi24hbhf0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/fjxk459n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path 'nix/store/xadwbdjcnmdc2lppskfj00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "linux 4.9.32-0-virt hardened, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
```



```
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...

created 2 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-25-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-8-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-login-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-arch-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-debian-8-ssh-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-18-10-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-arch-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-fedora-26-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-fedora-26-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
```

```
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-18-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo  
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'  
- system: "x86_64-linux"  
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"  
- multi-user?: "yes"  
- sandbox: "no"  
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"  
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"  
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"  
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo  
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'  
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-login-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo  
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'  
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv  
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello  
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-6-login-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel  
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-ssh-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-fedora-27-login-interactive-testshell

```
./testscript::runtest::10 testshell  
./testscript::testshell::0 nix-shell -p hello --run hello  
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory  
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-27-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel  
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::23 nix-channel --update  
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-ubuntu-12-04-login-interactive-testshell

```
./testscript::runtest::10 testshell  
./testscript::testshell::0 nix-shell -p hello --run hello  
Hello, world!
```

[top of log](#)

install-default-debian-9-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58ngyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-centos-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58ngyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58ngyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-debian-9-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-alpine-3-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixenv::31 hello
Hello, world!
./testscript::testnixenv::30 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-macos-sierra-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-ubuntu-14-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

./testscript: line 21: nix-shell: command not found

[top of log](#)

install-default-unless-selinux-fedora-26-login-interactive-testshell

```
./testscript:runtest:10 testshell
./testscript:testshell:0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-fedora-25-interactive-testshell

```
./testscript:runtest:10 testshell
./testscript:testshell:2 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-14-04-ssh-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-ssh-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-8-login-interactive-testnixinfo

```
./testscript:runtest:10 testnixinfo
./testscript:testnixinfo:1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-ubuntu-18-10-login-interactive-testnixenv

```
./testscript:runtest:10 testnixenv
./testscript:testnixenv:0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv:0 hello
Hello, world!
./testscript:testnixenv:0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-arch-login-testshell

```
./testscript:runtest:39 testshell
./testscript:testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-centos-7-login-interactive-testnixchannel

```
./testscript:runtest:10 testnixchannel
./testscript:testnixchannel:31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:30 nix-channel --update
unpacking channels...
./testscript:testnixchannel:29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript:testnixchannel:28 hello
Hello, world!
./testscript:testnixchannel:27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-testnixenv

```
./testscript:runtest:39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc861l2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv:17 hello
Hello, world!
./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-fedora-27-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-16-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2my7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-fedora-28-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-25-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-alpine-3-8-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.14.52-0-virt, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-ubuntu-18-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org'...
building /nix/store/mhlraq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-16-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::1 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building /nix/store/94bdc86il2z1pvzjp9mhb74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building /nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-5-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-27-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-ubuntu-12-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::3 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
```



```
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-28-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-fedora-28-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-5-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-25-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::6 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-debian-9-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::3 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-27-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-macos-sierra-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-fedora-25-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::41 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-fedora-26-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-17-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
```

```
uninstalling 'hello-2.10'  
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...  
created 0 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-testshell

```
./testscript::runtest::39 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10  
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...  
Hello, world!
```

[top of log](#)

install-force-daemon-gentoo-login-interactive-testshell

```
./testscript::runtest::10 testshell  
./testscript::testshell::12 nix-shell -p hello --run hello  
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-gentoo-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel  
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::23 nix-channel --update  
unpacking channels...  
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
./testscript::testnixchannel::25 hello  
Hello, world!  
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel  
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::16 nix-channel --update  
unpacking channels...  
./testscript::testnixchannel::17 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
./testscript::testnixchannel::18 hello  
Hello, world!  
./testscript::testnixchannel::19 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-9-ssh-testnixenv

```
./testscript::runtest::39 testnixenv  
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello  
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-interactive-testnixenv

```
./testscript::runtest::10 testnixenv  
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello  
bash: nix-env: command not found
```

[top of log](#)

install-default-arch-login-testnixchannel

```
./testscript::runtest::39 testnixchannel  
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::23 nix-channel --update  
unpacking channels...  
created 2 symlinks in user environment  
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10  
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...  
building '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.drv'...  
created 2 symlinks in user environment  
./testscript::testnixchannel::25 hello  
Hello, world!  
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel  
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03  
./testscript::testnixchannel::23 nix-channel --update  
unpacking channels...  
created 2 symlinks in user environment  
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello  
installing 'hello-2.10'  
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):  
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10  
copying path '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.drv'...  
building '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.drv'...  
created 2 symlinks in user environment  
./testscript::testnixchannel::25 hello  
Hello, world!  
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'  
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-17-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-gentoo-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-5-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-fedora-26-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-debian-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo:-5 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)`
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-ubuntu-12-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-debian-9-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::7 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-9-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2m1y7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-interactive-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/a36fmxl0cf2d1cp7jddrcihypfxipfd0-hello-2.10
copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihypfxipfd0-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: 'x86_64-linux*'
- host os: 'Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
```

```
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-gentoo-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-28-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-ubuntu-17-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/a36fmxl0cf2d1cp7jddrcihyfpfxipfd0-hello-2.10
copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpfxipfd0-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-alpine-3-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-fedora-28-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-arch-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-12-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::11 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-debian-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrmb8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-debian-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-25 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
./testscript::testnixchannel::-24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixchannel::-23 hello
Hello, world!
./testscript::testnixchannel::-22 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-centos-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqyv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-28-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-5-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-interactive-testnixinfo


```
- system: "x86_64-linux"
- host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-fedora-28-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-16-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-25-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-centos-6-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-28-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
```

```
installing 'hello-2.10'
./testscript: testnixchannel::0 hello
Hello, world!
./testscript: testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-17-10-login-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc55zycw5n36ya6x4jq436mrr-gcc-wrapper-7.3.0
/nix/store/a851axaq3p8rxlqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxwj2xv2b0x4js-gnused-4.5
/nix/store/dkh9cmymw1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kspdjy303kv45-stdenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgdfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6fvmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0g0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn71638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvvnrlyrd4xm78nfh6vsvz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4qab8z004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l7l4wsj33s5lhlyjzwan4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263x32f07788rr519rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00gw8vswynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vvq5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org/...'
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org/...'
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org/...'
copying path '/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org/...'
copying path '/nix/store/hx54ggnr64gl0wgdfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org/...'
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslj0p-attr-2.4.47' from 'https://cache.nixos.org/...'
copying path '/nix/store/mdpwyfa0v4i9ravwr0g0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org/...'
copying path '/nix/store/jz7lnmjbyaqpcg6fvmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org/...'
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org/...'
copying path '/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org/...'
copying path '/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org/...'
copying path '/nix/store/ykz66mkhm9vvq5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org/...'
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org/...'
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org/...'
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org/...'
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org/...'
copying path '/nix/store/ach9z9x8lq89kpid73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org/...'
copying path '/nix/store/qw8f8g0d1l7l4wsj33s5lhlyjzwan4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org/...'
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org/...'
copying path '/nix/store/6nqk63zyp2177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org/...'
copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2b0x4js-gnused-4.5' from 'https://cache.nixos.org/...'
copying path '/nix/store/a851axaq3p8rxlqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org/...'
copying path '/nix/store/i7vcsu4p6n51b72al2ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org/...'
copying path '/nix/store/mxz4y6amjn71638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org/...'
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org/...'
copying path '/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org/...'
copying path '/nix/store/vp40my263x32f07788rr519rycsna-binutils-2.30' from 'https://cache.nixos.org/...'
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org/...'
copying path '/nix/store/dkh9cmymw1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org/...'
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org/...'
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org/...'
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org/...'
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org/...'
copying path '/nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org/...'
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org/...'
copying path '/nix/store/qcvvnrlyrd4xm78nfh6vsvz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org/...'
copying path '/nix/store/qga70q7m5332dr4qab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org/...'
copying path '/nix/store/9z650yzzc55zycw5n36ya6x4jq436mrr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org/...'
copying path '/nix/store/fjxk359n102sq572kspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org/...'
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org/...'
copying path '/nix/store/xadwbdjcnmdc21ppskfj00gw8vswynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org/...'
- system: "x86_64-linux"
- host os: "Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385 d16ff76c"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-7-interactive-testnixchannel

```
./testscript: runtest::10 testnixchannel
./testscript: testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-interactive-testnixchannel

```
./testscript: runtest::10 testnixchannel
./testscript: testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-debian-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::212 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-macos-sierra-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-fedora-25-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:13 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-ubuntu-17-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:3 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv:4 hello
Hello, world!
./testscript::testnixenv:5 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-9-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/xmiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.14.52-0-virt, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-centos-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::28 hello
Hello, world!
./testscript::testnixchannel::27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-26-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.9.32-0-virtheadened, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-centos-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-fedora-28-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-fedora-25-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-interactive-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-alpine-3-5-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmmh8h176cz953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-debian-9-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels (root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrk4dwkghpk6k6f8fz1cr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fa3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0xli7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfhnv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5ml7y5albcc4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87qx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lr1r27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rpl1qwcx8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n9z92r9nlvbbxwgqxjnf60zd-paxctl-0.9
/nix/store/9z650yzczx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f8xhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9emvwx1pcwv290md6dq474y2bbsk-gnutar-1.30
/nix/store/fai750p2q3pc71scqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12y5p3j31579wk3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwpc8ywgj59yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rfsxlj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqqcgvf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwrddg0cw5i8fircs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz619-xz-5.2.4-bin
/nix/store/gcvvnr1ryrd4xm78nh0v5zya5fndflp-binutils-wrapper-2.30
/nix/store/gqg70q7m5332d44g8bzp004ajy96flh-nix-info
/nix/store/gw8f8g0dl17l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczaw7xk6dq9z2h9yca0z7wx0nwq7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
```

```
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfjc00g0w8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jz1z4hbFyH0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w0p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz2b66khh9vq55bn6i9792lnadrp2ym-xz-5.2.4
copying path /nix/store/ksvmi3fjv6j7qkswnp6qvrjgm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path /nix/store/lxj4yza556kzsr064jdb9088s74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path /nix/store/5ml1d7y5a1bcd41712lqcn0q2fhdikz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path /nix/store/i9k17g3rdr3r7ms17rdsqk58gs1avl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path /nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path /nix/store/6v88i1ckicxnn59g1m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/a8s1axaq3p8rxiqpbaaskvghy0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path /nix/store/qw0f8g0dd174wsj33s5lh1ywjz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path /nix/store/fai750p23gc7isap1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path /nix/store/1l41f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path /nix/store/92gpnidyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path /nix/store/mdpwyfajv419rawr0g0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path /nix/store/y8p41r12w0p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path /nix/store/jz7l1mjbyqqccfg6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/6nqk63zyp177ng87gpx6rlz189lrdxll-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path /nix/store/ach9z9x8lq89kpi473ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path /nix/store/091j2aakz8mhrk4b4wghpk6k8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/i4n918fng0wryan523pfdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path /nix/store/agyh8vqg5q8fsvxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path /nix/store/dkh9cmwqx1pcx290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0b0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path /nix/store/j2c1xfb2r9da1dfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path /nix/store/i7vcsu4p6m51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path /nix/store/sc4w9y5a3nszmcyc13yhmm6wvsg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/9xm9n9n0z92r9nlvbbxwqjxf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path /nix/store/3bn0819v7aghg0wx117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path /nix/store/98c80y9rplq1wxc0gl1fm49s4v494jy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path /nix/store/ykz2b66khh9vq55bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path /nix/store/qga70q7m5332dr4gab8zp004ajyy6fln-nix-info' from 'https://cache.nixos.org'...
copying path /nix/store/mxz4y6amjn71638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path /nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/gcvvnr1ryrd4xm78fn6svzysafndfip-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/9z650yzcz5zyhcv5n38ya6x4jq436m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/xzz2anv77hx8jz1z4hbFyH0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/fjxk3k59n102sqs572kspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path /nix/store/xadwbdjcnmdc2lppskfjc00g0w8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.59-0-virtgsec, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-macos-sierra-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::-29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::-28 hello
Hello, world!
./testscript::testnixchannel::-27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-centos-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-17-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```

```
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-27-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-18-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjrmh8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-macos-sierra-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-18-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-centos-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::377 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::376 hello
Hello, world!
./testscript::testnixenv::375 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```


[top of log](#)

install-default-unless-selinux-ubuntu-16-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-14-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-212 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-arch-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-debian-9-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-ubuntu-17-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-7-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgphk6kf8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1l7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi75albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlzL89rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrnd44b7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92pndymmw60dsx9f07jvn89z6z88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650ycz5z5yhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8l989kpid73s54fj0svzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n5lb72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r37ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2r19daIdfwp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0z9d9rrslxj0p-attr-2.4.47
/nix/store/jz7lrmjbyaqpcfg6vmlv3n20in6n0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszy5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info
/nix/store/qwv8f8g0dl17l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rrix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbffh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz60mhm9vqv5bn619792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi75albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0z9d9rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qwv8f8g0dl17l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92pndymmw60dsx9f07jvn89z6z88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lrmjbyaqpcfg6vmlv3n20in6n0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlzL89rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8l989kpid73s54fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wkgphk6kf8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwv1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19daIdfwp8ywgjxs9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n5lb72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rrix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz60mhm9vqv5bn619792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692slazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44b7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1ryrd4xm78nfh6vszy5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650ycz5z5yhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.65-1-virtherdenned, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-centos-7-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiib4pjn9y05fs5v29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript:testnixenv::17 hello
Hello, world!
./testscript:testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpw7d3r3kzkxakldqz6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-daemon-debian-9-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-fedora-27-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-debian-9-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo:45 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyx9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyx9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel:25 hello
Hello, world!
./testscript::testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-centos-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv:36 hello
Hello, world!
./testscript::testnixenv:35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkghpk6kf8fzlc-r-numake-4.2.1
```

```
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyavnfvbnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rLxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92gpnnymm60dsx9f07jvn89z6z88g1-ed-1.14.2
/nix/store/98c89frr1qlwxc8g1fmdq4944ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z9r29nlvbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z659yzzc5z5yhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290m6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2r19da1dfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/j1cmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6n0g-gawk-4.2.1
/nix/store/ksvm3fj6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692gslazyzxi9-xz-5.2.4-bin
/nix/store/qcvnrLrYrd4xm78nfhv6svza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhm6w6wsg66iw-patchelf-0.9
/nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny2L5h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm3fj6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/j1cmavp929lx0232ryl0za94rfrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnnymm60dsx9f07jvn89z6z88g1-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny2L5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6n0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rLxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73ss4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakz8mhrkb4wkgpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwv1pcxv290m6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19da1dfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhm6w6wsg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z9r29nlvbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c89frr1qlwxc8g1fmdq4944ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692gslazyzxi9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhkyavnfvbnv9crk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrLrYrd4xm78nfhv6svza5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z659yzzc5z5yhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "" nixpkgs-18.09pre159352.7c826371c49""
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-testshell

```
./testscript::runtest:::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-17-10-login-testshell

```
./testscript::runtest:::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-debian-7-login-testnixinfo

```
./testscript::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakz8mhrkb4wkgpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyavnfvbnv9crk7cbmdinph8br-gcc-7.3.0
```

```
./nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rl189rldx11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92gpnidymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1

/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650ycz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n5lb72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9da1d7fcp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyagqcf6vuml3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyxz6i9-xz-5.2.4-bin
/nix/store/qcgvnrlyrd4xm78nfhvsvz5afndfpl-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qw0f8g0d1i7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbffh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517157kcv5z3-findutils-4.6.0
/nix/store/ykz60mkm9vq5bn6i97921nadrp2ym-xz-5.2.4
copying path /nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path /nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path /nix/store/hx54ggnr64glg0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path /nix/store/i9k17g3rd3r37msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path /nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path /nix/store/6v88ick1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path /nix/store/qw0f8g0d1i7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path /nix/store/fai750p2q3gc7isqilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path /nix/store/i141f22hsyfq9j3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path /nix/store/92gpnidymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path /nix/store/mdpyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path /nix/store/y8p41rl2w9p9swny215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path /nix/store/jz7lnmjbyagqcf6vuml3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/6nqk63zypz177ng87gx6rl189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path /nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path /nix/store/09ij2aakz8mhrrkb4wkghpk6kf8zflcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path /nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path /nix/store/dkh9cmwv1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path /nix/store/j2c1xfb2rl9da1d7fcp8ywgjxs9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path /nix/store/i7vcsw4p6n5lb72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path /nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path /nix/store/3bn0819v7aggh0wx117f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path /nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path /nix/store/ykz60mkm9vq5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path /nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path /nix/store/6nqk63zypz177ng87gx6rl189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/5l4qhky7nyfbnv9yck7cbmdnph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/qcgvnrlyrd4xm78nfhvsvz5afndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/9z650ycz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/xzz2anv77hx8jziz4hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path /nix/store/xadwbdjcnmdc2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-centos-6-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::36 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-fedora-28-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385_d16ff76c
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
```

[top of log](#)

install-default-ubuntu-18-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)
- multi-user?: yes
- sandbox: no
- version: nix-env (Nix) 2.1pre6385_d16ff76c
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle"
- nixpkgs: /nix/var/nix/profiles/per-user/root/channels/nixpkgs
```

[top of log](#)

install-force-daemon-debian-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-fedora-25-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k6f8fzlc-r-gnumake-4.2.1
/nix/store/l141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkya7nyf0nv9cyrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd4i712lqch09zfpdxz0-bash-interactive-4.4-p23-man
/nix/store/6njk63zypz177ng87q6r1z189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881cklcnx5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzx5zyhcv5n30ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k359n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fng0gryan523pfdck57fpqzc-glibc-2.27-dev
/nix/store/i7ccsw4p6n51b72a12y5p5j31579wkd3-patch-2.7.6
/nix/store/j9k17g3dr3r7ms17rdsqsrk58gslavl-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6vmmv13n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8frncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692s3lazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfhv6szya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f8g0d1l714wsj33s5lhlyjz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwz7xkfdnqz7h9vca0z7wxbwnw7c-nreputile-R_79
```

```
/nix/store/...
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vvg5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswp6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/Lxj4y2as56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml0d17y5a1bcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hv54ggnr64g1g0wggdfvgdm42b2slkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k1793rdt37msl7rdsgrk58gslavl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-atrr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i8ck1cnn5991m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxa3p8xiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g80d1i7l4w5j33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/114f122hsfq9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpyfa0v4i9ravwr0gcwq5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjyaaqpc6fvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i12aakz08mhrkb4wkghp6k6f8z1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n18fng0wryvan523fbdck57fpzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f5xhda24fxwj2wv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clx1fb2r19daldfwcpbywgjx9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbxwqxwfnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rpl1qlwx8glf1f4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vvg5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amj7i638c6692qs1azyzyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd4bp7mlyqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlyrd4xm78nfh6v5zya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzyzcs5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n10zsq557kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.32-0-virthardened, Alpine Linux, noversion"
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385_d16ff76c
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-alpine-3-8-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-arch-ssh-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-5-ssh-testnixenv

```
./testscript: runtest::39 testnixenv
./testscript: testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-12-04-ssh-testshell

```
./testscript: runtest::39 testshell
./testscript: testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-ssh-testnixinfo

```
./testscript: runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```

```
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
 /nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-arch-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-debian-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-macos-sierra-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-ssh-testnixinfo


```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-5-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6kf8fz1cr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5z5yhcv5n36ya6x4j3436mr-gcc-wrapper-7.3.0
/nix/store/a8s1axaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmwylpxv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7jisap1psq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jcmavp929lx0232ryl0za94rrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rncc-expand-response-params
/nix/store/mxz4y6amjn71638c6692qs1azyxz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vsz5afndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khhm9vq55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jcmavp929lx0232ryl0za94rrslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7jisap1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rncc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87gx6rlz189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wghpk6kf8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwylpxv290md6d474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khhm9vq55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692qs1azyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vsz5afndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5z5yhcv5n36ya6x4j3436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion"
- multi-user?: "no"

- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-debian-9-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-centos-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::381 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-alpine-3-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-5-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-debian-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k6f8fzlc-r-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb0g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1n9y91b4-readline-7.0p5
/nix/store/514qkya7nyfbn9yck7cbmdinh8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn44bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88g-ed-1.14.2
/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjn60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg089kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138sz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9s516xj4mdj3r4s2rww4ydn0v0vd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvqdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fn0wgryan523pfbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2y5p5j31579wk3-patch-2.7.6
/nix/store/i9k17g3dr3r7msl7rdsqkr58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqqcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8frncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1r9rd4xm78nfhv6svza5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw8f890d11714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk60q9z2h9ycab0z7wx0hwg7c-coreutils-8.29
/nix/store/sc4v9y5a3nszmmcyi3ymmx0wvsg066iw-patchelf-0.9
/nix/store/vp40my263x32f07788srg159yvcnsa-binutils-2.30
/nix/store/xadwbjcnmdc21ppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yb1v36sr9yx9alxr2syr2n0z9rix-pcre-8.42
```

```
/nix/store/xzz2anv77hx8jziz4hbffh0vkwv006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny2L5h517157kcv5z3-findutils-4.6.0
/nix/store/ykz6b6mKhm9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd00sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml.d17y51bdc4i712lch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54qgnr64g1g0wgdffvgdm42b5lkv-qlibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88i8k1cixnn599lmbqrrqw0lrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1i7L4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p3g7isap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9f9q325cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidymmw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rnrcs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny2L5h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmm1v3n20n1n6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng07g6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l0g9kpid73s54fj9zyy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mh7k4wqpk6k6f87zicr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n018fnq0w9ryan523pbdck57fpqz-qlibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqq5q8fsxhda24f2xv2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmywx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/hzr9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19dadlrfwcp8ywgjx9yqxmz-nrcurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p651b72a12y5p3j1579kd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyci3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0292r9n1vbwwqwgxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0f9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0w117f43zr1q9y9j4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz6b6mKhm9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mx24y6amjn71638c6692qs1azyxz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd4b7m1yqvp6jhy70kxnpwkwf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/p40my263k32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfhnv9yck7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzczx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbffh0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnmd2lppskfj00g0w0swsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-gentoo-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
bash: nix-channel: command not found
```

[top of log](#)

install-default-gentoo-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript:testnixchannel::0 nix-channel --update
unpacking channels...
./testscript:testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript:testnixchannel::0 hello
Hello, world!
./testscript:testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript:testnixchannel::0 nix-channel --update
```

```
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-fedora-28-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-arch-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-25 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
./testscript::testnixchannel::-24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixchannel::-23 hello
Hello, world!
./testscript::testnixchannel::-22 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-5-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-debian-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.9.32-0-virt hardened, Alpine Linux, noversion`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-daemon-fedora-28-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-26-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-alpine-3-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-macos-sierra-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-debian-8-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)`
```

```
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::3 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::4 hello
Hello, world!
./testscript::testnixenv::5 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-5-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-debian-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-arch-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.9.65-1-virtheadened, Alpine Linux, noversion`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-gentoo-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bd86il2z1pvzjp9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-18-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-12-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::11 nix-channel --update
unpacking channels...
./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::13 hello
Hello, world!
./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-centos-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-14-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-27-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-gentoo-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (131.08 MiB download, 702.61 MiB unpacked):
/nix/store/04bnzqnqivgxrhlY898ys6jhbv7r77z8-compiler-rt-5.0.2
/nix/store/14k271i9psmi201brzm3yhiLm7nq0cfc-bzip2-1.0.6.0.1
/nix/store/19xwrnwDhx278wd2hf04fhd619fqv-clang-5.0.2
/nix/store/lvrn0x735av17sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info
/nix/store/2571v4g663w2490rzm1qi4qrzjlqjw5-clang-5.0.2-lib
/nix/store/2kd8k0h7mkrwc444r9la48liyl2di3mx-ctools-port-895
/nix/store/365x532d88lj3zyi84qlwmh0nlnr749-gnugrep-3.1
/nix/store/39mw7i8qjmv94pqlx622nmkxwlg17p-adv_cmds-osx-10.5.8-locale
/nix/store/3whkmrfls5pwi5yxz8qfp7clsl17j7l-libffi-3.2.1
/nix/store/59rgilqdwf88nrkrf0xp3glc46akf8k-Libsystem-osx-10.11.6
/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-ctools-binutils-darwin
/nix/store/6jmyb8qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev
/nix/store/7hcnb71k6q05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin
/nix/store/7qw2hb02ychpaabvxs2yq16p1cc01jlc-clang-wrapper-5.0.2
/nix/store/7vsmbsgp21k17mvp305ac13qzsh5bmk-gnutar-1.30
/nix/store/8jvl96k4v9bvc18ds2rgjpp2073gbi-jbash-interactive-4.4-p23
/nix/store/9a762m9ld7f6z0x5d47lvnm2nd0f2xw-gettext-0.19.8.1
/nix/store/agvf6aqhvqszyjn4adb47rx008c1039k-ed-1.14.2
/nix/store/bc6vywbnvwpk1bfk0dgpw3i192phlp3-libc+abi-5.0.2
/nix/store/c8zq9hdriqbm6cxldckwqpc3ivdbifz4-readline-7.0p5
/nix/store/cwgp49bjfc9hjm63kjc3i2qiqlsylv-ncurses-6.1
/nix/store/cwx4dshnrjigh3g6zplln4wdnm8agh-binutils-2.30
/nix/store/d3w7zyl2wdb14ajilyfmm454d29c4pn-gzip-1.9
/nix/store/f0ymknfjldn3lsmxc3wrcLa2dp6bqiqlibc++-5.0.2
/nix/store/fjilysyz08s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev
/nix/store/fsdil6i3gl3fpgmdvb2gbf9fm3pj35-ctools-binutils-darwin-wrapper
/nix/store/g3091kqbr76z2n4809swx0j89qqlqygz-nix-info
/nix/store/gvxxgcbxrvhl55cy2wf8m89hfrg8qqw-findutils-4.6.0
/nix/store/hyrf63y7fcay6qlwp3dfc5y4xvshlal-expand-response-params
/nix/store/ilj27ynsq0b965qr1m976mz8h2syig6-patch-2.7.6
/nix/store/jsyglDy52p6vrs2y4l04qs2bwjfh8y-libiconv-osx-10.11.6
/nix/store/kdhvzavikc62vfc5hyz2233x4pa136-gnused-4.5
/nix/store/kh9sj73nffqfklkn6fvbvbnwm5prg698-xz-5.2.4-bin
/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn9dy3fxv-ICU-osx-10.10.5
/nix/store/la4az1fd63wq795jl6siym10044pxry6-bash-interactive-4.4-p23-doc
/nix/store/p0cdc7rzfla69k0l3vnf4av7a6xcnsgp-llvm-5.0.2-lib
/nix/store/psry9nab69pwi27izxgy4lzh7pcnqix-zlib-1.2.11
/nix/store/ps843nbpn833hjsb6yxsyrzazn0spkd-gawk-4.2.1
/nix/store/qmxyi0v65y3k8xf8wjcdx4gsk39gijfi-bash-interactive-4.4-p23-man
/nix/store/qxpvlfwz9qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2
/nix/store/r765bx4lndy8ymwLq0b098cbgycpska4-DarwinTools-1
/nix/store/r7v5bdfxgimacxj26xij0vr0n4yh03b-stenv-darwin
/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnspr3qxs-coreutils-8.29
/nix/store/rq2524vqnc9m9kljag531lsg14cws-diffutils-3.6
/nix/store/vsqz5h8fswjw95h64azqp4q9cswc9-CF-osx-10.10.5
/nix/store/ymlw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1
/nix/store/z0x9h91lvbavfqn48ybaz0v19scxn21-pcre-8.42
/nix/store/z4k8f58pw5lpm1bi1jklmpjioV033-xz-5.2.4
/nix/store/zbhk0jhc9h8mcbx9vnddbik3rgsary-bash-4.4-p23
copying path '/nix/store/la4az1fd63wq795jl6siym10044pxry6-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/59rgilqdwf88nrkrf0xp3glc46akf8k-Libsystem-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/39mw7i8qjmv94pqlx622nmkxwlg17p-adv_cmds-osx-10.5.8-locale' from 'https://cache.nixos.org'...
copying path '/nix/store/zbhk0jhc9h8mcbx9vnddbik3rgsary-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/lvrn0x735av17sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qmxyi0v65y3k8xf8wjcdx4gsk39gijfi-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/14k271i9psmi201brzm3yhiLm7nq0cfc-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agvf6aqhvqszyjn4adb47rx008c1039k-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7hcnb71k6q05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/hyrf63y7fcay6qlwp3dfc5y4xvshlal-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ps843nbpn833hjsb6yxsyrzazn0spkd-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ymlw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/kdhvzavikc62vfc5hyz2233x4pa136-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/d3w7zyl2wdb14ajilyfmm454d29c4pn-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/bc6vywbnvwpk1bfk0dgpw3i192phlp3-libc+abi-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/3whkmrfls5pwi5yxz8qfp7clsl17j7l-libffi-3.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/f0ymknfjldn3lsmxc3wrcLa2dp6bqiqlibc++-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/jsyglDy52p6vrs2y4l04qs2bwjfh8y-libiconv-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn9dy3fxv-ICU-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/2kd8k0h7mkrwc444r9la48liyl2di3mx-ctools-port-895' from 'https://cache.nixos.org'...
copying path '/nix/store/vsqz5h8fswjw95h64azqp4q9cswc9-CF-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/04bnzqnqivgxrhlY898ys6jhbv7r77z8-compiler-rt-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/r765bx4lndy8ymwLq0b098cbgycpska4-DarwinTools-1' from 'https://cache.nixos.org'...
copying path '/nix/store/6jmyb8qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/9a762m9ld7f6z0x5d47lvnm2nd0f2xw-gettext-0.19.8.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qxpvlfwz9qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7vsmbsgp21k17mvp305ac13qzsh5bmk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnspr3qxs-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/cwgp49bjfc9hjm63kjc3i2qiqlsylv-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rq2524vqnc9m9kljag531lsg14cws-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/gvxxgcbxrvhl55cy2wf8m89hfrg8qqw-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/ilj27ynsq0b965qr1m976mz8h2syig6-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/z0x9h91lvbavfqn48ybaz0v19scxn21-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/c8zq9hdriqbm6cxldckwqpc3ivdbifz4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/365x532d88lj3zyi84qlwmh0nlnr749-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/z4k8f58pw5lpm1bi1jklmpjioV033-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/g3091kqbr76z2n4809swx0j89qqlqygz-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/kh9sj73nffqfklkn6fvbvbnwm5prg698-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/psry9nab69pwi27izxgy4lzh7pcnqix-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/cwx4dshnrjigh3g6zplln4wdnm8agh-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/2571v4g663w2490rzm1qi4qrzjlqjw5-clang-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-ctools-binutils-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/p0cdc7rzfla69k0l3vnf4av7a6xcnsgp-llvm-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/fsdil6i3gl3fpgmdvb2gbf9fm3pj35-ctools-binutils-darwin-wrapper' from 'https://cache.nixos.org'...
copying path '/nix/store/19xwrnwDhx278wd2hf04fhd619fqv-clang-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7qw2hb02ychpaabvxs2yq16p1cc01jlc-clang-wrapper-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/8jvl96k4v9bvc18ds2rgjpp2073gbi-jbash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/r7v5bdfxgimacxj26xij0vr0n4yh03b-stenv-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/fjilysyz08s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-darwin"
- host os: "Darwin 16.7.0, macOS 10.12.6"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/Users/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-debian-8-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
```



```
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-fedora-26-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-17-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-arch-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43r1q9y9jb4-readline-7.0p5
/nix/store/514qkya7nyfbnv9yck7cbmdinph8br-gcc-7.3.0
/nix/store/5mlDi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rLzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8grqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqv6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zcx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqwxjnF60zd-paxctl-0.9
/nix/store/9z650yzzc5z5yh5cn36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq089kpid73s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/ayyh8vq508fsxhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dk9cmxwlpccxv290md6e474dyzbnsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdjy303kv45-stdev-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvqdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbcdk57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfbrl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6mvlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rnccs-expand-response-params
/nix/store/mxz4y6amj7i638c6692qs1azyyzx619-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qgs70q7m5332dr4gab8z900a4jyq6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263k32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00gw8vsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9a1x2sr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w0p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlDi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvqdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8grqww0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwa7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
```



```
/nix/store/.../nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjgm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml0d17y5abced4i712l1qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gigwggdfvgdm42r2bslky-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/19k17g9rd3r37ms17rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88iacklcnxns599lmgrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85laxaq3p8rixqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dqz2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g7isap1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425c49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnodymm60dsx9f07jvn89z6z88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0gcwq5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjyaaqpcfv6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpi073ss4fj80vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mhrkb4wkgphk6k8fzlc-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/14n918fng0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/apyh0vqg5q08fsvhd24fwj2xv2b4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmxwlpccx290md6d4f74yzbhs-k-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbr19daldfwcp8ywgjx9yxqgz-nrcurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i77csw4p6n51b72a12y5p3j5179wk3d-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbwqxgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0w1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m532dr4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c669zslazyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7ml1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyay7nyfbv9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhv6sz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcn5n36ya6x4j0436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-26-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-debian-9-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-arch-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-5-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.driv'...
created 2 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-8-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrk4b4wghpk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcc4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2l7ng87qx6r1zL89lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnidymw60dsx9f07jvnr89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbxbwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yycz52yhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach929x8lg089kpi73s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmxw1pcxv290md6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p23gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm4r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryyan523pfdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2r19daldfwcp8ywgjxs9yngmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpvyfa0v4i9ravwrDg0Cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c66923lazyz6i9-xz-5.2.4-bin
/nix/store/qcwnr1ryrd4xm78nfh6v5zva5fndflp-binutils-wrapper-2.30
/nix/store/qga7m532d4qab8zp004ajy6f1h-nix-309
/nix/store/qw8f8g0d1l74wsj3351hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788rrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmcd2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xad7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vq55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcc4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm4r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/19k17g3rd3r7msl7rdsqsk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidymw60dsx9f07jvnr89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l74wsj3351hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpvyfa0v4i9ravwrDg0Cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2l7ng87qx6r1zL89lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/ach929x8lg089kpi73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2r19daldfwcp8ywgjxs9yngmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrk4b4wghpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vq55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbxbwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xad7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p23gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788rrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmxw1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryyan523pfdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c66923lazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41r12w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga7m532d4qab8zp004ajy6f1h-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcwnr1ryrd4xm78nfh6v5zva5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yycz52yhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmcd2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
- multi-user?: 'yes'
- sandbox: 'no'
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(root): ""nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-ubuntu-12-04-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::7 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-27-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-debian-8-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-unless-selinux-macos-sierra-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-6-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
```

```
nix-shell: command not found
```

[top of log](#)

install-default-debian-8-login-testshell

```
./testscript::runtest:::39 testshell
./testscript::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-testnixinfo

```
./testscript::runtest:::39 testnixinfo
./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mh8rk4wkgpk6k8fz2lcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9crk7cbmdinph8br-gcc-7.3.0
/nix/store/5mlDl7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzzcz5zyhcnw536ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8s1axa3p8rx1qppbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpiD73s44fjsozvz3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsxhda24fxwj2xv2b4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n182qs572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rL9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232rly0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrwg0cqw5i8f1rncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcvmnrlyrd4xm78fn6vsvzysfndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f80gd1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmcmy13yhm6w6swy666iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbFyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vq55bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlDl7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232rly0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axa3p8rx1qppbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f80gd1l714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpilpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrwg0cqw5i8f1rncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny2L5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpiD73s44fjsozvz3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8mh8rk4wkgpk6k8fz2lcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/14n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2b4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rL9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nsmcmy13yhm6w6swy666iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1qlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vq55bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9crk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvmnrlyrd4xm78fn6vsvzysfndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcz5zyhcnw536ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbFyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n182qs572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "" nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-28-interactive-testnixinfo

```
./testscript::runtest:::10 testnixinfo
./testscript::testnixinfo:::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-arch-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-6-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-macos-sierra-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::9 hello
Hello, world!
./testscript::testnixenv::10 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-fedora-28-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wghpk6kf8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189lrd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qs4944jy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5z5yh5w5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8s1axaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agh8vsg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmymwlpqcv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7jisapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rnsc-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qs1azyxz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vsz5afndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332r4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0dl17l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2sr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz666khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0dl17l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7jisapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8f1rnsc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87gx6rlz189lrd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpi073s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wghpk6kf8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agh8vsg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwlpqcv290md6d474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2sr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glfm4qs4944jy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz666khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332r4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qs1azyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vsz5afndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5z5yh5w5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-interactive-testshell

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkbb4wkgpk6kf8zlcrgnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrnd44bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymmw6odsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzczx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpi073ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fsvxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqpilpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p5j31579wk3-patch-2.7.6
/nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9da1d1wpc8ywgj59ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amj7i638c6692qs1azyxz6i9-xz-5.2.4-bin
/nix/store/qcvvnrlyrd4xm78nfh6vsva5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qwv8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbhfy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path 'nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path 'nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path 'nix/store/Lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path 'nix/store/hx54ggnr64glg0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path 'nix/store/19kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path 'nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path 'nix/store/qwv8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path 'nix/store/92gpnndymmw6odsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path 'nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path 'nix/store/jz7lnmjbyaqpcgfv6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/6nqk63zypz177ng87gx6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path 'nix/store/ach9z9x8lq89kpi073ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/091j2aakzb8mhrkbb4wkgpk6kf8zlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path 'nix/store/agyh8vq5q8fsvxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path 'nix/store/7zbrnd44bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path 'nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path 'nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path 'nix/store/6v881ck1cxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/ykz66m6khh9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path 'nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/j2c1xfb2rl9da1d1wpc8ywgj59ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path 'nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path 'nix/store/fai750p2q3gc7isqpilpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/i7vcsu4p6n51b72a12y5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path 'nix/store/sc4w9y5a3nszmmcyi3yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path 'nix/store/i4n918fnq0wgryan523pbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path 'nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/dkh9cmwv1pcxv290md6dq474yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path 'nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path 'nix/store/mxz4y6amj7i638c6692qs1azyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path 'nix/store/98c80y9rplq1wxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path 'nix/store/514qhkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path 'nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path 'nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path 'nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path 'nix/store/qcvvnrlyrd4xm78nfh6vsva5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path 'nix/store/9z650yzczx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path 'nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
copying path 'nix/store/xzz2anv77hx8jziz4hbhfy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path 'nix/store/xadwbdjcnmdc21ppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-ubuntu-14-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::3 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-arch-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
```

```
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-fedora-25-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::2 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-25-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i6l3ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i6l3ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-8-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::1 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-arch-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::1 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-fedora-26-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::5 hello
Hello, world!
./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-25-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-14-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-gentoo-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-16-04-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-ubuntu-18-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-28-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-centos-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-370 nix-channel --update
unpacking channels...
./testscript::testnixchannel::-369 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::-368 hello
Hello, world!
./testscript::testnixchannel::-367 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- system: "x86_64-linux"
- host os: "Linux 2.6.32-696.28.1.el6.x86_64"
- multi-user?: "no"
- sandbox: "no"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-5-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8l76zc953awr2my7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-debian-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::16 nix-channel --update
unpacking channels...
./testscript::testnixchannel::17 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::18 hello
Hello, world!
./testscript::testnixchannel::19 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-27-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-centos-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
```

```
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-26-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-alpine-3-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-fedora-27-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-debian-8-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::16 nix-channel --update
unpacking channels...
./testscript::testnixchannel::17 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::18 hello
Hello, world!
./testscript::testnixchannel::19 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-5-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-gentoo-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-alpine-3-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-centos-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): '"nixpkgs-18.09pre150352.7c826371c49"'
- channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e"'
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-gentoo-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-arch-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-centos-7-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgphk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87qx6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cnn5g9l8m9qrrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8xiqqpbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg08kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8f5xhda24f2xv2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwylpcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kspdjy303kv45-stenv-linux
/nix/store/h2r9w516x14mdj3r4x2rww4ydn9p0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wrgyran523pfdck57fpqz-c-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r37msl7rdsqsrk58gsavl1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yqgmz-ncurses-6.1
/nix/store/jicmapv929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nln6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfhvsvz5afndflp-binutils-wrapper-2.30
/nix/store/qqa70q7m5332dr4gab8z0p04ajyg6flh-nix-info
/nix/store/qvw8f890d1l74wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc49y5a3nszmmcy13yhmmx6wysg661w-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmd2lpskfj00g0wsvyvd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alx2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbhf0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r37msl7rdsqsrk58gsavl1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36s9yix9alx2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516x14mdj3r4x2rww4ydn9p0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nln6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhvsvz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/qqa70q7m5332dr4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbhf0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmd2lpskfj00g0wsvyvd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(root): ""nixpkgs-18.09pre150352.7c826371c49""
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-fedora-25-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

(use '--show-trace' to show detailed location information)

[top of log](#)

install-default-unless-selinux-macos-sierra-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-fedora-28-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(see '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-alpine-3-8-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::5 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8hl7z953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-centos-7-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::36 hello
Hello, world!
./testscript:testnixenv::35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-18-10-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```


[top of log](#)

install-force-daemon-macos-sierra-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::15 nix-channel --update
unpacking channels...
./testscript::testnixchannel::16 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::17 hello
Hello, world!
./testscript::testnixchannel::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-macos-sierra-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-9-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-alpine-3-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-25 nix-channel --update
unpacking channels...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
./testscript::testnixchannel::-24 nix-env -iA nixos-18-03.hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
installing 'hello-2.10'
./testscript::testnixchannel::-23 hello
Hello, world!
./testscript::testnixchannel::-22 nix-env --uninstall 'hello.*'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-alpine-3-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
```

```
nix-channel: command not found
```

[top of log](#)

install-force-daemon-gentoo-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-377 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-fedora-25-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-25-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::-45 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 4.13.16-100.fc25.x86_64, Fedora, 25 (Twenty Five)`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-force-no-daemon-fedora-26-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-12-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-25-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::-29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::-28 hello
Hello, world!
./testscript::testnixchannel::-27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhlraq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
```

```
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-26-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels ...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-fedora-27-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-centos-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bcd86i12z1pvzip9mbhw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-ubuntu-18-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::36 nix-shell -p hello --run hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-arch-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-centos-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-25-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-gentoo-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
  /nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrhm8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-14-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-208 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-alpine-3-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-27-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-25-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-37 nix-env -iA nixpkgs.hello
installing 'hello-2.10
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-debian-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
bash: nix-channel: command not found
```

[top of log](#)

install-default-debian-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-gentoo-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wxc8glf4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5z2yhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a85slaxaq3p8rxiaqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai1750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303k45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54qgnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72al2y5p5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94frsrxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qksvnp6qvryjgm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza56kzsr064jbd008sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/lxj4yza56kzsr064jbd008sh74wfy4-bash-interactive-4.4-p23-man
/nix/store/mdpwyf0v4i9ravwrdd0cwg5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcgvnrLryrd4xm78nf6v5z5afndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0wswsynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qksvnp6qvryjgm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd008sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza56kzsr064jbd008sh74wfy4-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54qgnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94frsrxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a85slaxaq3p8rxiaqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai1750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyf0v4i9ravwrdd0cwg5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rL2w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/14n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72al2y5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplq1wxc8glf4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn444bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnrLryrd4xm78nf6v5z5afndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5z2yhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk359n102sq572kkspdjy303k45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00g0wswsynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.14.65-gentoo, Gentoo, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-ubuntu-12-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-debian-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-arch-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-fedora-25-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-force-daemon-debian-9-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-gentoo-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-login-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (131.08 MiB download, 703.61 MiB unpacked):
/nix/store/04bnzqniqvxrhly898ys6jhbv7r7z8-compiler-rt-5.0.2
/nix/store/14k27l19psmi20lbrzm3yhi1m7nq0cfc-bzip2-1.0.6.0.1
/nix/store/19xwrnw0dx278wd2hf0f4fhd619fqv-clang-5.0.2
/nix/store/1vrn0x735avL7s06mwf5h50slb4666j7-bash-interactive-4.4-p23-info
/nix/store/2571v4q663w2490rzm1q4qrzlj1qiw5-clang-5.0.2-lib
/nix/store/2kd8k0h7mkrwc444r9la48liyl2di3mx-ctools-port-895
/nix/store/365x532d88lj3zyi84qlwmh00nlr749-gnugrep-3.1
/nix/store/39mw7i8qjmr94pqlx62znmkxw1ga17p-adv_cmds-osx-10.5.8-locale
/nix/store/3whkmrfls5pwi5yxx8qfp7clsl17j7l-libffi-3.2.1
/nix/store/59rgilqdwf88nrk0xp3glc46akf8k-Libsystem-osx-10.11.6
/nix/store/5im29qx9rni3w8l3j8i2yr22sin55kxv-ctools-binutils-darwin
/nix/store/6jmyb8qzr77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev
/nix/store/7hcnb7lk6q05zyq5g2x0yac89nk46yv8-bzip2-1.0.6.0.1-bin
/nix/store/7qw2hb02ychpaabvxs2yq16plcc0i1jc-clang-wrapper-5.0.2
/nix/store/7vsmbsp21kl7mvyyp305ac13gzs5bmk-gnutar-1.30
/nix/store/8jwl96k4va9bvcl8ds2rgjipq2073gbi-j-bash-interactive-4.4-p23
/nix/store/9a7f62m9ld7f620x5d47lvnnw2nd0f2xw-gettext-0.19.8.1
/nix/store/agvf6aahvqszyjn4adb47rx008c1039k-ed-1.14.2
/nix/store/bc6vywvmvvpk1bfk0dgpw3i192phlp3-libc+abi-5.0.2
/nix/store/c8z9hdriqbm6cxlcdkwpqc3ivdfz4-readline-7.0p5
/nix/store/cwgp49bjfc9hjm63kjc3i2yqiqlsylv-ncurses-6.1
/nix/store/cwx4dshnbrjigh3g6zpl1n4wddm8agh-binutils-2.30
```

```
/nix/store/d3w7zyl2wdb14aj1lypTmn454z29c4pn-gzip-1.9
/nix/store/f0ymknfjldn3l5mxcn3wclra2dp6bqi-q-libc++-5.0.2
/nix/store/fj1ysy208s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev
/nix/store/fdsil6i3g3lfpqmdvb22gbf9fm3pjr35-ctools-binutils-darwin-wrapper
/nix/store/g3091kqbr76z2n4809swwx0j89qqlqyg-z-nix-info
/nix/store/gvxxqcbxrhrvhl55cy2vf8m89hfrg8gqw-findutils-4.6.0
/nix/store/hyrf63jycay6qlwp3dfc5y4xvshlal-expand-response-params
/nix/store/ilj27ynsq0b965qr1m976mz2h2sy1g6-patch-2.7.6
/nix/store/j5ylgldy52pv6rs2y4l04qszbwxjfh8y-libiconv-osx-10.11.6
/nix/store/kdnhvzavikc62vf5cshyz2233x4pa136-gnused-4.5
/nix/store/kh9sj73nqfkbkn6fvbqnm5prg698-xz-5.2.4-bin
/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn2y3fxv-ICU-osx-10.10.5
/nix/store/la4az1fd63wq795j16s1ym0044pxry6-bash-interactive-4.4-p23-doc
/nix/store/p0cdc7rzf1a69k013vnf4av7a6xcnsgp-llvm-5.0.2-lib
/nix/store/psry9nab69pw127izxgy41zh7pccniq-zlib-1.2.11
/nix/store/ps843bnpn833hjsb5yxrarnz0spkd-gawk-4.2.1
/nix/store/qmxy10v65y3k8xfwjcxd4gsk39g1fi-bash-interactive-4.4-p23-man
/nix/store/qxplfw29qj1f5v9vb36ihlfrfq2lxx-gmp-6.1.2
/nix/store/r765bx4lndy8ymw1q0b098cbgycpska4-DarwinTools-1
/nix/store/r7v5bdfdximacxj26xij8vr0n4yh03b-stenv-darwin
/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnsp3qxs-coreutils-8.29
/nix/store/rq2524vqnc9m9kljag531lsg14cws-diffutils-3.6
/nix/store/vsqzq5h8fsywjw95h64azqp4q9cswc9-CF-osx-10.10.5
/nix/store/yLmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1
/nix/store/z0x9h91vvbavfgn48ybaz0vi9scxn2i-pcre-8.42

/nix/store/z4k8f58pw5lpm1bib1ijk1mpji0v033-xz-5.2.4
/nix/store/zbhk0jhc9y8hmbcax9vddbk13rgsary-bash-4.4-p23
copying path '/nix/store/la4az1fd63wq795j16s1ym0044pxry6-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lvr0x735av17sq6mwf5h59s9lb4666j7-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qmxy10v65y3k8xfwjcxd4gsk39g1fi-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/39rgilqwf80mwkrf0xp3gic46akf8k-Libsystem-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/39m7z8ojmv94pqlk62zmmkxwlgal7p-adv_cmds-osx-10.5.8-locale' from 'https://cache.nixos.org'...
copying path '/nix/store/zbhk0jhc9y8hmbcax9vddbk13rgsary-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/14k271i9psmi201brzm3yhi1m7nq0cfc-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/hyrf63jycay6qlwp3dfc5y4xvshlal-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/ps843bnpn833hjsb5yxrarnz0spkd-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/yLmiw5xyc9j87i6bdfcj06ay4z3apz3k-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/kdnhvzavikc62vf5cshyz2233x4pa136-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/bc6vybwmvvpk1bFk0dgpw3i192phlp3-libc++abi-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/3whkmrfl5pwwd15yx28qpf7cl5l17j7l-libffi-3.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/j5ylgldy52pv6rs2y4l04qszbwxjfh8y-libiconv-osx-10.11.6' from 'https://cache.nixos.org'...
copying path '/nix/store/cwgp49bjf9hgmj63kji2qiyqq1sylv-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/z0x9h91vvbavfgn48ybaz0vi9scxn2i-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/z4k8f58pw5lpm1bib1ijk1mpji0v033-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/psry9nab69pw127izxgy41zh7pccniq-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/aggv6aqhvqszyjn44db47x008c1039k-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/d3w7zyl2wdb14aj1lypTmn454z29c4pn-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/f0ymknfjldn3l5mxcn3wclra2dp6bqi-q-libc++-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/cwx4dshnrjigh3j36zpl144wdnm8agh-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/7hcnb7lk6q05zqy5g2x9yac89nk46yv8-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/ilj27ynsq0b965qr1m976mz2h2sy1g6-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/kh9sj73nqfkbkn6fvbqnm5prg698-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/365532n88l13zyi84qlwm00nlr749-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/kv402lpbn0xrb0pm7v9kpxjvgn2y3fxv-ICU-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/2k08k0h7mkrwc444r9la48lly2di3mx-ctools-port-895' from 'https://cache.nixos.org'...
copying path '/nix/store/2571v4g663w2490rzm1q4qrzljijw5-clang-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/04bnzqnvqvgvrlh898y56jhbv7r77z8-compiler-rt-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/9a762m9ld7f6z0x5d47lvnnw2nd0f2xw-gettext-0.19.8.1' from 'https://cache.nixos.org'...
copying path '/nix/store/qxplfw29qj1f5v9vb36ihlfrfq2lxx-gmp-6.1.2' from 'https://cache.nixos.org'...
copying path '/nix/store/p0cdc7rzf1a69k013vnf4av7a6xcnsgp-llvm-5.0.2-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/rm5hs2mg6rwp6lj2fsaiyx4jnsp3qxs-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/6jmyb0qzj77pnpflz3k95zyfhd6x11-compiler-rt-5.0.2-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/vsqzq5h8fsywjw95h64azqp4q9cswc9-CF-osx-10.10.5' from 'https://cache.nixos.org'...
copying path '/nix/store/rq2524vqnc9m9kljag531lsg14cws-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/gvxxqcbxrhrvhl55cy2vf8m89hfrg8gqw-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/7vsm0bsp21kl7mvyp30a31qzsh5bmk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/r765bx4lndy8ymw1q0b098cbgycpska4-DarwinTools-1' from 'https://cache.nixos.org'...
copying path '/nix/store/c8z9hdiriqbmcxclwdkqpc3ivdbifz4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/g3091kqbr76z2n4809swwx0j89qqlqyg-z-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5im29qx9ni3w8l3j8i2yr22s5n5kxv-ctools-binutils-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/fdsil6i3g3lfpqmdvb22gbf9fm3pjr35-ctools-binutils-darwin-wrapper' from 'https://cache.nixos.org'...
copying path '/nix/store/19xwrnwddhx278wd2hzf0f4fd619fq-clang-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/7qwl2h02ychnaavx2yq1p6lcc0iljc-clang-wrapper-5.0.2' from 'https://cache.nixos.org'...
copying path '/nix/store/8jwL96k4va9bvc18ds2rglpg2073gbij-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/r7v5bdfdximacxj26xij8vr0n4yh03b-stenv-darwin' from 'https://cache.nixos.org'...
copying path '/nix/store/fj1ysy208s9vllbdcf3vnddd4xfacj-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-darwin"
- host os: "Darwin 16.7.0, macOS 10.12.6"
- multi-user?: "yes"
- sandbox?: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-28-ssh-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript:line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-26-interactive-testnixinfo

```
./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-login-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
```


uninstalling 'hello-2.10'

[top of log](#)

install-default-gentoo-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.14.65-gentoo, Gentoo, noversion'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-fedora-25-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::6 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::7 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-centos-7-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::-381 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::-5 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-centos-6-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::-208 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-no-daemon-fedora-27-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
  /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-17-10-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-alpine-3-6-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-27-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-fedora-28-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-fedora-25-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-debian-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-28-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-macos-sierra-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-6-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr`
- multi-user?: `no`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
```

[top of log](#)

install-default-alpine-3-8-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-fedora-25-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::2 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-alpine-3-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
bash: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-centos-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::36 hello
Hello, world!
./testscript::testnixenv::35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-fedora-28-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wghpk6k8fz1cr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qkya7nfybn9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189rxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8rqrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqv6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gprndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8gl1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzcx5z5hwc5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rx1qqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq09kpid073ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyhbvg5q8fsvhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkH9cmxwlpccv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3qc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n182sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgdfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3dr3r7msl7rdsqrk58gslav1-linux-headers-4.15
./testscript: line 39: testnixinfo: command not found
```

```

/nix/store/zc1xT0zr1y0a1dWpcpywgjxsy9qzmz-ncurses-b.1
/nix/store/jicmavp9291x0232ryl0za94rRrs1xj0p-atrr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qksvnp6qvrjvym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yza556kzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8fircns-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/gga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmzmmcy3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263kx32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbjcnm2c2lppskfjc00g8w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yb1v36s9y1x9a1x2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfiy0vkkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9smv215h517i57kvc5z3-findutils-4.6.0
/nix/store/ykz266khn9vqv55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qksvnp6qvrjvym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlDi7y5a1bcd4i712lqch0q2fndkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdR3r7msl7rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rRrs1xj0p-atrr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88iKkiccn59im8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbbaaskvgxyh0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai75p2q3gc7isap1psq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9smv215h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nq6k3zyz177ng87gx6rlz189Rld1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l9g8kpid73ss4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz8bhmrbk4wkgpk6kf8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0w9ryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsvxhda24fxw12xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymwxlpcxv290md6dq4r74yzbhs-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/hzr9w5i6x14mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xlfb2r19da1dfwcp8ywgjxsy9qzmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p651b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nsmzmmcy3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0292r9n1vbbxwqkjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yb1v36s9y1x9a1x2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0xw117f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rp1q1wlcx0g1fm4qsv494ajy8q-gnutrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz266khn9vqv55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/gga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44bp7mlyvqp6jhy70kxnxpwkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9yrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/92659yzcz5zychwn36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfiy0vkkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjx3k5cnm2c2lppskfjc00g8w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnm2c2lppskfjc00g8w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"

```

[top of log](#)

install-force-daemon-centos-7-login-testshell

```

./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!

```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-interactive-testnixinfo

```

./testscript:runtest::10 testnixinfo
./testscript:testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"

```

[top of log](#)

install-force-no-daemon-centos-7-login-testshell

```

./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!

```

[top of log](#)

install-force-no-daemon-fedora-28-login-interactive-testnixenv

```

./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript:testnixenv::0 hello
Hello, world!
./testscript:testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'

```

[top of log](#)

install-default-unless-selinux-debian-9-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
 /nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjrmh8hl76zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-debian-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-fedora-28-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-centos-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-26-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-ubuntu-14-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
 /nix/store/09ij2aakzb8mhrkb4wkgpk6kf8fzLcr-gnumake-4.2.1
 /nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
 /nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
 /nix/store/5l4qhky7nyfbnv9yckr7cbmdinph8br-gcc-7.3.0
 /nix/store/5mldi75albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
 /nix/store/6nqk63zypz177ng87gx6rlzL89rLxd1l-gcc-7.3.0-lib
 /nix/store/6v88ick1cxnn5g91m8qrrqww0LrLr27x-bash-4.4-p23
 /nix/store/7zbrn4d4bp7m1yqvpjhy70kxnxpwxkf-zlib-1.2.11
 /nix/store/92gpnymw60dsx9f07jvn89z6zx80gl-ed-1.14.2
 /nix/store/9889y9rpl1lwcx8g1fmd4qs494ajy8q-gnugrep-3.1
 /nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9
 /nix/store/9z650yccz5Zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
 /nix/store/a8slaxaq3p8rxiqpbbaaskvghyxb0akb-acl-2.2.52
 /nix/store/ach9z9x8lq89kpid73ss4fj0svzyg3g7-glibc-2.27-bin
 /nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
 /nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbhs-knutar-1.30
 /nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
 /nix/store/fjk3k59n102sq572kkspdjy303kv45-stdevn-linux
 /nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
 /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
 /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
 /nix/store/i7vcsw4p6n51b72al2ysp5j3157wkd3-patch-2.7.6
 /nix/store/i9kl7g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
 /nix/store/j2clxfb2rl9daldfwcp8ywxjs9yxgmz-ncurses-6.1
 /nix/store/j1cmavp9291x0232ryl0za94rfrslj0p-attr-2.4.47
 /nix/store/jz7lrmjbyaqcgf6vwm1v3n20ni6n09-gawk-4.2.1
 /nix/store/ksvm3fjv6j7qkswn6qvrjym2si336-bash-interactive-4.4-p23-doc
 /nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
 /nix/store/mdpwyfa0v4i9ravwr0g0cw5i8firncs-expand-response-params
 /nix/store/mzx4y6amjn7i638c6692qslazyzx6i9-xz-5.2.4-bin
 /nix/store/qcgvnrLrYrd4xm78nfhvsvzya5fndflp-binutils-wrapper-2.30
 /nix/store/qga70q7m5332dr4gab8z004ajygflh-nix-info
 /nix/store/qw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
 /nix/store/rhczwa27xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
 /nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
 /nix/store/sc4w9y5a3nszmmcyi3yhmmx6wysg66iw-patchelf-0.9
```

```
/nix/store/vp9mnyz0axkz10/00s11g1c91ycshd-01n011115-2.30
/nix/store/xadwbdjcnmdc21ppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vvq5bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kzsr064jbd900sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlidi7y5albdc4i712lqch0qz2fhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gig0wgdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnm5991m8qrrqw0lr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxlqqbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw0f8g0d1i7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwz7xk6d0z2h9ycadz7w0mw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfq9fq3425cv498m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gndpymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mpdyfa0v4i9ravrdg0cw5i8fircnc-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y0p41r12w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpc6fvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp127ng87qx6r1z189rld1-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l89kpi473ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb0mhrkb4wghpk6k8fzlc-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgyran523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fwj2xv2bx4js-gnused-4.1' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwy1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2r0w4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19da1dfwcp0ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/177csu4p0651b72al2y5p5j31579wk03-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4h9y5a3nszmcv1y3ymmx6wysq66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbbwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx17f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rprlq1wxc8glfm4qsv494ajy8g-gnupg-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vvq5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbv9yrcr7cbmdinph8b-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhv5z5afndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzzc5zyhcv5n36ya6x4jq436m-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00gw8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-6-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2mzy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel::25 hello
Hello, world!
./testscript:testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-arch-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-28-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-debian-9-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-18-10-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::5 hello
Hello, world!
./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxakldqzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-daemon-macos-sierra-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-centos-6-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-fedora-27-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-centos-7-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: `Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)`
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-default-fedora-28-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-daemon-ubuntu-18-04-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-debian-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-debian-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-debian-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-arch-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-fedora-25-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-no-daemon-arch-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-fedora-25-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::6 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```


[top of log](#)

install-force-daemon-fedora-27-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-centos-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-alpine-3-6-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-6-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-10-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-gentoo-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz8mhrkb4wkgpk6kf8fzlcrgnumake-4.2.1
/nix/store/1141f2zhsyf9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cxnn5g91m8qrrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn444bp7mlyqp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm909m0z92r9nlvlbbwqgwjnf60zd-paxctl-0.9
/nix/store/9z650yzczx5zyhcw5n36ya6x4q436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiaqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq572kkspdjy303k45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4yjn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fn0wgryan523pfbck57fpqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxf2rl9daldfwpc8ywgjx59yxgmz-ncurses-6.1
/nix/store/j1cmavp9291x0232ryl0za94frslxj0p-atr-2.4.47
/nix/store/jz7lmmjbyaqpcgfvvmlv3n20n1n6h0g-gawk-4.2.1
/nix/store/ksvm13fjy6j7qkswp6ovrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56qzsr064jbd008s74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0w4i9ravwr0g0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692slazyzx619-xz-5.2.4-bin
/nix/store/qcvnr1rlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gabz004ajy6flh-nix-info
/nix/store/qw8f80gd1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7h1u36f0v1x0b3x20v208081v-bc69-8.42
```

```
/nix/store/.../nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny2l5h51757kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vvq55bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswp6qvrjgm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yza556kzsr064jbd900sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlidi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54agnr64gig0wgdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v8b1cklcnx59m9lqrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rxlqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0d1i7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6d9z2h9yca0z7w0mw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isopllps2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1l4l1f22hsyf9fq3425cv498m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidyymm68dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa9v4i9ravwrdd0cw5i8fircns-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41r12w9p9swny2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqcgf6vmmv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87q6r1z89rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l89kpi73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzlc-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgyran523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg58fscxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwyx1pcxv290md6dq4r74y2bhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/hzr9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1x1f2r19da1dfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/17vcs4p6n51b72a12y5p5j31579wk03-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9523smzmcyl3yhmhm0wysg66i-w-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z929n1vl0bwwgkwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr23yr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghw1k7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9pr1qlwxc8glfm4qsv494ajy8g-gnupg-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkm9vvq55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd4b7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40m263kx32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhv5z5afndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcv5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sqs572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjdcm21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-alpine-3-6-ssh-testnixchannel

```
./testscript: runtest:39 testnixchannel
./testscript: testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-interactive-testnixenv

```
./testscript: runtest:10 testnixenv
./testscript: testnixenv:11 nix-env -iA nixpkgs.hello
/etc/bash.bashrc: command not found_handle: 2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc: command not found_handle: 3 /usr/bin/python /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-testshell

```
./testscript: runtest:39 testshell
./testscript: testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-centos-6-ssh-testshell

```
./testscript: runtest:39 testshell
./testscript: testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-arch-login-testnixchannel

```
./testscript: runtest:39 testnixchannel
./testscript: testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript: testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9l7983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6fyxr9l7983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjrmh8h176zc953awr2my7-user-environment.driv'...
created 38 symlinks in user environment
./testscript: testnixchannel:25 hello
Hello, world!
./testscript: testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-debian-9-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-25-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-macos-sierra-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-debian-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86il2z1pvzjp9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-alpine-3-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-fedora-27-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2b18ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjmrh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-gentoo-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-macos-sierra-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```

```
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-debian-7-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqyv6hwzpm6z3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-gentoo-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-debian-9-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-ubuntu-16-04-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-fedora-26-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::11 nix-channel --update
unpacking channels...
./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::13 hello
Hello, world!
./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-18-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-gentoo-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/ijaa4krpzakv5dpn1x9ijklh5df6743-hello-2.10
copying path '/nix/store/ijaa4krpzakv5dpn1x9ijklh5df6743-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nak2s7ilp78rd8bnx6x4vd8xg9108fnz-user-environment.drv'...
created 40 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-fedora-26-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-debian-9-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-18-10-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-7-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-gentoo-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::-30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::-29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::-28 hello
Hello, world!
./testscript::testnixchannel::-27 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-macos-sierra-interactive-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-arch-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-25-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-16-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/xmiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdz6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-ubuntu-12-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkb4wkgphk6k6fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkyaynyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd41712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zpz17ng87gx6rlzL89rlxd11-gcc-7.3.0-lib
/nix/store/6v881cklcvxn5g9lmsgrqww0lr1r27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqv6jhy70kxnxpwwkf-zlib-1.2.11
/nix/store/92qpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c8099rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgxf60zd-paxctl-0.9
/nix/store/9z650yzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fshxda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwvx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fic3k36n107zef677k6nd4v302ku45-stdenv-linux
```

```
/nix/store/1jrkakq9h1z2s4s3jz4k3spujy303k4v4-3-ueriv-Linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkD3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgxs9yxgmz-ncurses-6.1
/nix/store/jicmapv929lx0232rly0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvml3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rncs-expand-response-params
/nix/store/mxz4y6amj7i638c692qs1azyzx6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nf6vszy5fndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
/nix/store/qw08f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0mwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmmx0wysg66i1w-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-ncurses-6.1
/nix/store/xzz2anv77h8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/ksvml3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/Lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wgddfvugd42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmapv929lx0232rly0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v8B1ckicxnn59lM8bqrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qw08f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0mwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3g71s0p1lps2r138sz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1l41f22hsyf9f9q325cv4908m9pb8q0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnidyymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq5i8f1rncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp177ng87q6r1zL89Lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z8l9g89kpiD73s4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09i2aaKz80mhrkb4wkgphk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqq56f8sxdad24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymxlpcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsu4p6n51b72a12ysp5j31579wkD3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx0wysg66i1w-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9vxn9090b292r9nlvbbxwqxfjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn8819v7aghw0xli7f43zrl9y9j0b4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqLwxc8g1fm4qsv494jy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66m6khn9vqv5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amj7i638c692qs1azyzx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44b7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkya7nyfbnv9yrc7kcbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnr1ryrd4xm78nf6vszy5fndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9c650yzzc5zyhcn5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77h8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfjc00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-linux'
- host os: 'Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385.d16ff76c'
- channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-alpine-3-7-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-macos-sierra-login-interactive-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpf0-hello-2.10
copying path '/nix/store/a36fmxl0cf2d1cp7jddrcihyfpixpf0-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-alpine-3-6-ssh-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript:line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell::0 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-daemon-fedora-28-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel::0 nix-channel --update
```

error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory

[top of log](#)

install-default-unless-selinux-centos-7-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::41 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-macos-sierra-login-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-darwin"
- host os: "Darwin 16.7.0, macOS 10.12.6"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/Users/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-daemon-alpine-3-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-18-10-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-14-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::-202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-18-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-ubuntu-16-04-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::5 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-debian-9-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-alpine-3-7-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
```



```
Hello, world!
```

[top of log](#)

install-default-debian-7-login-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel:14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:15 nix-channel --update
unpacking channels...
./testscript:testnixchannel:16 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript:testnixchannel:17 hello
Hello, world!
./testscript:testnixchannel:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-alpine-3-8-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-login-testnixchannel

```
./testscript:runtest::39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:testnixchannel:23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:testnixchannel:24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8hl76zc953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixchannel:25 hello
Hello, world!
./testscript:testnixchannel:26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-ubuntu-16-04-interactive-testshell

```
./testscript:runtest::10 testshell
./testscript:testshell:4 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-04-login-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgpk6k6f8zLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mlDl7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87qx6rlzL89rlxd1l-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98x8099rplqlwxc8glf4mqsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjn60zd-paxctl-0.9
/nix/store/9z650yzzx5zyhchw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg09kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplp6dq2rl38hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjx3k59n102sq572kkspdjy303k45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbck5f7pqzc-glibc-2.27-dev
/nix/store/i7vcsu4p6n51b72a12y5p3j31579wkd3-patch-2.7.6
/nix/store/i9k1g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/j1cmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcg6fvmlv3n20ni6n0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amjn1i638c6692qslazyzxi9-xz-5.2.4-bin
/nix/store/qcvnrLryrd4xm78nfhv6szya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nsmcyci3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfjcc00g0wswsynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfbh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rL2w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz2b60khn9vv5b6i9792lnadrp2ym-xz-5.2.4
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mlDl7y5albcd4i712lqch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvmi3fjv6j7qkswn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k1g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/j1cmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcg6fvmlv3n20ni6n0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg09kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87qx6rlzL89rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb8mhrkb4wkgpk6k6f8zLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/i2c1xfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/9xm9n0n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz6b6m6hm9vqv5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n818fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p6n5lb72al2ysp5j31579wkD3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwylpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263kx32f07788rrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9ycab0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692slazyxz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nfbv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx17f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41r12w9p9swny215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/114f122hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvnrlryrd4xm78nfhv5z5afndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jzi24hbfyh0vwkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: 'x86_64-linux'
- host os: 'Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)'
- multi-user?: 'yes'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385.d16ff76c'
- channels(root): ''nixpkgs-18.09pre150352.7c826371c49''
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
```

[top of log](#)

install-default-unless-selinux-debian-9-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::17 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18.03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-18-04-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakz2b8mhrkb4wghpk6k8fz1cr-nlunmake-4.2.1
/nix/store/114f122hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx17f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhky7nfbv9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87qx6r1z189rldx11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n0n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
/nix/store/92650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fj0svzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fsxhda24fwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwylpcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kspdjy303kv45-stdev-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n818fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n5lb72al2ysp5j31579wkD3-patch-2.7.6
/nix/store/19k17g3rd3r7ms17rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2r19daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrjgm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692slazyxz6i9-xz-5.2.4-bin
/nix/store/qcvnrlryrd4xm78nfhv5z5afndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info
/nix/store/qw8f8g0d1174wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9ycab0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmcmyi3yhmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263kx32f07788rrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00g0w8wsyvnd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jzi24hbfyh0vwkw006d-bash-interactive-4.4-p23
/nix/store/y8p41r12w9p9swny215h51757kcv5z3-findutils-4.6.0
/nix/store/ykz6b6m6hm9vqv5bn6i97921nadrp2m-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswpn6qvrjgm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7ms17rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp9291x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8fsxhda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakz2b8mhrkb4wghpk6k8fz1cr-nlunmake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73s4fj0svzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zyp2177ng87qx6r1z189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xfb2r19daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n0n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz6b6m6hm9vqv5bn6i97921nadrp2m-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/92650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
```

```
copying path '/nix/store/80y9y1v0b51y1x9d1x1z3y1z10q211a-1p1e-0.4c' from 'https://cache.nixos.org' ...
copying path '/nix/store/a85laxa3p8rx1qqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org' ...
copying path '/nix/store/i4n918fnq0wgyran523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org' ...
copying path '/nix/store/fai750p2q3gc7isapilpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org' ...
copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org' ...
copying path '/nix/store/dkh9cmymwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org' ...
copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org' ...
copying path '/nix/store/mxz4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org' ...
copying path '/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org' ...
copying path '/nix/store/98c80y9rplqlwxc8g1fm4qs494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org' ...
copying path '/nix/store/sc4w9y5a3nszmmc1y3hmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org' ...
copying path '/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org' ...
copying path '/nix/store/514qhky7nyf0bn9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org' ...
copying path '/nix/store/1141f22hsyf9f9f3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org' ...
copying path '/nix/store/0g41r12w99swny215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org' ...
copying path '/nix/store/gqa70q7m5332dr4gab8z0p004ajyg6flh-nix-info' from 'https://cache.nixos.org' ...
copying path '/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org' ...
copying path '/nix/store/9z659yzzx5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org' ...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org' ...
copying path '/nix/store/xzz2anv77hx8jziz24hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org' ...
copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org' ...
- system: "x86_64-linux"
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
```

[top of log](#)

install-default-ubuntu-12-04-ssh-testnixenv

```
./testscript:runtest:39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-interactive-testnixchannel

```
./testscript:runtest:10 testnixchannel
./testscript:testnixchannel:17 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc: command not found handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc: command not found handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-ssh-testnixchannel

```
./testscript:runtest:39 testnixchannel
./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-arch-login-testnixinfo

```
./testscript:runtest:39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1
/nix/store/1141f22hsyf9f9f3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/514qhky7nyf0bn9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87qx6r1zL89Lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqww0LrLr27x-bash-4.4-p23
/nix/store/7zbrn44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92gpnymw60dsx9f07jvn89z6z88g1-ed-1.14.2
/nix/store/98c80y9rplqlwxc8g1fm4qs494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z659yzzx5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a85laxa3p8rx1qqpbaaskvghyb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmymwx1pcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isapilpsq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
/nix/store/hx54ggnr64glg0wggdfvgdm4r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgyran523pfbdck57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/j1cmavp9291x0232ryl0za94rslxj0p-atrr-2.4.47
/nix/store/jz7lnmjbyaqpcg6vnm1v3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswnp6vrrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4yzas56kgzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravwrq0cw5i8firncs-expand-response-params
/nix/store/mxz4y6amjn7i638c6692qs1azyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/gqa70q7m5332dr4gab8z0p004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l74wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmc1y3hmmx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9a1xr2yr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz24hbfyh0wkw006d-bash-interactive-4.4-p23
/nix/store/y8p4r12w9p9swny215h517157kcv5z3-findutils-4.6.0
/nix/store/ykz666khn9vv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvm13fjv6j7qkswnp6vrrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org' ...
copying path '/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org' ...
copying path '/nix/store/hx54ggnr64glg0wggdfvgdm4r2bs1kv-glibc-2.27' from 'https://cache.nixos.org' ...
copying path '/nix/store/lxj4yzas56kgzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org' ...
copying path '/nix/store/i9k17g3rdr3r7ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org' ...
copying path '/nix/store/xd7yblv36s9yix9a1xr2yr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org' ...
copying path '/nix/store/7zbrn44bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org' ...
copying path '/nix/store/ykz666khn9vv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org' ...
copying path '/nix/store/h2r9w5i6xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org' ...
copying path '/nix/store/jz7lnmjbyaqpcg6vnm1v3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org' ...
copying path '/nix/store/6nqk63zypz17ng87qx6r1zL89Lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org' ...
copying path '/nix/store/09ij2aakzb8mhrkb4wkgpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org' ...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org' ...
copying path '/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org' ...
copying path '/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org' ...
copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org' ...
copying path '/nix/store/mdpwfa0v419ravwrq0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org' ...
```

```
copying path '/nix/store/92gpdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0dli7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxnn5g91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn7i638c6692qs1azyzxc619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/17vcsww4p6n51b72a12ysp5j31579wkd5-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slawx03e9x1qppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/v4p0mz263kx32f0788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fng0wgryan523pbdck57fpqzc-qlibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isapilpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wxli7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcyi3yhmmx6w5sg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmywxlpcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6q9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p4rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1l41f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z004ajy6fhl-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlyrd4xm78nfh6vz5a5fndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/96250yzczx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv7hx8jziz4hbfn0wkw086d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc2lppsckfj0g0gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: `x86_64-linux`
- host os: `Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion`
- multi-user?: `yes`
- sandbox: `no`
- version: `nix-env (Nix) 2.1pre6385_d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`
```

[top of log](#)

install-default-unless-selinux-debian-8-interactive-testnixchannel

```
./testscript:runtest::10 testnixchannel
./testscript:testnixchannel:15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-14-04-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-17-10-ssh-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-debian-9-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-fedora-25-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv:17 hello
Hello, world!
./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-fedora-27-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:testnixenv:17 hello
Hello, world!
./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-force-daemon-alpine-3-7-login-testnixenv

```
./testscript:runtest::39 testnixenv
./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-login-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2b18ry6vfyx9717983d5b2l4sn1c-hello-2.10
copying path '/nix/store/nic2b18ry6vfyx9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjrmh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-ubuntu-12-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::11 nix-channel --update
unpacking channels...
./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::13 hello
Hello, world!
./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-ubuntu-16-04-login-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::10 nix-channel --update
unpacking channels...
./testscript::testnixchannel::11 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::12 hello
Hello, world!
./testscript::testnixchannel::13 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-gentoo-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-default-unless-selinux-alpine-3-7-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrkbb4wkgpk6k8fz1cr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghq0wx1i7f43zrl9y9jb4-readline-7.0p5
/nix/store/514qhkya7nfybn9ycrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i7121qch0qzfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rlz189rld11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8rrqww0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvfpjhy70kxnxpwxkf-zlib-1.2.11
/nix/store/92gprndymmw60dsx9f07jvnr89z6zcx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzcz5z5zyhwc5n36ya6xj4q436mr-gcc-wrapper-7.3.0
/nix/store/a85laxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq09kpi073s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/apyh9vq5q8fsvhda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmwlpccv290md6d474yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2rl38hsz8l-bzip2-1.0.6.0.1-bin
/nix/store/fj3k559n102sq572kkspdjy303kv45-stdevn-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wgddfvdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgyran523pfbcdk57fpqzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9kl7g3dr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232rly0za94rrslxj0p-attrib-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmmv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/Lxj4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravwr0gcwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6092qs1azyzx6i9-xz-5.2.4-bin
/nix/store/qcvnr1ryrd4xm78nfh6vsz95fndflp-binutils-wrapper-2.30
/nix/store/qgs70q7m5332dr4gab8z009a4jy6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcyi3yhmxx6wysg66iw-patchelf-0.9
/nix/store/vp40my263x32f07788srrg159rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2yr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w0p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mikhm9vvq55bn6i9792inadrp2m-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/i4yzas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'
```

```
copying path '/nix/store/xj7y2d3j0nqz31v0rj0090317wly9v0sh-zinteracti...-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/5ml1d17y5albcd4i7121qch092fhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64glg0wgdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmav929lrx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cixnn5991m0bqrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rxiqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw0f8g0dd1l74wsj3355lh1jywjz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhzcwaz7xk6dqz2h9yca0z7wx0wg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isap1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyfr9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/929pnpy0mm60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravr0g0wg5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y0p41rl2w9p9smy215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87qx6rlz189lxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8l98kpi73ss4fjs0vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakz0b8hkrkb4wkgphk6k8fz1crgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fmgwgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vqg5q8f5xhda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmymx1pcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w5i6x4jdmj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2c1xlfb2r19dadfwwc8ywgjx59yqxmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcsw4p651b72a12y5pj31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmcvi3yhmmx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z92r9n1vbxbwqgwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/x07yblv36sr9y1x9axlr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx117f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c009p9rlq1wxc8g1f4d4sv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz066mkn9vqv5bn6i0702lnadp2ym-yz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/gqa70q7m5332d74gab8z004ajy06flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amjn71638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44b7m1yqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263qk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkya7nyfbnv9yrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcvvnrlryrd4xm78nfh0vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hxzi24hb7y0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxx3k59n10zsq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwb0jcnmcd2lppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.9.65-1-virthardened, Alpine Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

[top of log](#)

install-force-no-daemon-fedora-25-ssh-testnixinfo

```
./testscript:runtest::39 testnixinfo
./testscript:testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-macos-sierra-interactive-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-macos-sierra-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-centos-7-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::-377 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-force-no-daemon-ubuntu-12-04-interactive-testnixenv

```
./testscript:runtest::10 testnixenv
./testscript:testnixenv::11 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command not found handle:2 [' -x /usr/lib/command-not-found ']
/etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-env
nix-env: command not found
```

[top of log](#)

install-force-daemon-ubuntu-12-04-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-debian-9-login-testshell

```
./testscript:runtest::39 testshell
./testscript:testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-27-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-force-daemon-alpine-3-7-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-18-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-force-no-daemon-gentoo-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
bash: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-alpine-3-6-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-default-fedora-25-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-fedora-27-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-daemon-fedora-28-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-unless-selinux-gentoo-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-alpine-3-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
```

```
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-arch-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

install-default-unless-selinux-debian-8-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-fedora-26-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-macos-sierra-login-interactive-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/9bmxbadk3xkvy3c9ml2adjws2mch5wkd-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzszaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-macos-sierra-interactive-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-debian-8-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
```

[top of log](#)

install-default-ubuntu-14-04-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj7l7qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
```

[top of log](#)

install-default-arch-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-no-daemon-arch-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-17-10-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```


[top of log](#)

install-default-unless-selinux-ubuntu-14-04-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-default-unless-selinux-fedora-28-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-force-no-daemon-centos-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-force-daemon-debian-8-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-daemon-centos-7-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
Hello, world!
```

[top of log](#)

install-force-no-daemon-alpine-3-7-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-default-ubuntu-14-04-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-alpine-3-8-login-interactive-testnixinfo

```
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
```

[top of log](#)

install-default-centos-6-ssh-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-gentoo-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-no-daemon-alpine-3-8-login-interactive-testnixenv

```
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
```

[top of log](#)

install-force-daemon-fedora-28-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-alpine-3-8-login-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
```

[top of log](#)

install-force-daemon-centos-6-ssh-testnixchannel

```
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
```

[top of log](#)

install-default-unless-selinux-centos-6-login-testnixinfo

```
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell --run 'nix-info --main'
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakz8mhrkb4wghpk6k8fzlcrgnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87q6rlzL89rLxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23
/nix/store/7zbrnd44bp7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11
/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n8292r9nlvbbxwqgwjnf60zd-paxctl-0.9
/nix/store/9z650y2cz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8s1axaq3p8rxlqqpbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s44fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vq5q8fshxda24fwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwylpcxv290md6dq4r74yzbhsk-gnutar-1.30
/nix/store/fai750p2q3gc7isqapilpsq2r138hsz8l-bzip2-1.0.6.0-1-bin
/nix/store/fjk3k59n1825qs572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wryan523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
/nix/store/i9k17g3rdr3r7msl7rdsqsr58gslav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmmv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4y2as56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwr0gcwq518f1rnccs-expand-response-params
/nix/store/mxz4y6amj71638c6692qslazyx6i9-xz-5.2.4-bin
/nix/store/qcwnvrlryrd4xm78nfh0vsz5afndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8z0p004ajyg6flh-nix-info
/nix/store/qwf8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0-1
/nix/store/rhczaw7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3szmzcyi3yhmhx6wysg66iw-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
/nix/store/xadwbdjcnmdc21ppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz24hbfiyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkhm9vqv5bn6i97921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4y2as56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm4r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsr58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxnn5g91m8qrrqw0LrLr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8s1axaq3p8rxlqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qwf8f8g0d1l7l4wsj33s51hlyjwz2an4-bzip2-1.0.6.0-1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczaw7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqapilpsq2r138hsz8l-bzip2-1.0.6.0-1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnndymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwr0gcwq518f1rnccs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgf6vmmv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87q6rlzL89rLxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s44fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakz8mhrkb4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wryan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/agyh8vq5q8fshxda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwylpcxv290md6dq4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3szmzcyi3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n8292r9nlvbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz66mkhm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332dr4gab8z0p004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/mxz4y6amj71638c6692qslazyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/7zbrnd44bp7m1yqvp6jhy70kxnxpwkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/5l4qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/qcwnvrlryrd4xm78nfh0vsz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650y2cz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jiz24hbfiyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/fjk3k59n1825qs572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbdjcnmdc21ppskfjc00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
system: 'x86_64-linux'
- host os: 'Linux 2.6.32-696.28.1.el6.x86_64'
```

```
- multi-user?: `no`
- sandbox: `no`
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- version: nix-env (Nix) 2.1pre6385_d16ff76c
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
channels(vagrant): "nixpkgs-18.09pre150352_7c826371c49"
GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
- nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
```

[top of log](#)

install-default-centos-7-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-unless-selinux-alpine-3-5-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-force-daemon-ubuntu-18-10-login-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
```

[top of log](#)

install-default-fedora-26-login-interactive-testshell

```
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-default-fedora-26-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
(use '--show-trace' to show detailed location information)
```

[top of log](#)

install-force-no-daemon-debian-8-interactive-testnixchannel

```
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
```

[top of log](#)

install-force-daemon-alpine-3-5-ssh-testshell

```
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
```

[top of log](#)

install-default-unless-selinux-ubuntu-16-04-ssh-testnixenv

```
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
```

[top of log](#)

all details

install-default-debian-7-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "debian/wheezy64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl
```

SHELL

```

config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-debian-7-run-log

Bringing machine 'default' up with 'virtualbox' provider...
 ==> default: Importing base box 'debian/wheezy64'...

```

[KProgress: 20%
[KProgress: 40%
[KProgress: 60%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpyrsanA7cs_default_1535663597755_59957
=> default: Fixed port collision for 22 => 2222. Now on port 2207.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
=> default: Forwarding ports...
default: 22 (guest) => 2207 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2207
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
=> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.debian.org wheezy/updates Release.gpg [1,601 B]
default: Get:2 http://security.debian.org wheezy/updates Release [52.3 kB]
default: Get:3 http://httpredir.debian.org wheezy Release.gpg [2,373 B]
default: Get:4 http://httpredir.debian.org wheezy Release [191 kB]
default: Hit http://httpredir.debian.org wheezy/main Sources
default: Hit http://httpredir.debian.org wheezy/main amd64 Packages
default: Get:5 http://security.debian.org wheezy/updates/main Sources [354 kB]
default: Get:6 http://security.debian.org wheezy/updates/main amd64 Packages [589 kB]
default: Fetched 1,190 kB in 2s (450 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: The following extra packages will be installed:
default:  libcurl3 librtmp0 libssh2-1
default: The following NEW packages will be installed:
default:  curl libcurl3 librtmp0 libssh2-1
default: 0 upgraded, 4 newly installed, 0 to remove and 78 not upgraded.
default: Need to get 805 kB of archives.
default: After this operation, 1,412 kB of additional disk space will be used.
default: Get:1 http://httpredir.debian.org/debian/ wheezy/main libssh2-1 amd64 1.4.2-1.1+deb7u2 [134 kB]
default: Get:2 http://security.debian.org/ wheezy/updates/main librtmp0 amd64 2.4+20111222.git4e06e21-1+deb7u1 [62.5 kB]
default: Get:3 http://security.debian.org/ wheezy/updates/main libcurl3 amd64 7.26.0-1+wheezy25+deb7u1 [335 kB]
default: Get:4 http://security.debian.org/ wheezy/updates/main curl amd64 7.26.0-1+wheezy25+deb7u1 [273 kB]
default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
default: Fetched 805 kB in 0s (2,281 kB/s)
default: Selecting previously unselected package librtmp0:amd64.
default: (Reading database ...
default: 24988 files and directories currently installed.)
default: Unpacking librtmp0:amd64 (from .../librtmp0_2.4+20111222.git4e06e21-1+deb7u1_amd64.deb) ...
default: Selecting previously unselected package libssh2-1:amd64.
default: Unpacking libssh2-1:amd64 (from .../libssh2-1_1.4.2-1.1+deb7u2_amd64.deb) ...
default: Selecting previously unselected package libcurl3:amd64.
default: Unpacking libcurl3:amd64 (from .../libcurl3_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
default: Selecting previously unselected package curl.
default: Unpacking curl (from .../curl_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
default: Processing triggers for man-db ...
default: Setting up librtmp0:amd64 (2.4+20111222.git4e06e21-1+deb7u1) ...
default: Setting up libssh2-1:amd64 (1.4.2-1.1+deb7u2) ...
default: Setting up libcurl3:amd64 (7.26.0-1+wheezy25+deb7u1) ...
default: Setting up curl (7.26.0-1+wheezy25+deb7u1) ...
# /bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runttest() {

```



```
debian-7-test-login /nix/store/xzz2anv77hx8jz4hbhfyo0vkwv006d-bash-interactive-4.4-p23
debian-7-test-login /nix/store/y8p41rL2w9p9swmy2l5h517157kcv5z3-findutils-4.6.0
debian-7-test-login /nix/store/kzbb6mkmh9vq5bn6197921nadpr2ym-xz-5.2.4
debian-7-test-login /nix/store/ksvml3fjv617kskwp6qvrfjyqz5l336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/lxj4yza556kzsr064jbd090sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/5mld17y5albcd4i7121qcb09zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/hx54qgnr64gl9wggdfvgmd42r5b1kv-glibc-2.27' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/39k17q3rd3r7msl7dsgsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/jicmavp9291x6232ryl0za94r4rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/6881cklcnxns59lmgrrqwo0lrLr2x-bash-4.4-p23' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/a8slaxaq3p8rxiqpbaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/qwv8f8g0d1l714w5j3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/rhczvaz7xk6gd9z2h9yca0z7wx0nwg7-c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/fai750p2q3gc71sapilpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/1141f22hsyf9qf4325cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/92gpnndymm60dsx9f07jvnm89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/mdpwyfa0v419ravwrddgcwq518fkrncs-expand-response-params' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/y8p41rL2w9p9swmy2l5h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/z7lrmjbyaqcpgfvmlv3n20n1n600g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/6n0k63zyp2177ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/ach929x8l9gkpi473s4fj9svzvg9g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/091j2aakz2b8mhrk4wqkpk6k8fz1cr-numake-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/14n918fnq0nvgryan523pfdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/agyh8vq95q8fshxda24fwxj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/dkh9cmwy1pcxv29m6ddq4r74z2bshk-gnutar-1.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/j2clxfb2rl9daldfwc9bygwj9x9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/17wscw4p6n5l72a12y5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/ics4w9y5a3nszmmcy13yhmxx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/9xm9n09n0z9r1n1vbbwxgwjnf0z2d-paxctl-0.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/xd7yblv36sr9yix9ax1r2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/3bn819v7aghh0x1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/98c80y9rplqlwxc8g1fm4qsv494y8jq-gnugrep-3.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/ykzbb6mkmh9vq5bn6197921nadpr2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/aga70q7m5320r4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/mxw4y6amj7i638c6692qiaizyzyx6i09-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/zbrm4d4bp7mlvqv6jby70kxxwpw6f-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/vp40my263xk32f788srgrl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/514qhkya7nyfbnv9yrcr7cbmdinph8rr-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/qcvnrlyrrd4xm78fh6v5zya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/9z650yzzcx5zchv5n36ya64jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/xzz2anv77hx8jz4hbhfyo0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/fjxk3k5n102sq5572kkspdjy303k4v5-stdev-linux' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/xadwbdjcnmcd21pskfcj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"

Finishing: testnixinfo, duration:35 result:0
Starting: testshell
./testscript::runttest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:3 result:0
Starting: testnixenv
./testscript::runttest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86112z1pvpz9p9mhbw74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26ad53m0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
Finishing: testnixenv, duration:3 result:0
Starting: testnixchannel
./testscript::runttest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nl2d18t8fry97198345b21n1c-hello-2.10
copying path /nix/store/nl2d18t8fry97198345b21n1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjmrh8h176zcs953awr2miy7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:8 result:0
bash: cannot set terminal process group (-1): Invalid argument
bash: no job control in this shell
Starting: testnixinfo
./testscript::runttest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"

Finishing: testnixinfo, duration:4 result:0
Starting: testshell
./testscript::runttest::10 testshell
./testscript::testshell::4 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runttest::10 testnixenv
./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::9 hello
Hello, world!
./testscript::testnixenv::10 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:0 result:0
Starting: testnixchannel
./testscript::runttest::10 testnixchannel
./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::15 nix-channel --update
unpacking channels...
./testscript::testnixchannel::16 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::17 hello
Hello, world!
./testscript::testnixchannel::18 nix-env --uninstall 'hello.*'
```

```

debian-7-test-login-interactive      uninstalling 'hello-2.10'
debian-7-test-login-interactive      Finishing: testnixchannel, duration:1 result:0
debian-7-test-interactive            bash: cannot set terminal process group (-1): Invalid argument
debian-7-test-interactive            bash: no job control in this shell
debian-7-test-interactive            Starting: testnixinfo
debian-7-test-interactive            ./testscript::runtest::10 testnixinfo
debian-7-test-interactive            ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-interactive            bash: nix-shell: command not found
debian-7-test-interactive            Finishing: testnixinfo, duration:0 result:1
debian-7-test-interactive            Starting: testshell
debian-7-test-interactive            ./testscript::runtest::10 testshell
debian-7-test-interactive            ./testscript::testshell::4 nix-shell -p hello --run hello
debian-7-test-interactive            bash: nix-shell: command not found
debian-7-test-interactive            Finishing: testshell, duration:0 result:1
debian-7-test-interactive            Starting: testnixenv
debian-7-test-interactive            ./testscript::runtest::10 testnixenv
debian-7-test-interactive            ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
debian-7-test-interactive            bash: nix-env: command not found
debian-7-test-interactive            Finishing: testnixenv, duration:0 result:1
debian-7-test-interactive            Starting: testnixchannel
debian-7-test-interactive            ./testscript::runtest::10 testnixchannel
debian-7-test-interactive            ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-interactive            bash: nix-channel: command not found
debian-7-test-interactive            Finishing: testnixchannel, duration:0 result:1
debian-7-test-ssh                   Starting: testnixinfo
debian-7-test-ssh                   ./testscript::runtest::39 testnixinfo
debian-7-test-ssh                   ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-ssh                   ./testscript: line 8: nix-shell: command not found
debian-7-test-ssh                   Finishing: testnixinfo, duration:0 result:1
debian-7-test-ssh                   Starting: testshell
debian-7-test-ssh                   ./testscript::runtest::39 testshell
debian-7-test-ssh                   ./testscript::testshell::12 nix-shell -p hello --run hello
debian-7-test-ssh                   ./testscript: line 12: nix-shell: command not found
debian-7-test-ssh                   Finishing: testshell, duration:0 result:1
debian-7-test-ssh                   Starting: testnixenv
debian-7-test-ssh                   ./testscript::runtest::39 testnixenv
debian-7-test-ssh                   ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-7-test-ssh                   ./testscript: line 16: nix-env: command not found
debian-7-test-ssh                   Finishing: testnixenv, duration:0 result:1
debian-7-test-ssh                   Starting: testnixchannel
debian-7-test-ssh                   ./testscript::runtest::39 testnixchannel
debian-7-test-ssh                   ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-ssh                   ./testscript: line 22: nix-channel: command not found
debian-7-test-ssh                   Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-debian-7-install-method

install-default

[top of data](#)

install-default-debian-7-image-name

debian-7

[top of data](#)

install-default-unless-selinux-centos-6-image-name

centos-6

[top of data](#)

install-default-unless-selinux-centos-6-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'centos/6'...

███[KProgress: 10%

███[KProgress: 20%

███[KProgress: 30%

███[KProgress: 40%

███[KProgress: 50%

███[KProgress: 60%

███[KProgress: 70%

███[KProgress: 80%

███[KProgress: 90%

███[K=> default: Matching MAC address for NAT networking...

==> default: Setting the name of the VM: tmpTz4F0yEn7b_default_1535674819053_86475

==> default: Fixed port collision for 22 => 2222. Now on port 2200.

==> default: Clearing any previously set network interfaces...

==> default: Preparing network interfaces based on configuration...

default: Adapter 1: nat

==> default: Forwarding ports...

default: 22 (guest) => 2200 (host) (adapter 1)

==> default: Running 'pre-boot' VM customizations...

==> default: Booting VM...

==> default: Waiting for machine to boot. This may take a few minutes...

default: SSH address: 127.0.0.1:2200

default: SSH username: vagrant

default: SSH auth method: private key

default:

default: Vagrant insecure key detected. Vagrant will automatically replace

default: this with a newly generated keypair for better security.

default:

default: Inserting generated public key within guest...

default: Removing insecure key from the guest if it's present...

default: Key inserted! Disconnecting and reconnecting using new SSH key...

==> default: Machine booted and ready!

==> default: Checking for guest additions in VM...

default: No guest additions were detected on the base box for this VM! Guest

default: additions are required for forwarded ports, shared folders, host only

default: networking, and more. If SSH fails on this machine, please install

default: the guest additions and repackage the box to continue.

default:

default: This is not an error message; everything may continue to work properly,

default: in which case you may ignore this message.

==> default: Running provisioner: shell...

default: Running: inline script

default: Loaded plugins: fastestmirror, security

default: Setting up Install Process

default: Package curl-7.19.7-53.el6_9.x86_64 already installed and latest version

default: Nothing to do

#!/bin/sh

set -eux

if /usr/sbin/sectatus && /usr/sbin/sectatus 2>&1 | grep -q enforcing; then

echo "punting to no-daemon"

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s - --no-daemon

```

else
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4= ''${BASH_SOURCE}::''${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"

    echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"

    (
        runtest testnixinfo
        runtest testshell
        runtest testnixenv
        runtest testnixchannel
    )

    tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
centos-6-install + /usr/sbin/sestatus
centos-6-install SELinux status: enabled
centos-6-install SELinuxfs mount: /selinux
centos-6-install Current mode: enforcing
centos-6-install Mode from config file: enforcing
centos-6-install Policy version: 24
centos-6-install Policy from config file: targeted
centos-6-install punting to no-daemon
centos-6-install + /usr/sbin/sestatus
centos-6-install + grep -q enforcing
centos-6-install + echo 'punting to no-daemon'
centos-6-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
centos-6-install + sh -s -- --no-daemon
centos-6-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-6-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
101 2528 101 2528 0 0 5129 0 0 0 0 0 0 0 0 30457
centos-6-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.t
centos-6-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-6-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 0 0 0 0 0 0 0 0 0 0 0 0
3 35.5M 3 1348k 0 0 900k 0 0:00:40 0:00:01 0:00:39 1244k
7 35.5M 7 2852k 0 0 1126k 0 0:00:32 0:00:02 0:00:30 1346k
10 35.5M 10 3875k 0 0 1098k 0 0:00:33 0:00:03 0:00:30 1244k
13 35.5M 13 5088k 0 0 1124k 0 0:00:32 0:00:04 0:00:28 1237k
17 35.5M 17 6498k 0 0 1177k 0 0:00:30 0:00:05 0:00:25 1294k
22 35.5M 22 8126k 0 0 1247k 0 0:00:29 0:00:06 0:00:23 1350k
27 35.5M 27 9912k 0 0 1319k 0 0:00:27 0:00:07 0:00:20 1418k
32 35.5M 32 11.6M 0 0 1402k 0 0:00:25 0:00:08 0:00:17 1617k
38 35.5M 38 13.6M 0 0 1474k 0 0:00:24 0:00:09 0:00:15 1791k
44 35.5M 44 15.6M 0 0 1530k 0 0:00:23 0:00:10 0:00:13 1922k
50 35.5M 50 17.8M 0 0 1579k 0 0:00:23 0:00:11 0:00:12 2011k
55 35.5M 55 19.8M 0 0 1619k 0 0:00:22 0:00:12 0:00:10 2067k
61 35.5M 61 21.8M 0 0 1652k 0 0:00:22 0:00:13 0:00:09 2078k
67 35.5M 67 23.8M 0 0 1681k 0 0:00:21 0:00:14 0:00:07 2075k
72 35.5M 72 25.8M 0 0 1705k 0 0:00:21 0:00:15 0:00:06 2072k
78 35.5M 78 27.8M 0 0 1728k 0 0:00:21 0:00:16 0:00:05 2073k
84 35.5M 84 29.8M 0 0 1748k 0 0:00:20 0:00:17 0:00:03 2073k
89 35.5M 89 31.9M 0 0 1766k 0 0:00:20 0:00:18 0:00:02 2075k
95 35.5M 95 33.9M 0 0 1783k 0 0:00:20 0:00:19 0:00:01 2079k
100 35.5M 100 35.5M 0 0 1794k 0 0:00:20 0:00:20 0:00:00 2081k
centos-6-install performing a single-user installation of Nix...
centos-6-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
centos-6-install copying Nix to /nix/store.....
centos-6-install initialising Nix database...
centos-6-install Nix: creating /home/vagrant/.nix-profile
centos-6-install GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-install installing 'nix-2.1pre6385_d16ff76c'
centos-6-install building '/nix/store/hazjvcsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
centos-6-install created 6 symlinks in user environment
centos-6-install unpacking channels...
centos-6-install GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-install created 2 symlinks in user environment
centos-6-install modifying /home/vagrant/.bash_profile...
centos-6-install
centos-6-install Installation finished! To ensure that the necessary environment
centos-6-install variables are set, either log in again, or type
centos-6-install
centos-6-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh

```



```
centos-6-install
centos-6-install in your shell.
centos-6-test-login Starting: testnixinfo
centos-6-test-login ./testscript::runtest::39 testnixinfo
centos-6-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
centos-6-test-login /nix/store/09ij2aakzb8mhrk4wkghpk6k8fzclcr-gnumake-4.2.1
centos-6-test-login /nix/store/1141f22hsyf9fq3425cv49p8m9pb8q0-diffutils-3.6
centos-6-test-login /nix/store/3bn0819v7aghw0x1l7f43zrlq9y9jb4-readline-7.0p5
centos-6-test-login /nix/store/5l4qhkya7nyfbnv9ycrk7cbmdinph8r-gcc-7.3.0
centos-6-test-login /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
centos-6-test-login /nix/store/6nqk63zypz177ng87x6r1z189rlxd11-gcc-7.3.0-lib
centos-6-test-login /nix/store/6v88ick1cxns5g9lmg8rrqw0lrlr2x-bash-4.4-p23
centos-6-test-login /nix/store/7zbrn4d4b7mlyqvp6jhy70kxnxpkwf-zlib-1.2.11
centos-6-test-login /nix/store/92zpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
centos-6-test-login /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
centos-6-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqwjn6f0zd-paxctl-0.9
centos-6-test-login /nix/store/9z65y9zcc5z2yhwc5n36ya64jq436mr-gcc-wrapper-7.3.0
centos-6-test-login /nix/store/a8slaxaq3p8rxiqpbaaskyghyb0akb-acl-2.2.52
centos-6-test-login /nix/store/ach9z9x8lq89kpi73s4fj50zvyg3g7-glibc-2.27-bin
centos-6-test-login /nix/store/agyh8vqg5q8fsxhda24fxw7j2xv2bx4jjs-gnused-4.5
centos-6-test-login /nix/store/dkh9cmvwxlpcxv290md6d4r74yzbhs-knutar-1.30
centos-6-test-login /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
centos-6-test-login /nix/store/fjk3k59n102sq5572kkspdjy30k3v45-stdenv-linux
centos-6-test-login /nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jndp0vdd-gzip-1.9
centos-6-test-login /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
centos-6-test-login /nix/store/i4n918fnq0wgryan523pfbcdk57fpqcc-glibc-2.27-dev
centos-6-test-login /nix/store/i7vcs4p6n51b72a12y5p5j31579wk3-patch-2.7.6
centos-6-test-login /nix/store/i9k17g3rd3r7m5l7rdsqsrk58gslav1-linux-headers-4.15
centos-6-test-login /nix/store/j2clfbzr19dadfwcp8ywj9x9ygmz-ncurses-6.1
centos-6-test-login /nix/store/jicmavp929l0z32ryl0za94r9slxj0p-attr-2.4.47
centos-6-test-login /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
centos-6-test-login /nix/store/ksvm13fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
centos-6-test-login /nix/store/lx14yza556kgzsr064jbd9088h74wfy4-bash-interactive-4.4-p23-info
centos-6-test-login /nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params
centos-6-test-login /nix/store/mzx4y6amj7i638c6692qslazyzyx6i9-xz-5.2.4-bin
centos-6-test-login /nix/store/qcgvnr1ryrd4xm78nfh6vzya5fndflp-binutils-wrapper-2.30
centos-6-test-login /nix/store/qga70q7m5332dr4gab8zpp04ajy6flh-nix-info
centos-6-test-login /nix/store/qw8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
centos-6-test-login /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
centos-6-test-login /nix/store/sc4w9y5a3nszmmcy13yhmwx6wsg66iw-patchelf-0.9
centos-6-test-login /nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
centos-6-test-login /nix/store/xadwbdjcnmcd2lppsfcj00g0w8vsvynd-bash-interactive-4.4-p23-dev
centos-6-test-login /nix/store/xd7yblv36sr9yix9alx2syr2n0z9rix-pcre-8.42
centos-6-test-login /nix/store/xzz2anv77hx8jziz4hbfi0vkw0066d-bash-interactive-4.4-p23
centos-6-test-login /nix/store/y8p41rl2w9p9swny2l5h517157kcv5z3-findutils-4.6.0
centos-6-test-login /nix/store/ykz6b6mkm9vq5bn619792lnadrp2ym-xz-5.2.4
centos-6-test-login copying path /nix/store/ksvm13fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/lx14yza556kgzsr064jbd9088h74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/i9k17g3rd3r7m5l7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/jicmavp929l0z32ryl0za94r9slxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/6v88ick1cxns5g9lmg8rrqw0lrlr2x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/a8slaxaq3p8rxiqpbaaskyghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/qw8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/1141f22hsyf9fq3425cv49p8m9pb8q0-diffutils-3.6' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/92zpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/y8p41rl2w9p9swny2l5h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/6nqk63zypz177ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/ach9z9x8lq89kpi73s4fj50zvyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/09ij2aakzb8mhrk4wkghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/i4n918fnq0wgryan523pfbcdk57fpqcc-glibc-2.27-dev' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/agyh8vqg5q8fsxhda24fxw7j2xv2bx4jjs-gnused-4.5' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/dkh9cmvwxlpcxv290md6d4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4y4jndp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/j2clfbzr19dadfwcp8ywj9x9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/i7vcs4p6n51b72a12y5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/9xm9n09n0z92r9n1vbbxwqwjn6f0zd-paxctl-0.9' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/xd7yblv36sr9yix9alx2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/3bn0819v7aghw0x1l7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/ykz6b6mkm9vq5bn619792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/qga70q7m5332dr4gab8zpp04ajy6flh-nix-info' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/mzx4y6amj7i638c6692qslazyzyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/7zbrn4d4b7mlyqvp6jhy70kxnxpkwf-zlib-1.2.11' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/i4n918fnq0wgryan523pfbcdk57fpqcc-glibc-2.27-dev' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/qcgvnr1ryrd4xm78nfh6vzya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/9z65y9zcc5z2yhwc5n36ya64jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/xzz2anv77hx8jziz4hbfi0vkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/fjk3k59n102sq5572kkspdjy30k3v45-stdenv-linux' from 'https://cache.nixos.org'...
centos-6-test-login copying path /nix/store/xadwbdjcnmcd2lppsfcj00g0w8vsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - system: "x86_64-linux"
centos-6-test-login - host os: "Linux 2.6.32-696.28.1.el6.x86_64"
centos-6-test-login - multi-user?: 'no'
centos-6-test-login - sandbox: 'no'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'

Finishing: testnixinfo, duration:22 result:0
Starting: testshell
centos-6-test-login ./testscript::runtest::39 testshell
centos-6-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-6-test-login /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
centos-6-test-login copying path /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
centos-6-test-login Hello, world!
centos-6-test-login Finishing: testshell, duration:1 result:0
Starting: testnixenv
centos-6-test-login ./testscript::runtest::39 testnixenv
centos-6-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login installing 'hello-2.10'
centos-6-test-login building /nix/store/94bdc86i12l2pvzipp9hbhw74igl4q97c-user-environment.drv'...
centos-6-test-login created 38 symlinks in user environment
centos-6-test-login ./testscript::testnixenv:17 hello
centos-6-test-login Hello, world!
centos-6-test-login ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login uninstalling 'hello-2.10'
centos-6-test-login building /nix/store/bj717qjczsb26ad53mva0n4z266vj5vj-user-environment.drv'...
centos-6-test-login created 6 symlinks in user environment
centos-6-test-login Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
centos-6-test-login ./testscript::runtest::39 testnixchannel
centos-6-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-login ./testscript::testnixchannel:23 nix-channel --update
```

```

centos-6-test-login      unpacking channels...
centos-6-test-login      GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login      created 5 symlinks in user environment
centos-6-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-6-test-login      GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login      installing 'hello-2.10'
centos-6-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-6-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
centos-6-test-login      copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
centos-6-test-login      building '/nix/store/q264qcanqjmrh8h176z953awr2mly7-user-environment.drv'...
centos-6-test-login      created 38 symlinks in user environment
centos-6-test-login      ./testscript::testnixchannel:25 hello
centos-6-test-login      Hello, world!
centos-6-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
centos-6-test-login      GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login      uninstalling 'hello-2.10'
centos-6-test-login      Finishing: testnixchannel, duration:9 result:0
centos-6-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
centos-6-test-login-interactive bash: no job control in this shell
centos-6-test-login-interactive Starting: testnixinfo
centos-6-test-login-interactive ./testscript::runtest::10 testnixinfo
centos-6-test-login-interactive ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - system: "x86_64-linux"
centos-6-test-login-interactive - host os: 'Linux 2.6.32-696.28.1.el6.x86_64'
centos-6-test-login-interactive - multi-user?: 'no'
centos-6-test-login-interactive - sandbox: 'no'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e_nixpkgs-18.09pre150352.7c826371c49"
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
centos-6-test-login-interactive Finishing: testnixinfo, duration:3 result:0
centos-6-test-login-interactive Starting: testshell
centos-6-test-login-interactive ./testscript::runtest::10 testshell
centos-6-test-login-interactive ./testscript::testshell::36 nix-shell -p hello --run hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive Finishing: testshell, duration:1 result:0
centos-6-test-login-interactive Starting: testnixenv
centos-6-test-login-interactive ./testscript::runtest::10 testnixenv
centos-6-test-login-interactive ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive installing 'hello-2.10'
centos-6-test-login-interactive ./testscript::testnixenv::31 hello
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive ./testscript::testnixenv::30 nix-env --uninstall 'hello.*'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive uninstalling 'hello-2.10'
centos-6-test-login-interactive Finishing: testnixenv, duration:0 result:0
centos-6-test-login-interactive Starting: testnixchannel
centos-6-test-login-interactive ./testscript::runtest::10 testnixchannel
centos-6-test-login-interactive ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-login-interactive ./testscript::testnixchannel::25 nix-channel --update
centos-6-test-login-interactive unpacking channels...
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive installing 'hello-2.10'
centos-6-test-login-interactive ./testscript::testnixchannel::23 hello
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive ./testscript::testnixchannel::22 nix-env --uninstall 'hello.*'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive uninstalling 'hello-2.10'
centos-6-test-login-interactive Finishing: testnixchannel, duration:1 result:0
centos-6-test-interactive bash: cannot set terminal process group (-1): Invalid argument
centos-6-test-interactive bash: no job control in this shell
centos-6-test-interactive Starting: testnixinfo
centos-6-test-interactive ./testscript::runtest::10 testnixinfo
centos-6-test-interactive ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-interactive bash: nix-shell: command not found
centos-6-test-interactive Finishing: testnixinfo, duration:0 result:1
centos-6-test-interactive Starting: testshell
centos-6-test-interactive ./testscript::runtest::10 testshell
centos-6-test-interactive ./testscript::testshell::36 nix-shell -p hello --run hello
centos-6-test-interactive bash: nix-shell: command not found
centos-6-test-interactive Finishing: testshell, duration:0 result:1
centos-6-test-interactive Starting: testnixenv
centos-6-test-interactive ./testscript::runtest::10 testnixenv
centos-6-test-interactive ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
centos-6-test-interactive bash: nix-env: command not found
centos-6-test-interactive Finishing: testnixenv, duration:0 result:1
centos-6-test-interactive Starting: testnixchannel
centos-6-test-interactive ./testscript::runtest::10 testnixchannel
centos-6-test-interactive ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-interactive bash: nix-channel: command not found
centos-6-test-interactive Finishing: testnixchannel, duration:0 result:1
centos-6-test-ssh      Starting: testnixinfo
centos-6-test-ssh      ./testscript::runtest::39 testnixinfo
centos-6-test-ssh      ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-ssh      ./testscript: line 8: nix-shell: command not found
centos-6-test-ssh      Finishing: testnixinfo, duration:0 result:1
centos-6-test-ssh      Starting: testshell
centos-6-test-ssh      ./testscript::runtest::39 testshell
centos-6-test-ssh      ./testscript::testshell:12 nix-shell -p hello --run hello
centos-6-test-ssh      ./testscript: line 12: nix-shell: command not found
centos-6-test-ssh      Finishing: testshell, duration:0 result:1
centos-6-test-ssh      Starting: testnixenv
centos-6-test-ssh      ./testscript::runtest::39 testnixenv
centos-6-test-ssh      ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
centos-6-test-ssh      ./testscript: line 16: nix-env: command not found
centos-6-test-ssh      Finishing: testnixenv, duration:0 result:1
centos-6-test-ssh      Starting: testnixchannel
centos-6-test-ssh      ./testscript::runtest::39 testnixchannel
centos-6-test-ssh      ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-ssh      ./testscript: line 22: nix-channel: command not found
centos-6-test-ssh      Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-centos-6-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "centos/6"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:

```

```
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-unless-selinux-centos-6-install-method

```
install-default-unless-selinux
```

[top of data](#)

install-force-no-daemon-ubuntu-16-04-install-method

```
install-force-no-daemon
```

[top of data](#)

install-force-no-daemon-ubuntu-16-04-image-name

```
ubuntu-16-04
```

[top of data](#)

install-force-no-daemon-ubuntu-16-04-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/xenial64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-no-daemon-ubuntu-16-04-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/xenial64'...
```

```
#####[KProgress: 10%
#####[KProgress: 90%
#####[K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpDxAJRhoaug_default_1535664179685_98175
==> default: Fixed port collision for 22 => 2222. Now on port 2201.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2201 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2201
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 5.1.38
default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.ubuntu.com/ubuntu xenial-security InRelease [107 kB]
default: Hit:2 http://archive.ubuntu.com/ubuntu xenial InRelease
default: Get:3 http://archive.ubuntu.com/ubuntu xenial-updates InRelease [109 kB]
default: Get:4 http://archive.ubuntu.com/ubuntu xenial-backports InRelease [107 kB]
default: Get:5 http://security.ubuntu.com/ubuntu xenial-security/main Sources [132 kB]
default: Get:6 http://archive.ubuntu.com/ubuntu xenial/main Sources [868 kB]
default: Get:7 http://security.ubuntu.com/ubuntu xenial-security/restricted Sources [2,116 B]
default: Get:8 http://security.ubuntu.com/ubuntu xenial-security/universe Sources [72.8 kB]
default: Get:9 http://security.ubuntu.com/ubuntu xenial-security/multiverse Sources [2,088 B]
default: Get:10 http://security.ubuntu.com/ubuntu xenial-security/main amd64 Packages [550 kB]
default: Get:11 http://archive.ubuntu.com/ubuntu xenial/restricted Sources [4,808 B]
default: Get:12 http://archive.ubuntu.com/ubuntu xenial/universe Sources [7,728 kB]
default: Get:13 http://security.ubuntu.com/ubuntu xenial-security/main Translation-en [233 kB]
default: Get:14 http://security.ubuntu.com/ubuntu xenial-security/universe amd64 Packages [369 kB]
default: Get:15 http://security.ubuntu.com/ubuntu xenial-security/universe Translation-en [140 kB]
default: Get:16 http://security.ubuntu.com/ubuntu xenial-security/multiverse amd64 Packages [3,456 B]
default: Get:17 http://security.ubuntu.com/ubuntu xenial-security/multiverse Translation-en [1,744 B]
default: Get:18 http://archive.ubuntu.com/ubuntu xenial/multiverse Sources [179 kB]
default: Get:19 http://archive.ubuntu.com/ubuntu xenial/universe amd64 Packages [7,532 kB]
default: Get:20 http://archive.ubuntu.com/ubuntu xenial/universe Translation-en [4,354 kB]
default: Get:21 http://archive.ubuntu.com/ubuntu xenial/multiverse amd64 Packages [144 kB]
default: Get:22 http://archive.ubuntu.com/ubuntu xenial/multiverse Translation-en [106 kB]
default: Get:23 http://archive.ubuntu.com/ubuntu xenial-updates/main Sources [319 kB]
default: Get:24 http://archive.ubuntu.com/ubuntu xenial-updates/restricted Sources [2,528 B]
default: Get:25 http://archive.ubuntu.com/ubuntu xenial-updates/universe Sources [219 kB]
default: Get:26 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse Sources [8,408 B]
default: Get:27 http://archive.ubuntu.com/ubuntu xenial-updates/main amd64 Packages [841 kB]
default: Get:28 http://archive.ubuntu.com/ubuntu xenial-updates/main Translation-en [344 kB]
default: Get:29 http://archive.ubuntu.com/ubuntu xenial-updates/universe amd64 Packages [681 kB]
default: Get:30 http://archive.ubuntu.com/ubuntu xenial-updates/universe Translation-en [275 kB]
default: Get:31 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse amd64 Packages [16.4 kB]
default: Get:32 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse Translation-en [8,344 B]
default: Get:33 http://archive.ubuntu.com/ubuntu xenial-backports/main Sources [4,488 B]
default: Get:34 http://archive.ubuntu.com/ubuntu xenial-backports/universe Sources [6,740 B]
```



```
ubuntu-16-04-install
ubuntu-16-04-install in your shell.
ubuntu-16-04-test-login Starting: testnixinfo
./testscript:::runtest:::39 testnixinfo
./testscript:::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakz8mhrk4k4wghpk6k8fz2lcr-enumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l4qhkya7nyfbnv9yrcr7cbmdnph8br-gcc-7.3.0
/nix/store/5mlD17y5albcd4i712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zyp2177ng87x6r1z189rlxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cnn59g1m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jy70kxnpkwxfl-zlib-1.2.11
/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
/nix/store/9xm9n9n0z92r9nlvbbxwqwxjnf60z-paxctl-0.9
/nix/store/9z650y9zcx5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a85laxa3p8rx1qppbaasvghyxb0akb-acl-2.2.52
/nix/store/ach929x8l8g9kpi73s4fj50vzyg37-glibc-2.27-bin
/nix/store/agh8v9gq8f8xhds24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmwzlpvcv290md6d4q74y2bshk-gnutar-1.30
/nix/store/fai750p2a3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjk3k59n102sq572kkspdjy383kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
/nix/store/hx54qgnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
/nix/store/i7vcs4w4p6n51b72al2yp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2r19daldfwcp8ywgjx9yxgmz-nurses-6.1
/nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfvmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064bd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419rawrdg0q5i81fncs-expand-response-params
/nix/store/mzx4y6amj7n1638c6692z1azyzyx619-xz-5.2.4-bin
/nix/store/ncvnr1ryrd4xcm78nfv6svzaf5ndf1p-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zpp004ajyg6flh-nix-info
/nix/store/qw8f8g0d1171453355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwa27xk6ddq9z2h9yca0z7wx0nw7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy3yhm6w6ysg66i6-patchelf-0.9
/nix/store/vp40my263xk32f07788srrgl59yrcsna-binutils-2.30
/nix/store/xadwbdjcnmdc21pkskfj00g0w8vsynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz44bhfyh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykz66mkm9vqv5bn6i9792lnadrpzgm-xz-5.2.4
copying path /nix/store/ksvm13fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path /nix/store/lxj4zas56kgzsr064bd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path /nix/store/5mlD17y5albcd4i712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path /nix/store/hx54qgnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path /nix/store/i7vcs4w4p6n51b72al2yp5j31579wk3-patch-2.4.47' from 'https://cache.nixos.org'...
copying path /nix/store/6v88ick1cnn59g1m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/a85laxa3p8rx1qppbaasvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path /nix/store/qw8f8g0d1171453355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path /nix/store/rhczwa27xk6ddq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path /nix/store/fai750p2a3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path /nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path /nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path /nix/store/mdpwyfa0v419rawrdg0q5i81fncs-expand-response-params' from 'https://cache.nixos.org'...
copying path /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/ach929x8l8g9kpi73s4fj50vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path /nix/store/09ij2aakz8mhrk4k4wghpk6k8fz2lcr-enumake-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path /nix/store/agh8v9gq8f8xhds24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
copying path /nix/store/dkh9cmwzlpvcv290md6d4q74y2bshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path /nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path /nix/store/j2clxfb2r19daldfwcp8ywgjx9yxgmz-nurses-6.1' from 'https://cache.nixos.org'...
copying path /nix/store/i7vcs4w4p6n51b72al2yp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path /nix/store/sc4w9y5a3nszmmcy3yhm6w6ysg66i6-patchelf-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/9xm9n9n0z92r9nlvbbxwqwxjnf60z-paxctl-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path /nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path /nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path /nix/store/ykz66mkm9vqv5bn6i9792lnadrpzgm-xz-5.2.4' from 'https://cache.nixos.org'...
copying path /nix/store/mzx4y6amj7n1638c6692z1azyzyx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path /nix/store/7zbrn4d4bp7mlyqvp6jy70kxnpkwxfl-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path /nix/store/vp40my263xk32f07788srrgl59yrcsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/5l4qhkya7nyfbnv9yrcr7cbmdnph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/ach929x8l8g9kpi73s4fj50vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path /nix/store/9z650y9zcx5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/xzz2anv77hx8jiz44bhfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/fjk3k59n102sq572kkspdjy383kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path /nix/store/xadwbdjcnmdc21pkskfj00g0w8vsynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385.d16ff76c"
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
Finishing: testnixinfo, duration:47 result:0
ubuntu-16-04-test-login Starting: testshell
./testscript:::runtest:::39 testshell
./testscript:::testshell:::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:2 result:0
ubuntu-16-04-test-login Starting: testnixenv
./testscript:::runtest:::39 testnixenv
./testscript:::testnixenv:::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvzip9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript:::testnixenv:::17 hello
Hello, world!
./testscript:::testnixenv:::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qczsb26ad53mvo4a4nz66vj5v-user-environment.drv'...
created 6 symlinks in user environment
Finishing: testnixenv, duration:0 result:0
ubuntu-16-04-test-login Starting: testnixchannel
./testscript:::runtest:::39 testnixchannel
./testscript:::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript:::testnixchannel:::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript:::testnixchannel:::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b214snlc-hello-2.10
copying path /nix/store/nic2bl8ry6vfyxr9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcaqnmrhmh8176cz953awr2mly-user-environment.drv'...
```

```

ubuntu-16-04-test-login      created 38 symlinks in user environment
ubuntu-16-04-test-login      ./testscript::testnixchannel::25 hello
ubuntu-16-04-test-login      Hello, world!
ubuntu-16-04-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login      uninstalling 'hello-2.10'
ubuntu-16-04-test-login      Finishing: testnixchannel, duration:8 result:0
ubuntu-16-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-16-04-test-login-interactive bash: no job control in this shell
ubuntu-16-04-test-login-interactive Starting: testnixinfo
ubuntu-16-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-16-04-test-login-interactive ./testscript::testnixinfo::5 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-login-interactive - system: "x86_64-linux"
ubuntu-16-04-test-login-interactive - host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
ubuntu-16-04-test-login-interactive - multi-user?: "no"
ubuntu-16-04-test-login-interactive - sandbox: "no"
ubuntu-16-04-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-16-04-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
ubuntu-16-04-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
ubuntu-16-04-test-login-interactive Finishing: testnixinfo, duration:4 result:0
ubuntu-16-04-test-login-interactive Starting: testshell
ubuntu-16-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-16-04-test-login-interactive ./testscript::testshell::1 nix-shell -p hello --run hello
ubuntu-16-04-test-login-interactive Hello, world!
ubuntu-16-04-test-login-interactive Finishing: testshell, duration:1 result:0
ubuntu-16-04-test-login-interactive Starting: testnixenv
ubuntu-16-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-16-04-test-login-interactive ./testscript::testnixenv::3 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-login-interactive installing 'hello-2.10'
ubuntu-16-04-test-login-interactive ./testscript::testnixenv::4 hello
ubuntu-16-04-test-login-interactive Hello, world!
ubuntu-16-04-test-login-interactive ./testscript::testnixenv::5 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-16-04-test-login-interactive Finishing: testnixenv, duration:0 result:0
ubuntu-16-04-test-login-interactive Starting: testnixchannel
ubuntu-16-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-16-04-test-login-interactive ./testscript::testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-login-interactive ./testscript::testnixchannel::10 nix-channel --update
ubuntu-16-04-test-login-interactive unpacking channels...
ubuntu-16-04-test-login-interactive ./testscript::testnixchannel::11 nix-env -iA nixos-18-03.hello
ubuntu-16-04-test-login-interactive installing 'hello-2.10'
ubuntu-16-04-test-login-interactive ./testscript::testnixchannel::12 hello
ubuntu-16-04-test-login-interactive Hello, world!
ubuntu-16-04-test-login-interactive ./testscript::testnixchannel::13 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-16-04-test-login-interactive Finishing: testnixchannel, duration:2 result:0
ubuntu-16-04-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-16-04-test-interactive bash: no job control in this shell
ubuntu-16-04-test-interactive Starting: testnixinfo
ubuntu-16-04-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-16-04-test-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-16-04-test-interactive nix-shell: command not found
ubuntu-16-04-test-interactive Finishing: testnixinfo, duration:7 result:1
ubuntu-16-04-test-interactive Starting: testshell
ubuntu-16-04-test-interactive ./testscript::runtest::10 testshell
ubuntu-16-04-test-interactive ./testscript::testshell::4 nix-shell -p hello --run hello
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-16-04-test-interactive nix-shell: command not found
ubuntu-16-04-test-interactive Finishing: testshell, duration:0 result:1
ubuntu-16-04-test-interactive Starting: testnixenv
ubuntu-16-04-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-16-04-test-interactive ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-16-04-test-interactive nix-env: command not found
ubuntu-16-04-test-interactive Finishing: testnixenv, duration:1 result:1
ubuntu-16-04-test-interactive Starting: testnixchannel
ubuntu-16-04-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-16-04-test-interactive ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-16-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-16-04-test-interactive nix-channel: command not found
ubuntu-16-04-test-interactive Finishing: testnixchannel, duration:0 result:1
ubuntu-16-04-test-ssh      Starting: testnixinfo
ubuntu-16-04-test-ssh      ./testscript::runtest::39 testnixinfo
ubuntu-16-04-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-ssh      ./testscript: line 8: nix-shell: command not found
ubuntu-16-04-test-ssh      Finishing: testnixinfo, duration:1 result:1
ubuntu-16-04-test-ssh      Starting: testshell
ubuntu-16-04-test-ssh      ./testscript::runtest::39 testshell
ubuntu-16-04-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-16-04-test-ssh      ./testscript: line 12: nix-shell: command not found
ubuntu-16-04-test-ssh      Finishing: testshell, duration:0 result:1
ubuntu-16-04-test-ssh      Starting: testnixenv
ubuntu-16-04-test-ssh      ./testscript::runtest::39 testnixenv
ubuntu-16-04-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-16-04-test-ssh      Finishing: testnixenv, duration:0 result:1
ubuntu-16-04-test-ssh      Starting: testnixchannel
ubuntu-16-04-test-ssh      ./testscript::runtest::39 testnixchannel
ubuntu-16-04-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-16-04-test-ssh      Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-no-daemon-fedora-26-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-fedora-26-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'generic/fedora26'...

```

[KProgress: 10%
[KProgress: 20%
[KProgress: 30%
[KProgress: 40%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpXu0jLeJznR_default_1535663971474_58638
=> default: Fixed port collision for 22 => 2222. Now on port 2206.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
    default: Adapter 1: nat
=> default: Forwarding ports...
    default: 22 (guest) => 2206 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...

```



```
fedora-26-install performing a single-user installation of Nix...
fedora-26-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
fedora-26-install copying Nix to /nix/store.....
fedora-26-install initialising Nix database.....
fedora-26-install Nix: creating /home/vagrant/.nix-profile
fedora-26-install installing 'nix-2.1pre6385.d16ff76c'
fedora-26-install building '/nix/store/hazjvcdsg96fB08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-26-install created 6 symlinks in user environment
fedora-26-install unpacking channels...
fedora-26-install created 2 symlinks in user environment
fedora-26-install modifying /home/vagrant/.bash_profile...
fedora-26-install Installation finished! To ensure that the necessary environment
fedora-26-install variables are set, either log in again, or type
fedora-26-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
fedora-26-install in your shell.
fedora-26-test-login Starting: testnixinfo
fedora-26-test-login ./testscript:runtest:39 testnixinfo
fedora-26-test-login ./testscript:runtest:39 testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-26-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
fedora-26-test-login /nix/store/09ij2aakzb8mhrkb4wkghpk6k8fzlcrgnumake-4.2.1
fedora-26-test-login /nix/store/1141f22hsyfq9f3425c49p8m9pb80g-diffutils-3.6
fedora-26-test-login /nix/store/3bn0819v7aghg0wxi17f43zr1q9y9jb4-readline-7.0p5
fedora-26-test-login /nix/store/514qhkya7nyf9v9yrcrk7cbmdinph8br-gcc-7.3.0
fedora-26-test-login /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
fedora-26-test-login /nix/store/6nqk63zypz177ng87gx6r1zL89rlxd1l-gcc-7.3.0-lib
fedora-26-test-login /nix/store/6v88icklcxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23
fedora-26-test-login /nix/store/7zbrn44bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
fedora-26-test-login /nix/store/92gpdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
fedora-26-test-login /nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
fedora-26-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9
fedora-26-test-login /nix/store/9z650yczcz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
fedora-26-test-login /nix/store/a8slaxaq3p8rxiqqbaasvkghyxb0akb-acl-2.2.52
fedora-26-test-login /nix/store/ach92xk4i898kpid73s4fj50vzyg3g7-glibc-2.27-bin
fedora-26-test-login /nix/store/anyh8vqg508f5xhda24fwj2xv2b4js-gnused-4.5
fedora-26-test-login /nix/store/dkh9cmvwx1pcxv290md6d4747zvhsk-gnutar-1.30
fedora-26-test-login /nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin
fedora-26-test-login /nix/store/fjxk3k59n102sq5572kkspdjy303k45-stenv-linux
fedora-26-test-login /nix/store/h2r9w5i6x4mdj3r4x2rww4dypn0vdd-gzip-1.9
fedora-26-test-login /nix/store/hx54ggnr64jg0wgddfvdm42r2bs1kv-glibc-2.27
fedora-26-test-login /nix/store/i4n918fnq0wgyr523pfbdcf57fpqz-glibc-2.27-dev
fedora-26-test-login /nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6
fedora-26-test-login /nix/store/i9k17g2cd3r7ms17rdsqsk58gs1av1-linux-headers-4.15
fedora-26-test-login /nix/store/j2clxfb2rl9daldfwcp8ywjx9y9xgmz-ncurses-6.1
fedora-26-test-login /nix/store/jcmavp929lx0z32ryl0za94rrslxj0p-attrib-2.4.47
fedora-26-test-login /nix/store/jz7lnmjbyaqpcfv6vml3n20nin6h0g-gawk-4.2.1
fedora-26-test-login /nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
fedora-26-test-login /nix/store/lxj4yzas56kqzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
fedora-26-test-login /nix/store/mdpwyfa0v4i9ravwrdd0cw58firncs-expand-response-params
fedora-26-test-login /nix/store/mzx4y6amjn71638c6692qslazyz619-xz-5.2.4-bin
fedora-26-test-login /nix/store/qcvnr1ryrd4xm78nfh6vz5a5fndflp-binutils-wrapper-2.30
fedora-26-test-login /nix/store/qa70q7m5332rd4gab8z0p04ajyg6flh-nix-info
fedora-26-test-login /nix/store/qw8f8g0d1i7l4wsj3351hlyjwz2an4-bzip2-1.0.6.0.1
fedora-26-test-login /nix/store/rhczwaz7xk6d9z2h9yca0z7wx0nw7c-coreutils-8.29
fedora-26-test-login /nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iwp-patchelf-0.9
fedora-26-test-login /nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30
fedora-26-test-login /nix/store/xadwbdjcnmcd2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev
fedora-26-test-login /nix/store/xd7yb1v36sr9yx9a1xr2syr2n0z9rix-pcre-8.42
fedora-26-test-login /nix/store/xzz2anv77hx8jziz4hbfyh0wkwv006d-bash-interactive-4.4-p23
fedora-26-test-login /nix/store/y8p4rlr2w9p9swny2l5h517157kcv53-findutils-4.6.0
fedora-26-test-login /nix/store/ykz6b6khhm9vq55bn6i97921nadrp2ym-xz-5.2.4
fedora-26-test-login copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/lxj4yzas56kqzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/hx54ggnr64jg0wgddfvdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/i9k17g2cd3r7ms17rdsqsk58gs1av1-linux-headers-4.15' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/jcmavp929lx0z32ryl0za94rrslxj0p-attrib-2.4.47' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/6v88icklcxnn5g91m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/a8slaxaq3p8rxiqqbaasvkghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/qw8f8g0d1i7l4wsj3351hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/rhczwaz7xk6d9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/1141f22hsyfq9f3425c49p8m9pb80g-diffutils-3.6' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/92gpdymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/mdpwyfa0v4i9ravwrdd0cw58firncs-expand-response-params' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/y8p4rlr2w9p9swny2l5h517157kcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/jz7lnmjbyaqpcfv6vml3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/6nqk63zypz177ng87gx6r1zL89rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/ach92xk4i898kpid73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/09ij2aakzb8mhrkb4wkghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/i4n918fnq0wgyr523pfbdcf57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/anyh8vqg508f5xhda24fwj2xv2b4js-gnused-4.5' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/dkh9cmvwx1pcxv290md6d4747zvhsk-gnutar-1.30' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/h2r9w5i6x4mdj3r4x2rww4dypn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/j2clxfb2rl9daldfwcp8ywjx9y9xgmz-ncurses-6.1' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iwp-patchelf-0.9' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/xd7yb1v36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/3bn0819v7aghg0wxi17f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/ykz6b6khhm9vq55bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/qa70q7m5332rd4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/mzx4y6amjn71638c6692qslazyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/7zbrn44bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/514qhkya7nyf9v9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/qcvnr1ryrd4xm78nfh6vz5a5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/9z650yczcz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0wkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/fjxk3k59n102sq5572kkspdjy303k45-stenv-linux' from 'https://cache.nixos.org'...
fedora-26-test-login copying path '/nix/store/xadwbdjcnmcd2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
fedora-26-test-login - system: "x86_64-linux"
fedora-26-test-login - host os: "Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)"
fedora-26-test-login - multi-user?: "no"
fedora-26-test-login - sandbox: "no"
fedora-26-test-login - version: "nix-env (Nix) 2.1pre6385.d16ff76c"
fedora-26-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
fedora-26-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
fedora-26-test-login Finishing: testnixinfo, duration:20 result:0
fedora-26-test-login Starting: testshell
fedora-26-test-login ./testscript:runtest:39 testshell
fedora-26-test-login ./testscript:runtest:39 testshell:12 nix-shell -p hello --run hello
fedora-26-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-26-test-login /nix/store/z87ns3bv8d29c7dnblvj54i6l3ch8k10-hello-2.10
fedora-26-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i6l3ch8k10-hello-2.10' from 'https://cache.nixos.org'...
fedora-26-test-login Hello, world!
fedora-26-test-login Finishing: testshell, duration:2 result:0
fedora-26-test-login Starting: testnixenv
fedora-26-test-login ./testscript:runtest:39 testnixenv
fedora-26-test-login ./testscript:runtest:39 testnixenv:16 nix-env -iA nixpkgs.hello
fedora-26-test-login installing 'hello-2.10'
fedora-26-test-login building '/nix/store/94bdc86112z1pvz9p9mhbv74igl4q97c-user-environment.drv'...
fedora-26-test-login created 38 symlinks in user environment
fedora-26-test-login ./testscript:runtest:39 testnixenv:17 hello
fedora-26-test-login Hello, world!
fedora-26-test-login ./testscript:runtest:39 testnixenv:18 nix-env --uninstall 'hello.*'
```



```

fedora-26-test-login      uninstalling 'hello-2.10'
fedora-26-test-login      building '/nix/store/bj717qjczsb26adc53m0a4nz66vj5vj-user-environment.drv'...
fedora-26-test-login      created 6 symlinks in user environment
fedora-26-test-login      Finishing: testnixenv, duration:0 result:0
fedora-26-test-login      Starting: testnixchannel
fedora-26-test-login      ./testscript::runtest:39 testnixchannel
fedora-26-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-26-test-login      ./testscript::testnixchannel::23 nix-channel --update
fedora-26-test-login      unpacking channels...
fedora-26-test-login      created 5 symlinks in user environment
fedora-26-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
fedora-26-test-login      installing 'hello-2.10'
fedora-26-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-26-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
fedora-26-test-login      copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
fedora-26-test-login      building '/nix/store/q264qcanqjmrh8hl76zc953awr2mij7-user-environment.drv'...
fedora-26-test-login      created 38 symlinks in user environment
fedora-26-test-login      ./testscript::testnixchannel::25 hello
fedora-26-test-login      Hello, world!
fedora-26-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
fedora-26-test-login      uninstalling 'hello-2.10'
fedora-26-test-login      Finishing: testnixchannel, duration:8 result:0
fedora-26-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-26-test-login-interactive bash: no job control in this shell
fedora-26-test-login-interactive Starting: testnixinfo
fedora-26-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-26-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-26-test-login-interactive - system: "x86_64-linux"
fedora-26-test-login-interactive - host os: "Linux 4.16.11-100.fc26.x86_64, Fedora, 26 (Twenty Six)"
fedora-26-test-login-interactive - multi-user?: 'no'
fedora-26-test-login-interactive - sandbox: 'no'
fedora-26-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
fedora-26-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
fedora-26-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
fedora-26-test-login-interactive Finishing: testnixinfo, duration:4 result:0
fedora-26-test-login-interactive Starting: testshell
fedora-26-test-login-interactive ./testscript::runtest:10 testshell
fedora-26-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-26-test-login-interactive Hello, world!
fedora-26-test-login-interactive Finishing: testshell, duration:2 result:0
fedora-26-test-login-interactive Starting: testnixenv
fedora-26-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-26-test-login-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-26-test-login-interactive installing 'hello-2.10'
fedora-26-test-login-interactive ./testscript::testnixenv:0 hello
fedora-26-test-login-interactive Hello, world!
fedora-26-test-login-interactive ./testscript::testnixenv:0 nix-env --uninstall 'hello.*'
fedora-26-test-login-interactive uninstalling 'hello-2.10'
fedora-26-test-login-interactive Finishing: testnixenv, duration:0 result:0
fedora-26-test-login-interactive Starting: testnixchannel
fedora-26-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-26-test-login-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-26-test-login-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-26-test-login-interactive unpacking channels...
fedora-26-test-login-interactive ./testscript::testnixchannel:0 nix-env -iA nixos-18-03.hello
fedora-26-test-login-interactive installing 'hello-2.10'
fedora-26-test-login-interactive ./testscript::testnixchannel:0 hello
fedora-26-test-login-interactive Hello, world!
fedora-26-test-login-interactive ./testscript::testnixchannel:0 nix-env --uninstall 'hello.*'
fedora-26-test-login-interactive uninstalling 'hello-2.10'
fedora-26-test-login-interactive Finishing: testnixchannel, duration:1 result:0
fedora-26-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-26-test-interactive bash: no job control in this shell
fedora-26-test-interactive Starting: testnixinfo
fedora-26-test-interactive ./testscript::runtest:10 testnixinfo
fedora-26-test-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-26-test-interactive bash: nix-shell: command not found
fedora-26-test-interactive Finishing: testnixinfo, duration:0 result:127
fedora-26-test-interactive Starting: testshell
fedora-26-test-interactive ./testscript::runtest:10 testshell
fedora-26-test-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-26-test-interactive bash: nix-shell: command not found
fedora-26-test-interactive Finishing: testshell, duration:0 result:127
fedora-26-test-interactive Starting: testnixenv
fedora-26-test-interactive ./testscript::runtest:10 testnixenv
fedora-26-test-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-26-test-interactive bash: nix-env: command not found
fedora-26-test-interactive Finishing: testnixenv, duration:0 result:127
fedora-26-test-interactive Starting: testnixchannel
fedora-26-test-interactive ./testscript::runtest:10 testnixchannel
fedora-26-test-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-26-test-interactive bash: nix-channel: command not found
fedora-26-test-interactive Finishing: testnixchannel, duration:0 result:127
fedora-26-test-ssh      Starting: testnixinfo
fedora-26-test-ssh      ./testscript::runtest:39 testnixinfo
fedora-26-test-ssh      ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-26-test-ssh      ./testscript: line 8: nix-shell: command not found
fedora-26-test-ssh      Finishing: testnixinfo, duration:0 result:127
fedora-26-test-ssh      Starting: testshell
fedora-26-test-ssh      ./testscript::runtest:39 testshell
fedora-26-test-ssh      ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-26-test-ssh      ./testscript: line 12: nix-shell: command not found
fedora-26-test-ssh      Finishing: testshell, duration:0 result:127
fedora-26-test-ssh      Starting: testnixenv
fedora-26-test-ssh      ./testscript::runtest:39 testnixenv
fedora-26-test-ssh      ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-26-test-ssh      ./testscript: line 16: nix-env: command not found
fedora-26-test-ssh      Finishing: testnixenv, duration:0 result:127
fedora-26-test-ssh      Starting: testnixchannel
fedora-26-test-ssh      ./testscript::runtest:39 testnixchannel
fedora-26-test-ssh      ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-26-test-ssh      ./testscript: line 22: nix-channel: command not found
fedora-26-test-ssh      Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-fedora-26-image-name

fedora-26

[top of data](#)

install-force-no-daemon-fedora-26-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora26"
  config.vm.provision "shell", inline: <<-SHELL
  yum install curl

```

```

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

```


2. Show you what we are going to install and where. Then we will ask if you are ready to continue.
3. Create the system users and groups that the Nix daemon uses to run builds.
4. Perform the basic installation of the Nix files daemon.
5. Configure your shell to import special Nix Profile files, so you can use Nix.
6. Start the Nix daemon.

```

[38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
[0mNo TTY, assuming you would say yes :)

```

We will:

- make sure your computer doesn't already have Nix files (if it does, I will tell you how to clean them up.)
- create local users (see the list above for the users we'll make)
- create a local group (nixbld)
- install Nix in to /nix
- create a configuration file in /etc/nix
- set up the "default profile" by creating some Nix-related files in /root
- load and start a service (at /etc/systemd/system/nix-daemon.service and /etc/systemd/system/nix-daemon.socket) for nix-daemon

```

[38;32m[38;4;32mReady to continue?
[0mNo TTY, assuming you would say yes :)

```

```

[38;34m--- let's talk about sudo -----
[0mThis script is going to call sudo a lot. Normally, it would show you exactly what commands it is running and why. However, the script is run in a headless fashion, like this:

```

```
$ curl https://nixos.org/nix/install | sh
```

or maybe in a CI pipeline. Because of that, we're going to skip the verbose output in the interest of brevity.

If you would like to see the output, try like this:

```
$ curl -o install-nix https://nixos.org/nix/install
$ sh ./install-nix
```

```

[38;34m--- Nix config report -----
[0m[38;1m Temp Dir[0m: /tmp/tmp.810HVtClAg
[38;1m Nix Root[0m: /nix
[38;1m Build Users[0m: 32
[38;1m Build Group ID[0m: 30000
[38;1mBuild Group Name[0m: nixbld

```

```
[38;4;34mbuild users:
```

```

[0m[38;1m Username[0m: UID
[38;1m nixbld1[0m: 30001
[38;1m nixbld2[0m: 30002
[38;1m nixbld3[0m: 30003
[38;1m nixbld4[0m: 30004
[38;1m nixbld5[0m: 30005
[38;1m nixbld6[0m: 30006
[38;1m nixbld7[0m: 30007
[38;1m nixbld8[0m: 30008
[38;1m nixbld9[0m: 30009
[38;1m nixbld10[0m: 30010
[38;1m nixbld11[0m: 30011
[38;1m nixbld12[0m: 30012
[38;1m nixbld13[0m: 30013
[38;1m nixbld14[0m: 30014
[38;1m nixbld15[0m: 30015
[38;1m nixbld16[0m: 30016
[38;1m nixbld17[0m: 30017
[38;1m nixbld18[0m: 30018
[38;1m nixbld19[0m: 30019
[38;1m nixbld20[0m: 30020
[38;1m nixbld21[0m: 30021
[38;1m nixbld22[0m: 30022
[38;1m nixbld23[0m: 30023
[38;1m nixbld24[0m: 30024
[38;1m nixbld25[0m: 30025
[38;1m nixbld26[0m: 30026
[38;1m nixbld27[0m: 30027
[38;1m nixbld28[0m: 30028
[38;1m nixbld29[0m: 30029
[38;1m nixbld30[0m: 30030
[38;1m nixbld31[0m: 30031
[38;1m nixbld32[0m: 30032

```

```

[38;32m[38;4;32mReady to continue?
[0mNo TTY, assuming you would say yes :)

```

```

[38;32m--> Setting up the build group nixbld
[0m[38;1m Created[0m: Yes

```

```

[38;32m--> Setting up the build user nixbld1
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 1
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

```

```

[38;32m--> Setting up the build user nixbld2
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 2
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

```

```

[38;32m--> Setting up the build user nixbld3
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 3
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

```

```

[38;32m--> Setting up the build user nixbld4
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes

```



```
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 30
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000
ubuntu-18-04-install [38;32m--> Setting up the build user nixbld31
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 31
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000
ubuntu-18-04-install [38;32m--> Setting up the build user nixbld32
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 32
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000
mkdir: created directory '/nix'
mkdir: created directory '/nix/var'
mkdir: created directory '/nix/var/log'
mkdir: created directory '/nix/var/log/nix'
mkdir: created directory '/nix/var/log/nix/drvs'
mkdir: created directory '/nix/var/nix'
mkdir: created directory '/nix/var/nix/db'
mkdir: created directory '/nix/var/nix/gcroots'
mkdir: created directory '/nix/var/nix/profiles'
mkdir: created directory '/nix/var/nix/temproots'
mkdir: created directory '/nix/var/nix/userpool'
mkdir: created directory '/nix/var/nix/gcroots/per-user'
mkdir: created directory '/nix/var/nix/profiles/per-user'
mkdir: created directory '/nix/store'
mkdir: created directory '/nix/var/nix/profiles/per-user/root'
mkdir: created directory '/root/.nix-defexpr'
mkdir: created directory '/etc/nix'
Alright! We have our first nix at /nix/store/ngjwnr8scnmpqymjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
Just finished getting the nix database ready.

# Nix
if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
  . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fi
# End Nix

installing 'nix-2.1pre6385_d16ff76c'
building '/nix/store/hazjvcdsg96fb08j3mn9ya0mmk0pbi-user-environment.drv'...
created 6 symlinks in user environment
installing 'nss-cacert-3.38'
building '/nix/store/xsv6s0z26dk3sqw156rl7ab53ydk4065-user-environment.drv'...
created 9 symlinks in user environment
unpacking channels...
created 2 symlinks in user environment
Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
[38;32mAlright! We're done!
[0m
Before Nix will work in your existing shells, you'll need to close them and open them again. Other than that, you should be ready to go.

Try it! Open a new terminal, and type:

$ nix-shell -p nix-info --run "nix-info -m"

Thank you for using this installer. If you have any feedback, don't hesitate:

We'd love to help if you need it.

If you can, open an issue at https://github.com/nixos/nix/issues

Or feel free to contact the team,
- on IRC #nixos on irc.freenode.net
- on twitter @nixos_org

Starting: testnixinfo
./testscript:::testnixinfo:~$ nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyfq9fq3425cv49p8m9pb080-diffutils-3.6
/nix/store/3bn0819v7agh0wx1i7f43zrlq9y9jb4-readline-7.0p5
/nix/store/5l4qhkyaynyfbnv9ycrk7cbmdinph8b-gcc-7.3.0
/nix/store/5mld17y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189lxd11-gcc-7.3.0-lib
/nix/store/6v88ick1cnn5g9l8m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7m1yqvp6j7h0kxnpwpxk-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8g1fm4qs4v494ajy8g-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqgxnjnf60zd-paxctl-0.9
/nix/store/9z650y2czx5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpi73s4fj50vzvg37-glibc-2.27-bin
/nix/store/agyh8vqg98f8xhds24fxw2kx2xb4js-gnused-4.5
/nix/store/dkh9cmxy1pcxv290md6d4q74yzbshsk-gnutar-1.30
/nix/store/fai750p2a3qc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdj330k45-stdenv-linux
/nix/store/h2r9w516x4j4mdj3r4x2rww4jydp0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbdc57fpqcc-glibc-2.27-dev
/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rdr3r7ms17rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2c1xfb2rl9daldfwcp8ywgjx9s9xgmz-ncurses-6.1
/nix/store/jicmavp929l0x232ryl0za94rslxj0p-atr-2.4.47
/nix/store/jz7lnmjbyaqpcgfvmlv3n20in6h0g-gawk-4.2.1
/nix/store/ksvmj3fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064bd908sh74wf4-bash-interactive-4.4-p23-info
/nix/store/mdpwyf80v419ravrddg0cw4i8f1ncs-expand-response-params
/nix/store/mz4y6amj71638c66d2s1azzyz6619-xz-5.2.4-bin
/nix/store/nr1ryr4cm78nfh6vsvyab5ndf1p-binutils-wrapper-2.30
/nix/store/oga70q7m5332d4qab8zpp04ajy6fllh-nix-info
/nix/store/qw8f8q0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7x6k6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmhx6wysg661v-patchel-0.9
/nix/store/vp40my263xk32f07788srrgl59rscna-binutils-2.30
/nix/store/xadwbdjcnmd21psskfjc00gw8swsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
/nix/store/ykzb66mkmhv5bn617921nadrpzym-xz-5.2.4
copying path '/nix/store/ksvmj3fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kzsr064bd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
```

```
ubuntu-18-04-test-login copying path /nix/store/hx54ggnr64g1g0wgdfvgdm42r2b5lkv-glibc-2.27 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/19k17g3rd3r7msl7rdsqsrk50gsrav1-linux-headers-4.15 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/j1cmavp9291x0232ryl0za94rslxj0p-attrib-2.4.47 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/6w8h8cklcxms9z1m8grqmw0lr1z7x-bash-4.4-p23 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/h2r9w516xj4mdj3r4z2xwqydnjp0vdd-gzip-1.9 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/agyh8vqg5q8f8xhda24fxw72xv2bx4js-gnused-4.5 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/091j2aakz8mhrk4k4wghpk6f8z1crgnumake-4.2.1 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/ach92x81g98kpid73s45fjs0vzvg3g7-glibc-2.27-bin from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/6nqk63zyp2177ng87x6r1z189rlxd11-gcc-7.3.0-lib from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/qvw8f8g0d1l174w5j33s55hlyjwz2an4-bzip2-1.0.6.0.1 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/mdpwyfa0v419ravrdgocqwi58firncs-expand-response-params from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/92gpnrdymw6odsx9f07jvn89z6z8x88gl-ed-1.14.2 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/j2clxfb2r19dad1fwcp8ywgjx9yxgmz-ncurses-6.1 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60z-paxctl-0.9 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/7zbrn4d4bpt7mlyqp6vjhy70kxnpwxkf-zlib-1.2.11 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/ykz60mkhm9vq5bn6197921nadrp2ym-xz-5.2.4 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/xd7yblv136s9yx9a1xr25yr2n0z9r1x-pcre-8.42 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/a85laxaq3p8rx1qppabaskvghyxb0akb-acl-2.2.52 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/i4n918fno0wgrgyan523pfbdck57fpqzc-glibc-2.27-dev from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/fai759p2q3c7isqpllp2z138hs2b1-bzip2-1.0.6.0.1-bin from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/vp40m263k32f07788srq159rycsna-binutils-2.30 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/dkh9cmwyk1pcxv290md6dq474z2bhsk-gnutar-1.30 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/rhczvaz7xk6dd92h9ycab0z7wx0nwg7c-coreutils-8.29 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/mzx4y6amj7i638c6692qslazyxz619-xz-5.2.4-bin from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/l7vcsv4p6n51b72a12y5p3j3159wk3-patch-2.7.6 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/98c80y9rplq1wxc8qf8gm14qsv494aj8-gnugrep-3.1 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iv-patchelf-0.9 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/3bn0819v7agh0w117f43zr1q9y9jb4-readline-7.0p5 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/5l4qhkya7nyfbnv9yrc7cbmdinph8r-gcc-7.3.0 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/l141f22hsyf9q3425cv49p8m9pb0g0-diffutils-3.6 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/y8p41r1z2w9p9svny215h51757kvc5z3-findutils-4.6.0 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/qga70q7m5332dr4gab8zpb004ajy6flh-nix-info from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/qcvnr1ryrd4xm78nhf6vszyafndf1p-binutils-wrapper-2.30 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/92650zyccz5xyhcv5n30ya6x4jg430mr-gcc-wrapper-7.3.0 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/fjxk359n10zq572kksdpdjy303k45-stemv-linux from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/xz2anv77hx8jz244bhf9h0wkw006d-bash-interactive-4.4-p23 from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path /nix/store/xadwbdjcnmdc2lppskfj00g8wsvynd-bash-interactive-4.4-p23-dev from 'https://cache.nixos.org'...
ubuntu-18-04-test-login - system: "x86_64-linux"
ubuntu-18-04-test-login - host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
ubuntu-18-04-test-login - multi-user?: "yes"
ubuntu-18-04-test-login - sandbox: "no"
ubuntu-18-04-test-login - version: "nix-env (Nix) 2.1pre6385 d16ff76c"
ubuntu-18-04-test-login - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-04-test-login - nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"

Finishing: testnixinfo, duration:26 result:0
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblv5j4i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8dz9c7dnblv5j4i613ch8k10-hello-2.10 from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05f5v29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dp7w7d3r3bkzxxaklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10
copying path /nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10 from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqy6hwzpm6dz3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:8 result:0
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385 d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"

Finishing: testnixinfo, duration:4 result:0
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:1 result:0
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
```



```

ubuntu-18-04-test-interactive      ./testscript::runtest::10 testnixinfo
ubuntu-18-04-test-interactive      ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-interactive      nix-shell: command not found
ubuntu-18-04-test-interactive      Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-interactive      Starting: testshell
ubuntu-18-04-test-interactive      ./testscript::runtest::10 testshell
ubuntu-18-04-test-interactive      ./testscript::testshell:0 nix-shell -p hello --run hello
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-interactive      nix-shell: command not found
ubuntu-18-04-test-interactive      Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-interactive      Starting: testnixenv
ubuntu-18-04-test-interactive      ./testscript::runtest::10 testnixenv
ubuntu-18-04-test-interactive      ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-18-04-test-interactive      nix-env: command not found
ubuntu-18-04-test-interactive      Finishing: testnixenv, duration:1 result:127
ubuntu-18-04-test-interactive      Starting: testnixchannel
ubuntu-18-04-test-interactive      ./testscript::runtest::10 testnixchannel
ubuntu-18-04-test-interactive      ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive      /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-18-04-test-interactive      nix-channel: command not found
ubuntu-18-04-test-interactive      Finishing: testnixchannel, duration:0 result:127
ubuntu-18-04-test-ssh             Starting: testnixinfo
ubuntu-18-04-test-ssh             ./testscript::runtest::39 testnixinfo
ubuntu-18-04-test-ssh             ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-ssh             ./testscript: line 8: nix-shell: command not found
ubuntu-18-04-test-ssh             Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-ssh             Starting: testshell
ubuntu-18-04-test-ssh             ./testscript::runtest::39 testshell
ubuntu-18-04-test-ssh             ./testscript::testshell:12 nix-shell -p hello --run hello
ubuntu-18-04-test-ssh             ./testscript: line 12: nix-shell: command not found
ubuntu-18-04-test-ssh             Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-ssh             Starting: testnixenv
ubuntu-18-04-test-ssh             ./testscript::runtest::39 testnixenv
ubuntu-18-04-test-ssh             ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-ssh             ./testscript: line 16: nix-env: command not found
ubuntu-18-04-test-ssh             Finishing: testnixenv, duration:0 result:127
ubuntu-18-04-test-ssh             Starting: testnixchannel
ubuntu-18-04-test-ssh             ./testscript::runtest::39 testnixchannel
ubuntu-18-04-test-ssh             ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-ssh             ./testscript: line 22: nix-channel: command not found
ubuntu-18-04-test-ssh             Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-ubuntu-18-04-install-method

install-default-unless-selinux

[top of data](#)

install-force-no-daemon-debian-9-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-debian-9-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "debian/stretch64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl rsync

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-debian-9-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'debian/stretch64'...

[KProgress: 20%
[KProgress: 40%
[KProgress: 60%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpCap0yS5xzc_default_1535663918483_90873
==> default: Fixed port collision for 22 => 2222. Now on port 2204.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2204 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2204
  default: SSH username: vagrant
  default: SSH auth method: private key
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
  default: No guest additions were detected on the base box for this VM! Guest
  default: additions are required for forwarded ports, shared folders, host only
  default: networking, and more. If SSH fails on this machine, please install
  default: the guest additions and repackaging the box to continue.
  default:
  default: This is not an error message; everything may continue to work properly,

```

```

default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Ign:1 http://deb.debian.org/debian stretch InRelease
default: Hit:2 http://deb.debian.org/debian stretch Release
default: Get:3 http://security.debian.org/debian-security stretch/updates InRelease [94.3 kB]
default: Get:5 http://security.debian.org/debian-security stretch/updates/main Sources [164 kB]
default: Get:6 http://security.debian.org/debian-security stretch/updates/main amd64 Packages [391 kB]
default: Fetched 650 kB in 0s (829 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default:
default: Reading state information...
default: The following additional packages will be installed:
default:   libcurl3
default: The following NEW packages will be installed:
default:   curl libcurl3 rsync
default: 0 upgraded, 3 newly installed, 0 to remove and 6 not upgraded.
default: Need to get 912 kB of archives.
default: After this operation, 1,693 kB of additional disk space will be used.
default: Get:1 http://deb.debian.org/debian stretch/main amd64 libcurl3 amd64 7.52.1-5+deb9u6 [291 kB]
default: Get:2 http://deb.debian.org/debian stretch/main amd64 curl amd64 7.52.1-5+deb9u6 [228 kB]
default: Get:3 http://deb.debian.org/debian stretch/main amd64 rsync amd64 3.1.2-1+deb9u1 [393 kB]
default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
default: Fetched 912 kB in 0s (7,754 kB/s)
default: Selecting previously unselected package libcurl3:amd64.
default: (Reading database ...
default: (Reading database ... 5%
(Reading database ... 10%
default: (Reading database ... 15%
default: (Reading database ... 20%
(Reading database ... 25%
(Reading database ... 30%
(Reading database ... 35%
(Reading database ... 40%
(Reading database ... 45%
(Reading database ... 50%
(Reading database ... 55%
default: (Reading database ... 60%
(Reading database ... 65%
(Reading database ... 70%
default: (Reading database ... 75%
default: (Reading database ... 80%
default: (Reading database ... 85%
default: (Reading database ... 90%
default: (Reading database ... 95%
default: (Reading database ... 100%
(Reading database ...
default: 31246 files and directories currently installed.)
default: Preparing to unpack .../libcurl3_7.52.1-5+deb9u6_amd64.deb ...
default: Unpacking libcurl3:amd64 (7.52.1-5+deb9u6) ...
default: Selecting previously unselected package curl.
default: Preparing to unpack .../curl_7.52.1-5+deb9u6_amd64.deb ...
default: Unpacking curl (7.52.1-5+deb9u6) ...
default: Selecting previously unselected package rsync.
default: Preparing to unpack .../rsync_3.1.2-1+deb9u1_amd64.deb ...
default: Unpacking rsync (3.1.2-1+deb9u1) ...
default: Setting up libcurl3:amd64 (7.52.1-5+deb9u6) ...
default: Setting up rsync (3.1.2-1+deb9u1) ...
default: Created symlink /etc/systemd/system/multi-user.target.wants/rsync.service â†’ /lib/systemd/system/rsync.service.
default: Processing triggers for libc-bin (2.24-11+deb9u3) ...
default: Processing triggers for systemd (232-25+deb9u4) ...
default: Processing triggers for man-db (2.7.6.1-2) ...
default: Setting up curl (7.52.1-5+deb9u6) ...

==> default: Machine 'default' has a post `vagrant up` message. This is a message
==> default: from the creator of the Vagrantfile, and not from Vagrant itself:
==> default:
==> default: Vanilla Debian box. See https://app.vagrantup.com/debian for help and bug reports
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=" ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO "
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (

```

```
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)
tar -cf ./nix-test-matrix-log.tar "$STESTDIR"
}

main
debian-9-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
debian-9-install + sh -s -- --no-daemon
debian-9-install % Total % Received % Xferd Average Speed Time Time Time Current
debian-9-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6877 0 0 0 0 0 6888
debian-9-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/x86_64-linux.t
debian-9-install % Total % Received % Xferd Average Speed Time Time Time Current
debian-9-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
1 35.5M 1 672k 0 0 629k 0 0:00:57 0:00:01 0:00:56 629k
5 35.5M 5 1968k 0 0 955k 0 0:00:38 0:00:02 0:00:36 954k
9 35.5M 9 3456k 0 0 1132k 0 0:00:32 0:00:03 0:00:29 1132k
14 35.5M 14 5152k 0 0 1261k 0 0:00:28 0:00:04 0:00:24 1260k
19 35.5M 19 7056k 0 0 1389k 0 0:00:26 0:00:05 0:00:21 1413k
25 35.5M 25 9136k 0 0 1504k 0 0:00:24 0:00:06 0:00:18 1692k
30 35.5M 30 10.9M 0 0 1590k 0 0:00:22 0:00:07 0:00:15 1852k
36 35.5M 36 13.0M 0 0 1656k 0 0:00:21 0:00:08 0:00:13 1976k
42 35.5M 42 15.1M 0 0 1713k 0 0:00:21 0:00:09 0:00:12 2084k
48 35.5M 48 17.3M 0 0 1758k 0 0:00:20 0:00:10 0:00:10 2132k
54 35.5M 54 19.3M 0 0 1791k 0 0:00:20 0:00:11 0:00:09 2139k
60 35.5M 60 21.4M 0 0 1818k 0 0:00:20 0:00:12 0:00:08 2141k
66 35.5M 66 23.4M 0 0 1841k 0 0:00:19 0:00:13 0:00:06 2138k
71 35.5M 71 25.5M 0 0 1861k 0 0:00:19 0:00:14 0:00:05 2129k
77 35.5M 77 27.6M 0 0 1875k 0 0:00:19 0:00:15 0:00:04 2110k
83 35.5M 83 29.6M 0 0 1890k 0 0:00:19 0:00:16 0:00:03 2109k
89 35.5M 89 31.7M 0 0 1904k 0 0:00:19 0:00:17 0:00:02 2109k
95 35.5M 95 33.7M 0 0 1915k 0 0:00:19 0:00:18 0:00:01 2110k
100 35.5M 100 35.5M 0 0 1926k 0 0:00:18 0:00:18 0:00:00 2116k
debian-9-install performing a single-user installation of Nix...
debian-9-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
debian-9-install copying Nix to /nix/store.....
debian-9-install initialising Nix database...
debian-9-install Nix: creating /home/vagrant/.nix-profile
debian-9-install installing 'nix-2.1pre6385_d16ff76c'
debian-9-install building '/nix/store/hazjvcdsqg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
debian-9-install created 6 symlinks in user environment
debian-9-install unpacking channels...
debian-9-install created 2 symlinks in user environment
debian-9-install modifying /home/vagrant/.bash_profile...
debian-9-install Installation finished! To ensure that the necessary environment
debian-9-install variables are set, either log in again, or type
debian-9-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
debian-9-install in your shell.
debian-9-test-login Starting: testnixinfo
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb0mhrk4kwhgpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyf9q9f3425cv49p8m9p8080-diffutils-3.6
/nix/store/3bn0819v7aghg0wx17f43zr1q9y9j04-readline-7.0p5
/nix/store/514qnyf7nyf8v9ycrktctmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rldx1l-gcc-7.3.0-lib
/nix/store/6v88ick1cxn59l8mqrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkff-zlib-1.2.11
/nix/store/92gpnymw60dsx9f07jvn8926zx88gl-ed-1.14.2
/nix/store/98c80y9rplqwcx8g1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n029r9n1vbbxwqwxjnf06z-d-paxctl-0.9
/nix/store/9z650yzcz5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fjs0vzy3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4j5-gnused-4.5
/nix/store/dkh9cmvwxlpcxv290md6dq4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3c7isqpl1psq2r1r38shz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kksdpjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgryan523pfbcdk57fpqcz-glibc-2.27-dev
/nix/store/i7vcs4w6p6n1b72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbr19daldfwcp8ywgjxs9yxgmz-ncurses-6.1
/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfv6vml3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd908sh74wf4y-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v4i9ravwrq0cwq518frncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyz6ix-uz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszay5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4g4b8z0p04ajy6jflh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0bwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhm6w9ysg661w-patchelf-0.9
/nix/store/vp40my26x32f07788srg159rycna-binutils-2.30
/nix/store/xadwbdjcnmcd2lppsfcj00q8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jiz4hbffh0vkw006bd-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kcv523-findutils-4.6.0
/nix/store/ykz66mkm9v9q5bn619721nadrp2ym-z-5.2.4
/nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kgzsr064jbd908sh74wf4y-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxn59l8mqrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0bwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3c7isqpl1psq2r1r38shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9q9f3425cv49p8m9p8080-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v4i9ravwrq0cwq518frncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517i57kcv523-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqpcgfv6vml3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz177ng87gx6rlz189rldx1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lg89kpid73s4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/09ij2aakzb0mhrk4kwhgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fnq0wgryan523pfbcdk57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/514qnyf7nyf8v9ycrktctmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/6v88ick1cxn59l8mqrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmvwxlpcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfbr19daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4w6p6n1b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
```

```
debian-9-test-login copying path '/nix/store/sc4w9y5a3nszmmcy3yhmxx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/9xm9n9n8z92r9n1vbbxwqgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/3bn0819v7aghw0w1l743zr19g9j84-readline-7.0p5' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/98c809rjplnlwxc8glf4mqsv494ajy8a-gnureg-3.1' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/ykz66mkm9vq55bn619721nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/gqa70q7m5332d4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/mzx4y6amjn7i638c6692qslazyyzx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/zbrn444bp7mlyqvp6j7h0kxnxpkwff-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/vp40my263xk32f7885srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/5l4qhkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/gcqvnrlyrd4xm78fh6v5zyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/9z659zcz5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xzz2anv77hx8jziz4bhfyh0vkw006ed-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/fjk3k59n102qs572kkspdjy303k45-stdenv-linux' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xadwbdjcnmdc2lppskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-9-test-login - system: "x86_64-linux"
debian-9-test-login - host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
debian-9-test-login - multi-user?: "no"
debian-9-test-login - sandbox: "no"
debian-9-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
debian-9-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
debian-9-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
debian-9-test-login Finishing: testnixinfo, duration:98 result:0
debian-9-test-login Starting: testshell
debian-9-test-login ./testscript::runtest::39 testshell
debian-9-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
debian-9-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-9-test-login /nix/store/z87ns3bv8d2c7dnlvj54i613ch8k10-hello-2.10
debian-9-test-login copying path '/nix/store/z87ns3bv8d2c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
debian-9-test-login Hello, world!
debian-9-test-login Finishing: testshell, duration:1 result:0
debian-9-test-login Starting: testnixenv
debian-9-test-login ./testscript::runtest::39 testnixenv
debian-9-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-9-test-login installing 'hello-2.10'
debian-9-test-login building '/nix/store/94bdc86i12l2pvip9mhbv74igl4q97c-user-environment.drv'...
debian-9-test-login created 38 symlinks in user environment
debian-9-test-login ./testscript::testnixenv::17 hello
debian-9-test-login Hello, world!
debian-9-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
debian-9-test-login uninstalling 'hello-2.10'
debian-9-test-login building '/nix/store/bj717qjczsb26adcs3m0a4n266v5vj-user-environment.drv'...
debian-9-test-login created 6 symlinks in user environment
debian-9-test-login Finishing: testnixenv, duration:1 result:0
debian-9-test-login Starting: testnixchannel
debian-9-test-login ./testscript::runtest::39 testnixchannel
debian-9-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-login ./testscript::testnixchannel::23 nix-channel --update
debian-9-test-login unpacking channels...
debian-9-test-login created 5 symlinks in user environment
debian-9-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
debian-9-test-login installing 'hello-2.10'
debian-9-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-9-test-login /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
debian-9-test-login copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
debian-9-test-login building '/nix/store/q264qcanjmrh8h176zc953awr2mly7-user-environment.drv'...
debian-9-test-login created 38 symlinks in user environment
debian-9-test-login ./testscript::testnixchannel::25 hello
debian-9-test-login Hello, world!
debian-9-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
debian-9-test-login uninstalling 'hello-2.10'
debian-9-test-login Finishing: testnixchannel, duration:15 result:0
debian-9-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-9-test-login-interactive bash: no job control in this shell
debian-9-test-login-interactive Starting: testnixinfo
debian-9-test-login-interactive ./testscript::runtest::10 testnixinfo
debian-9-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-9-test-login-interactive - system: "x86_64-linux"
debian-9-test-login-interactive - host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
debian-9-test-login-interactive - multi-user?: "no"
debian-9-test-login-interactive - sandbox: "no"
debian-9-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
debian-9-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle, nixpkgs-18.09pre150352.7c826371c49"
debian-9-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
debian-9-test-login-interactive Finishing: testnixinfo, duration:6 result:0
debian-9-test-login-interactive Starting: testshell
debian-9-test-login-interactive ./testscript::runtest::10 testshell
debian-9-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
debian-9-test-login-interactive Hello, world!
debian-9-test-login-interactive Finishing: testshell, duration:2 result:0
debian-9-test-login-interactive Starting: testnixenv
debian-9-test-login-interactive ./testscript::runtest::10 testnixenv
debian-9-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
debian-9-test-login-interactive installing 'hello-2.10'
debian-9-test-login-interactive ./testscript::testnixenv::0 hello
debian-9-test-login-interactive Hello, world!
debian-9-test-login-interactive ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
debian-9-test-login-interactive uninstalling 'hello-2.10'
debian-9-test-login-interactive Finishing: testnixenv, duration:0 result:0
debian-9-test-login-interactive Starting: testnixchannel
debian-9-test-login-interactive ./testscript::runtest::10 testnixchannel
debian-9-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
debian-9-test-login-interactive unpacking channels...
debian-9-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
debian-9-test-login-interactive installing 'hello-2.10'
debian-9-test-login-interactive ./testscript::testnixchannel::0 hello
debian-9-test-login-interactive Hello, world!
debian-9-test-login-interactive ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
debian-9-test-login-interactive uninstalling 'hello-2.10'
debian-9-test-login-interactive Finishing: testnixchannel, duration:2 result:0
debian-9-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-9-test-interactive bash: no job control in this shell
debian-9-test-interactive Starting: testnixinfo
debian-9-test-interactive ./testscript::runtest::10 testnixinfo
debian-9-test-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-9-test-interactive bash: nix-shell: command not found
debian-9-test-interactive Finishing: testnixinfo, duration:0 result:127
debian-9-test-interactive Starting: testshell
debian-9-test-interactive ./testscript::runtest::10 testshell
debian-9-test-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
debian-9-test-interactive bash: nix-shell: command not found
debian-9-test-interactive Finishing: testshell, duration:0 result:127
debian-9-test-interactive Starting: testnixenv
debian-9-test-interactive ./testscript::runtest::10 testnixenv
debian-9-test-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
debian-9-test-interactive bash: nix-env: command not found
debian-9-test-interactive Finishing: testnixenv, duration:0 result:127
debian-9-test-interactive Starting: testnixchannel
debian-9-test-interactive ./testscript::runtest::10 testnixchannel
debian-9-test-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-interactive bash: nix-channel: command not found
debian-9-test-interactive Finishing: testnixchannel, duration:0 result:127
debian-9-test-ssh Starting: testnixinfo
debian-9-test-ssh ./testscript::runtest::39 testnixinfo
debian-9-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
debian-9-test-ssh ./testscript: line 8: nix-shell: command not found
```

```

debian-9-test-ssh Finishing: testnixinfo, duration:0 result:127
debian-9-test-ssh Starting: testshell
debian-9-test-ssh ./testscript::runtest::39 testshell
debian-9-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
debian-9-test-ssh ./testscript: line 12: nix-shell: command not found
debian-9-test-ssh Finishing: testshell, duration:0 result:127
debian-9-test-ssh Starting: testnixenv
debian-9-test-ssh ./testscript::runtest::39 testnixenv
debian-9-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
debian-9-test-ssh ./testscript: line 16: nix-env: command not found
debian-9-test-ssh Finishing: testnixenv, duration:0 result:127
debian-9-test-ssh Starting: testnixchannel
debian-9-test-ssh ./testscript::runtest::39 testnixchannel
debian-9-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-ssh ./testscript: line 22: nix-channel: command not found
debian-9-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-debian-9-image-name

debian-9

[top of data](#)

install-default-arch-image-name

arch

[top of data](#)

install-default-arch-install-method

install-default

[top of data](#)

install-default-arch-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```

==> default: Importing base box 'generic/arch'...

#####[KProgress: 10%
#####[KProgress: 40%
#####[KProgress: 50%
#####[KProgress: 60%
#####[KProgress: 70%
#####[KProgress: 80%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpYL4WrgiS7U_default_1535675972318_2944
==> default: Fixed port collision for 22 => 2222. Now on port 2201.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2201 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2201
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: resolving dependencies...
  default: looking for conflicting packages...
  default:
  default: Packages (1) rsync-3.1.3-1
  default:
  default: Total Download Size: 0.29 MiB
  default: Total Installed Size: 0.55 MiB
  default: :: Proceed with installation? [Y/n]
  default:
  default: :: Retrieving packages...
  default: downloading rsync-3.1.3-1-x86_64.pkg.tar.xz...
  default: checking keyring...
  default: checking package integrity...
  default: loading package files...
  default: checking for file conflicts...
  default: checking available disk space...
  default: :: Processing package changes...
  default: installing rsync...
  default: :: Running post-transaction hooks...
  default: (1/2) Reloading system manager configuration...
  default: (2/2) Arming ConditionNeedsUpdate...

#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}: $LINENO '
set -u
set -o pipefail

testnixinfo() {
  nix-shell -p nix-info --run "nix-info -m"
}

testshell() {
  nix-shell -p hello --run hello
}

testnixenv() {
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
}

testnixchannel() {
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03

```



```
arch-install $ curl -o install-nix https://nixos.org/nix/install
arch-install $ sh ./install-nix
```

```
###[38;34m--- Nix config report -----
###[0m###[38;1m Temp Dir###[0m: /tmp/tmp.S5wF3By7b
###[38;1m Nix Root###[0m: /nix
###[38;1m Build Users###[0m: 32
###[38;1m Build Group ID###[0m: 30000
###[38;1mBuild Group Name###[0m: nixbld
```

```
###[38;4;34mbuild users:
###[0m###[38;1m Username###[0m: UID
###[38;1m nixbld1###[0m: 30001
###[38;1m nixbld2###[0m: 30002
###[38;1m nixbld3###[0m: 30003
###[38;1m nixbld4###[0m: 30004
###[38;1m nixbld5###[0m: 30005
###[38;1m nixbld6###[0m: 30006
###[38;1m nixbld7###[0m: 30007
###[38;1m nixbld8###[0m: 30008
###[38;1m nixbld9###[0m: 30009
###[38;1m nixbld10###[0m: 30010
###[38;1m nixbld11###[0m: 30011
###[38;1m nixbld12###[0m: 30012
###[38;1m nixbld13###[0m: 30013
###[38;1m nixbld14###[0m: 30014
###[38;1m nixbld15###[0m: 30015
###[38;1m nixbld16###[0m: 30016
###[38;1m nixbld17###[0m: 30017
###[38;1m nixbld18###[0m: 30018
###[38;1m nixbld19###[0m: 30019
###[38;1m nixbld20###[0m: 30020
###[38;1m nixbld21###[0m: 30021
###[38;1m nixbld22###[0m: 30022
###[38;1m nixbld23###[0m: 30023
###[38;1m nixbld24###[0m: 30024
###[38;1m nixbld25###[0m: 30025
###[38;1m nixbld26###[0m: 30026
###[38;1m nixbld27###[0m: 30027
###[38;1m nixbld28###[0m: 30028
###[38;1m nixbld29###[0m: 30029
###[38;1m nixbld30###[0m: 30030
###[38;1m nixbld31###[0m: 30031
###[38;1m nixbld32###[0m: 30032
```

```
###[38;32m###[38;4;32mReady to continue?
###[0mNo TTY, assuming you would say yes :)
```

```
###[38;32m--> Setting up the build group nixbld
###[0m###[38;1m Created###[0m: Yes
```

```
###[38;32m--> Setting up the build user nixbld1
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 1
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld2
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 2
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld3
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 3
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld4
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 4
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld5
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 5
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld6
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 6
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld7
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 7
###[38;1m Logins Disabled###[0m: Yes
###[38;1m Member of nixbld###[0m: Yes
###[38;1m PrimaryGroupID###[0m: 30000
```

```
###[38;32m--> Setting up the build user nixbld8
###[0m###[38;1m Created###[0m: Yes
###[38;1m Hidden###[0m: Yes
###[38;1m Home Directory###[0m: /var/empty
usermod: no changes
###[38;1m Note###[0m: Nix build user 8
###[38;1m Logins Disabled###[0m: Yes
```



```
arch-install      Just finished getting the nix database ready.
arch-install
arch-install      # Nix
arch-install      if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
arch-install      fi
arch-install      # End Nix
arch-install
arch-install      installing 'nix-2.1pre6385_d16ff76c'
arch-install      building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
arch-install      created 6 symlinks in user environment
arch-install      installing 'nss-cacert-3.38'
arch-install      building '/nix/store/xsv6s00z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
arch-install      created 9 symlinks in user environment
arch-install      unpacking channels...
arch-install      created 2 symlinks in user environment
arch-install      Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
arch-install      Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
arch-install      Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
arch-install      [0]38;32mAlright! We're done!
arch-install
arch-install      Before Nix will work in your existing shells, you'll need to close
arch-install      them and open them again. Other than that, you should be ready to go.
arch-install
arch-install      Try it! Open a new terminal, and type:
arch-install
arch-install      $ nix-shell -p nix-info --run "nix-info -m"
arch-install
arch-install      Thank you for using this installer. If you have any feedback, don't
arch-install      hesitate:
arch-install
arch-install      We'd love to help if you need it.
arch-install
arch-install      If you can, open an issue at https://github.com/nixos/nix/issues
arch-install
arch-install      Or feel free to contact the team,
arch-install      - on IRC #nixos on irc.freenode.net
arch-install      - on twitter @nixos_org
arch-test-login    Starting: testnixinfo
arch-test-login    ./testscript::runtest::39 testnixinfo
arch-test-login    ./testscript::testnixinfo:8 nix-shell -p nix-info --run "nix-info -m"
arch-test-login    these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
arch-test-login    /nix/store/09ij2aakzb0mhrkb4wkghpk6k8f8zflcr-gnumake-4.2.1
arch-test-login    /nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
arch-test-login    /nix/store/3bn0819v7aghw0xli7f43zr1q9y9jb4-readline-7.0p5
arch-test-login    /nix/store/5l4qhkya7nyfbv9yrcrk7cbmdinph8br-gcc-7.3.0
arch-test-login    /nix/store/5mld17y5albcd47121qcb0q9zfhdkz0-bash-interactive-4.4-p23-man
arch-test-login    /nix/store/6nqk63zyp2177ng87gx6r1z189rlxd11-gcc-7.3.0-lib
arch-test-login    /nix/store/6v88ick1cxns5g9l8m8qrrqw0lrlr27x-bash-4.4-p23
arch-test-login    /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
arch-test-login    /nix/store/92gpdymmw0d5x9f07jvn89z6zxb8g1-ed-1.14.2
arch-test-login    /nix/store/98c80y9rplwxc8g1fmdq5v494ajy8q-gnugrep-3.1
arch-test-login    /nix/store/9xm909n0z929n1vbbxwqgwjnf602-paxctl-0.9
arch-test-login    /nix/store/9z650yzzc5z5ychw5n36ya64jq436mr-gcc-wrapper-7.3.0
arch-test-login    /nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52
arch-test-login    /nix/store/ach9z9x8l8g9kpid73ss4fj50vzyg3g7-glibc-2.27-bin
arch-test-login    /nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
arch-test-login    /nix/store/dkh9cmxy1pcxv290m6dq4r74yzbshk-gnutar-1.30
arch-test-login    /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0-1-bin
arch-test-login    /nix/store/fjk3k59n102sq572kkspdjy303k45-stdenv-linux
arch-test-login    /nix/store/h2r9w5i6xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
arch-test-login    /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
arch-test-login    /nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev
arch-test-login    /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
arch-test-login    /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
arch-test-login    /nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1
arch-test-login    /nix/store/j1cmavp929l8x0232ryl0za94rslxj0p-attr-2.4.47
arch-test-login    /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
arch-test-login    /nix/store/kxsmv13fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
arch-test-login    /nix/store/lxj4yzas56gzsr064jbd908sh74wf4y-bash-interactive-4.4-p23-info
arch-test-login    /nix/store/mdpwyfa0v419rawrdg0cwq5i8firncs-expand-response-params
arch-test-login    /nix/store/mzx4y6amjn7i638c6692qslazyz619-xz-5.2.4-bin
arch-test-login    /nix/store/qcvnr1ryrd4xm78nfh6vszya5fndfl-binutils-wrapper-2.30
arch-test-login    /nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info
arch-test-login    /nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0-1
arch-test-login    /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7-c-coreutils-8.29
arch-test-login    /nix/store/sc40w9y5a3nzmmyc13ymhm6wysg66iw-patchelf-0.9
arch-test-login    /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
arch-test-login    /nix/store/xadwdjcnmdc2lppsfcj00gw8wsvynd-bash-interactive-4.4-p23-dev
arch-test-login    /nix/store/xd7yblv36sr9yix9alx2rsyr2n0z9rix-pcre-8.42
arch-test-login    /nix/store/xzz2anv77hx8jziz4hb7y0vkw0606d-bash-interactive-4.4-p23
arch-test-login    /nix/store/y8p4rl2w9p9swny215h517157kcv523-findutils-4.6.0
arch-test-login    /nix/store/ykz666knh9vq5bn619792lnadrp2ym-xz-5.2.4
arch-test-login    copying path /nix/store/lxj4yzas56gzsr064jbd908sh74wf4y-bash-interactive-4.4-p23-info from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/di7y5albcd47121qcb0q9zfhdkz0-bash-interactive-4.4-p23-man from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/kxsmv13fjv6j7qkswnp6qvrjygm2s1336-bash-interactive-4.4-p23-doc from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/lxj4yzas56gzsr064jbd908sh74wf4y-bash-interactive-4.4-p23-info from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/ach9z9x8l8g9kpid73ss4fj50vzyg3g7-glibc-2.27-bin from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/09ij2aakzb0mhrkb4wkghpk6k8f8zflcr-gnumake-4.2.1 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/j2c1xfb2rl9daldfwcp8ywgjxs9ygmz-ncurses-6.1 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/xd7yblv36sr9yix9alx2rsyr2n0z9rix-pcre-8.42 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/j1cmavp929l8x0232ryl0za94rslxj0p-attr-2.4.47 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/6v88ick1cxns5g9l8m8qrrqw0lrlr27x-bash-4.4-p23 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/qw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0-1 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/9xm909n0z929n1vbbxwqgwjnf602-paxctl-0.9 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/92gpdymmw0d5x9f07jvn89z6zxb8g1-ed-1.14.2 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/mdpwyfa0v419rawrdg0cwq5i8firncs-expand-response-params from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/6nqk63zyp2177ng87gx6r1z189rlxd11-gcc-7.3.0-lib from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/mzx4y6amjn7i638c6692qslazyz619-xz-5.2.4-bin from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/98c80y9rplwxc8g1fmdq5v494ajy8q-gnugrep-3.1 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/3bn0819v7aghw0xli7f43zr1q9y9jb4-readline-7.0p5 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0-1-bin from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/sc40w9y5a3nzmmyc13ymhm6wysg66iw-patchelf-0.9 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/dkh9cmxy1pcxv290m6dq4r74yzbshk-gnutar-1.30 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7-c-coreutils-8.29 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/y8p4rl2w9p9swny215h517157kcv523-findutils-4.6.0 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/qcvnr1ryrd4xm78nfh6vszya5fndfl-binutils-wrapper-2.30 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/9z650yzzc5z5ychw5n36ya64jq436mr-gcc-wrapper-7.3.0 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/fjk3k59n102sq572kkspdjy303k45-stdenv-linux from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/xzz2anv77hx8jziz4hb7y0vkw0606d-bash-interactive-4.4-p23 from 'https://cache.nixos.org'...
arch-test-login    copying path /nix/store/xadwdjcnmdc2lppsfcj00gw8wsvynd-bash-interactive-4.4-p23-dev from 'https://cache.nixos.org'...
arch-test-login    - system: "x86_64-linux"
arch-test-login    - host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noverision"
arch-test-login    - multi-user?: "yes"
arch-test-login    - sandbox: "no"
arch-test-login    - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
arch-test-login    - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
```

```
arch-test-login      - nixpkgs: `nix/var/nix/profiles/per-user/root/channels/nixpkgs`
arch-test-login
arch-test-login      Finishing: testnixinfo, duration:20 result:0
arch-test-login      Starting: testshell
arch-test-login      ./testscript::runttest::39 testshell
arch-test-login      ./testscript::testshell::12 nix-shell -p hello --run hello
arch-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
arch-test-login      /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
arch-test-login      copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
arch-test-login      Hello, world!
arch-test-login      Finishing: testshell, duration:1 result:0
arch-test-login      Starting: testnixenv
arch-test-login      ./testscript::runttest::39 testnixenv
arch-test-login      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
arch-test-login      installing 'hello-2.10'
arch-test-login      building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
arch-test-login      created 2 symlinks in user environment
arch-test-login      ./testscript::testnixenv::17 hello
arch-test-login      Hello, world!
arch-test-login      ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
arch-test-login      uninstalling 'hello-2.10'
arch-test-login      building '/nix/store/xsk9wjy0dp7w7d3r3bkzxxakldzq6q-user-environment.drv'...
arch-test-login      created 0 symlinks in user environment
arch-test-login      Finishing: testnixenv, duration:0 result:0
arch-test-login      Starting: testnixchannel
arch-test-login      ./testscript::runttest::39 testnixchannel
arch-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-login      ./testscript::testnixchannel::23 nix-channel --update
arch-test-login      unpacking channels...
arch-test-login      created 2 symlinks in user environment
arch-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
arch-test-login      installing 'hello-2.10'
arch-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
arch-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snic-hello-2.10
arch-test-login      copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snic-hello-2.10' from 'https://cache.nixos.org'...
arch-test-login      building '/nix/store/nhrqas58mqv6huzpmz6d3vm971sh7a-user-environment.drv'...
arch-test-login      created 2 symlinks in user environment
arch-test-login      ./testscript::testnixchannel::25 hello
arch-test-login      Hello, world!
arch-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
arch-test-login      uninstalling 'hello-2.10'
arch-test-login      Finishing: testnixchannel, duration:7 result:0
tar: ./nix-test-matrix-log/tests/testnixchannel/Log: time stamp 2018-08-31 00:41:42 is 6.081914707 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:41:42 is 6.081642101 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:42 is 6.081558977 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:42 is 6.081514962 s in the future
arch-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
arch-test-login-interactive bash: no job control in this shell
arch-test-login-interactive Starting: testnixinfo
arch-test-login-interactive ./testscript::runttest::10 testnixinfo
arch-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
arch-test-login-interactive - system: "x86_64-linux"
arch-test-login-interactive - host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
arch-test-login-interactive - multi-user?: "yes"
arch-test-login-interactive - sandbox: "no"
arch-test-login-interactive - version: "nix-env (Nix) 2.1pre6385 d16ff76c"
arch-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle"
arch-test-login-interactive - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
arch-test-login-interactive - nixpkgs: `nix/var/nix/profiles/per-user/root/channels/nixpkgs`
arch-test-login-interactive
arch-test-login-interactive Finishing: testnixinfo, duration:3 result:0
arch-test-login-interactive Starting: testshell
arch-test-login-interactive ./testscript::runttest::10 testshell
arch-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
arch-test-login-interactive Hello, world!
arch-test-login-interactive Finishing: testshell, duration:1 result:0
arch-test-login-interactive Starting: testnixenv
arch-test-login-interactive ./testscript::runttest::10 testnixenv
arch-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
arch-test-login-interactive installing 'hello-2.10'
arch-test-login-interactive ./testscript::testnixenv::0 hello
arch-test-login-interactive Hello, world!
arch-test-login-interactive ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
arch-test-login-interactive uninstalling 'hello-2.10'
arch-test-login-interactive Finishing: testnixenv, duration:1 result:0
arch-test-login-interactive Starting: testnixchannel
arch-test-login-interactive ./testscript::runttest::10 testnixchannel
arch-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
arch-test-login-interactive unpacking channels...
arch-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
arch-test-login-interactive installing 'hello-2.10'
arch-test-login-interactive ./testscript::testnixchannel::0 hello
arch-test-login-interactive Hello, world!
arch-test-login-interactive ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
arch-test-login-interactive uninstalling 'hello-2.10'
arch-test-login-interactive Finishing: testnixchannel, duration:1 result:0
tar: ./nix-test-matrix-log/tests/testnixchannel/Log: time stamp 2018-08-31 00:41:53 is 5.933513078 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:41:53 is 5.933284947 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:53 is 5.933197979 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:53 is 5.933164562 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/Log: time stamp 2018-08-31 00:41:50 is 2.933075182 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:41:50 is 2.933018153 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:41:50 is 2.932964766 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:41:50 is 2.932934861 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/Log: time stamp 2018-08-31 00:41:52 is 4.93285238 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:41:52 is 4.894008069 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:41:52 is 4.893852797 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:41:52 is 4.893807410 s in the future
tar: ./nix-test-matrix-log/tests/testshell/Log: time stamp 2018-08-31 00:41:51 is 3.893678981 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:41:51 is 3.893611086 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:41:51 is 3.893549485 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:41:51 is 3.893507521 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:41:52 is 4.89347821 s in the future
arch-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
arch-test-interactive bash: no job control in this shell
arch-test-interactive Starting: testnixinfo
arch-test-interactive ./testscript::runttest::10 testnixinfo
arch-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
arch-test-interactive bash: nix-shell: command not found
arch-test-interactive Finishing: testnixinfo, duration:0 result:127
arch-test-interactive Starting: testshell
arch-test-interactive ./testscript::runttest::10 testshell
arch-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
arch-test-interactive bash: nix-shell: command not found
arch-test-interactive Finishing: testshell, duration:0 result:127
arch-test-interactive Starting: testnixenv
arch-test-interactive ./testscript::runttest::10 testnixenv
arch-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
arch-test-interactive bash: nix-env: command not found
arch-test-interactive Finishing: testnixenv, duration:0 result:127
arch-test-interactive Starting: testnixchannel
arch-test-interactive ./testscript::runttest::10 testnixchannel
arch-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-interactive bash: nix-channel: command not found
arch-test-interactive Finishing: testnixchannel, duration:0 result:127
tar: ./nix-test-matrix-log/tests/testnixchannel/Log: time stamp 2018-08-31 00:41:58 is 5.198421838 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:41:58 is 5.198155923 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:58 is 5.198064623 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:58 is 5.198018447 s in the future
```

```

tar: ./nix-test-matrix-log/tests/testnixinfo/log: time stamp 2018-08-31 00:41:58 is 5.197889335 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:41:58 is 5.197806958 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:41:58 is 5.19772448 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:41:58 is 5.197677113 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/log: time stamp 2018-08-31 00:41:58 is 5.197562949 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:41:58 is 5.159065496 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:41:58 is 5.158970371 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:41:58 is 5.158934584 s in the future
tar: ./nix-test-matrix-log/tests/testshell/log: time stamp 2018-08-31 00:41:58 is 5.158841756 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:41:58 is 5.158783007 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:41:58 is 5.158731081 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:41:58 is 5.158697422 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:41:58 is 5.158673458 s in the future
tar: ./nix-test-matrix-log: time stamp 2018-08-31 00:41:58 is 5.158651773 s in the future
arch-test-ssh Starting: testnixinfo
arch-test-ssh ./testscript::runtest::39 testnixinfo
arch-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
arch-test-ssh ./testscript: line 8: nix-shell: command not found
arch-test-ssh Finishing: testnixinfo, duration:0 result:127
arch-test-ssh Starting: testshell
arch-test-ssh ./testscript::runtest::39 testshell
arch-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
arch-test-ssh ./testscript: line 12: nix-shell: command not found
arch-test-ssh Finishing: testshell, duration:0 result:127
arch-test-ssh Starting: testnixenv
arch-test-ssh ./testscript::runtest::39 testnixenv
arch-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
arch-test-ssh ./testscript: line 16: nix-env: command not found
arch-test-ssh Finishing: testnixenv, duration:0 result:127
arch-test-ssh Starting: testnixchannel
arch-test-ssh ./testscript::runtest::39 testnixchannel
arch-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-ssh ./testscript: line 22: nix-channel: command not found
arch-test-ssh Finishing: testnixchannel, duration:0 result:127
tar: ./nix-test-matrix-log/tests/testnixchannel/log: time stamp 2018-08-31 00:42:03 is 5.01820415 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:42:03 is 5.017969535 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:42:03 is 5.017897147 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:42:03 is 5.017857689 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/log: time stamp 2018-08-31 00:42:03 is 5.017754267 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:42:03 is 5.017686567 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:42:03 is 5.01761876 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:42:03 is 5.017581166 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/log: time stamp 2018-08-31 00:42:03 is 5.01748356 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:42:03 is 4.977037785 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:42:03 is 4.976929347 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:42:03 is 4.976881463 s in the future
tar: ./nix-test-matrix-log/tests/testshell/log: time stamp 2018-08-31 00:42:03 is 4.976748382 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:42:03 is 4.976655435 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:42:03 is 4.976591301 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:42:03 is 4.976556489 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:42:03 is 4.976522417 s in the future
tar: ./nix-test-matrix-log: time stamp 2018-08-31 00:42:03 is 4.976491744 s in the future

```

[top of data](#)

install-default-arch-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/arch"
  config.vm.provision "shell", inline: <<-SHELL
pacman -S --noconfirm rsync

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-ubuntu-17-10-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/artful64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-ubuntu-17-10-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-ubuntu-17-10-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'ubuntu/artful64'...

```

[KProgress: 10%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpUgmhtJw1CN_default_1535674029753_19787
=> default: Fixed port collision for 22 => 2222. Now on port 2213.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2213 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...

```



```

nix-env --uninstall 'hello.*'
)
testnixchannel() {
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)
runtest() {
testFn=$1
local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"
start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"
)
echo "Finishing: $testFn, duration:$duration result:$exitcode"
}
main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"
(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)
tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}
main
ubuntu-17-10-install + /usr/sbin/sestatus
ubuntu-17-10-install ./install: 5: ./install: /usr/sbin/sestatus: not found
ubuntu-17-10-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install+ sh
ubuntu-17-10-install
ubuntu-17-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-17-10-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 0:00:01 0:00:01 0:00:01 6814
ubuntu-17-10-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-lin
ubuntu-17-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-17-10-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 49152 0 0 0:12:38 0:12:38 0:12:38 91872
5 35.5M 5 1824k 0 0 0:00:19 0:00:01 0:00:18 1225k
10 35.5M 10 3760k 0 0 0:00:19 0:00:02 0:00:17 1512k
15 35.5M 15 5696k 0 0 0:00:19 0:00:03 0:00:16 1637k
21 35.5M 21 7648k 0 0 0:00:19 0:00:04 0:00:15 1709k
26 35.5M 26 9584k 0 0 0:00:18 0:00:05 0:00:13 1931k
31 35.5M 31 11.2M 0 0 0:00:18 0:00:06 0:00:12 1943k
36 35.5M 36 13.1M 0 0 0:00:18 0:00:07 0:00:11 1947k
42 35.5M 42 15.0M 0 0 0:00:18 0:00:08 0:00:10 1933k
47 35.5M 47 16.9M 0 0 0:00:18 0:00:09 0:00:09 1930k
52 35.5M 52 18.8M 0 0 0:00:18 0:00:10 0:00:08 1930k
58 35.5M 58 20.7M 0 0 0:00:18 0:00:11 0:00:07 1933k
63 35.5M 63 22.6M 0 0 0:00:18 0:00:12 0:00:06 1935k
68 35.5M 68 24.5M 0 0 0:00:18 0:00:13 0:00:05 1946k
74 35.5M 74 26.3M 0 0 0:00:18 0:00:14 0:00:04 1943k
79 35.5M 79 28.2M 0 0 0:00:18 0:00:15 0:00:03 1944k
84 35.5M 84 30.1M 0 0 0:00:18 0:00:16 0:00:02 1947k
90 35.5M 90 32.1M 0 0 0:00:18 0:00:17 0:00:01 1953k
95 35.5M 95 34.0M 0 0 0:00:18 0:00:18 0:00:00 1951k
100 35.5M 100 35.5M 0 0 0:00:19 0:00:19 0:00:00 1948k
ubuntu-17-10-install [1;32mSwitching to the Daemon-based Installer[0m
ubuntu-17-10-install [38;32mWelcome to the Multi-User Nix Installation
ubuntu-17-10-install [0m
ubuntu-17-10-install This installation tool will set up your computer with the Nix package
ubuntu-17-10-install manager. This will happen in a few stages:
ubuntu-17-10-install
ubuntu-17-10-install 1. Make sure your computer doesn't already have Nix. If it does, I
ubuntu-17-10-install will show you instructions on how to clean up your old one.
ubuntu-17-10-install
ubuntu-17-10-install 2. Show you what we are going to install and where. Then we will ask
ubuntu-17-10-install if you are ready to continue.
ubuntu-17-10-install
ubuntu-17-10-install 3. Create the system users and groups that the Nix daemon uses to run
ubuntu-17-10-install builds.
ubuntu-17-10-install
ubuntu-17-10-install 4. Perform the basic installation of the Nix files daemon.
ubuntu-17-10-install
ubuntu-17-10-install 5. Configure your shell to import special Nix Profile files, so you
ubuntu-17-10-install can use Nix.
ubuntu-17-10-install
ubuntu-17-10-install 6. Start the Nix daemon.
ubuntu-17-10-install
ubuntu-17-10-install [38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
ubuntu-17-10-install [0mNo TTY, assuming you would say yes :)
ubuntu-17-10-install
ubuntu-17-10-install We will:
ubuntu-17-10-install
ubuntu-17-10-install - make sure your computer doesn't already have Nix files
ubuntu-17-10-install (if it does, I will tell you how to clean them up.)
ubuntu-17-10-install - create local users (see the list above for the users we'll make)
ubuntu-17-10-install - create a local group (nixbld)
ubuntu-17-10-install - install Nix in to /nix
ubuntu-17-10-install - create a configuration file in /etc/nix
ubuntu-17-10-install - set up the "default profile" by creating some Nix-related files in
ubuntu-17-10-install /root
ubuntu-17-10-install - load and start a service (at /etc/systemd/system/nix-daemon.service
ubuntu-17-10-install and /etc/systemd/system/nix-daemon.socket) for nix-daemon
ubuntu-17-10-install
ubuntu-17-10-install [38;32m[38;4;32mReady to continue?
ubuntu-17-10-install [0mNo TTY, assuming you would say yes :)
ubuntu-17-10-install
ubuntu-17-10-install [38;34m----- let's talk about sudo -----
ubuntu-17-10-install [0mThis script is going to call sudo a lot. Normally, it would show you
ubuntu-17-10-install exactly what commands it is running and why. However, the script is
ubuntu-17-10-install run in a headless fashion, like this:
ubuntu-17-10-install
ubuntu-17-10-install $ curl https://nixos.org/nix/install | sh
ubuntu-17-10-install

```

ubuntu-17-10-install or maybe in a CI pipeline. Because of that, we're going to skip the verbose output in the interest of brevity.

ubuntu-17-10-install If you would like to see the output, try like this:

```
ubuntu-17-10-install $ curl -o install-nix https://nixos.org/nix/install
ubuntu-17-10-install $ sh ./install-nix
```

```
ubuntu-17-10-install [38;34m--- Nix config report -----
ubuntu-17-10-install [0m[38;1m Temp Dir[38;1m: /tmp/tmp.0FqJAK0I26
ubuntu-17-10-install [38;1m Nix Root[38;1m: /nix
ubuntu-17-10-install [38;1m Build Users[38;1m: 32
ubuntu-17-10-install [38;1m Build Group ID[38;1m: 30000
ubuntu-17-10-install [38;1m Build Group Name[38;1m: nixbld

ubuntu-17-10-install [38;4;34mbuild users:
ubuntu-17-10-install [0m[38;1m Username[38;1m: UID
ubuntu-17-10-install [38;1m nixbld1[38;1m: 30001
ubuntu-17-10-install [38;1m nixbld2[38;1m: 30002
ubuntu-17-10-install [38;1m nixbld3[38;1m: 30003
ubuntu-17-10-install [38;1m nixbld4[38;1m: 30004
ubuntu-17-10-install [38;1m nixbld5[38;1m: 30005
ubuntu-17-10-install [38;1m nixbld6[38;1m: 30006
ubuntu-17-10-install [38;1m nixbld7[38;1m: 30007
ubuntu-17-10-install [38;1m nixbld8[38;1m: 30008
ubuntu-17-10-install [38;1m nixbld9[38;1m: 30009
ubuntu-17-10-install [38;1m nixbld10[38;1m: 30010
ubuntu-17-10-install [38;1m nixbld11[38;1m: 30011
ubuntu-17-10-install [38;1m nixbld12[38;1m: 30012
ubuntu-17-10-install [38;1m nixbld13[38;1m: 30013
ubuntu-17-10-install [38;1m nixbld14[38;1m: 30014
ubuntu-17-10-install [38;1m nixbld15[38;1m: 30015
ubuntu-17-10-install [38;1m nixbld16[38;1m: 30016
ubuntu-17-10-install [38;1m nixbld17[38;1m: 30017
ubuntu-17-10-install [38;1m nixbld18[38;1m: 30018
ubuntu-17-10-install [38;1m nixbld19[38;1m: 30019
ubuntu-17-10-install [38;1m nixbld20[38;1m: 30020
ubuntu-17-10-install [38;1m nixbld21[38;1m: 30021
ubuntu-17-10-install [38;1m nixbld22[38;1m: 30022
ubuntu-17-10-install [38;1m nixbld23[38;1m: 30023
ubuntu-17-10-install [38;1m nixbld24[38;1m: 30024
ubuntu-17-10-install [38;1m nixbld25[38;1m: 30025
ubuntu-17-10-install [38;1m nixbld26[38;1m: 30026
ubuntu-17-10-install [38;1m nixbld27[38;1m: 30027
ubuntu-17-10-install [38;1m nixbld28[38;1m: 30028
ubuntu-17-10-install [38;1m nixbld29[38;1m: 30029
ubuntu-17-10-install [38;1m nixbld30[38;1m: 30030
ubuntu-17-10-install [38;1m nixbld31[38;1m: 30031
ubuntu-17-10-install [38;1m nixbld32[38;1m: 30032

ubuntu-17-10-install [38;32m[38;4;32mReady to continue?
ubuntu-17-10-install [0m[38;1m No TTY, assuming you would say yes :)

ubuntu-17-10-install [38;32m--> Setting up the build group nixbld
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld1
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 1
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld2
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 2
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld3
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 3
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld4
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 4
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld5
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 5
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld6
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 6
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld7
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
ubuntu-17-10-install [38;1m Hidden[38;1m: Yes
ubuntu-17-10-install [38;1m Home Directory[38;1m: /var/empty
ubuntu-17-10-install usermod: no changes
ubuntu-17-10-install [38;1m Note[38;1m: Nix build user 7
ubuntu-17-10-install [38;1m Logins Disabled[38;1m: Yes
ubuntu-17-10-install [38;1m Member of nixbld[38;1m: Yes
ubuntu-17-10-install [38;1m PrimaryGroupID[38;1m: 30000

ubuntu-17-10-install [38;32m--> Setting up the build user nixbld8
ubuntu-17-10-install [0m[38;1m Created[38;1m: Yes
```



```
ubuntu-17-10-install mkdir: created directory '/nix/store'
ubuntu-17-10-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
ubuntu-17-10-install mkdir: created directory '/root/.nix-defexpr'
ubuntu-17-10-install mkdir: created directory '/etc/nix'
ubuntu-17-10-install Alright! We have our first nix at /nix/store/ngjwrr8scnmfpqymjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
ubuntu-17-10-install Just finished getting the nix database ready.

# Nix
ubuntu-17-10-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
ubuntu-17-10-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
ubuntu-17-10-install fi
ubuntu-17-10-install # End Nix

installing 'nix-2.1pre6385_d16ff76c'
ubuntu-17-10-install building '/nix/store/hazjvcdsgg96fb08j3m9mya0mmk0pbi-user-environment.drv'...
ubuntu-17-10-install created 6 symlinks in user environment
ubuntu-17-10-install installing 'nss-cacert-3.38'
ubuntu-17-10-install building '/nix/store/xsv6s00z6dk3sqw156r17ab53ydk4065-user-environment.drv'...
ubuntu-17-10-install created 9 symlinks in user environment
ubuntu-17-10-install unpacking channels...
ubuntu-17-10-install created 2 symlinks in user environment
ubuntu-17-10-install Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
ubuntu-17-10-install Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-17-10-install Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-17-10-install [38;32mAlright! We're done!
ubuntu-17-10-install [0m
Before Nix will work in your existing shells, you'll need to close
ubuntu-17-10-install them and open them again. Other than that, you should be ready to go.

Try it! Open a new terminal, and type:

ubuntu-17-10-install $ nix-shell -p nix-info --run "nix-info -m"

Thank you for using this installer. If you have any feedback, don't
ubuntu-17-10-install hesitate:

We'd love to help if you need it.

If you can, open an issue at https://github.com/nixos/nix/issues

Or feel free to contact the team,
ubuntu-17-10-install - on IRC #nixos on irc.freenode.net
ubuntu-17-10-install - on twitter @nixos_org
Starting: testnixinfo
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/091j2aakzb8mhrk4wkghpk6k8fzclcr-gnumake-4.2.1
/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx117f43zr1q9y9b4-readline-7.0p5
/nix/store/514qhkyaynyf9v9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld17y5albcd417121qch0qz9fdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87x6r1z189rlxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxn5s91m8qrrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
/nix/store/92qpnymw60dsx9f07jvn8926zx88gl-ed-1.14.2
/nix/store/98c80y9rpl1qwcx8g1fm4qsv494ay8q-gnugrep-3.1
/nix/store/9xm9n09n0z9r29r1n1vbbxwqwjnf60zd-paxctl-0.9
/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiaqpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agh8vqg5q8fshxda24fwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmwv1pcxv290md6d4r74y2bhs-knutar-1.30
/nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303k45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9
/nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27
/nix/store/i4n918fn0gwyran523pfbdc57fpqz-glibc-2.27-dev
/nix/store/i7vcs4p6n51b72a1zysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7ms17rdsqrk58gslav1-linux-headers-4.15
/nix/store/j2clxfb2r19daldfwcp8ywgjxs9yxgmz-nurses-6.1
/nix/store/jicmavp929l0z32ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqcgf6vmlv3n20ni6h0g-gawk-4.2.1
/nix/store/ksvm13fjv6j7qkswpn6qvrjym2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419rawrdg0cw5i8firncs-expand-response-params
/nix/store/mzx4y6amj7i638c6692qslazyz6i9-xz-5.2.4-bin
/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z0p04jy6gflh-nix-info
/nix/store/qw8f8g0d11714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca027wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhmkm6wsg66iw-patchelf-0.9
/nix/store/vp40my263xk32f7788rsrg159yrcsna-binutils-2.30
/nix/store/xadwbjcnm221pssfj06w0wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7y1v36sr9ix9alr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jz1z4hbffh0vkw006d-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kvc5z3-findutils-4.6.0
/nix/store/ykz266khhm9vq5bn619721nadr2ym-xz-5.2.4
copying path '/nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5albcd417121qch0qz9fdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/ksvm13fjv6j7qkswpn6qvrjym2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/i9k17g3rd3r7ms17rdsqrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929l0z32ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419rawrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path '/nix/store/jz7lnmjbyaqcgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/92qpnymw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/091j2aakzb8mhrk4wkghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path '/nix/store/xd7y1v36sr9ix9alr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
copying path '/nix/store/ykz266khhm9vq5bn619721nadr2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path '/nix/store/6v881ck1cxn5s91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnj0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path '/nix/store/j2clxfb2r19daldfwcp8ywgjxs9yxgmz-nurses-6.1' from 'https://cache.nixos.org'...
copying path '/nix/store/9xm9n09n0z9r29r1n1vbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/ach9z9x8lq89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/qw8f8g0d11714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/6nqk63zypz17ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/a8slaxaq3p8rxiaqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path '/nix/store/i7vcs4p6n51b72a1zysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path '/nix/store/mzx4y6amj7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/98c80y9rpl1qwcx8g1fm4qsv494ay8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path '/nix/store/3bn0819v7aghg0wx117f43zr1q9y9b4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path '/nix/store/vp40my263xk32f7788rsrg159yrcsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/rhczwaz7xk6dq9z2h9yca027wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path '/nix/store/dkh9cmwv1pcxv290md6d4r74y2bhs-knutar-1.30' from 'https://cache.nixos.org'...
copying path '/nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path '/nix/store/sc4w9y5a3nszmmcy13yhmkm6wsg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path '/nix/store/i4n918fn0gwyran523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path '/nix/store/y8p41rl2w9p9swny215h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path '/nix/store/514qhkyaynyf9v9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/1141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path '/nix/store/qcgvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path '/nix/store/qga70q7m5332d4gab8z0p04jy6gflh-nix-info' from 'https://cache.nixos.org'...
copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path '/nix/store/fjxk3k59n102sq572kkspdjy303k45-stenv-linux' from 'https://cache.nixos.org'...
copying path '/nix/store/xzz2anv77hx8jz1z4hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path '/nix/store/xadwbjcnm221pssfj06w0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
system: "x86_64-linux"
```

```
ubuntu-17-10-test-login - host os: `Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)`
ubuntu-17-10-test-login - multi-user?: `yes`
ubuntu-17-10-test-login - sandbox?: `no`
ubuntu-17-10-test-login - version: `nix-env (Nix) 2.1pre6385 d16ff76c`
ubuntu-17-10-test-login - channels(root): `nixpkgs-18.09pre150352.7c826371c49`
ubuntu-17-10-test-login - nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`

Finishing: testnixinfo, duration:25 result:0
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d2c97dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8d2c97dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:2 result:0
Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
building '/nix/store/ximiibc4j9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3bkzaxklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
Finishing: testnixenv, duration:3 result:0
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:7 result:0
ubuntu-17-10-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-17-10-test-login-interactive bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
system: "x86_64-linux"
- host os: `Linux 4.13.0-46-generic, Ubuntu, 17.10 (Artful Aardvark)`
- multi-user?: `yes`
- sandbox?: `no`
- version: `nix-env (Nix) 2.1pre6385 d16ff76c`
- channels(root): `nixpkgs-18.09pre150352.7c826371c49`
- channels(vagrant): `nixos-18-03-18.03.133174.edd63e05dle`
- nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`

Finishing: testnixinfo, duration:4 result:0
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:1 result:0
ubuntu-17-10-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-17-10-test-interactive bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
Finishing: testnixinfo, duration:1 result:127
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
nix-shell: command not found
Finishing: testshell, duration:0 result:127
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
nix-env: command not found
Finishing: testnixenv, duration:1 result:127
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
/etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
/etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
nix-channel: command not found
Finishing: testnixchannel, duration:0 result:127
Starting: testnixinfo
ubuntu-17-10-test-ssh ./testscript::runtest::39 testnixinfo
ubuntu-17-10-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:127
Starting: testshell
ubuntu-17-10-test-ssh ./testscript::runtest::39 testshell
ubuntu-17-10-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
Finishing: testshell, duration:0 result:127
Starting: testnixenv
ubuntu-17-10-test-ssh ./testscript::runtest::39 testnixenv
```

```

ubuntu-17-10-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-17-10-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-17-10-test-ssh      Finishing: testnixenv, duration:0 result:127
ubuntu-17-10-test-ssh      Starting: testnixchannel
ubuntu-17-10-test-ssh      ./testscript::runtest::39 testnixchannel
ubuntu-17-10-test-ssh      ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-17-10-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-17-10-test-ssh      Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-ubuntu-17-10-image-name

ubuntu-17-10

[top of data](#)

install-default-fedora-25-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```

==> default: Importing base box 'generic/fedora25'...
[KProgress: 10%
[KProgress: 20%
[KProgress: 30%
[KProgress: 40%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmprLkoNFDgkl_default_1535663597859_32026
==> default: Fixed port collision for 22 => 2222. Now on port 2205.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2205 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2205
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 5.1.38
default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
default: Running: inline script
default: Redirecting to '/usr/bin/dnf install curl' (see 'man yum2dnf')
default: Last metadata expiration check: 0:00:01 ago on Thu Aug 30 14:14:14 2018.
default: Package curl-7.51.0-9.fc25.x86_64 is already installed, skipping.
default: Dependencies resolved.
default: Nothing to do.
default: Complete!
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

```



```

fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld25
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 25
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld26
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 26
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld27
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 27
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld28
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 28
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld29
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 29
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld30
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 30
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld31
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 31
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install
fedora-25-install [38:32m--> Setting up the build user nixbld32
fedora-25-install [0m[38;1m Created[0m: Yes
fedora-25-install [38;1m Hidden[0m: Yes
fedora-25-install [38;1m Home Directory[0m: /var/empty
fedora-25-install usermod: no changes
fedora-25-install [38;1m Note[0m: Nix build user 32
fedora-25-install [38;1m Logins Disabled[0m: Yes
fedora-25-install [38;1m Member of nixbld[0m: Yes
fedora-25-install [38;1m PrimaryGroupID[0m: 30000
fedora-25-install mkdir: created directory '/nix/var'
fedora-25-install mkdir: created directory '/nix/var/log'
fedora-25-install mkdir: created directory '/nix/var/log/nix'
fedora-25-install mkdir: created directory '/nix/var/log/nix/drvs'
fedora-25-install mkdir: created directory '/nix/var/nix'
fedora-25-install mkdir: created directory '/nix/var/nix/db'
fedora-25-install mkdir: created directory '/nix/var/nix/gcroots'
fedora-25-install mkdir: created directory '/nix/var/nix/profiles'
fedora-25-install mkdir: created directory '/nix/var/nix/temproots'
fedora-25-install mkdir: created directory '/nix/var/nix/userpool'
fedora-25-install mkdir: created directory '/nix/var/nix/gcroots/per-user'
fedora-25-install mkdir: created directory '/nix/var/nix/profiles/per-user'
fedora-25-install mkdir: created directory '/nix/store'
fedora-25-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
fedora-25-install mkdir: created directory '/root/.nix-defexpr'
fedora-25-install mkdir: created directory '/etc/nix'
fedora-25-install Alright! We have our first nix at /nix/store/ngjwnr8scnmfpqymgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
fedora-25-install Just finished getting the nix database ready.
fedora-25-install
fedora-25-install # Nix
fedora-25-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-25-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-25-install fi
fedora-25-install # End Nix
fedora-25-install
fedora-25-install # Nix
fedora-25-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-25-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-25-install fi
fedora-25-install # End Nix
fedora-25-install
fedora-25-install installing 'nix-2.1pre6385_d16ff76c'
fedora-25-install building '/nix/store/hazjvcds9g96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-25-install created 6 symlinks in user environment
fedora-25-install installing 'nss-cacert-3.38'
fedora-25-install building '/nix/store/xsv6s00z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
fedora-25-install created 9 symlinks in user environment
fedora-25-install unpacking channels...
fedora-25-install created 2 symlinks in user environment
fedora-25-install Failed to link unit: Access denied
fedora-25-install
fedora-25-install [38:34m---- oh no! -----
fedora-25-install [0m[38;31mJeeze, something went wrong. If you can take all the output and open
fedora-25-install an issue, we'd love to fix the problem so nobody else has this issue.
fedora-25-install
fedora-25-install :(
fedora-25-install [0m
fedora-25-install [38:31mWe'd love to help if you need it.

```



```

fedora-25-install
fedora-25-install If you can, open an issue at https://github.com/nixos/nix/issues
fedora-25-install
fedora-25-install Or feel free to contact the team,
fedora-25-install - on IRC #nixos on irc.freenode.net
fedora-25-install - on twitter @nixos_org
fedora-25-install
fedora-25-install [0mfedora-25-test-login Starting: testnixinfo
fedora-25-test-login ./testscript::runtest:39 testnixinfo
fedora-25-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login (use '--show-trace' to show detailed location information)
fedora-25-test-login Finishing: testnixinfo, duration:0 result:1
fedora-25-test-login Starting: testshell
fedora-25-test-login ./testscript::runtest:39 testshell
fedora-25-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-25-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login (use '--show-trace' to show detailed location information)
fedora-25-test-login Finishing: testshell, duration:0 result:1
fedora-25-test-login Starting: testnixenv
fedora-25-test-login ./testscript::runtest:39 testnixenv
fedora-25-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-25-test-login installing 'hello-2.10'
fedora-25-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login (use '--show-trace' to show detailed location information)
fedora-25-test-login Finishing: testnixenv, duration:1 result:1
fedora-25-test-login Starting: testnixchannel
fedora-25-test-login ./testscript::runtest:39 testnixchannel
fedora-25-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-login ./testscript::testnixchannel:23 nix-channel --update
fedora-25-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login Finishing: testnixchannel, duration:0 result:1
fedora-25-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-25-test-login-interactive bash: no job control in this shell
fedora-25-test-login-interactive Starting: testnixinfo
fedora-25-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-25-test-login-interactive ./testscript::testnixinfo:45 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-login-interactive Finishing: testnixinfo, duration:0 result:1
fedora-25-test-login-interactive Starting: testshell
fedora-25-test-login-interactive ./testscript::runtest:10 testshell
fedora-25-test-login-interactive ./testscript::testshell:41 nix-shell -p hello --run hello
fedora-25-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-login-interactive Finishing: testshell, duration:0 result:1
fedora-25-test-login-interactive Starting: testnixenv
fedora-25-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-25-test-login-interactive ./testscript::testnixenv:37 nix-env -iA nixpkgs.hello
fedora-25-test-login-interactive installing 'hello-2.10'
fedora-25-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-login-interactive Finishing: testnixenv, duration:0 result:1
fedora-25-test-login-interactive Starting: testnixchannel
fedora-25-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-25-test-login-interactive ./testscript::testnixchannel:31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-login-interactive ./testscript::testnixchannel:30 nix-channel --update
fedora-25-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-login-interactive Finishing: testnixchannel, duration:1 result:1
fedora-25-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-25-test-interactive bash: no job control in this shell
fedora-25-test-interactive Starting: testnixinfo
fedora-25-test-interactive ./testscript::runtest:10 testnixinfo
fedora-25-test-interactive ./testscript::testnixinfo:2 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-interactive Finishing: testnixinfo, duration:0 result:1
fedora-25-test-interactive Starting: testshell
fedora-25-test-interactive ./testscript::runtest:10 testshell
fedora-25-test-interactive ./testscript::testshell:2 nix-shell -p hello --run hello
fedora-25-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-interactive Finishing: testshell, duration:0 result:1
fedora-25-test-interactive Starting: testnixenv
fedora-25-test-interactive ./testscript::runtest:10 testnixenv
fedora-25-test-interactive ./testscript::testnixenv:6 nix-env -iA nixpkgs.hello
fedora-25-test-interactive installing 'hello-2.10'
fedora-25-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-interactive (use '--show-trace' to show detailed location information)
fedora-25-test-interactive Finishing: testnixenv, duration:0 result:1
fedora-25-test-interactive Starting: testnixchannel
fedora-25-test-interactive ./testscript::runtest:10 testnixchannel
fedora-25-test-interactive ./testscript::testnixchannel:12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-interactive ./testscript::testnixchannel:13 nix-channel --update
fedora-25-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-interactive Finishing: testnixchannel, duration:2 result:1
fedora-25-test-ssh Starting: testnixinfo
fedora-25-test-ssh ./testscript::runtest:39 testnixinfo
fedora-25-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-ssh (use '--show-trace' to show detailed location information)
fedora-25-test-ssh Finishing: testnixinfo, duration:1 result:1
fedora-25-test-ssh Starting: testshell
fedora-25-test-ssh ./testscript::runtest:39 testshell
fedora-25-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-25-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-ssh (use '--show-trace' to show detailed location information)
fedora-25-test-ssh Finishing: testshell, duration:0 result:1
fedora-25-test-ssh Starting: testnixenv
fedora-25-test-ssh ./testscript::runtest:39 testnixenv
fedora-25-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-25-test-ssh installing 'hello-2.10'
fedora-25-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-ssh (use '--show-trace' to show detailed location information)
fedora-25-test-ssh Finishing: testnixenv, duration:0 result:1
fedora-25-test-ssh Starting: testnixchannel
fedora-25-test-ssh ./testscript::runtest:39 testnixchannel
fedora-25-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-ssh ./testscript::testnixchannel:23 nix-channel --update
fedora-25-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-25-test-ssh Finishing: testnixchannel, duration:1 result:1

```

[top of data](#)

install-default-fedora-25-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora25"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:

```

```
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-fedora-25-install-method

install-default

[top of data](#)

install-default-fedora-25-image-name

fedora-25

[top of data](#)

install-force-no-daemon-macos-sierra-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-macos-sierra-image-name

macos-sierra

[top of data](#)

install-force-no-daemon-macos-sierra-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'jhcook/macos-sierra'...

```
##[KProgress: 10%
##[KProgress: 20%
##[KProgress: 30%
##[KProgress: 80%
##[KProgress: 90%
##[K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpsbllWYQ5W6D_default_1535664156260_45432
==> default: Fixed port collision for 22 => 2222. Now on port 2207.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
    default: Adapter 1: nat
==> default: Forwarding ports...
    default: 22 (guest) => 2207 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
    default: SSH address: 127.0.0.1:2207
    default: SSH username: vagrant
    default: SSH auth method: private key
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
    default: No guest additions were detected on the base box for this VM! Guest
    default: additions are required for forwarded ports, shared folders, host only
    default: networking, and more. If SSH fails on this machine, please install
    default: the guest additions and repackage the box to continue.
    default:
    default: This is not an error message; everything may continue to work properly,
    default: in which case you may ignore this message.
==> default: Running provisioner: shell...
    default: Running: inline script
    default: The chosen disk supports resize; disregarding your new file system type and volume name
    default: Merging partitions into a new partition
    default:   Start partition: disk0s2 Macintosh HDD
    default:   Finish partition: disk0s3 Untitled
    default: Started partitioning on disk0
    default: Merging partitions
    default: Waiting for partitions to activate
    default: Growing disk
    default: Finished partitioning on disk0
    default: /dev/disk0 (internal, physical):
    default: #:          TYPE NAME          SIZE          IDENTIFIER
    default: 0:          GUID_partition_scheme      *137.4 GB      disk0
    default: 1:          EFI EFI                    209.7 MB       disk0s1
    default: 2:          Apple_HFS Macintosh HDD      137.1 GB       disk0s2
==> default: Running provisioner: shell...
    default: Running: inline script
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}: $LINENO '
set -u
set -o pipefail

testnixinfo() {
  nix-shell -p nix-info --run "nix-info -m"
}

testshell() {
  nix-shell -p hello --run hello
}

testnixenv() {
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
}

testnixchannel() {
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
}

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
```

```

echo "Starting: $testFn"
(
  set -ex
  "$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
macos-sierra-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
macos-sierra-install + sh -s -- --no-daemon
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 2137 0 0:00:01 0:00:01 0:00:00 2140
macos-sierra-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-darwin from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-da
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 28.7M 0 81920 0 0 44576 0 0:11:17 0:00:01 0:11:16 44570
0 28.7M 0 81920 0 0 34991 0 0:14:22 0:00:02 0:14:20 34993
1 28.7M 1 416k 0 0 123k 0 0:03:58 0:00:03 0:03:55 123k
3 28.7M 3 976k 0 0 224k 0 0:02:11 0:00:04 0:02:07 224k
7 28.7M 7 2240k 0 0 421k 0 0:01:09 0:00:05 0:01:04 465k
12 28.7M 12 3696k 0 0 586k 0 0:00:50 0:00:06 0:00:44 809k
18 28.7M 18 5344k 0 0 732k 0 0:00:40 0:00:07 0:00:33 1061k
24 28.7M 24 7232k 0 0 867k 0 0:00:33 0:00:08 0:00:25 1373k
31 28.7M 31 9168k 0 0 982k 0 0:00:29 0:00:09 0:00:20 1647k
37 28.7M 37 10.8M 0 0 1075k 0 0:00:27 0:00:10 0:00:17 1767k
44 28.7M 44 12.7M 0 0 1153k 0 0:00:25 0:00:11 0:00:14 1867k
50 28.7M 50 14.6M 0 0 1217k 0 0:00:24 0:00:12 0:00:12 1924k
57 28.7M 57 16.5M 0 0 1270k 0 0:00:23 0:00:13 0:00:10 1946k
63 28.7M 63 18.4M 0 0 1317k 0 0:00:22 0:00:14 0:00:08 1946k
70 28.7M 70 20.3M 0 0 1359k 0 0:00:21 0:00:15 0:00:06 1948k
77 28.7M 77 22.3M 0 0 1398k 0 0:00:21 0:00:16 0:00:05 1952k
84 28.7M 84 24.2M 0 0 1430k 0 0:00:20 0:00:17 0:00:03 1952k
90 28.7M 90 26.0M 0 0 1458k 0 0:00:20 0:00:18 0:00:02 1955k
97 28.7M 97 27.9M 0 0 1483k 0 0:00:19 0:00:19 0:00:00 1955k
100 28.7M 100 28.7M 0 0 1493k 0 0:00:19 0:00:19 0:00:00 1955k
macos-sierra-install performing a single-user installation of Nix...
macos-sierra-install directory '/nix' does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
macos-sierra-install copying Nix to /nix/store...
macos-sierra-install initialising Nix database...
macos-sierra-install Nix: creating /Users/vagrant/.nix-profile
macos-sierra-install installing 'nix-2.1pre6385_d16ff76c'
macos-sierra-install building '/nix/store/cmsn6pay22cm7f0pjsylicliil3a5scys-user-environment.drv'...
macos-sierra-install created 7 symlinks in user environment
macos-sierra-install installing 'nss-cacert-3.38'
macos-sierra-install building '/nix/store/amm1qyr9zzl5k4wr9f8wg6ks2mvf6k-user-environment.drv'...
macos-sierra-install created 9 symlinks in user environment
macos-sierra-install unpacking channels...
macos-sierra-install created 2 symlinks in user environment
macos-sierra-install modifying /Users/vagrant/.bash_profile...
macos-sierra-install Installation finished! To ensure that the necessary environment
macos-sierra-install variables are set, either log in again, or type
macos-sierra-install . /Users/vagrant/.nix-profile/etc/profile.d/nix.sh
macos-sierra-install in your shell.
macos-sierra-test-login Starting: testnixinfo
macos-sierra-test-login ./testscript::runtest::39 testnixinfo
macos-sierra-test-login ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-login these paths will be fetched (131.08 MiB download, 703.61 MiB unpacked):
macos-sierra-test-login /nix/store/04bnzqnvqgrhly898ys6j/hvb7r7z8-compiler-rt-5.0.2
macos-sierra-test-login /nix/store/14k27l19psmi20lbrzm3yhl7mq0cfc-bzip2-1.0.6.0.1
macos-sierra-test-login /nix/store/19xwrnwddx278wd2hf0f4fd619fqv-clang-5.0.2
macos-sierra-test-login /nix/store/lvrn0x735avl7sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info
macos-sierra-test-login /nix/store/2571v4g663w2490rzmlq14qrzjlqiw5-clang-5.0.2-lib
macos-sierra-test-login /nix/store/2kd8k0h7mkrwc444r91a48l1yL2di3mx-cc-tools-port-895
macos-sierra-test-login /nix/store/365x532d881j3zyi84qlmhm00lnr749-gnuprep-3.1
macos-sierra-test-login /nix/store/39mw7i8qjmv94pqlx62znmkxw1qa1p-adv_cmds-osx-10.5.8-locale
macos-sierra-test-login /nix/store/3whkmrfl5pawd15yx28qfp7cLs1l7j1-libffi-3.2.1
macos-sierra-test-login /nix/store/59rgilddqf88nwrkF0xp3glc46akf0k-Libsystem-osx-10.11.6
macos-sierra-test-login /nix/store/5im29qx9rn13w8l3j812yr22sins5kxv-cc-tools-binutils-darwin
macos-sierra-test-login /nix/store/6jmyb0azj1r77nnpfl23k95zyfhd6k11-compiler-rt-5.0.2-dev
macos-sierra-test-login /nix/store/7hcnb7l6kq05zyq5g2yvac89nk4y6v8-bzip2-1.0.6.0.1-bin
macos-sierra-test-login /nix/store/7qw2hb02ychpaabvxs2yq16p1cc01jic-clang-wrapper-5.0.2
macos-sierra-test-login /nix/store/7vsmbsgp21kl7mvp305ac13qzsh5bmk-gnutar-1.30
macos-sierra-test-login /nix/store/8jw196k4va9bvc18ds2rgjq2073qbi-bash-interactive-4.4-p23
macos-sierra-test-login /nix/store/9a762m9ld7f6z05d47lwnw2nd0f2xw-gettext-0.19.8.1
macos-sierra-test-login /nix/store/9gvf6a9hvqszyjn4ad47rx008c1039k-ed-1.14.2
macos-sierra-test-login /nix/store/bc6vyywvmvvpk1bfk0dgpw3i192phlp3-libc++abi-5.0.2
macos-sierra-test-login /nix/store/c8z9h9drqbm6c1cdwkpc3ivdfbz4-readline-7.0p5
macos-sierra-test-login /nix/store/cwgp49bjfc9hjmg63kjc13zqyiqqlsyl-ncurses-6.1
macos-sierra-test-login /nix/store/cwx4dshnrjigh3g6zpln44wdnm8agh-binutils-2.30
macos-sierra-test-login /nix/store/d3w7zyl2wdb4jilypfmm454d29c4pn-gzip-1.9
macos-sierra-test-login /nix/store/f0ymknfjldn3lsmxmc3wrc1a2dp6bq1q-libc++-5.0.2
macos-sierra-test-login /nix/store/fj1lysz08s9vllbdcf3vndndd4xfacj-bash-interactive-4.4-p23-dev
macos-sierra-test-login /nix/store/fsd1l613g3lppgmdvb22gfbf9fmm3pjr35-cc-tools-binutils-darwin-wrapper
macos-sierra-test-login /nix/store/g309lkobr76zzn4899sw8j899qlqy92-nix-info
macos-sierra-test-login /nix/store/gvxcqbrxrvh155cy2wf8m89frg0qgw-findutils-4.6.0
macos-sierra-test-login /nix/store/hyrcf63jfcay64lwp3dfc5y4xvshlal-expand-response-params
macos-sierra-test-login /nix/store/ilj27ynsq0b965qr1m976mz8h25y1g6-patch-2.7.6
macos-sierra-test-login /nix/store/j5ylgldy52pv6rs2y4l04qs2bxwjfh8y-libiconv-osx-10.11.6
macos-sierra-test-login /nix/store/kdnhzvavikc62vf5c5hyz2233x4pa136-gnused-4.5
macos-sierra-test-login /nix/store/kh9s73fnfqk1kn6fvbqnm5prg698-xz-5.2.4-bin
macos-sierra-test-login /nix/store/kv402lpbn0xrb0pm7v9kpxjvgndy3f3xv-ICU-osx-10.10.5
macos-sierra-test-login /nix/store/la4az1fd63wq795jl6siym0044pxry6-bash-interactive-4.4-p23-dcc
macos-sierra-test-login /nix/store/p0cdc7rzfla69k0l3vnf4v7a6xcsngp-llvm-5.0.2-lib
macos-sierra-test-login /nix/store/psry9nab69pw127izxyg41zh7pccn1qx-zlib-1.2.11
macos-sierra-test-login /nix/store/pss843nbn833hj5b6yxsyrzazn0spkd-gawk-4.2.1
macos-sierra-test-login /nix/store/qmxy10v65y3k8xf8wjcd4xgsk39gijfi-bash-interactive-4.4-p23-man
macos-sierra-test-login /nix/store/qxpvlfwz9qjlf5v9vb636ihlfrfq2lxx-gmp-6.1.2
macos-sierra-test-login /nix/store/r765bx4lndy8ymqlq0b098cbgycpska4-DarwinTools-1

```

```
macos-sierra-test-login /nix/store/r7v5bfxgimackxj26xij8vr0n4yh03b-stdev-darwin
macos-sierra-test-login /nix/store/rm5hs2mg6rwp6lj2f5alyx4jnspr3qxs-coreutils-8.29
macos-sierra-test-login /nix/store/rq25z24vqncw9m9k1jag531lsg41cws-diffutils-3.6
macos-sierra-test-login /nix/store/rq25z24vqncw9m9k1jag531lsg41cws-diffutils-3.6
macos-sierra-test-login /nix/store/vlmw5xyq9j8716bdfcj06ay423ap3k-gnumake-4.2.1
macos-sierra-test-login /nix/store/z0x9h01vbbavfgn48ybaz0vi9sczxn2i-pcre-8.42
macos-sierra-test-login /nix/store/z4k8fk58pw5lpm1b1l1kmpj10v033-xz-5.2.4
macos-sierra-test-login /nix/store/zbhk0jhc9y8hmbcax9vnddbik3rgsary-bash-4.4-p23
macos-sierra-test-login copying path /nix/store/la421fd63wq795j16siym10044pxry6-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/59rgldqwf88mrf0xp3gic46akf8k-Libsystem-osx-10.11.6' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/39mw7i8qjmv94plx62zmmxw1ga17p-adv_cmds-osx-10.5.8-locale' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/zbhk0jhc9y8hmbcax9vnddbik3rgsary-bash-4.4-p23' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/lvrn0x735av17sq6mf5h50slb4666j7-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/qmxy10v65y3k8xf8wjdcdxgsk39gijfi-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/14k271l9psmi201brzm3yhi1m7nq0fc-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/avgf6aohvqszjyn4ad847rx008c1039k-ed-1.14.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/hcnb7l6k605y2g5q20yacc89nk46y6v8-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/hyrcf63jycay6qlw3p3dfc5y4kvshla1-expand-response-params' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/ps5043nbpn033h15b0yxyrrazn0spk0-gawk-4.2.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/ylnw5xyq9j8716bdfcj06ay423ap3k-gnumake-4.2.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/kdnhvvzavik62yf5c9h32233x4pa136-gnused-4.5' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/d3w7zyl2wdb14aj1lypfnm454d29c4pn-gzip-1.9' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/bc6vywmbvwpk1q6098cbj392phl3-libc+abi-5.0.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/3whkmrfl5p5pdw15yx28qfp/clsl17j17-libffi-3.2.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/f0ymknfjdn31smcxc3wrla2dp6bqic-libc+abi-5.0.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/syldl52pv6rs2y4l04q3zvwjx7f8y-libiconv-osx-10.11.6' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/kv402lbpn0x8r0p9m79kpxjvndy3f3v-ICU-osx-10.10.5' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/2kd8k0h7mkrc4449l4481y12di3mx-ctools-port-895' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/vsgz5h8f5ywj9v5h44zqpw49cswc9-CF-osx-10.10.5' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/04bnzqniqvrxrlh898ysjhbv7r7z8-compiler-rt-5.0.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/r765b4x4lndy8ymmlq6b098cbj392phl3-DarwinTools-1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/6jmyb8qzj7r7pnpflz3k85zyfnd6x11-compiler-rt-5.0.2-dev' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/9a762m9ld7f620x5d47lvnnw2nd0f2xw-gettext-0.19.8.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/qxpvlwz9qj1f5v9v636ihlfrfq2lxx-gmp-6.1.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/V7smbsps21k7lmvyp305ac13qzsh5bmk-gnutar-1.30' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/rm5hs2mg6rwp6lj2f5alyx4jnspr3qxs-coreutils-8.29' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/cwqp49bjt9hjm63k131z2yqk15yl-ncurses-6.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/rq25z24vqncw9m9k1jag531lsg41cws-diffutils-3.6' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/gvqxqcbxrhrh155cy2w7f8m89h9rggw-findutils-4.6.0' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/llj27ynsx08965qclm976m28h2y1g6-patch-2.7.6' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/20x9h01vbbavfgn48ybaz0vi9sczxn2i-pcre-8.42' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/c8z9hdriqbm6cx1cdwkkpcc3ivdbifz4-readline-7.0p5' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/365x532d881j3zy184qlwmh00lnr749-gnugrep-3.1' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/z4k8fk58pw5lpm1b1l1kmpj10v033-xz-5.2.4' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/kh9sj73nfrqk1kn6f6vbnqmw5prg698-xz-5.2.4-bin' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/psry9na609pw127izyq41zh7pccnqg-zlib-1.2.11' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/cwx4dshnrbj1gh3g6zpln4wddn8agb-binutils-2.30' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/2571v49663w2490rzm1q14rj1q1jkw5-clang-5.0.2-lib' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/5im29qx9rmi3w813j1812y22sian5kxv-ctools-binutils-darwin' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/p0c7d7zr1a09k03l3vfn4av7a6xscngp-llvm-5.0.2-lib' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/f5d1613g31fpm0vb2z9b9f9m3pj35-ctools-binutils-darwin-wrapper' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/19xwrmw0hx278wd2hzf0f4hd619fuv-clang-5.0.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/qw2hb02yhaabvxs2yq16plc081jlc-clang-wrapper-5.0.2' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/8jw196k4vabvcl8ds2rgjq2073gbbj-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/r7v5bfxgimackxj26xij8vr0n4yh03b-stdev-darwin' from 'https://cache.nixos.org'...
macos-sierra-test-login copying path /nix/store/fjilysvz0889v1lbdx3fvnddd4xfacj-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: 'x86_64-darwin'
- host os: 'Darwin 16.7.0, macOS 10.12.6'
- multi-user?: 'no'
- sandbox: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: '/Users/vagrant/.nix-defexpr/channels/nixpkgs'
```

```
macos-sierra-test-login Finishing: testnixinfo, duration:91 result:0
macos-sierra-test-login Starting: testshell
macos-sierra-test-login ./testscript::runtest::39 testshell
macos-sierra-test-login /testscript::testshell::12 nix-shell -p hello --run hello
macos-sierra-test-login these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
macos-sierra-test-login /nix/store/a36fmx10cf2d1cp7jddrcihyfxipfd0-hello-2.10
macos-sierra-test-login copying path /nix/store/a36fmx10cf2d1cp7jddrcihyfxipfd0-hello-2.10' from 'https://cache.nixos.org'...
macos-sierra-test-login Hello, world!
```

```
macos-sierra-test-login Finishing: testshell, duration:5 result:0
macos-sierra-test-login Starting: testnixenv
macos-sierra-test-login ./testscript::runtest::39 testnixenv
macos-sierra-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-login installing 'hello-2.10'
macos-sierra-test-login building /nix/store/0c5ps8qr34id3knfryybi9a02y312wsv-user-environment.drv'...
macos-sierra-test-login created 40 symlinks in user environment
macos-sierra-test-login ./testscript::testnixenv::17 hello
macos-sierra-test-login Hello, world!
```

```
macos-sierra-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
macos-sierra-test-login uninstalling 'hello-2.10'
macos-sierra-test-login building /nix/store/mg7lwjq1ash2jcnzslah05f36vldccn-user-environment.drv'...
macos-sierra-test-login created 9 symlinks in user environment
macos-sierra-test-login Finishing: testnixenv, duration:1 result:0
macos-sierra-test-login Starting: testnixchannel
macos-sierra-test-login ./testscript::runtest::39 testnixchannel
macos-sierra-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-login ./testscript::testnixchannel::23 nix-channel --update
macos-sierra-test-login unpacking channels...
macos-sierra-test-login created 5 symlinks in user environment
macos-sierra-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
macos-sierra-test-login installing 'hello-2.10'
macos-sierra-test-login these paths will be fetched (0.02 MiB download, 0.07 MiB unpacked):
macos-sierra-test-login /nix/store/ijaa24krzakv5dpln1x91k1h5df6743-hello-2.10
macos-sierra-test-login copying path /nix/store/ijaa24krzakv5dpln1x91k1h5df6743-hello-2.10' from 'https://cache.nixos.org'...
macos-sierra-test-login building /nix/store/nak2571p78rd8bnx6x4vd8xg9108fnz-user-environment.drv'...
macos-sierra-test-login created 40 symlinks in user environment
macos-sierra-test-login ./testscript::testnixchannel::25 hello
macos-sierra-test-login Hello, world!
```

```
macos-sierra-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
macos-sierra-test-login uninstalling 'hello-2.10'
macos-sierra-test-login Finishing: testnixchannel, duration:42 result:0
macos-sierra-test-login Starting: testnixinfo
macos-sierra-test-login ./testscript::runtest::39 testnixinfo
macos-sierra-test-login ./testscript::testnixinfo::18 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-login - system: 'x86_64-darwin'
macos-sierra-test-login - host os: 'Darwin 16.7.0, macOS 10.12.6'
macos-sierra-test-login - multi-user?: 'no'
macos-sierra-test-login - sandbox: 'no'
macos-sierra-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
macos-sierra-test-login - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
macos-sierra-test-login - nixpkgs: '/Users/vagrant/.nix-defexpr/channels/nixpkgs'
```

```
macos-sierra-test-login Finishing: testnixinfo, duration:9 result:0
macos-sierra-test-login Starting: testshell
macos-sierra-test-login ./testscript::runtest::39 testshell
macos-sierra-test-login /testscript::testshell::12 nix-shell -p hello --run hello
macos-sierra-test-login Hello, world!
macos-sierra-test-login Finishing: testshell, duration:5 result:0
macos-sierra-test-login Starting: testnixenv
macos-sierra-test-login ./testscript::runtest::39 testnixenv
macos-sierra-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-login installing 'hello-2.10'
macos-sierra-test-login ./testscript::testnixenv::17 hello
macos-sierra-test-login Hello, world!
macos-sierra-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
macos-sierra-test-login uninstalling 'hello-2.10'
```

```

macos-sierra-test-login-interactive Finishing: testnixenv, duration:2 result:0
macos-sierra-test-login-interactive Starting: testnixchannel
macos-sierra-test-login-interactive ./testscript::runtest::39 testnixchannel
macos-sierra-test-login-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-login-interactive ./testscript::testnixchannel::23 nix-channel --update
macos-sierra-test-login-interactive unpacking channels...
macos-sierra-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
macos-sierra-test-login-interactive installing 'hello-2.10'
macos-sierra-test-login-interactive ./testscript::testnixchannel::25 hello
macos-sierra-test-login-interactive Hello, world!
macos-sierra-test-login-interactive ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
macos-sierra-test-login-interactive uninstalling 'hello-2.10'
macos-sierra-test-login-interactive Finishing: testnixchannel, duration:5 result:0
macos-sierra-test-interactive Starting: testnixinfo
macos-sierra-test-interactive ./testscript::runtest::39 testnixinfo
macos-sierra-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-interactive ./testscript: line 8: nix-shell: command not found
macos-sierra-test-interactive Finishing: testnixinfo, duration:0 result:127
macos-sierra-test-interactive Starting: testshell
macos-sierra-test-interactive ./testscript::runtest::39 testshell
macos-sierra-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
macos-sierra-test-interactive ./testscript: line 12: nix-shell: command not found
macos-sierra-test-interactive Finishing: testshell, duration:0 result:127
macos-sierra-test-interactive Starting: testnixenv
macos-sierra-test-interactive ./testscript::runtest::39 testnixenv
macos-sierra-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-interactive ./testscript: line 16: nix-env: command not found
macos-sierra-test-interactive Finishing: testnixenv, duration:0 result:127
macos-sierra-test-interactive Starting: testnixchannel
macos-sierra-test-interactive ./testscript::runtest::39 testnixchannel
macos-sierra-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-interactive ./testscript: line 22: nix-channel: command not found
macos-sierra-test-interactive Finishing: testnixchannel, duration:0 result:127
macos-sierra-test-ssh Starting: testnixinfo
macos-sierra-test-ssh ./testscript::runtest::39 testnixinfo
macos-sierra-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-ssh ./testscript: line 8: nix-shell: command not found
macos-sierra-test-ssh Finishing: testnixinfo, duration:0 result:127
macos-sierra-test-ssh Starting: testshell
macos-sierra-test-ssh ./testscript::runtest::39 testshell
macos-sierra-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
macos-sierra-test-ssh ./testscript: line 12: nix-shell: command not found
macos-sierra-test-ssh Finishing: testshell, duration:0 result:127
macos-sierra-test-ssh Starting: testnixenv
macos-sierra-test-ssh ./testscript::runtest::39 testnixenv
macos-sierra-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-ssh ./testscript: line 16: nix-env: command not found
macos-sierra-test-ssh Finishing: testnixenv, duration:0 result:127
macos-sierra-test-ssh Starting: testnixchannel
macos-sierra-test-ssh ./testscript::runtest::39 testnixchannel
macos-sierra-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-ssh ./testscript: line 22: nix-channel: command not found
macos-sierra-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-macos-sierra-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "jhcocook/macOS-sierra"
  config.vm.provision "shell", inline: <<-SHELL

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macOS:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-force-no-daemon-alpine-3-8-image-name

alpine-3-8

[top of data](#)

install-force-no-daemon-alpine-3-8-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/alpine38'...

[KProgress: 10%
[KProgress: 30%
[KProgress: 60%
[KProgress: 70%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpuk4ESlcyM1_default_1535663830693_29391
==> default: Fixed port collision for 22 => 2222. Now on port 2212.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2212 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2212
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Running provisioner: shell...
default: Running: inline script
default: fetch https://mirror.leaseweb.com/alpine/v3.8/main/x86_64/APKINDEX.tar.gz
default: fetch https://mirror.leaseweb.com/alpine/v3.8/community/x86_64/APKINDEX.tar.gz
default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
default: OK: 141 MiB in 74 packages

#!/bin/sh

set -eux

```



```
alpine-3-8-test-login /nix/store/98c80y9rp1qlwxc8f1m4qsv494ajy8q-gnugrep-3.1
alpine-3-8-test-login /nix/store/9xm9n9n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
alpine-3-8-test-login /nix/store/9z659yccz52yhw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
alpine-3-8-test-login /nix/store/a81axag3p8zicqgpaasvkvghy0baba-acl-2.2.52
alpine-3-8-test-login /nix/store/zn9z9r81g89kpi273s4fj9vzyg3g7-glibc-2.27-bin
alpine-3-8-test-login /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5
alpine-3-8-test-login /nix/store/dkh9cmwv1pcxv290m6ddq4r74yzbshk-gnutar-1.30
alpine-3-8-test-login /nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin
alpine-3-8-test-login /nix/store/fjkxk59n102sq572kkspdjy303kv45-stenv-linux
alpine-3-8-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9
alpine-3-8-test-login /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
alpine-3-8-test-login /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev
alpine-3-8-test-login /nix/store/i7vcs4w6n51b72a12ysp5j31579wk3-patch-2.7.6
alpine-3-8-test-login /nix/store/i9k17g3rd3r7ms17rdsqsrk58gslav1-linux-headers-4.15
alpine-3-8-test-login /nix/store/j2c1xfb2rl9adalwfcwp8ywgj5x9ygmz-nurses-6.1
alpine-3-8-test-login /nix/store/jicmavp929l0x232rly0za94rslxj0p-attr-2.4.47
alpine-3-8-test-login /nix/store/jz7lnmjbyaqpcgfv6vmlv3n20n6h0g-gawk-4.2.1
alpine-3-8-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrjgm2si336-bash-interactive-4.4-p23-doc
alpine-3-8-test-login /nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
alpine-3-8-test-login /nix/store/mdpwfa0v419awrd0qwc518f1rncs-expand-response-params
alpine-3-8-test-login /nix/store/n1i638c6692as1azyzvx619-xz-5.2.4-bin
alpine-3-8-test-login /nix/store/qcvvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
alpine-3-8-test-login /nix/store/qga70q7m5332dr4gab8zp004jy6flh-nix-info
alpine-3-8-test-login /nix/store/qw8f80d1l1714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
alpine-3-8-test-login /nix/store/rhczwaz7xk6ddqz2h9yca0z7wx0nwg7c-coreutils-8.29
alpine-3-8-test-login /nix/store/sc4w9y5a3nszmmcy31yhmwx6wysg66iw-patchelf-0.9
alpine-3-8-test-login /nix/store/vp40my263xk32f07788srrgl59rycna-binutils-2.30
alpine-3-8-test-login /nix/store/xadwbdjcnmdc21ppsfcj00g0w8vsynd-bash-interactive-4.4-p23-dev
alpine-3-8-test-login /nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42
alpine-3-8-test-login /nix/store/xzz2anv77h8jziz4hbffh0vwkw0066d-bash-interactive-4.4-p23
alpine-3-8-test-login /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
alpine-3-8-test-login /nix/store/ykz6b6mkm9vqv5bn619792lnadrp2ym-xz-5.2.4
alpine-3-8-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjgm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/lxj4zas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/5mld17y5albcd41712lqch0qz2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/i9k17g3rd3r7ms17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/jicmavp929l0x232rly0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/6v881cklcnxn59l8m8rrqww0rlr1r27x-bash-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/a81axag3p8zicqgpaasvkvghy0baba-acl-2.2.52' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qw8f80d1l1714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/rhczwaz7xk6ddqz2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/l141f22hsyf9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/92gndpymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mdpwfa0v419awrd0qwc518f1rncs-expand-response-params' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/jz7lnmjbyaqpcgfv6vmlv3n20n6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/bnqk632pzy17ng87x6r1z89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ach9z9x8l8g9kpi273s4fj9vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/091j2aakz6bhmrk4b4whpk6krf8z1crgnumake-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/dkh9cmwv1pcxv290m6ddq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/j2c1xfb2rl9adalwfcwp8ywgj5x9ygmz-nurses-6.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/i7vcs4w6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/sc4w9y5a3nszmmcy31yhmwx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9xm9n9n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/3bn0819v7agh0w1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/98c80y9rp1qlwxc8f1m4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ykz6b6mkm9vqv5bn619792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qga70q7m5332dr4gab8zp004jy6flh-nix-info' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mzx4y6amj7i638c6692qslazyzvx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/zbrn4404b7mlyvpp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/vp40my263xk32f07788srrgl59rycna-binutils-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/s14dqkyz7fyfny9yck7cbmdlnph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qcvvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9z659yccz52yhw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xzz2anv77h8jziz4hbffh0vwkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fjkxk59n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xadwbdjcnmdc21ppsfcj00g0w8vsynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
alpine-3-8-test-login - version: "nix-env (Nix) 2.1pre6385.1d6ff76c"
alpine-3-8-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
alpine-3-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-8-test-login
alpine-3-8-test-login Finishing: testnixinfo, duration:20 result:0
alpine-3-8-test-login Starting: testshell
alpine-3-8-test-login ./testscript:runtest::39 testshell
alpine-3-8-test-login ./testscript:testshell:12 nix-shell -p hello --run hello
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/z87ns3bv8d2c9c7dnblvj541613ch8k10-hello-2.10
alpine-3-8-test-login copying path /nix/store/z87ns3bv8d2c9c7dnblvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login Finishing: testshell, duration:2 result:0
alpine-3-8-test-login Starting: testnixenv
alpine-3-8-test-login ./testscript:runtest::39 testnixenv
alpine-3-8-test-login ./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login building /nix/store/94bdc86112z1pvzip9mhbw741gl4q97c-user-environment.drv...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript:testnixenv:17 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login building /nix/store/bj717qjzcsb26ad35mvo4an266vj5vj-user-environment.drv...
alpine-3-8-test-login created 6 symlinks in user environment
alpine-3-8-test-login Finishing: testnixenv, duration:1 result:0
alpine-3-8-test-login Starting: testnixchannel
alpine-3-8-test-login ./testscript:runtest::39 testnixchannel
alpine-3-8-test-login ./testscript:testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login ./testscript:testnixchannel:23 nix-channel --update
alpine-3-8-test-login unpacking channels...
alpine-3-8-test-login created 5 symlinks in user environment
alpine-3-8-test-login ./testscript:testnixchannel:24 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/nic2bl8ry6fyxr9717983d5b214snlc-hello-2.10
alpine-3-8-test-login copying path /nix/store/nic2bl8ry6fyxr9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-8-test-login building /nix/store/q264qacanjrmh8h76cz953awr2my7-user-environment.drv...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript:testnixchannel:25 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript:testnixchannel:26 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixchannel, duration:6 result:0
alpine-3-8-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-login bash: no job control in this shell
alpine-3-8-test-login Starting: testnixinfo
alpine-3-8-test-login ./testscript:runtest::10 testnixinfo
alpine-3-8-test-login ./testscript:testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
```

```

alpine-3-8-test-login-interactive - version: `nix-env (Nix) 2.1pre6385_d16ff76c`
alpine-3-8-test-login-interactive - channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49`
alpine-3-8-test-login-interactive - nixpkgs: `/home/vagrant/.nix-defexpr/channels/nixpkgs`
alpine-3-8-test-login-interactive Finishing: testnixinfo, duration:4 result:0
alpine-3-8-test-login-interactive Starting: testshell
alpine-3-8-test-login-interactive ./testscript::runtest::10 testshell
alpine-3-8-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
alpine-3-8-test-login-interactive Hello, world!
alpine-3-8-test-login-interactive Finishing: testshell, duration:2 result:0
alpine-3-8-test-login-interactive Starting: testnixenv
alpine-3-8-test-login-interactive ./testscript::runtest::10 testnixenv
alpine-3-8-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
alpine-3-8-test-login-interactive installing `hello-2.10`
alpine-3-8-test-login-interactive ./testscript::testnixenv::0 hello
alpine-3-8-test-login-interactive Hello, world!
alpine-3-8-test-login-interactive ./testscript::testnixenv::0 nix-env --uninstall `hello.*`
alpine-3-8-test-login-interactive uninstalling `hello-2.10`
alpine-3-8-test-login-interactive Finishing: testnixenv, duration:0 result:0
alpine-3-8-test-login-interactive Starting: testnixchannel
alpine-3-8-test-login-interactive ./testscript::runtest::10 testnixchannel
alpine-3-8-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
alpine-3-8-test-login-interactive unpacking channels...
alpine-3-8-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login-interactive installing `hello-2.10`
alpine-3-8-test-login-interactive ./testscript::testnixchannel::0 hello
alpine-3-8-test-login-interactive Hello, world!
alpine-3-8-test-login-interactive ./testscript::testnixchannel::0 nix-env --uninstall `hello.*`
alpine-3-8-test-login-interactive uninstalling `hello-2.10`
alpine-3-8-test-login-interactive Finishing: testnixchannel, duration:2 result:0
alpine-3-8-test-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-interactive bash: no job control in this shell
alpine-3-8-test-interactive Starting: testnixinfo
alpine-3-8-test-interactive ./testscript::runtest::10 testnixinfo
alpine-3-8-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run `nix-info -m`
alpine-3-8-test-interactive bash: nix-shell: command not found
alpine-3-8-test-interactive Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-interactive Starting: testshell
alpine-3-8-test-interactive ./testscript::runtest::10 testshell
alpine-3-8-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-interactive bash: nix-shell: command not found
alpine-3-8-test-interactive Finishing: testshell, duration:0 result:127
alpine-3-8-test-interactive Starting: testnixenv
alpine-3-8-test-interactive ./testscript::runtest::10 testnixenv
alpine-3-8-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-interactive bash: nix-env: command not found
alpine-3-8-test-interactive Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-interactive Starting: testnixchannel
alpine-3-8-test-interactive ./testscript::runtest::10 testnixchannel
alpine-3-8-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-interactive bash: nix-channel: command not found
alpine-3-8-test-interactive Finishing: testnixchannel, duration:0 result:127
alpine-3-8-test-ssh Starting: testnixinfo
alpine-3-8-test-ssh ./testscript::runtest::39 testnixinfo
alpine-3-8-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run `nix-info -m`
alpine-3-8-test-ssh ./testscript: line 8: nix-shell: command not found
alpine-3-8-test-ssh Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-ssh Starting: testshell
alpine-3-8-test-ssh ./testscript::runtest::39 testshell
alpine-3-8-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-ssh ./testscript: line 12: nix-shell: command not found
alpine-3-8-test-ssh Finishing: testshell, duration:0 result:127
alpine-3-8-test-ssh Starting: testnixenv
alpine-3-8-test-ssh ./testscript::runtest::39 testnixenv
alpine-3-8-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-ssh ./testscript: line 16: nix-env: command not found
alpine-3-8-test-ssh Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-ssh Starting: testnixchannel
alpine-3-8-test-ssh ./testscript::runtest::39 testnixchannel
alpine-3-8-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-ssh ./testscript: line 22: nix-channel: command not found
alpine-3-8-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-alpine-3-8-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine38"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-alpine-3-8-install-method

install-force-no-daemon

[top of data](#)

install-force-daemon-fedora-28-image-name

fedora-28

[top of data](#)

install-force-daemon-fedora-28-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'generic/fedora28'...

```

#####[KProgress: 10%
#####[KProgress: 20%
#####[KProgress: 30%
#####[KProgress: 40%
#####[KProgress: 90%
#####[K====> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmp2587Bd0wrl_default_1535676550578_40561
=> default: Fixed port collision for 22 => 2222. Now on port 2201.

```



```

=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
=> default: Forwarding ports...
default: 22 (guest) => 2201 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2201
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
=> default: Running provisioner: shell...
default: Running: inline script
default: Fedora 28 - x86_64 - Updates                2.8 MB/s | 23 MB    00:08
default: Last metadata expiration check: 0:00:13 ago on Thu 30 Aug 2018 05:49:43 PM PDT.
default: Package curl-7.59.0-6.fc28.x86_64 is already installed, skipping.
default: Dependencies resolved.
default:
default: Package      Arch      Version           Repository    Size
default: =====
default: Installing:
default: bzip2        x86_64     1.0.6-26.fc28    fedora       59 k
default:
default: Transaction Summary
default: =====
default: Install      1 Package
default: Total download size: 59 k
default: Installed size: 88 k
default: Downloading Packages:
default: bzip2-1.0.6-26.fc28.x86_64.rpm                132 kB/s | 59 kB    00:00
default: -----
default: Total                                           67 kB/s | 59 kB    00:00
default:
default: Running transaction check
default: Transaction check succeeded.
default: Running transaction test
default: Transaction test succeeded.
default: Running transaction
default:   Preparing                :                               1/1
default:   Installing                : bzip2-1.0.6-26.fc28.x86_64    1/1
default:   Running scriptlet: bzip2-1.0.6-26.fc28.x86_64            1/1
default:   Verifying                 : bzip2-1.0.6-26.fc28.x86_64    1/1
default:
default: Installed:
default: bzip2.x86_64 1.0.6-26.fc28
default: Complete!
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4= "${BASH_SOURCE}::"${FUNCNAME[0]}::${LINENO}
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
fedora-28-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install

```

```
fedora-28-install + sh -s -- --daemon
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install Dload Upload Total Spent Left Speed
fedora-28-install 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6814 0 0 0 0 0 6832
fedora-28-install downloading Nix 2.1pr66385_d16ff76c_binary_tarball_for_x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pr66385_d16ff76c/nix-2.1pr66385_d16ff76c-x86_64-linux.
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install Dload Upload Total Spent Left Speed
fedora-28-install 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
2 35.5M 2 848k 0 0 662k 0 0:00:54 0:00:01 0:00:53 661k
5 35.5M 5 2160k 0 0 950k 0 0:00:38 0:00:02 0:00:36 949k
10 35.5M 10 3648k 0 0 1116k 0 0:00:32 0:00:03 0:00:29 1116k
14 35.5M 14 5344k 0 0 1254k 0 0:00:29 0:00:04 0:00:25 1254k
19 35.5M 19 7232k 0 0 1376k 0 0:00:26 0:00:05 0:00:21 1454k
25 35.5M 25 9328k 0 0 1492k 0 0:00:24 0:00:06 0:00:18 1706k
31 35.5M 31 11.2M 0 0 1586k 0 0:00:22 0:00:07 0:00:15 1875k
37 35.5M 37 13.3M 0 0 1649k 0 0:00:22 0:00:08 0:00:14 1996k
43 35.5M 43 15.3M 0 0 1700k 0 0:00:21 0:00:09 0:00:12 2079k
49 35.5M 49 17.4M 0 0 1739k 0 0:00:20 0:00:10 0:00:10 2120k
54 35.5M 54 19.5M 0 0 1773k 0 0:00:20 0:00:11 0:00:09 2124k
60 35.5M 60 21.5M 0 0 1800k 0 0:00:20 0:00:12 0:00:08 2115k
66 35.5M 66 23.6M 0 0 1830k 0 0:00:19 0:00:13 0:00:06 2133k
72 35.5M 72 25.7M 0 0 1847k 0 0:00:19 0:00:14 0:00:05 2120k
78 35.5M 78 27.8M 0 0 1865k 0 0:00:19 0:00:15 0:00:04 2124k
84 35.5M 84 29.8M 0 0 1880k 0 0:00:19 0:00:16 0:00:03 2120k
89 35.5M 89 31.9M 0 0 1895k 0 0:00:19 0:00:17 0:00:02 2126k
95 35.5M 95 34.0M 0 0 1907k 0 0:00:19 0:00:18 0:00:01 2111k
100 35.5M 100 35.5M 0 0 1915k 0 0:00:19 0:00:19 0:00:00 2121k
fedora-28-install [1;31mSwitching to the Daemon-based Installer[0m
fedora-28-install [38;32mWelcome to the Multi-User Nix Installation[0m
fedora-28-install [0m
fedora-28-install This installation tool will set up your computer with the Nix package
fedora-28-install manager. This will happen in a few stages:
fedora-28-install
fedora-28-install 1. Make sure your computer doesn't already have Nix. If it does, I
fedora-28-install will show you instructions on how to clean up your old one.
fedora-28-install
fedora-28-install 2. Show you what we are going to install and where. Then we will ask
fedora-28-install if you are ready to continue.
fedora-28-install
fedora-28-install 3. Create the system users and groups that the Nix daemon uses to run
fedora-28-install builds.
fedora-28-install
fedora-28-install 4. Perform the basic installation of the Nix files daemon.
fedora-28-install
fedora-28-install 5. Configure your shell to import special Nix Profile files, so you
fedora-28-install can use Nix.
fedora-28-install
fedora-28-install 6. Start the Nix daemon.
fedora-28-install
fedora-28-install [38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
fedora-28-install [0m[0mNo TTY, assuming you would say yes :)
fedora-28-install
fedora-28-install We will:
fedora-28-install
fedora-28-install - make sure your computer doesn't already have Nix files
fedora-28-install (if it does, I will tell you how to clean them up.)
fedora-28-install - create local users (see the list above for the users we'll make)
fedora-28-install - create a local group (nixbld)
fedora-28-install - install Nix in to /nix
fedora-28-install - create a configuration file in /etc/nix
fedora-28-install - set up the "default profile" by creating some Nix-related files in
fedora-28-install /root
fedora-28-install - back up /etc/bashrc to /etc/bashrc.backup-before-nix
fedora-28-install - update /etc/bashrc to include some Nix configuration
fedora-28-install - load and start a service (at /etc/systemd/system/nix-daemon.service
fedora-28-install and /etc/systemd/system/nix-daemon.socket) for nix-daemon
fedora-28-install
fedora-28-install [38;32m[38;4;32mReady to continue?
fedora-28-install [0m[0mNo TTY, assuming you would say yes :)
fedora-28-install
fedora-28-install [38;34m---- let's talk about sudo -----
fedora-28-install [0mThis script is going to call sudo a lot. Normally, it would show you
fedora-28-install exactly what commands it is running and why. However, the script is
fedora-28-install run in a headless fashion, like this:
fedora-28-install
fedora-28-install $ curl https://nixos.org/nix/install | sh
fedora-28-install
fedora-28-install or maybe in a CI pipeline. Because of that, we're going to skip the
fedora-28-install verbose output in the interest of brevity.
fedora-28-install
fedora-28-install If you would like to
fedora-28-install see the output, try like this:
fedora-28-install
fedora-28-install $ curl -o install-nix https://nixos.org/nix/install
fedora-28-install $ sh ./install-nix
fedora-28-install
fedora-28-install [38;34m---- Nix config report -----
fedora-28-install [0m[38;1m Temp Dir[0m: /tmp/tmp.rLVGreI51K
fedora-28-install [38;1m Nix Root[0m: /nix
fedora-28-install [38;1m Build Users[0m: 32
fedora-28-install [38;1m Build Group ID[0m: 30000
fedora-28-install [38;1mBuild Group Name[0m: nixbld
fedora-28-install
fedora-28-install [38;4;34mbuild users:
fedora-28-install [0m[38;1m Username[0m: UID
fedora-28-install [38;1m nixbld1[0m: 30001
fedora-28-install [38;1m nixbld2[0m: 30002
fedora-28-install [38;1m nixbld3[0m: 30003
fedora-28-install [38;1m nixbld4[0m: 30004
fedora-28-install [38;1m nixbld5[0m: 30005
fedora-28-install [38;1m nixbld6[0m: 30006
fedora-28-install [38;1m nixbld7[0m: 30007
fedora-28-install [38;1m nixbld8[0m: 30008
fedora-28-install [38;1m nixbld9[0m: 30009
fedora-28-install [38;1m nixbld10[0m: 30010
fedora-28-install [38;1m nixbld11[0m: 30011
fedora-28-install [38;1m nixbld12[0m: 30012
fedora-28-install [38;1m nixbld13[0m: 30013
fedora-28-install [38;1m nixbld14[0m: 30014
fedora-28-install [38;1m nixbld15[0m: 30015
fedora-28-install [38;1m nixbld16[0m: 30016
fedora-28-install [38;1m nixbld17[0m: 30017
fedora-28-install [38;1m nixbld18[0m: 30018
fedora-28-install [38;1m nixbld19[0m: 30019
fedora-28-install [38;1m nixbld20[0m: 30020
fedora-28-install [38;1m nixbld21[0m: 30021
fedora-28-install [38;1m nixbld22[0m: 30022
fedora-28-install [38;1m nixbld23[0m: 30023
fedora-28-install [38;1m nixbld24[0m: 30024
fedora-28-install [38;1m nixbld25[0m: 30025
fedora-28-install [38;1m nixbld26[0m: 30026
fedora-28-install [38;1m nixbld27[0m: 30027
fedora-28-install [38;1m nixbld28[0m: 30028
fedora-28-install [38;1m nixbld29[0m: 30029
fedora-28-install [38;1m nixbld30[0m: 30030
```



```

fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 26
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld27
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 27
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld28
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 28
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld29
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 29
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld30
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 30
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld31
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 31
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld32
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 32
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install mkdir: created directory '/nix'
fedora-28-install mkdir: created directory '/nix/var'
fedora-28-install mkdir: created directory '/nix/var/log'
fedora-28-install mkdir: created directory '/nix/var/log/nix'
fedora-28-install mkdir: created directory '/nix/var/log/nix/drvs'
fedora-28-install mkdir: created directory '/nix/var/nix'
fedora-28-install mkdir: created directory '/nix/var/nix/db'
fedora-28-install mkdir: created directory '/nix/var/nix/gcroots'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles'
fedora-28-install mkdir: created directory '/nix/var/nix/temproots'
fedora-28-install mkdir: created directory '/nix/var/nix/userpool'
fedora-28-install mkdir: created directory '/nix/var/nix/gcroots/per-user'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles/per-user'
fedora-28-install mkdir: created directory '/nix/store'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
fedora-28-install mkdir: created directory '/root/.nix-defexpr'
fedora-28-install mkdir: created directory '/etc/nix'
fedora-28-install Alright! We have our first nix at /nix/store/ngjwnr8scnmfpygmj3x0namfh2wp7740-nix-2.1pre6385_d16ff76c
fedora-28-install Just finished getting the nix database ready.
fedora-28-install
fedora-28-install # Nix
fedora-28-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-28-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-28-install fi
fedora-28-install # End Nix
fedora-28-install
fedora-28-install # Nix
fedora-28-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-28-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-28-install fi
fedora-28-install # End Nix
fedora-28-install installing 'nix-2.1pre6385_d16ff76c'
fedora-28-install building '/nix/store/hazjvcdsg996fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-28-install created 6 symlinks in user environment
fedora-28-install installing 'nss-cacert-3.38'
fedora-28-install building '/nix/store/xsv6s0z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
fedora-28-install created 9 symlinks in user environment
fedora-28-install unpacking channels...
fedora-28-install created 2 symlinks in user environment
fedora-28-install Failed to link unit: Access denied
fedora-28-install
fedora-28-install [38;34m---- oh no! -----
fedora-28-install [0m[38;31mJeeze, something went wrong. If you can take all the output and open
fedora-28-install an issue, we'd love to fix the problem so nobody else has this issue.
fedora-28-install
fedora-28-install :(
fedora-28-install [0m
fedora-28-install [38;31mWe'd love to help if you need it.
fedora-28-install
fedora-28-install If you can, open an issue at https://github.com/nixos/nix/issues
fedora-28-install
fedora-28-install Or feel free to contact the team,
fedora-28-install - on IRC #nixos on irc.freenode.net
fedora-28-install - on twitter @nixos_org
fedora-28-install [0mfedora-28-test-login Starting: testnixinfo
fedora-28-test-login ./.testscript:runtest:39 testnixinfo
fedora-28-test-login ./.testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testnixinfo, duration:0 result:1

```

```

fedora-28-test-login Starting: testshell
fedora-28-test-login ./testscript::runtest:39 testshell
fedora-28-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testshell, duration:1 result:1
fedora-28-test-login Starting: testnixenv
fedora-28-test-login ./testscript::runtest:39 testnixenv
fedora-28-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-28-test-login installing 'hello-2.10'
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testnixenv, duration:0 result:1
fedora-28-test-login Starting: testnixchannel
fedora-28-test-login ./testscript::runtest:39 testnixchannel
fedora-28-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-login ./testscript::testnixchannel:23 nix-channel --update
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login Finishing: testnixchannel, duration:1 result:1
fedora-28-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-28-test-login-interactive bash: no job control in this shell
fedora-28-test-login-interactive Starting: testnixinfo
fedora-28-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-28-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testnixinfo, duration:0 result:1
fedora-28-test-login-interactive Starting: testshell
fedora-28-test-login-interactive ./testscript::runtest:10 testshell
fedora-28-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testshell, duration:0 result:1
fedora-28-test-login-interactive Starting: testnixenv
fedora-28-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-28-test-login-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-28-test-login-interactive installing 'hello-2.10'
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testnixenv, duration:1 result:1
fedora-28-test-login-interactive Starting: testnixchannel
fedora-28-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-28-test-login-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-login-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive Finishing: testnixchannel, duration:0 result:1
fedora-28-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-28-test-interactive bash: no job control in this shell
fedora-28-test-interactive Starting: testnixinfo
fedora-28-test-interactive ./testscript::runtest:10 testnixinfo
fedora-28-test-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testnixinfo, duration:0 result:1
fedora-28-test-interactive Starting: testshell
fedora-28-test-interactive ./testscript::runtest:10 testshell
fedora-28-test-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testshell, duration:0 result:1
fedora-28-test-interactive Starting: testnixenv
fedora-28-test-interactive ./testscript::runtest:10 testnixenv
fedora-28-test-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-28-test-interactive installing 'hello-2.10'
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testnixenv, duration:0 result:1
fedora-28-test-interactive Starting: testnixchannel
fedora-28-test-interactive ./testscript::runtest:10 testnixchannel
fedora-28-test-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive Finishing: testnixchannel, duration:1 result:1
fedora-28-test-ssh Starting: testnixinfo
fedora-28-test-ssh ./testscript::runtest:39 testnixinfo
fedora-28-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testnixinfo, duration:1 result:1
fedora-28-test-ssh Starting: testshell
fedora-28-test-ssh ./testscript::runtest:39 testshell
fedora-28-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testshell, duration:0 result:1
fedora-28-test-ssh Starting: testnixenv
fedora-28-test-ssh ./testscript::runtest:39 testnixenv
fedora-28-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-28-test-ssh installing 'hello-2.10'
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testnixenv, duration:0 result:1
fedora-28-test-ssh Starting: testnixchannel
fedora-28-test-ssh ./testscript::runtest:39 testnixchannel
fedora-28-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-ssh ./testscript::testnixchannel:23 nix-channel --update
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh Finishing: testnixchannel, duration:1 result:1

```

[top of data](#)

install-force-daemon-fedora-28-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora28"
  config.vm.provision "shell", inline: <<-SHELL
yum -y install curl bzip2

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-daemon-fedora-28-install-method

install-force-daemon

[top of data](#)

install-default-unless-selinux-alpine-3-6-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-alpine-3-6-image-name

alpine-3-6

[top of data](#)

install-default-unless-selinux-alpine-3-6-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'generic/alpine36'...

```
====[KProgress: 30%
====[KProgress: 60%
====[KProgress: 70%
====[KProgress: 90%
====[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpnpcMNBjllN_default_1535673983221_15687
==> default: Fixed port collision for 22 => 2222. Now on port 2210.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2210 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2210
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Running provisioner: shell...
default: Running: inline script
default: fetch https://mirror.leaseweb.com/alpine/v3.6/main/x86_64/APKINDEX.tar.gz
default: fetch https://mirror.leaseweb.com/alpine/v3.6/community/x86_64/APKINDEX.tar.gz
default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
default: WARNING: This apk-tools is OLD! Some packages might not function properly.
default: OK: 164 MiB in 69 packages
#!/bin/sh

set -eux

if /usr/sbin/sestatus && /usr/sbin/sestatus 2>&1 | grep -q enforcing; then
    echo "punting to no-daemon"
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"

    echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"

    (
        runtest testnixinfo
        runtest testshell
        runtest testnixenv
        runtest testnixchannel
    )

    tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
```



```
alpine-3-6-test-login copying path '/nix/store/gqa70q7m5332dr4g8b2p004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/mzx4y6amj7i638c6692qs1azyxz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkf-zlib-1.2.11' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/vp40my263xk32f07f88srg159ycsna-binutils-2.30' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/5l4qkky7nyfbnv9ycrc7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/qcvnrlyrrd4xm78fh6vsz5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/9z659yzccx5zyhcv5n36ya6x4j346mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/xzz2anv77hx8jziz4hbfy9h0vkw096d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/fjxk359n102sq572kkspdjy30k45-stdev-linux' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path '/nix/store/xadwbdjcnmdc2lppskfj00qg8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
alpine-3-6-test-login - system: "x86_64-linux"
alpine-3-6-test-login - host os: "Linux 4.9.32-0-virtherdened, Alpine Linux, noversion"
alpine-3-6-test-login - multi-user?: "no"
alpine-3-6-test-login - sandbox: "no"
alpine-3-6-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-6-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
alpine-3-6-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-6-test-login Finishing: testnixinfo, duration:24 result:0
alpine-3-6-test-login Starting: testshell
alpine-3-6-test-login ./testscript::runtest::39 testshell
alpine-3-6-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-6-test-login /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
alpine-3-6-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login Finishing: testshell, duration:1 result:0
alpine-3-6-test-login Starting: testnixenv
alpine-3-6-test-login ./testscript::runtest::39 testnixenv
alpine-3-6-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-login installing 'hello-2.10'
alpine-3-6-test-login building '/nix/store/94bdc861i2z1pvzi9mhbv74igl4q97c-user-environment.drv'...
alpine-3-6-test-login created 38 symlinks in user environment
alpine-3-6-test-login ./testscript::testnixenv::17 hello
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-6-test-login uninstalling 'hello-2.10'
alpine-3-6-test-login building '/nix/store/bj7l7jqczsb26ad53mv0a4nz66vj5vj-user-environment.drv'...
alpine-3-6-test-login created 6 symlinks in user environment
alpine-3-6-test-login Finishing: testnixenv, duration:1 result:0
alpine-3-6-test-login Starting: testnixchannel
alpine-3-6-test-login ./testscript::runtest::39 testnixchannel
alpine-3-6-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-login ./testscript::testnixchannel::23 nix-channel --update
alpine-3-6-test-login unpacking channels...
alpine-3-6-test-login created 5 symlinks in user environment
alpine-3-6-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-6-test-login installing 'hello-2.10'
alpine-3-6-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-6-test-login /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snic-hello-2.10
alpine-3-6-test-login copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snic-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-6-test-login building '/nix/store/q264qacqajmhbh76zc953awr2mly7-user-environment.drv'...
alpine-3-6-test-login created 38 symlinks in user environment
alpine-3-6-test-login ./testscript::testnixchannel::25 hello
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-6-test-login uninstalling 'hello-2.10'
alpine-3-6-test-login Finishing: testnixchannel, duration:6 result:0
alpine-3-6-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-6-test-login bash: no job control in this shell
alpine-3-6-test-login Starting: testnixinfo
alpine-3-6-test-login ./testscript::runtest::10 testnixinfo
alpine-3-6-test-login ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-login - system: "x86_64-linux"
alpine-3-6-test-login - host os: "Linux 4.9.32-0-virtherdened, Alpine Linux, noversion"
alpine-3-6-test-login - multi-user?: "no"
alpine-3-6-test-login - sandbox: "no"
alpine-3-6-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-6-test-login - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
alpine-3-6-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-6-test-login Finishing: testnixinfo, duration:4 result:0
alpine-3-6-test-login Starting: testshell
alpine-3-6-test-login ./testscript::runtest::10 testshell
alpine-3-6-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login Finishing: testshell, duration:1 result:0
alpine-3-6-test-login Starting: testnixenv
alpine-3-6-test-login ./testscript::runtest::10 testnixenv
alpine-3-6-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-login installing 'hello-2.10'
alpine-3-6-test-login ./testscript::testnixenv::17 hello
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-6-test-login uninstalling 'hello-2.10'
alpine-3-6-test-login Finishing: testnixenv, duration:0 result:0
alpine-3-6-test-login Starting: testnixchannel
alpine-3-6-test-login ./testscript::runtest::10 testnixchannel
alpine-3-6-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-login ./testscript::testnixchannel::23 nix-channel --update
alpine-3-6-test-login unpacking channels...
alpine-3-6-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-6-test-login installing 'hello-2.10'
alpine-3-6-test-login ./testscript::testnixchannel::25 hello
alpine-3-6-test-login Hello, world!
alpine-3-6-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-6-test-login uninstalling 'hello-2.10'
alpine-3-6-test-login Finishing: testnixchannel, duration:1 result:0
alpine-3-6-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-6-test-login bash: no job control in this shell
alpine-3-6-test-login Starting: testnixinfo
alpine-3-6-test-login ./testscript::runtest::10 testnixinfo
alpine-3-6-test-login ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-login bash: nix-shell: command not found
alpine-3-6-test-login Finishing: testnixinfo, duration:0 result:1
alpine-3-6-test-login Starting: testshell
alpine-3-6-test-login ./testscript::runtest::10 testshell
alpine-3-6-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-login bash: nix-shell: command not found
alpine-3-6-test-login Finishing: testshell, duration:0 result:1
alpine-3-6-test-login Starting: testnixenv
alpine-3-6-test-login ./testscript::runtest::10 testnixenv
alpine-3-6-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-login bash: nix-env: command not found
alpine-3-6-test-login Finishing: testnixenv, duration:0 result:1
alpine-3-6-test-login Starting: testnixchannel
alpine-3-6-test-login ./testscript::runtest::10 testnixchannel
alpine-3-6-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-login bash: nix-channel: command not found
alpine-3-6-test-login Finishing: testnixchannel, duration:0 result:1
alpine-3-6-test-ssh Starting: testnixinfo
alpine-3-6-test-ssh ./testscript::runtest::39 testnixinfo
alpine-3-6-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-ssh ./testscript: line 8: nix-shell: command not found
alpine-3-6-test-ssh Finishing: testnixinfo, duration:0 result:1
alpine-3-6-test-ssh Starting: testshell
alpine-3-6-test-ssh ./testscript::runtest::39 testshell
alpine-3-6-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-ssh ./testscript: line 12: nix-shell: command not found
alpine-3-6-test-ssh Finishing: testshell, duration:0 result:1
```

```

alpine-3-6-test-ssh Starting: testnixenv
alpine-3-6-test-ssh ./testscript::runtest::39 testnixenv
alpine-3-6-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-ssh ./testscript: line 16: nix-env: command not found
alpine-3-6-test-ssh Finishing: testnixenv, duration:0 result:1
alpine-3-6-test-ssh Starting: testnixchannel
alpine-3-6-test-ssh ./testscript::runtest::39 testnixchannel
alpine-3-6-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-ssh ./testscript: line 22: nix-channel: command not found
alpine-3-6-test-ssh Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-alpine-3-6-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine36"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-alpine-3-8-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-alpine-3-8-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'generic/alpine38'...

```

#####[KProgress: 30%
#####[KProgress: 60%
#####[KProgress: 70%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmp74RgpQqWRq_default_1535674581853_23745
=> default: Fixed port collision for 22 => 2222. Now on port 2200.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2200 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2200
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Running provisioner: shell...
  default: Running: inline script
  default: fetch https://mirror.leaseweb.com/alpine/v3.8/main/x86_64/APKINDEX.tar.gz
  default: fetch https://mirror.leaseweb.com/alpine/v3.8/community/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
  default: OK: 141 MiB in 74 packages
#!/bin/sh

set -eux

if /usr/sbin/sectatus && /usr/sbin/sectatus 2>&1 | grep -q enforcing; then
  echo "punting to no-daemon"
  curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
  curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4=' '${BASH_SOURCE}:' '${FUNCNAME[0]}:':$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"

```

```
(
  set -ex
  "stestFn"
) 2>&1 | tee "stestdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "Exitcode: " $exitcode
echo "$duration" > "stestdir/duration"
}
echo "Finishing: $stestFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=/nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
alpine-3-8-install + /usr/sbin/sestatus
alpine-3-8-install ./install: line 1: /usr/sbin/sestatus: not found
alpine-3-8-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
alpine-3-8-install + sh
alpine-3-8-install % Total % Received % Xferd Average Speed Time Time Time Current
alpine-3-8-install % Dload Upload Total Spent Left Speed
alpine-3-8-install 0 0 0 0 0 0 0 0 0 0 0 0 0
alpine-3-8-install 0 2528 0 0 0 0 0 0 0 0 0 0 0
alpine-3-8-install 100 2528 100 2528 0 0 6617 0 0 0 0 0 6617
alpine-3-8-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux
alpine-3-8-install % Total % Received % Xferd Average Speed Time Time Time Current
alpine-3-8-install % Dload Upload Total Spent Left Speed
alpine-3-8-install 0 0 0 0 0 0 0 0 0 0 0 0 0
alpine-3-8-install 1 35.5M 1 608k 0 0 669k 0 0:00:54 0:00:54 0:00:54 668k
alpine-3-8-install 6 35.5M 6 2304k 0 0 1210k 0 0:00:30 0:00:01 0:00:29 1209k
alpine-3-8-install 11 35.5M 11 4224k 0 0 1436k 0 0:00:25 0:00:02 0:00:23 1436k
alpine-3-8-install 17 35.5M 17 6288k 0 0 1597k 0 0:00:22 0:00:03 0:00:19 1596k
alpine-3-8-install 23 35.5M 23 8384k 0 0 1700k 0 0:00:21 0:00:04 0:00:17 1699k
alpine-3-8-install 28 35.5M 28 10.2M 0 0 1770k 0 0:00:20 0:00:05 0:00:15 1797k
alpine-3-8-install 34 35.5M 34 12.3M 0 0 1821k 0 0:00:19 0:00:06 0:00:13 2052k
alpine-3-8-install 40 35.5M 40 14.3M 0 0 1856k 0 0:00:19 0:00:07 0:00:12 2104k
alpine-3-8-install 46 35.5M 46 16.4M 0 0 1889k 0 0:00:19 0:00:08 0:00:11 2117k
alpine-3-8-install 52 35.5M 52 18.4M 0 0 1909k 0 0:00:19 0:00:09 0:00:10 2117k
alpine-3-8-install 57 35.5M 57 20.5M 0 0 1929k 0 0:00:18 0:00:10 0:00:08 2117k
alpine-3-8-install 63 35.5M 63 22.6M 0 0 1944k 0 0:00:18 0:00:11 0:00:07 2116k
alpine-3-8-install 69 35.5M 69 24.6M 0 0 1959k 0 0:00:18 0:00:12 0:00:06 2121k
alpine-3-8-install 75 35.5M 75 26.8M 0 0 1972k 0 0:00:18 0:00:13 0:00:05 2121k
alpine-3-8-install 81 35.5M 81 28.9M 0 0 1982k 0 0:00:18 0:00:14 0:00:04 2125k
alpine-3-8-install 87 35.5M 87 30.9M 0 0 1990k 0 0:00:18 0:00:15 0:00:03 2122k
alpine-3-8-install 92 35.5M 92 33.0M 0 0 1998k 0 0:00:18 0:00:16 0:00:02 2126k
alpine-3-8-install 98 35.5M 98 35.0M 0 0 2004k 0 0:00:18 0:00:17 0:00:01 2121k
alpine-3-8-install 100 35.5M 100 35.5M 0 0 2007k 0 0:00:18 0:00:18 0:00:00 2124k
alpine-3-8-install performing a single-user installation of Nix...
alpine-3-8-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
alpine-3-8-install copying Nix to /nix/store...
alpine-3-8-install initialising Nix database...
alpine-3-8-install Nix: creating /home/vagrant/.nix-profile
alpine-3-8-install installing 'nix-2.1pre6385_d16ff76c'
alpine-3-8-install building '/nix/store/hazjvcdsg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
alpine-3-8-install created 6 symlinks in user environment
alpine-3-8-install unpacking channels...
alpine-3-8-install created 2 symlinks in user environment
alpine-3-8-install modifying /home/vagrant/.bash_profile...
alpine-3-8-install
alpine-3-8-install Installation finished! To ensure that the necessary environment
alpine-3-8-install variables are set, either log in again, or type
alpine-3-8-install
alpine-3-8-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
alpine-3-8-install
alpine-3-8-install in your shell.
alpine-3-8-install Starting: testnixinfo
alpine-3-8-install ./testscript::runtest::39 testnixinfo
alpine-3-8-install ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-install these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
alpine-3-8-install /nix/store/09ij2aak2bmrkbb4kwhqk6k6f8fzclcr-gnumake-4.2.1
alpine-3-8-install /nix/store/1141f22hsyfq9fq3425cv49p8m9pb800-diffutils-3.6
alpine-3-8-install /nix/store/3bn0819v7aghw0x1i7f43zr1q9y9jb4-readline-7.0p5
alpine-3-8-install /nix/store/514qkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
alpine-3-8-install /nix/store/5mld17y5albcd41712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man
alpine-3-8-install /nix/store/6nqk63zypz177ng87gx6r1z189lxd11-gcc-7.3.0-lib
alpine-3-8-install /nix/store/6v88ick1cxn5g91m8qrrqw0lrlr27x-bash-4.4-p23
alpine-3-8-install /nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxf-zlib-1.2.11
alpine-3-8-install /nix/store/92pdnqymmw60dsx9f07jvn89z6z88gl-ed-1.14.2
alpine-3-8-install /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
alpine-3-8-install /nix/store/9xm9n0n0z92r9nlvbbxwqwjnf60zd-paxctl-0.9
alpine-3-8-install /nix/store/9z650y9zcx5z5hcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
alpine-3-8-install /nix/store/a8slaxaq3p8rx1qppbaaskghyxb0akb-acl-2.2.52
alpine-3-8-install /nix/store/ach9z9x8lg89kpi073s4fj50vzy3g7-glibc-2.27-bin
alpine-3-8-install /nix/store/agyh8vqg5q8f5xhda24fxw2kxv2bx4j5-gnused-4.5
alpine-3-8-install /nix/store/dk9mcmw1pcxv290md6d4r74yzbshk-gnutar-1.30
alpine-3-8-install /nix/store/fai750p2a3qc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
alpine-3-8-install /nix/store/fjk3k59n102sq572kkspdjy303kv45-sdenv-linux
alpine-3-8-install /nix/store/h2r9w516x4mdj3r4x2rww4yjdjnp0vd-gzip-1.9
alpine-3-8-install /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
alpine-3-8-install /nix/store/i4n918fnq0wgryan523pfdck57fpqzc-glibc-2.27-dev
alpine-3-8-install /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
alpine-3-8-install /nix/store/i9k17g3rd3r7msl7rdsqsrk58gs1av1-linux-headers-4.15
alpine-3-8-install /nix/store/j2c1xfb2rl9daldfwcp8ywjx9y9xgmz-ncurses-6.1
alpine-3-8-install /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
alpine-3-8-install /nix/store/jz7lnmjbyaqc6gfvmlv3n20nin6h0g-gawk-4.2.1
alpine-3-8-install /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
alpine-3-8-install /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
alpine-3-8-install /nix/store/mdpwyfa0v419rawrdg0cwq518f1ncs-expand-response-params
alpine-3-8-install /nix/store/mzx4y6amj7i636c6692qslazzyz6i19-xz-5.2.4-bin
alpine-3-8-install /nix/store/qcvmr1ryd4xm78mf6vzsz55fndflp-binutils-wrapper-2.30
alpine-3-8-install /nix/store/ags70q7m332dr4gab8z8004ajy6flh-nix-info
alpine-3-8-install /nix/store/qvw8f8g0dl1714wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
alpine-3-8-install /nix/store/rhczwaz7xk6dq9z2h9yca0z7w80nwg7c-coreutils-8.29
alpine-3-8-install /nix/store/sc4w0y5a3nszmmcy31yhmwx6wysg661w-patchelf-0.9
alpine-3-8-install /nix/store/vp40my263xk32f07788srrgl59rycna-binutils-2.30
alpine-3-8-install /nix/store/xadwbdjcnmdc21ppsxfkj00gw8wsvynd-bash-interactive-4.4-p23-dev
alpine-3-8-install /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
alpine-3-8-install /nix/store/zx2anv77hx8jziz4hbfyh0vkw006d-bash-interactive-4.4-p23
alpine-3-8-install /nix/store/y8p41rL2w9p9swny215h517i57kcv5z3-findutils-4.6.0
alpine-3-8-install /nix/store/ykz2b6mkmh9vqv5bn6197921nadrp2ym-xz-5.2.4
alpine-3-8-install copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
alpine-3-8-install copying path '/nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
alpine-3-8-install copying path '/nix/store/5mld17y5albcd41712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
alpine-3-8-install copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
```

```
alpine-3-8-test-login copying path /nix/store/19k17g3rd3r7msl7rdsqsrk58gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/1jcmavp929lx0232ry0za94rfrslj0p-attr-2.4.47' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/6v081ck1cxm5n95m18qrrqw0rlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/a8slavaq3p8rxiaqpbaxkqyghy0akb-acl-2.2.52' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qw08f8g0dl1714w5j3355lhlyz2an0-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/rhczwz7xk6dq92z9fycab27wk8nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fai750p2q3gc71sqip1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/1141f22hsyfy9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/92gndpym60dsx9f07jvn89z6z2x88gl-ed-1.14.2' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mdpwyfa0v419arwrfdg0cwq5i8frncs-expand-response-params' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/98p41r12w9p5wnv215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/jz7lnmjbyaqpcgfv6vml3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/6nqk63zyp2177ng87x6f1z89rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ach92x8m1g89kpd17354fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/091j2aakz2b8mrrk46ghkpk6kf8z1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/i4n918fn0wgryan523pfdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/agyh8vq95q8fshxda24fxw21xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/dkh9cmvwxlpcxv290m6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydn0pvd0-gzip-1.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/2clxfb2r19dadlwfcp8ywgjx59yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/17ccsw4p6n51b72a12y5p5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/sc4w9y5a3nsmmcy31hmm6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9xm9n09e292r9n1vbbxwqjxnf02d-paxctl-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/d7y1b136s9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/3bn0819v7agho0x117f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/98c80y9rplq1wck8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ykz66m6khhm9vq5bn619721nadrp2m-ym-z-5.2.4' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/gqa70q7m5332d4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mzx4y6amj7i6g38c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/7zbrn4d4bpm7myqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/vp40my263kx3z0f7788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/5l4qhkyat7fnybv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qcvnr1ryrd4xm78fh6v5zva5fndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9z650zcz5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xzz2anv77hx8jz1z4hbvfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fjxk359m1025q572kkspdjy303k45-stdevn-linux' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xadbdjcmcd2lpskfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
alpine-3-8-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-8-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
alpine-3-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-8-test-login Finishing: testnixinfo, duration:21 result:0
alpine-3-8-test-login Starting: testshell
alpine-3-8-test-login ./testscript::runtest::39 testshell
alpine-3-8-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/z87ns3bv8d29c7dnblvj541613ch8k10-hello-2.10
alpine-3-8-test-login copying path /nix/store/z87ns3bv8d29c7dnblvj541613ch8k10-hello-2.10
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login Finishing: testshell, duration:2 result:0
alpine-3-8-test-login Starting: testnixenv
alpine-3-8-test-login ./testscript::runtest::39 testnixenv
alpine-3-8-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login building /nix/store/94bdc86i12lpvz1p9mhbw74igl4q97c-user-environment.drv...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixenv::17 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login building /nix/store/bj171qjczsb26adc53m0v4anz66vj5vj-user-environment.drv...
alpine-3-8-test-login created 6 symlinks in user environment
alpine-3-8-test-login Finishing: testnixenv, duration:0 result:0
alpine-3-8-test-login Starting: testnixchannel
alpine-3-8-test-login ./testscript::runtest::39 testnixchannel
alpine-3-8-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login ./testscript::testnixchannel::23 nix-channel --update
alpine-3-8-test-login unpacking channels...
alpine-3-8-test-login created 5 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/nic2bl8ry6fyx9717983d5b214sn1c-hello-2.10
alpine-3-8-test-login copying path /nix/store/nic2bl8ry6fyx9717983d5b214sn1c-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-8-test-login building /nix/store/q264qcanjmmh8h176zc953awr2miy7-user-environment.drv...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixchannel::25 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixchannel, duration:6 result:0
alpine-3-8-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-login bash: no job control in this shell
alpine-3-8-test-login Starting: testnixinfo
alpine-3-8-test-login ./testscript::runtest::10 testnixinfo
alpine-3-8-test-login ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
alpine-3-8-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-8-test-login - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
alpine-3-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-8-test-login Finishing: testnixinfo, duration:4 result:0
alpine-3-8-test-login Starting: testshell
alpine-3-8-test-login ./testscript::runtest::10 testshell
alpine-3-8-test-login ./testscript::testshell::0 nix-shell -p hello --run hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login Finishing: testshell, duration:1 result:0
alpine-3-8-test-login Starting: testnixenv
alpine-3-8-test-login ./testscript::runtest::10 testnixenv
alpine-3-8-test-login ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login ./testscript::testnixenv::0 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixenv, duration:1 result:0
alpine-3-8-test-login Starting: testnixchannel
alpine-3-8-test-login ./testscript::runtest::10 testnixchannel
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-channel --update
alpine-3-8-test-login unpacking channels...
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login ./testscript::testnixchannel::0 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixchannel, duration:1 result:0
alpine-3-8-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-login bash: no job control in this shell
alpine-3-8-test-login Starting: testnixinfo
alpine-3-8-test-login ./testscript::runtest::10 testnixinfo
alpine-3-8-test-login ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
```

```

alpine-3-8-test-interactive      bash: nix-shell: command not found
alpine-3-8-test-interactive      Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-interactive      Starting: testshell
alpine-3-8-test-interactive      ./testscript::runtest::10 testshell
alpine-3-8-test-interactive      ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-interactive      bash: nix-shell: command not found
alpine-3-8-test-interactive      Finishing: testshell, duration:0 result:127
alpine-3-8-test-interactive      Starting: testnixenv
alpine-3-8-test-interactive      ./testscript::runtest::10 testnixenv
alpine-3-8-test-interactive      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-interactive      bash: nix-env: command not found
alpine-3-8-test-interactive      Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-interactive      Starting: testnixchannel
alpine-3-8-test-interactive      ./testscript::runtest::10 testnixchannel
alpine-3-8-test-interactive      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-interactive      bash: nix-channel: command not found
alpine-3-8-test-interactive      Finishing: testnixchannel, duration:0 result:127
alpine-3-8-test-ssh             Starting: testnixinfo
alpine-3-8-test-ssh             ./testscript::runtest::39 testnixinfo
alpine-3-8-test-ssh             ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-ssh             ./testscript: line 8: nix-shell: command not found
alpine-3-8-test-ssh             Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-ssh             Starting: testshell
alpine-3-8-test-ssh             ./testscript::runtest::39 testshell
alpine-3-8-test-ssh             ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-ssh             ./testscript: line 12: nix-shell: command not found
alpine-3-8-test-ssh             Finishing: testshell, duration:0 result:127
alpine-3-8-test-ssh             Starting: testnixenv
alpine-3-8-test-ssh             ./testscript::runtest::39 testnixenv
alpine-3-8-test-ssh             ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-ssh             ./testscript: line 16: nix-env: command not found
alpine-3-8-test-ssh             Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-ssh             Starting: testnixchannel
alpine-3-8-test-ssh             ./testscript::runtest::39 testnixchannel
alpine-3-8-test-ssh             ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-ssh             ./testscript: line 22: nix-channel: command not found
alpine-3-8-test-ssh             Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-alpine-3-8-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine38"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-alpine-3-8-image-name

alpine-3-8

[top of data](#)

install-default-unless-selinux-alpine-3-5-image-name

alpine-3-5

[top of data](#)

install-default-unless-selinux-alpine-3-5-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine35"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-alpine-3-5-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-alpine-3-5-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/alpine35'...

#####[KProgress: 20%
#####[KProgress: 40%
#####[KProgress: 50%
#####[KProgress: 70%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmtwKndMbj7J default 1535673983191_64517
==> default: Fixed port collision for 22 => 2222. Now on port 2207.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2207 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...

```



```
alpine-3-5-test-login copying path '/nix/store/qcvvnrlyrd4xm78nfh6vsz5afndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-5-test-login copying path '/nix/store/9z658yzzcx5zyh5w5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-5-test-login copying path '/nix/store/xzz2anv77h8jz1z4hbryh0vkw0066-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-5-test-login copying path '/nix/store/fjxk3k59102sq572kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
alpine-3-5-test-login copying path '/nix/store/xadwbdjcmmdc2lppskfj00gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
alpine-3-5-test-login system: "x86_64-linux"
alpine-3-5-test-login - host os: 'Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion'
alpine-3-5-test-login - multi-user?: 'no'
alpine-3-5-test-login - sandbox: 'no'
alpine-3-5-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
alpine-3-5-test-login - channels(vagrant): '"nixpkgs-18.09pre150352.7c826371c49"'
alpine-3-5-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
alpine-3-5-test-login Finishing: testnixinfo, duration:22 result:0
alpine-3-5-test-login Starting: testshell
alpine-3-5-test-login ./testscript::runtest::39 testshell
alpine-3-5-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-5-test-login /nix/store/z87ns3bv8dz9c7dnblv541613ch8k10-hello-2.10
alpine-3-5-test-login copying path '/nix/store/z87ns3bv8dz9c7dnblv541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-5-test-login Hello, world!
alpine-3-5-test-login Finishing: testshell, duration:1 result:0
alpine-3-5-test-login Starting: testnixenv
alpine-3-5-test-login ./testscript::runtest::39 testnixenv
alpine-3-5-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-login installing 'hello-2.10'
alpine-3-5-test-login building '/nix/store/94bdc86i12z1pvzjp9mhbv74igl4q97c-user-environment.drv'...
alpine-3-5-test-login created 38 symlinks in user environment
alpine-3-5-test-login ./testscript::testnixenv::17 hello
alpine-3-5-test-login Hello, world!
alpine-3-5-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-5-test-login uninstalling 'hello-2.10'
alpine-3-5-test-login building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
alpine-3-5-test-login created 6 symlinks in user environment
alpine-3-5-test-login Finishing: testnixenv, duration:0 result:0
alpine-3-5-test-login Starting: testnixchannel
alpine-3-5-test-login ./testscript::runtest::39 testnixchannel
alpine-3-5-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-login ./testscript::testnixchannel::23 nix-channel --update
alpine-3-5-test-login unpacking channels...
alpine-3-5-test-login created 5 symlinks in user environment
alpine-3-5-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-5-test-login installing 'hello-2.10'
alpine-3-5-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-5-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10
alpine-3-5-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-5-test-login building '/nix/store/q264qcanjmmh8h176cz953awr2miy7-user-environment.drv'...
alpine-3-5-test-login created 38 symlinks in user environment
alpine-3-5-test-login ./testscript::testnixchannel::25 hello
alpine-3-5-test-login Hello, world!
alpine-3-5-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-5-test-login uninstalling 'hello-2.10'
alpine-3-5-test-login Finishing: testnixchannel, duration:7 result:0
alpine-3-5-test-login-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-5-test-login-interactive bash: no job control in this shell
alpine-3-5-test-login-interactive Starting: testnixinfo
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixinfo
alpine-3-5-test-login-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-login-interactive - system: "x86_64-linux"
alpine-3-5-test-login-interactive - host os: 'Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion'
alpine-3-5-test-login-interactive - multi-user?: 'no'
alpine-3-5-test-login-interactive - sandbox: 'no'
alpine-3-5-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
alpine-3-5-test-login-interactive - channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
alpine-3-5-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
alpine-3-5-test-login-interactive Finishing: testnixinfo, duration:4 result:0
alpine-3-5-test-login-interactive Starting: testshell
alpine-3-5-test-login-interactive ./testscript::runtest::10 testshell
alpine-3-5-test-login-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive Finishing: testshell, duration:2 result:0
alpine-3-5-test-login-interactive Starting: testnixenv
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixenv
alpine-3-5-test-login-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-login-interactive installing 'hello-2.10'
alpine-3-5-test-login-interactive ./testscript::testnixenv::17 hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-5-test-login-interactive uninstalling 'hello-2.10'
alpine-3-5-test-login-interactive Finishing: testnixenv, duration:0 result:0
alpine-3-5-test-login-interactive Starting: testnixchannel
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixchannel
alpine-3-5-test-login-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-login-interactive ./testscript::testnixchannel::23 nix-channel --update
alpine-3-5-test-login-interactive unpacking channels...
alpine-3-5-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-5-test-login-interactive installing 'hello-2.10'
alpine-3-5-test-login-interactive ./testscript::testnixchannel::25 hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-5-test-login-interactive uninstalling 'hello-2.10'
alpine-3-5-test-login-interactive Finishing: testnixchannel, duration:2 result:0
alpine-3-5-test-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-5-test-interactive bash: no job control in this shell
alpine-3-5-test-interactive Starting: testnixinfo
alpine-3-5-test-interactive ./testscript::runtest::10 testnixinfo
alpine-3-5-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-interactive bash: nix-shell: command not found
alpine-3-5-test-interactive Finishing: testnixinfo, duration:0 result:1
alpine-3-5-test-interactive Starting: testshell
alpine-3-5-test-interactive ./testscript::runtest::10 testshell
alpine-3-5-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-interactive bash: nix-shell: command not found
alpine-3-5-test-interactive Finishing: testshell, duration:0 result:1
alpine-3-5-test-interactive Starting: testnixenv
alpine-3-5-test-interactive ./testscript::runtest::10 testnixenv
alpine-3-5-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-interactive bash: nix-env: command not found
alpine-3-5-test-interactive Finishing: testnixenv, duration:0 result:1
alpine-3-5-test-interactive Starting: testnixchannel
alpine-3-5-test-interactive ./testscript::runtest::10 testnixchannel
alpine-3-5-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-interactive bash: nix-channel: command not found
alpine-3-5-test-interactive Finishing: testnixchannel, duration:0 result:1
alpine-3-5-test-ssh Starting: testnixinfo
alpine-3-5-test-ssh ./testscript::runtest::39 testnixinfo
alpine-3-5-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-ssh ./testscript: line 8: nix-shell: command not found
alpine-3-5-test-ssh Finishing: testnixinfo, duration:0 result:1
alpine-3-5-test-ssh Starting: testshell
alpine-3-5-test-ssh ./testscript::runtest::39 testshell
alpine-3-5-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-ssh ./testscript: line 12: nix-shell: command not found
alpine-3-5-test-ssh Finishing: testshell, duration:0 result:1
alpine-3-5-test-ssh Starting: testnixenv
alpine-3-5-test-ssh ./testscript::runtest::39 testnixenv
alpine-3-5-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-ssh ./testscript: line 16: nix-env: command not found
alpine-3-5-test-ssh Finishing: testnixenv, duration:0 result:1
```



```
alpine-3-5-test-ssh Starting: testnixchannel
alpine-3-5-test-ssh ./testscript::runttest::39 testnixchannel
alpine-3-5-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-ssh ./testscript: line 22: nix-channel: command not found
alpine-3-5-test-ssh Finishing: testnixchannel, duration:0 result:1
```

[top of data](#)

install-force-no-daemon-arch-install-method

```
install-force-no-daemon
```

[top of data](#)

install-force-no-daemon-arch-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "generic/arch"
  config.vm.provision "shell", inline: <<-SHELL
pacman -S --noconfirm rsync

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end
```

[top of data](#)

install-force-no-daemon-arch-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/arch'...
```

```
====[KProgress: 10%
====[KProgress: 20%
====[KProgress: 40%
====[KProgress: 50%
====[KProgress: 60%
====[KProgress: 70%
====[KProgress: 80%
====[KProgress: 90%
====[K====> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpTj7lAm9Kku_default_1535675972332_90591
==> default: Fixed port collision for 22 => 2222. Now on port 2203.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2203 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2203
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: resolving dependencies...
  default: looking for conflicting packages...
  default:
  default: Packages (1) rsync-3.1.3-1
  default:
  default: Total Download Size: 0.29 MiB
  default: Total Installed Size: 0.55 MiB
  default:
  default: :: Proceed with installation? [Y/n]
  default:
  default: :: Retrieving packages...
  default: downloading rsync-3.1.3-1-x86_64.pkg.tar.xz...
  default: checking keyring...
  default: checking package integrity...
  default: loading package files...
  default: checking for file conflicts...
  default: checking available disk space...
  default: :: Processing package changes...
  default: installing rsync...
  default: :: Running post-transaction hooks...
  default: (1/2) Reloading system manager configuration...
  default: (2/2) Arming ConditionNeedsUpdate...
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' '${BASH_SOURCE}:' '${FUNCNAME[0]}:':$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
```



```
arch-test-login /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
arch-test-login /nix/store/xadwdjcnmdc2lppsxfj00gw8wsvynd-bash-interactive-4.4-p23-dev
arch-test-login /nix/store/xd7yblv36s9y1x9alr2zsrz9r1xpcr-8.42
arch-test-login /nix/store/xzz2anv77h8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23
arch-test-login /nix/store/y804rl12w9p9swmy2l5h51757kcv5z3-findutils-4.6.0
arch-test-login /nix/store/ykz2b6mkmh9vq55bn619721nadrp2ym-xz-5.2.4
arch-test-login copying path /nix/store/xsvm3fjv6j7qkswnp6qvrygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/lxj4yza556kgzsr064jbd9085h74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/5mld7y5albcd417121qch09zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2b51kv-glibc-2.27' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/19k17g3rd3r7m5l7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/jicmavp929l8x0232ryl0za94rfrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/6v881ck1cnn591m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/a85laxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/qw8f8g0d11714w5j33s55lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/rhczwa27x6kdq9z2h9yc0z7wx0nwg7-c-coreutils-8.29' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/fai759p2a3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/1l4172hsyfg9f03425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/92gpnymw00d5x9f07jvn08926zx80gl-ed-1.14.2' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/mdpwyfa0w419awrdg0cw518firnc5-expand-response-params' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/y804rl12w9p9swmy2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/jz7lmmjbyaqcgv6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/6nqk63zyp2177ng87xgk6rl289lrd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/ach929x8lg89kpid73s4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/091j2aakz8bmrk6k4wghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/14n18fnq0wrgyan523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/agyh8vq5q8f5xhda24fxwj2v2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/dkh9cmwy1pcxv290md6dq474yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4jdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/j2c1xf2rl9daldfwpc8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/7vcsawp6n51b72a12y5p3j1579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/sc4w9y5a3nszmmcy13yhmwx6wysg66w-patchelf-0.9' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/9xm9n9n0z92r9n1vbbxwqgwjnf0z0d-paxctl-0.9' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/xd7yblv36s9y1x9alr2zsrz9r1xpcr-8.42' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/3bn0819v7aghg0wx17f43z1q9y9j04-readline-7.0p5' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/98r80y9rpl1wcv83fmdqs494ajy0g-gnugrep-3.1' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/ykz2b6mkmh9vq55bn619721nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/aga70q7m5332rdqabz8p004ajy06flh-nix-info' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/mzx4y6amj7i638c692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/5l4qhkya7nyfbn9yrcrk7cbmdinphbr-gcc-7.3.0' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/qcvnrlyrd4xm78fnh6v5zyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/9z650yccz5zyhcv5n30y6a64jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/xzz2anv77h8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/fjxk359n1025qs72ksp5qj303kv45-stdenv-linux' from 'https://cache.nixos.org'...
arch-test-login copying path /nix/store/xadwdjcnmdc2lppsxfj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
Finishing: testnixinfo, duration:19 result:0
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d9c7dnblvj541613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8d9c7dnblvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12lpvzip9mhbw74ig14q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26ad53mv04n266vj5vj-user-environment.drv'...
created 6 symlinks in user environment
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyxr9717983d5b2145n1c-hello-2.10
copying path /nix/store/nic2bl8ry6vfyxr9717983d5b2145n1c-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanjrmh8h176zc953aw2m1y7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:6 result:0
tar: /nix-test-matrix-log/tests/testnixchannel/Log: time stamp 2018-08-31 00:41:38 is 5.095366453 s in the future
tar: /nix-test-matrix-log/tests/testnixchannel/existcode: time stamp 2018-08-31 00:41:38 is 5.095130811 s in the future
tar: /nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:38 is 5.095064909 s in the future
tar: /nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:38 is 5.095028055 s in the future
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.18.5-arch1-1-ARCH, Arch Linux, noversion"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
Finishing: testnixinfo, duration:4 result:0
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
```

```

arch-test-login-interactive      ./testscript::testnixchannel::0 nix-channel --update
arch-test-login-interactive      unpacking channels...
arch-test-login-interactive      ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
arch-test-login-interactive      installing 'hello-2.10'
arch-test-login-interactive      ./testscript::testnixchannel::0 hello
arch-test-login-interactive      Hello, world!
arch-test-login-interactive      ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
arch-test-login-interactive      uninstalling 'hello-2.10'
arch-test-login-interactive      Finishing: testnixchannel, duration:1 result:0
tar: ./nix-test-matrix-log/tests/testnixchannel/log: time stamp 2018-08-31 00:41:51 is 5.772978574 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:41:51 is 5.77274629 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:51 is 5.77268273 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:51 is 5.772647521 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/log: time stamp 2018-08-31 00:41:48 is 2.772554172 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:41:48 is 2.772494033 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:41:48 is 2.77243928 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:41:48 is 2.772405548 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/log: time stamp 2018-08-31 00:41:50 is 4.772315777 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:41:50 is 4.733008332 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:41:50 is 4.732860873 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:41:50 is 4.732827039 s in the future
tar: ./nix-test-matrix-log/tests/testshell/log: time stamp 2018-08-31 00:41:49 is 3.73271226 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:41:49 is 3.732649625 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:41:49 is 3.732591929 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:41:49 is 3.732553269 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:41:50 is 4.732525769 s in the future
arch-test-interactive            bash: cannot set terminal process group (-1): Inappropriate ioctl for device
arch-test-interactive            bash: no job control in this shell
arch-test-interactive            Starting: testnixinfo
arch-test-interactive            ./testscript::runtest::10 testnixinfo
arch-test-interactive            ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
arch-test-interactive            bash: nix-shell: command not found
arch-test-interactive            Finishing: testnixinfo, duration:0 result:127
arch-test-interactive            Starting: testshell
arch-test-interactive            ./testscript::runtest::10 testshell
arch-test-interactive            ./testscript::testshell:12 nix-shell -p hello --run hello
arch-test-interactive            bash: nix-shell: command not found
arch-test-interactive            Finishing: testshell, duration:0 result:127
arch-test-interactive            Starting: testnixenv
arch-test-interactive            ./testscript::runtest::10 testnixenv
arch-test-interactive            ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
arch-test-interactive            bash: nix-env: command not found
arch-test-interactive            Finishing: testnixenv, duration:0 result:127
arch-test-interactive            Starting: testnixchannel
arch-test-interactive            ./testscript::runtest::10 testnixchannel
arch-test-interactive            ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-interactive            bash: nix-channel: command not found
arch-test-interactive            Finishing: testnixchannel, duration:0 result:127
tar: ./nix-test-matrix-log/tests/testnixchannel/log: time stamp 2018-08-31 00:41:56 is 5.391182451 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:41:56 is 5.390868532 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:41:56 is 5.390766516 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:41:56 is 5.390707653 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/log: time stamp 2018-08-31 00:41:56 is 5.390554816 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:41:56 is 5.3904541 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:41:56 is 5.390358849 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:41:56 is 5.390300371 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/log: time stamp 2018-08-31 00:41:56 is 5.390133304 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:41:56 is 5.35105819 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:41:56 is 5.350858629 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:41:56 is 5.350788322 s in the future
tar: ./nix-test-matrix-log/tests/testshell/log: time stamp 2018-08-31 00:41:56 is 5.350605202 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:41:56 is 5.350489876 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:41:56 is 5.350385277 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:41:56 is 5.35032049 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:41:56 is 5.350253525 s in the future
tar: ./nix-test-matrix-log: time stamp 2018-08-31 00:41:56 is 5.350203576 s in the future
arch-test-ssh                    Starting: testnixinfo
arch-test-ssh                    ./testscript::runtest::39 testnixinfo
arch-test-ssh                    ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
arch-test-ssh                    ./testscript: line 8: nix-shell: command not found
arch-test-ssh                    Finishing: testnixinfo, duration:0 result:127
arch-test-ssh                    Starting: testshell
arch-test-ssh                    ./testscript::runtest::39 testshell
arch-test-ssh                    ./testscript::testshell:12 nix-shell -p hello --run hello
arch-test-ssh                    ./testscript: line 12: nix-shell: command not found
arch-test-ssh                    Finishing: testshell, duration:0 result:127
arch-test-ssh                    Starting: testnixenv
arch-test-ssh                    ./testscript::runtest::39 testnixenv
arch-test-ssh                    ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
arch-test-ssh                    ./testscript: line 16: nix-env: command not found
arch-test-ssh                    Finishing: testnixenv, duration:0 result:127
arch-test-ssh                    Starting: testnixchannel
arch-test-ssh                    ./testscript::runtest::39 testnixchannel
arch-test-ssh                    ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
arch-test-ssh                    ./testscript: line 22: nix-channel: command not found
arch-test-ssh                    Finishing: testnixchannel, duration:0 result:127
tar: ./nix-test-matrix-log/tests/testnixchannel/log: time stamp 2018-08-31 00:42:02 is 5.911749042 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/exitcode: time stamp 2018-08-31 00:42:02 is 5.911519948 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel/duration: time stamp 2018-08-31 00:42:02 is 5.911450023 s in the future
tar: ./nix-test-matrix-log/tests/testnixchannel: time stamp 2018-08-31 00:42:02 is 5.91141278 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/log: time stamp 2018-08-31 00:42:02 is 5.911310654 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/exitcode: time stamp 2018-08-31 00:42:02 is 5.911222728 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo/duration: time stamp 2018-08-31 00:42:02 is 5.911154486 s in the future
tar: ./nix-test-matrix-log/tests/testnixinfo: time stamp 2018-08-31 00:42:02 is 5.911116639 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/log: time stamp 2018-08-31 00:42:02 is 5.911023002 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/exitcode: time stamp 2018-08-31 00:42:02 is 5.91094846 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv/duration: time stamp 2018-08-31 00:42:02 is 5.910884799 s in the future
tar: ./nix-test-matrix-log/tests/testnixenv: time stamp 2018-08-31 00:42:02 is 5.910849624 s in the future
tar: ./nix-test-matrix-log/tests/testshell/log: time stamp 2018-08-31 00:42:02 is 5.910757645 s in the future
tar: ./nix-test-matrix-log/tests/testshell/exitcode: time stamp 2018-08-31 00:42:02 is 5.910691482 s in the future
tar: ./nix-test-matrix-log/tests/testshell/duration: time stamp 2018-08-31 00:42:02 is 5.910632050 s in the future
tar: ./nix-test-matrix-log/tests/testshell: time stamp 2018-08-31 00:42:02 is 5.91059279 s in the future
tar: ./nix-test-matrix-log/tests: time stamp 2018-08-31 00:42:02 is 5.910565344 s in the future
tar: ./nix-test-matrix-log: time stamp 2018-08-31 00:42:01 is 4.910538718 s in the future

```

[top of data](#)

install-force-no-daemon-arch-image-name

arch

[top of data](#)

install-force-no-daemon-centos-6-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "centos/6"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

```

```

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

```

```
# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-no-daemon-centos-6-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'centos/6'...

```
##[KProgress: 10%
##[KProgress: 20%
##[KProgress: 30%
##[KProgress: 40%
##[KProgress: 50%
##[KProgress: 60%
##[KProgress: 70%
##[KProgress: 80%
##[KProgress: 90%
##[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpAsg3UVyAaJ_default_1535663871178_65285
==> default: Fixed port collision for 22 => 2222. Now on port 2207.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2207 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2207
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repackage the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Loaded plugins: fastestmirror, security
default: Setting up Install Process
default: Package curl-7.19.7-53.el6_9.x86_64 already installed and latest version
default: Nothing to do
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"
}

echo "Finishing: $testFn, duration:$duration result:$exitcode"

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
centos-6-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
```

```
centos-6-install + sh -s -- --no-daemon
centos-6-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-6-install % Load Upload Total Spent Left Speed
centos-6-install 0 0 0 0 0 0 0 0 0 0 0 0 0
0 2528 0 0 0 0 0 0 0 0 0 0 0
101 2528 101 2528 0 5090 0 0 0 0 0 0 30095
centos-6-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.t
centos-6-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-6-install % Load Upload Total Spent Left Speed
centos-6-install 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 294k 0 0 317k 0 0:01:54 0:01:54 587k
4 35.5M 4 1519k 0 0 788k 0 0:00:46 0:00:01 0:00:45 1011k
8 35.5M 8 3038k 0 0 1025k 0 0:00:35 0:00:02 0:00:33 1198k
12 35.5M 12 4685k 0 0 1183k 0 0:00:30 0:00:03 0:00:27 1327k
17 35.5M 17 6529k 0 0 1318k 0 0:00:27 0:00:04 0:00:23 1442k
23 35.5M 23 8564k 0 0 1439k 0 0:00:25 0:00:05 0:00:20 1647k
29 35.5M 29 10.4M 0 0 1534k 0 0:00:23 0:00:06 0:00:17 1822k
35 35.5M 35 12.4M 0 0 1608k 0 0:00:22 0:00:07 0:00:15 1954k
40 35.5M 40 14.5M 0 0 1664k 0 0:00:21 0:00:08 0:00:13 2046k
46 35.5M 46 16.5M 0 0 1709k 0 0:00:21 0:00:09 0:00:12 2097k
52 35.5M 52 18.6M 0 0 1746k 0 0:00:20 0:00:10 0:00:10 2112k
58 35.5M 58 20.7M 0 0 1775k 0 0:00:20 0:00:11 0:00:09 2108k
64 35.5M 64 22.7M 0 0 1800k 0 0:00:20 0:00:12 0:00:08 2104k
69 35.5M 69 24.8M 0 0 1823k 0 0:00:19 0:00:13 0:00:06 2105k
75 35.5M 75 26.9M 0 0 1842k 0 0:00:19 0:00:14 0:00:05 2108k
81 35.5M 81 28.9M 0 0 1860k 0 0:00:19 0:00:15 0:00:04 2109k
87 35.5M 87 31.0M 0 0 1875k 0 0:00:19 0:00:16 0:00:03 2116k
93 35.5M 93 33.0M 0 0 1889k 0 0:00:19 0:00:17 0:00:02 2119k
98 35.5M 98 35.1M 0 0 1900k 0 0:00:19 0:00:18 0:00:01 2115k
100 35.5M 100 35.5M 0 0 1905k 0 0:00:19 0:00:19 0:00:00 2132k
centos-6-install performing a single-user installation of Nix...
centos-6-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
centos-6-install copying Nix to /nix/store.....
centos-6-install initialising Nix database...
centos-6-install Nix: creating /home/vagrant/.nix-profile
centos-6-install GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-install installing 'nix-2.1pre6385_d16ff76c'
centos-6-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.driv'...
centos-6-install created 6 symlinks in user environment
centos-6-install unpacking channels...
centos-6-install GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-install created 2 symlinks in user environment
centos-6-install modifying /home/vagrant/.bash_profile...
centos-6-install Installation finished! To ensure that the necessary environment
centos-6-install variables are set, either log in again, or type
centos-6-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
centos-6-install
centos-6-install in your shell.
centos-6-install Starting testnixinfo
centos-6-install- /testscript::runtest::39 testnixinfo
centos-6-install- /testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-6-install- GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-install- these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
centos-6-install- /nix/store/09j12aakz2b8mhrk64wkghpk6k8fz2lcr-gnumake-4.2.1
centos-6-install- /nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
centos-6-install- /nix/store/3bn0819v7aghg0wxi17f43zr1q9y9jb4-readline-7.0p5
centos-6-install- /nix/store/5l4qhkya7nyfbvny9yrcr7cbmdinph8br-gcc-7.3.0
centos-6-install- /nix/store/5mld17y5albcd4i7121qch0q9zfhdkz0-bash-interactive-4.4-p23-man
centos-6-install- /nix/store/6nqk63zyp2177ng87gx6r1z189lxd11-gcc-7.3.0-lib
centos-6-install- /nix/store/6v88ick1cxn5s9l8m8qrrqww0lrlr27x-bash-4.4-p23
centos-6-install- /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpkwff-zlib-1.2.11
centos-6-install- /nix/store/92gpnndmvm60dsx9f07jvn8926zx88gl-ed-1.14.2
centos-6-install- /nix/store/98c80y9rplqlwxc8g1f4m4qsv494ajy8g-gnugrep-3.1
centos-6-install- /nix/store/9xw60z9n29r9nlvbbxwqwjnf60zd-paxctl-0.9
centos-6-install- /nix/store/9z650y6zsczshvcw5n36yaf6x4j436mr-gcc-wrapper-7.3.0
centos-6-install- /nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52
centos-6-install- /nix/store/ach9z9x8l98kpid73s4fjs0vzy3g7-glibc-2.27-bin
centos-6-install- /nix/store/agyh8vqg5q8fshxda24fxwj2xv2bx4js-gnused-4.5
centos-6-install- /nix/store/dkh9cmvwx1pcxv290md6d4r74yzbshk-gnutar-1.30
centos-6-install- /nix/store/fai750p2q3gc7isqplpsq2r138shz81-bzip2-1.0.6.0.1-bin
centos-6-install- /nix/store/fjk3k59n102sq572kkspdjy303kv45-stenv-linux
centos-6-install- /nix/store/h2r9w5i6xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
centos-6-install- /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
centos-6-install- /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
centos-6-install- /nix/store/i7vcs4p6n51b72a12y5p5j31579wk3-patch-2.7.6
centos-6-install- /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
centos-6-install- /nix/store/j2c1xfb2rl9da1dfwcp8ywgj5x9ygmz-ncurses-6.1
centos-6-install- /nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
centos-6-install- /nix/store/jz7lnmjbyaacpgf6vmlv3n20ni6n0h9-gawk-4.2.1
centos-6-install- /nix/store/kxsm13fjv6j7qkswn6qvrjym2i336-bash-interactive-4.4-p23-doc
centos-6-install- /nix/store/lx14yza56kqzsr064jbd908h74wfy4-bash-interactive-4.4-p23-info
centos-6-install- /nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params
centos-6-install- /nix/store/mzx4y6amjn1i638c6692qslazyz619-xz-5.2.4-bin
centos-6-install- /nix/store/qcvvnrlryrd4xm78nfh6vz5ya5fndfl-binutils-wrapper-2.30
centos-6-install- /nix/store/qga70q7m5332dr4gab8zpp004ajyg6fl-nix-info
centos-6-install- /nix/store/qvw8f8g0d1174lws33s5lhlyjwz2an4-bzip2-1.0.6.0.1
centos-6-install- /nix/store/rhczwaz7xk6dqz2h9yca0z7wx0wng7c-coreutils-8.29
centos-6-install- /nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg66iw-patchelf-0.9
centos-6-install- /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
centos-6-install- /nix/store/xadwbdjcnmdc21ppsfkj0g0w8wsvynd-bash-interactive-4.4-p23-dev
centos-6-install- /nix/store/xd7yblv36sr9yix9alx2rsyr2n0z9rix-pcre-8.42
centos-6-install- /nix/store/xz2anv77hx8jz1z4hbffh0vwkw006d-bash-interactive-4.4-p23
centos-6-install- /nix/store/y8p41rl2w9p9swny215h517i57kcv523-findutils-4.6.0
centos-6-install- /nix/store/ykz66mkm9vqv5bn61972lnadpr2ym-xz-5.2.4
centos-6-install- copying path '/nix/store/kxsm13fjv6j7qkswn6qvrjym2i336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/lx14yza56kqzsr064jbd908h74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/mzx4y6amjn1i638c6692qslazyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/3k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/6v88ick1cxn5s9l8m8qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/a8slaxaq3p8xiqqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/qvw8f8g0d1174lws33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/rhczwaz7xk6dqz2h9yca0z7wx0wng7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/fai750p2q3gc7isqplpsq2r138shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/92gpnndmvm60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/mdpwyfa0v419ravrdg0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/y8p41rl2w9p9swny215h517i57kcv523-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/jz7lnmjbyaacpgf6vmlv3n20ni6n0h9-gawk-4.2.1' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/6nqk63zyp2177ng87gx6r1z189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/ach9z9x8l98kpid73s4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/98c80y9rplqlwxc8g1f4m4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/ykz66mkm9vqv5bn61972lnadpr2ym-xz-5.2.4' from 'https://cache.nixos.org'...
centos-6-install- copying path '/nix/store/qga70q7m5332dr4gab8zpp004ajyg6fl-nix-info' from 'https://cache.nixos.org'...
```

```
centos-6-test-login copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzvx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwwkf-zlib-1.2.11' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/vp40my263xk32f07788srg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/qcwnrlyrd4xm78nfh6vszyafndf1o-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/9z659yccz5xzyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/xzz2anv77h8j8iz24hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/fjxk59n102qs572kspdyj383kv45-stdenv-linux' from 'https://cache.nixos.org'...
centos-6-test-login copying path '/nix/store/xadwbdjcnmdc2lpskfkj00gw8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - system: "x86_64-linux"
centos-6-test-login - host os: "Linux 2.6.32-696.28.1.el6.x86_64"
centos-6-test-login - multi-user?: "no"
centos-6-test-login - sandbox: "no"
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
centos-6-test-login Finishing: testnixinfo, duration:21 result:0
centos-6-test-login Starting: testshell
centos-6-test-login ./testscript::runtest::39 testshell
centos-6-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-6-test-login /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
centos-6-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
centos-6-test-login Hello, world!
centos-6-test-login Finishing: testshell, duration:1 result:0
centos-6-test-login Starting: testnixenv
centos-6-test-login ./testscript::runtest::39 testnixenv
centos-6-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login installing 'hello-2.10'
centos-6-test-login building '/nix/store/94bdc86i12lvpzjp9mhbw74igl4q97c-user-environment.drv'...
centos-6-test-login created 38 symlinks in user environment
centos-6-test-login ./testscript::testnixenv::17 hello
centos-6-test-login Hello, world!
centos-6-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login uninstalling 'hello-2.10'
centos-6-test-login building '/nix/store/bj717qjczsb26adc53m0a4nz66vj5vj-user-environment.drv'...
centos-6-test-login created 6 symlinks in user environment
centos-6-test-login Finishing: testnixenv, duration:1 result:0
centos-6-test-login Starting: testnixchannel
centos-6-test-login ./testscript::runtest::39 testnixchannel
centos-6-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-login ./testscript::testnixchannel::23 nix-channel --update
centos-6-test-login unpacking channels...
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login created 5 symlinks in user environment
centos-6-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login installing 'hello-2.10'
centos-6-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-6-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
centos-6-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
centos-6-test-login building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
centos-6-test-login created 38 symlinks in user environment
centos-6-test-login ./testscript::testnixchannel::25 hello
centos-6-test-login Hello, world!
centos-6-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
centos-6-test-login GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login uninstalling 'hello-2.10'
centos-6-test-login Finishing: testnixchannel, duration:9 result:0
centos-6-test-login bash: cannot set terminal process group (-1): Invalid argument
centos-6-test-login-interactive bash: no job control in this shell
centos-6-test-login-interactive Starting: testnixinfo
centos-6-test-login-interactive ./testscript::runtest::10 testnixinfo
centos-6-test-login-interactive ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - system: "x86_64-linux"
centos-6-test-login-interactive - host os: "Linux 2.6.32-696.28.1.el6.x86_64"
centos-6-test-login-interactive - multi-user?: "no"
centos-6-test-login-interactive - sandbox: "no"
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
centos-6-test-login-interactive Finishing: testnixinfo, duration:3 result:0
centos-6-test-login-interactive Starting: testshell
centos-6-test-login-interactive ./testscript::runtest::10 testshell
centos-6-test-login-interactive ./testscript::testshell::36 nix-shell -p hello --run hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive Finishing: testshell, duration:1 result:0
centos-6-test-login-interactive Starting: testnixenv
centos-6-test-login-interactive ./testscript::runtest::10 testnixenv
centos-6-test-login-interactive ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive installing 'hello-2.10'
centos-6-test-login-interactive ./testscript::testnixenv::31 hello
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive ./testscript::testnixenv::30 nix-env --uninstall 'hello.*'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive uninstalling 'hello-2.10'
centos-6-test-login-interactive Finishing: testnixenv, duration:0 result:0
centos-6-test-login-interactive Starting: testnixchannel
centos-6-test-login-interactive ./testscript::runtest::10 testnixchannel
centos-6-test-login-interactive ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-login-interactive ./testscript::testnixchannel::25 nix-channel --update
centos-6-test-login-interactive unpacking channels...
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive installing 'hello-2.10'
centos-6-test-login-interactive ./testscript::testnixchannel::23 hello
centos-6-test-login-interactive Hello, world!
centos-6-test-login-interactive ./testscript::testnixchannel::22 nix-env --uninstall 'hello.*'
centos-6-test-login-interactive GC Warning: pthread_getattr_np or pthread_attr_getstack failed for main thread
centos-6-test-login-interactive uninstalling 'hello-2.10'
centos-6-test-login-interactive Finishing: testnixchannel, duration:1 result:0
centos-6-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
centos-6-test-login-interactive bash: no job control in this shell
centos-6-test-login-interactive Starting: testnixinfo
centos-6-test-login-interactive ./testscript::runtest::10 testnixinfo
centos-6-test-login-interactive ./testscript::testnixinfo::40 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-login-interactive bash: nix-shell: command not found
centos-6-test-login-interactive Finishing: testnixinfo, duration:0 result:1
centos-6-test-login-interactive Starting: testshell
centos-6-test-login-interactive ./testscript::runtest::10 testshell
centos-6-test-login-interactive ./testscript::testshell::36 nix-shell -p hello --run hello
centos-6-test-login-interactive bash: nix-shell: command not found
centos-6-test-login-interactive Finishing: testshell, duration:0 result:1
```

```

centos-6-test-interactive Starting: testnixenv
centos-6-test-interactive ./testscript::runtest::10 testnixenv
centos-6-test-interactive ./testscript::testnixenv::32 nix-env -iA nixpkgs.hello
centos-6-test-interactive bash: nix-env: command not found
centos-6-test-interactive Finishing: testnixenv, duration:0 result:1
centos-6-test-interactive Starting: testnixchannel
centos-6-test-interactive ./testscript::runtest::10 testnixchannel
centos-6-test-interactive ./testscript::testnixchannel::26 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-interactive bash: nix-channel: command not found
centos-6-test-interactive Finishing: testnixchannel, duration:0 result:1
centos-6-test-ssh Starting: testnixinfo
centos-6-test-ssh ./testscript::runtest::39 testnixinfo
centos-6-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
centos-6-test-ssh ./testscript: line 8: nix-shell: command not found
centos-6-test-ssh Finishing: testnixinfo, duration:0 result:1
centos-6-test-ssh Starting: testshell
centos-6-test-ssh ./testscript::runtest::39 testshell
centos-6-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
centos-6-test-ssh ./testscript: line 12: nix-shell: command not found
centos-6-test-ssh Finishing: testshell, duration:0 result:1
centos-6-test-ssh Starting: testnixenv
centos-6-test-ssh ./testscript::runtest::39 testnixenv
centos-6-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
centos-6-test-ssh ./testscript: line 16: nix-env: command not found
centos-6-test-ssh Finishing: testnixenv, duration:0 result:1
centos-6-test-ssh Starting: testnixchannel
centos-6-test-ssh ./testscript::runtest::39 testnixchannel
centos-6-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-6-test-ssh ./testscript: line 22: nix-channel: command not found
centos-6-test-ssh Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-no-daemon-centos-6-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-centos-6-image-name

centos-6

[top of data](#)

install-force-no-daemon-ubuntu-18-04-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/bionic64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-ubuntu-18-04-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/bionic64'...

[KProgress: 10%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmps09I80zapM_default_1535664203784_21755
==> default: Fixed port collision for 22 => 2222. Now on port 2211.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2211 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2211
  default: SSH username: vagrant
  default: SSH auth method: private key
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Get:1 http://security.ubuntu.com/ubuntu bionic-security InRelease [83.2 kB]
  default: Hit:2 http://archive.ubuntu.com/ubuntu bionic InRelease
  default: Get:3 http://archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]
  default: Get:4 http://archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
  default: Get:5 http://archive.ubuntu.com/ubuntu bionic/universe Sources [9051 kB]
  default: Get:6 http://security.ubuntu.com/ubuntu bionic-security/main Sources [46.1 kB]
  default: Get:7 http://security.ubuntu.com/ubuntu bionic-security/universe Sources [15.7 kB]
  default: Get:8 http://security.ubuntu.com/ubuntu bionic-security/multiverse Sources [1336 B]
  default: Get:9 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages [160 kB]
  default: Get:10 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en [61.3 kB]
  default: Get:11 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages [57.0 kB]
  default: Get:12 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en [33.6 kB]
  default: Get:13 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64 Packages [1444 B]
  default: Get:14 http://security.ubuntu.com/ubuntu bionic-security/multiverse Translation-en [996 B]
  default: Get:15 http://archive.ubuntu.com/ubuntu bionic/main Sources [829 kB]
  default: Get:16 http://archive.ubuntu.com/ubuntu bionic/restricted Sources [5324 B]

```



```

default: Get:17 http://archive.ubuntu.com/ubuntu bionic/multiverse Sources [181 kB]
default: Get:18 http://archive.ubuntu.com/ubuntu bionic/universe amd64 Packages [8570 kB]
default: Get:19 http://archive.ubuntu.com/ubuntu bionic/universe Translation-en [4941 kB]
default: Get:20 http://archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages [151 kB]
default: Get:21 http://archive.ubuntu.com/ubuntu bionic/multiverse Translation-en [108 kB]
default: Get:22 http://archive.ubuntu.com/ubuntu bionic-updates/universe Sources [58.5 kB]
default: Get:23 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse Sources [2672 B]
default: Get:24 http://archive.ubuntu.com/ubuntu bionic-updates/main Sources [160 kB]
default: Get:25 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 Packages [305 kB]
default: Get:26 http://archive.ubuntu.com/ubuntu bionic-updates/main Translation-en [115 kB]
default: Get:27 http://archive.ubuntu.com/ubuntu bionic-updates/universe amd64 Packages [172 kB]
default: Get:28 http://archive.ubuntu.com/ubuntu bionic-updates/universe Translation-en [80.0 kB]
default: Get:29 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse amd64 Packages [3772 B]
default: Get:30 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse Translation-en [2376 B]
default: Get:31 http://archive.ubuntu.com/ubuntu bionic-backports/universe Sources [1184 B]
default: Get:32 http://archive.ubuntu.com/ubuntu bionic-backports/universe amd64 Packages [2704 B]
default: Get:33 http://archive.ubuntu.com/ubuntu bionic-backports/universe Translation-en [1136 B]
default: Fetched 25.4 MB in 13s (2019 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: curl is already the newest version (7.58.0-2ubuntu3.2).
default: 0 upgraded, 0 newly installed, 0 to remove and 5 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$STESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/\/ / /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-18-04-install + curl+ sh -s -- --no-daemon
ubuntu-18-04-install https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Current
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Current
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Current
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6888 0 0 0 0 0 6907
ubuntu-18-04-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Current
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Current
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
1 35.5M 1 560k 0 0 541k 0 0:01:07 0:00:01 0:01:06 541k
5 35.5M 5 1856k 0 0 913k 0 0:00:39 0:00:02 0:00:37 913k
9 35.5M 9 3328k 0 0 1099k 0 0:00:33 0:00:03 0:00:30 1099k
13 35.5M 13 5008k 0 0 1244k 0 0:00:29 0:00:04 0:00:25 1244k
18 35.5M 18 6880k 0 0 1370k 0 0:00:26 0:00:05 0:00:21 1373k
24 35.5M 24 8864k 0 0 1473k 0 0:00:24 0:00:06 0:00:18 1666k
29 35.5M 29 10.6M 0 0 1546k 0 0:00:23 0:00:07 0:00:16 1803k
35 35.5M 35 12.5M 0 0 1601k 0 0:00:22 0:00:08 0:00:14 1905k
40 35.5M 40 14.4M 0 0 1644k 0 0:00:22 0:00:09 0:00:13 1965k
46 35.5M 46 16.4M 0 0 1679k 0 0:00:21 0:00:10 0:00:11 1988k
51 35.5M 51 18.3M 0 0 1708k 0 0:00:21 0:00:11 0:00:10 1992k
57 35.5M 57 20.4M 0 0 1738k 0 0:00:20 0:00:12 0:00:08 2007k
62 35.5M 62 22.3M 0 0 1757k 0 0:00:20 0:00:13 0:00:07 2007k
68 35.5M 68 24.2M 0 0 1773k 0 0:00:20 0:00:14 0:00:06 2007k
73 35.5M 73 26.2M 0 0 1788k 0 0:00:20 0:00:15 0:00:05 2007k
79 35.5M 79 28.1M 0 0 1800k 0 0:00:20 0:00:16 0:00:04 2003k
84 35.5M 84 30.1M 0 0 1812k 0 0:00:20 0:00:17 0:00:03 1990k
90 35.5M 90 32.0M 0 0 1821k 0 0:00:19 0:00:18 0:00:01 1990k
95 35.5M 95 34.0M 0 0 1828k 0 0:00:19 0:00:19 0:00:00 1982k
100 35.5M 100 35.5M 0 0 1837k 0 0:00:19 0:00:19 0:00:00 1991k
ubuntu-18-04-install performing a single-user installation of Nix...
ubuntu-18-04-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
ubuntu-18-04-install copying Nix to /nix/store.....

```

```

ubuntu-18-04-install      initialising Nix database...
ubuntu-18-04-install      Nix: creating /home/vagrant/.nix-profile
ubuntu-18-04-install      installing 'nix-2.1pre6385_d16ff76c'
ubuntu-18-04-install      building '/nix/store/hazjvcddsg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
ubuntu-18-04-install      created 6 symlinks in user environment
ubuntu-18-04-install      unpacking channels...
ubuntu-18-04-install      created 2 symlinks in user environment
ubuntu-18-04-install      modifying /home/vagrant/.bash_profile...

ubuntu-18-04-install      Installation finished! To ensure that the necessary environment
ubuntu-18-04-install      variables are set, either log in again, or type

ubuntu-18-04-install      . /home/vagrant/.nix-profile/etc/profile.d/nix.sh

ubuntu-18-04-install      in your shell.
ubuntu-18-04-test-login   Starting: testnixinfo
ubuntu-18-04-test-login   ./testscript::runtest::39 testnixinfo
ubuntu-18-04-test-login   these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
ubuntu-18-04-test-login   /nix/store/091j2aakzb0mhrkba4kghpk6k8fzclcr-gnumake-4.2.1
ubuntu-18-04-test-login   /nix/store/1141f2zhsyfg9f9q3425cv49p8m9pb8g0-diffutils-3.6
ubuntu-18-04-test-login   /nix/store/3bn0819v7agho0xl17f43zrlq9y9jb4-readline-7.0p5
ubuntu-18-04-test-login   /nix/store/514qhkyay7nyfbv9ycrk7cbmdinph8br-gcc-7.3.0
ubuntu-18-04-test-login   /nix/store/5mldi7y5albcd4i7121qclh09zfhdkz0-bash-interactive-4.4-p23-man
ubuntu-18-04-test-login   /nix/store/6nqk63zyp217ng87qx6rlz189rldx11-gcc-7.3.0-lib
ubuntu-18-04-test-login   /nix/store/6v88ick1cxnn5g9lm8grqqw0lrlr27x-bash-4.4-p23
ubuntu-18-04-test-login   /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpkwf-zlib-1.2.11
ubuntu-18-04-test-login   /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
ubuntu-18-04-test-login   /nix/store/98c80y9rplqlwxc8glfm4qsv494y8q-gnugrep-3.1
ubuntu-18-04-test-login   /nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60z-paxctl-0.9
ubuntu-18-04-test-login   /nix/store/9z650y2ccz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
ubuntu-18-04-test-login   /nix/store/a8slaxaq3p8rxiaqpbaaskvghyb0akb-acl-2.2.52
ubuntu-18-04-test-login   /nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
ubuntu-18-04-test-login   /nix/store/agh8vqg5q8fshxda24fxw2xv2bx4js-gnused-4.5
ubuntu-18-04-test-login   /nix/store/dkh9cmvwxlpcxv290md6dq474yzbshk-gnutar-1.30
ubuntu-18-04-test-login   /nix/store/fai750p2q3gc7isqplipsqzrl38hsz81-bzip2-1.0.6.0.1-bin
ubuntu-18-04-test-login   /nix/store/fjxk359n102sq572kspdyj303kv45-stdevn-linux
ubuntu-18-04-test-login   /nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
ubuntu-18-04-test-login   /nix/store/hx54ggnr64gl0wggdfvgdm42r2b5klv-glibc-2.27
ubuntu-18-04-test-login   /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev
ubuntu-18-04-test-login   /nix/store/i7vcs4p6n51b72al2y5p5j31579wk3-patch-2.7.6
ubuntu-18-04-test-login   /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
ubuntu-18-04-test-login   /nix/store/j2clxb2rl9daldfwcp8ywgjx9ygmz-ncurses-6.1
ubuntu-18-04-test-login   /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
ubuntu-18-04-test-login   /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
ubuntu-18-04-test-login   /nix/store/ksvmi3fjv6j7qkswnp6qrvjygm2si336-bash-interactive-4.4-p23-doc
ubuntu-18-04-test-login   /nix/store/lxj4zas56kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info
ubuntu-18-04-test-login   /nix/store/mdpwyfa0v419ravrdg0cwg518firncs-expand-response-params
ubuntu-18-04-test-login   /nix/store/mzx4y6amjn7i638c6692qslazyzx619-xz-5.2.4-bin
ubuntu-18-04-test-login   /nix/store/qcavnrlryrd4xm78nfhv6svz5af5ndf1p-binutils-wrapper-2.30
ubuntu-18-04-test-login   /nix/store/qga70qm5332dr4gab8z0p04ajyg6fln-nix-info
ubuntu-18-04-test-login   /nix/store/qw8f8g0dii7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
ubuntu-18-04-test-login   /nix/store/sc4w9y5a3nszmmcy3yhmwx6wysg66i6-patchelf-0.9
ubuntu-18-04-test-login   /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
ubuntu-18-04-test-login   /nix/store/xadwdjcnmdc2lppskfj00g0w8svynd-bash-interactive-4.4-p23-dev
ubuntu-18-04-test-login   /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
ubuntu-18-04-test-login   /nix/store/xzz2anv77hx8jz1z4hbffh0vkw0066d-bash-interactive-4.4-p23
ubuntu-18-04-test-login   /nix/store/y8p4rl2w9p9swny215h517i57kcv53-findutils-4.6.0
ubuntu-18-04-test-login   /nix/store/ykz6b6mkmh9vqv5bn6197921nadrp2ym-xz-5.2.4
ubuntu-18-04-test-login   copying path '/nix/store/ksvmi3fjv6j7qkswnp6qrvjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/lxj4zas56kgzsr064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/5mldi7y5albcd4i7121qclh09zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2b5klv-glibc-2.27' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/6v88ick1cxnn5g9lm8grqqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/a8slaxaq3p8rxiaqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/qw8f8g0dii7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/hz9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/fai750p2q3gc7isqplipsqzrl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/1141f2zhsyfg9f9q3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/mdpwyfa0v419ravrdg0cwg518firncs-expand-response-params' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/y8p4rl2w9p9swny215h517i57kcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/6nqk63zyp217ng87qx6rlz189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/091j2aakzb0mhrkba4kghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/agh8vqg5q8fshxda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/dkh9cmvwxlpcxv290md6dq474yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/j2clxb2rl9daldfwcp8ywgjx9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/i7vcs4p6n51b72al2y5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/sc4w9y5a3nszmmcy3yhmwx6wysg66i6-patchelf-0.9' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60z-paxctl-0.9' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/3bn0819v7agho0xl17f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/98c80y9rplqlwxc8glfm4qsv494y8q-gnugrep-3.1' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/ykz6b6mkmh9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/qga70qm5332dr4gab8z0p04ajyg6fln-nix-info' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpkwf-zlib-1.2.11' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/514qhkyay7nyfbv9ycrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/qcavnrlryrd4xm78nfhv6svz5af5ndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/9z650y2ccz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/xzz2anv77hx8jz1z4hbffh0vkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/fjxk359n102sq572kspdyj303kv45-stdevn-linux' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   copying path '/nix/store/xadwdjcnmdc2lppskfj00g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   system:
ubuntu-18-04-test-login   - host os: 'Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)'
ubuntu-18-04-test-login   - multi-user?: 'no'
ubuntu-18-04-test-login   - sandbox: 'no'
ubuntu-18-04-test-login   - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-18-04-test-login   - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-04-test-login   - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'

ubuntu-18-04-test-login   Finishing: testnixinfo, duration:32 result:0
ubuntu-18-04-test-login   Starting: testshell
ubuntu-18-04-test-login   ./testscript::runtest::39 testshell
ubuntu-18-04-test-login   these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-04-test-login   /nix/store/z87ns3bv8d29c7dnblv754i613ch8k10-hello-2.10
ubuntu-18-04-test-login   copying path '/nix/store/z87ns3bv8d29c7dnblv754i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login   Hello, world!
ubuntu-18-04-test-login   Finishing: testshell, duration:2 result:0
ubuntu-18-04-test-login   Starting: testnixenv
ubuntu-18-04-test-login   ./testscript::runtest::39 testnixenv
ubuntu-18-04-test-login   installing 'hello-2.10'
ubuntu-18-04-test-login   building '/nix/store/94bdc86i12lvpzvi9mhbw74igl4q97c-user-environment.drv'...
ubuntu-18-04-test-login   created 38 symlinks in user environment
ubuntu-18-04-test-login   ./testscript::testnixenv:17 hello
ubuntu-18-04-test-login   Hello, world!
ubuntu-18-04-test-login   ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login   uninstalling 'hello-2.10'
ubuntu-18-04-test-login   building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
ubuntu-18-04-test-login   created 6 symlinks in user environment

```

```

ubuntu-18-04-test-login      Finishing: testnixenv, duration:3 result:0
ubuntu-18-04-test-login      Starting: testnixchannel
ubuntu-18-04-test-login      ./testscript::runtest::39 testnixchannel
ubuntu-18-04-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-login      ./testscript::testnixchannel::23 nix-channel --update
ubuntu-18-04-test-login      unpacking channels...
ubuntu-18-04-test-login      created 5 symlinks in user environment
ubuntu-18-04-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-18-04-test-login      installing 'hello-2.10'
ubuntu-18-04-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-04-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
ubuntu-18-04-test-login      copying path /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org'..
ubuntu-18-04-test-login      building /nix/store/q264qcanqjmmh8h176zc95awr2mly7-user-environment.dr'...
ubuntu-18-04-test-login      created 38 symlinks in user environment
ubuntu-18-04-test-login      ./testscript::testnixchannel::25 hello
ubuntu-18-04-test-login      Hello, world!
ubuntu-18-04-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login      uninstalling 'hello-2.10'
ubuntu-18-04-test-login      Finishing: testnixchannel, duration:9 result:0
ubuntu-18-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-04-test-login-interactive bash: no job control in this shell
ubuntu-18-04-test-login-interactive Starting: testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-login-interactive - system: "x86_64-linux"
ubuntu-18-04-test-login-interactive - host os: "Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)"
ubuntu-18-04-test-login-interactive - multi-user?: "no"
ubuntu-18-04-test-login-interactive - sandbox: "no"
ubuntu-18-04-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-18-04-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-04-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
ubuntu-18-04-test-login-interactive
ubuntu-18-04-test-login-interactive Finishing: testnixinfo, duration:4 result:0
ubuntu-18-04-test-login-interactive Starting: testshell
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-18-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive Finishing: testshell, duration:1 result:0
ubuntu-18-04-test-login-interactive Starting: testnixenv
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-login-interactive installing 'hello-2.10'
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-04-test-login-interactive Finishing: testnixenv, duration:1 result:0
ubuntu-18-04-test-login-interactive Starting: testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
ubuntu-18-04-test-login-interactive unpacking channels...
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
ubuntu-18-04-test-login-interactive installing 'hello-2.10'
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-04-test-login-interactive Finishing: testnixchannel, duration:1 result:0
ubuntu-18-04-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-04-test-interactive bash: no job control in this shell
ubuntu-18-04-test-interactive Starting: testnixinfo
ubuntu-18-04-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-18-04-test-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-interactive nix-shell: command not found
ubuntu-18-04-test-interactive Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-interactive Starting: testshell
ubuntu-18-04-test-interactive ./testscript::runtest::10 testshell
ubuntu-18-04-test-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-interactive nix-shell: command not found
ubuntu-18-04-test-interactive Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-interactive Starting: testnixenv
ubuntu-18-04-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-18-04-test-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-18-04-test-interactive nix-env: command not found
ubuntu-18-04-test-interactive Finishing: testnixenv, duration:0 result:127
ubuntu-18-04-test-interactive Starting: testnixchannel
ubuntu-18-04-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-18-04-test-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-18-04-test-interactive nix-channel: command not found
ubuntu-18-04-test-interactive Finishing: testnixchannel, duration:0 result:127
ubuntu-18-04-test-ssh      Starting: testnixinfo
ubuntu-18-04-test-ssh      ./testscript::runtest::39 testnixinfo
ubuntu-18-04-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-ssh      ./testscript: line 8: nix-shell: command not found
ubuntu-18-04-test-ssh      Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-ssh      Starting: testshell
ubuntu-18-04-test-ssh      ./testscript::runtest::39 testshell
ubuntu-18-04-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-18-04-test-ssh      ./testscript: line 12: nix-shell: command not found
ubuntu-18-04-test-ssh      Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-ssh      Starting: testnixenv
ubuntu-18-04-test-ssh      ./testscript::runtest::39 testnixenv
ubuntu-18-04-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-18-04-test-ssh      Finishing: testnixenv, duration:0 result:127
ubuntu-18-04-test-ssh      Starting: testnixchannel
ubuntu-18-04-test-ssh      ./testscript::runtest::39 testnixchannel
ubuntu-18-04-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-18-04-test-ssh      Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-ubuntu-18-04-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-ubuntu-18-04-image-name

ubuntu-18-04

[top of data](#)

install-default-unless-selinux-centos-7-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'centos/7'...

███[KProgress: 20%
███[KProgress: 40%
███[KProgress: 70%
███[KProgress: 90%
███[K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpwJjE91f40P_default_1535673983359_39178
==> default: Fixed port collision for 22 => 2222. Now on port 2202.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
    default: Adapter 1: nat
==> default: Forwarding ports...
    default: 22 (guest) => 2202 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
    default: SSH address: 127.0.0.1:2202
    default: SSH username: vagrant
    default: SSH auth method: private key
    default:
    default: Vagrant insecure key detected. Vagrant will automatically replace
    default: this with a newly generated keypair for better security.
    default:
    default: Inserting generated public key within guest...
    default: Removing insecure key from the guest if it's present...
    default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
    default: No guest additions were detected on the base box for this VM! Guest
    default: additions are required for forwarded ports, shared folders, host only
    default: networking, and more. If SSH fails on this machine, please install
    default: the guest additions and repackage the box to continue.
    default:
    default: This is not an error message; everything may continue to work properly,
    default: in which case you may ignore this message.
==> default: Running provisioner: shell...
    default: Running: inline script
    default: Loaded plugins: fastestmirror
    default: Determining fastest mirrors
    default: * base: mirror.es.its.nyu.edu
    default: * extras: mirrors.sorengard.com
    default: * updates: mirror.wdcl.us.leaseweb.net
    default: Package curl-7.29.0-46.el7.x86_64 already installed and latest version
    default: Nothing to do
#!/bin/sh

set -eux

if /usr/sbin/sepstatus && /usr/sbin/sepstatus 2>&1 | grep -q enforcing; then
    echo "punting to no-daemon"
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4=' '${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"
}

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"

    (
        runtest testnixinfo
        runtest testshell
        runtest testnixenv
        runtest testnixchannel
    )

    tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
centos-7-install + /usr/sbin/sepstatus enabled
centos-7-install SELinux status: /sys/fs/selinux
centos-7-install SELinuxfs mount: /etc/selinux
centos-7-install SELinux root directory: targeted
centos-7-install Loaded policy name: enforcing
centos-7-install Current mode:
```

```
centos-7-install Mode from config file: enforcing
centos-7-install Policy MLS status: enabled
centos-7-install Policy deny_unknown status: allowed
centos-7-install Max kernel policy version: 31
centos-7-install puntting to no-daemon
centos-7-install + grep -q enforcing
centos-7-install + /usr/sbin/sestatus
centos-7-install + echo 'punting to no-daemon'
centos-7-install + sh -s -- --no-daemon
centos-7-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
centos-7-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-7-install % Dload Upload Total Spent Left Speed
centos-7-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
centos-7-install 100 2528 100 2528 0 0 6081 0 0 0 0 0 0 0 0 6091 0 0
centos-7-install downloading Nix 2.1pre6385_d16ff76c binary tarball from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c-x86_64-linux.t
centos-7-install % Total % Received % Xferd Average Speed Time Time Time Current
centos-7-install % Dload Upload Total Spent Left Speed
centos-7-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
centos-7-install 2 35.5M 2 752k 0 0 750k 0 0:00:48 0:00:01 0:00:47 751k
centos-7-install 7 35.5M 7 2848k 0 0 1457k 0 0:00:24 0:00:01 0:00:23 1457k
centos-7-install 11 35.5M 11 4256k 0 0 1443k 0 0:00:25 0:00:02 0:00:23 1443k
centos-7-install 15 35.5M 15 5536k 0 0 1403k 0 0:00:25 0:00:03 0:00:22 1403k
centos-7-install 19 35.5M 19 7040k 0 0 1413k 0 0:00:25 0:00:04 0:00:21 1413k
centos-7-install 24 35.5M 24 8736k 0 0 1461k 0 0:00:24 0:00:05 0:00:19 1604k
centos-7-install 29 35.5M 29 10.3M 0 0 1523k 0 0:00:23 0:00:06 0:00:17 1549k
centos-7-install 34 35.5M 34 12.3M 0 0 1592k 0 0:00:22 0:00:07 0:00:15 1680k
centos-7-install 40 35.5M 40 14.4M 0 0 1653k 0 0:00:22 0:00:08 0:00:14 1849k
centos-7-install 46 35.5M 46 16.5M 0 0 1698k 0 0:00:21 0:00:09 0:00:12 1983k
centos-7-install 52 35.5M 52 18.5M 0 0 1737k 0 0:00:20 0:00:10 0:00:10 2068k
centos-7-install 58 35.5M 58 20.6M 0 0 1769k 0 0:00:20 0:00:11 0:00:09 2112k
centos-7-install 63 35.5M 63 22.7M 0 0 1795k 0 0:00:20 0:00:12 0:00:08 2120k
centos-7-install 69 35.5M 69 24.7M 0 0 1819k 0 0:00:20 0:00:13 0:00:07 2119k
centos-7-install 75 35.5M 75 26.8M 0 0 1840k 0 0:00:19 0:00:14 0:00:05 2120k
centos-7-install 81 35.5M 81 29.0M 0 0 1861k 0 0:00:19 0:00:15 0:00:04 2132k
centos-7-install 87 35.5M 87 31.0M 0 0 1876k 0 0:00:19 0:00:16 0:00:03 2132k
centos-7-install 93 35.5M 93 33.1M 0 0 1890k 0 0:00:19 0:00:17 0:00:02 2133k
centos-7-install 99 35.5M 99 35.2M 0 0 1901k 0 0:00:19 0:00:18 0:00:01 2130k
centos-7-install 100 35.5M 100 35.5M 0 0 1903k 0 0:00:19 0:00:19 0:00:00 2129k
centos-7-install performing a single-user installation of Nix...
centos-7-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
centos-7-install copying Nix to /nix/store.....
centos-7-install initialising Nix database...
centos-7-install Nix: creating /home/vagrant/.nix-profile
centos-7-install installing 'nix-2.1pre6385_d16ff76c'
centos-7-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mkm0pbi-user-environment.drv'...
centos-7-install created 6 symlinks in user environment
centos-7-install unpacking channels...
centos-7-install created 2 symlinks in user environment
centos-7-install modifying /home/vagrant/.bash_profile...
centos-7-install Installation finished! To ensure that the necessary environment
centos-7-install variables are set, either log in again, or type
centos-7-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
centos-7-install in your shell.
centos-7-test-login Starting: testnixinfo
centos-7-test-login ./testscript::runttest::39 testnixinfo
centos-7-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
centos-7-test-login /nix/store/09ij2aakzb8mhrk4wkghpk6k8fz2lcr-gnumake-4.2.1
centos-7-test-login /nix/store/1141f22hsyf9fq3425cv49p8m9pb08g0-diffutils-3.6
centos-7-test-login /nix/store/3bn0819v7aghw0x117f43zr1q9y9j04-readline-7.0p5
centos-7-test-login /nix/store/514qkya7nyf8vny9crk7cbmdinph8br-gcc-7.3.0
centos-7-test-login /nix/store/5mhdz75albcd417121qch0q9zfdkz0-bash-interactive-4.4-p23-man
centos-7-test-login /nix/store/6nqk63zypz177ng87xg6r1z189lxd11-gcc-7.3.0-lib
centos-7-test-login /nix/store/6v88ick1cxn59l8m8qrrqw0lrlr27x-bash-4.4-p23
centos-7-test-login /nix/store/7zbrn4d4bp7mlyqvp6j7h70kxnpwxfz-lib-1.2.11
centos-7-test-login /nix/store/92gpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
centos-7-test-login /nix/store/98c80y9rp1qlwxc8g1fm4q5494ajy8q-gnuprep-3.1
centos-7-test-login /nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
centos-7-test-login /nix/store/9z650ycz5zyhchw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
centos-7-test-login /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
centos-7-test-login /nix/store/ach9z9x8l8g89kpiD73s4fj50vzy3g7-glibc-2.27-bin
centos-7-test-login /nix/store/agh9vqg5q8fshxda24fxwj2xv2bx4j5-gnused-4.5
centos-7-test-login /nix/store/dkh9cmvwx1pcxv290md6dq474yzbshk-gnutar-1.30
centos-7-test-login /nix/store/fai750p2q3gc7isqpl1psq2rL38hsz81-bzip2-1.0.6.0.1-bin
centos-7-test-login /nix/store/fjxk359n102sq572kkspdjy303kv45-stdevn-linux
centos-7-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
centos-7-test-login /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
centos-7-test-login /nix/store/i4n9l8fn0wgryan523pfbdc57fpqz-glibc-2.27-dev
centos-7-test-login /nix/store/i7vcsw4p6n5l72a1zyp5j31579wk3-patch-2.7.6
centos-7-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15
centos-7-test-login /nix/store/j2clxfb2rl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
centos-7-test-login /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47
centos-7-test-login /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
centos-7-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
centos-7-test-login /nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
centos-7-test-login /nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
centos-7-test-login /nix/store/mzx4y6amjn7i638c6692qslazyx619-zx-5.2.4-bin
centos-7-test-login /nix/store/qcvvnrlyrd4xm78nfh6v5zya5fndflp-binutils-wrapper-2.30
centos-7-test-login /nix/store/qga70q7m5332d4gab8zp004ajyg6flh-nix-info
centos-7-test-login /nix/store/qvw8f8g0d1l7145j3355lhlyjwz2an4-bzip2-1.0.6.0.1
centos-7-test-login /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
centos-7-test-login /nix/store/sc4w9y5a3nszmmcy13yhm6w5y9g61w-patchelf-0.9
centos-7-test-login /nix/store/vp40my263xk32f07788srg159rscna-binutils-2.30
centos-7-test-login /nix/store/xadwdjcmmdc2lpskfcj09gw0wsvynd-bash-interactive-4.4-p23-dev
centos-7-test-login /nix/store/xd7yvlv36sr9yx1x9lkr2syr2n0z9rix-pcre-8.42
centos-7-test-login /nix/store/xzz2anv77hx8jziz4hfyh0vwkw0066d-bash-interactive-4.4-p23
centos-7-test-login /nix/store/y8p41rl2w9p95wny2l5h517i57kvc5z3-findutils-4.6.0
centos-7-test-login /nix/store/ykz6b6mhm9v5bn619792lnadrdp2ym-zx-5.2.4
centos-7-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/5mhdz75albcd417121qch0q9zfdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/6v88ick1cxn59l8m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/qvw8f8g0d1l7145j3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/vp40my263xk32f07788srg159rscna-binutils-2.30' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xadwdjcmmdc2lpskfcj09gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xd7yvlv36sr9yx1x9lkr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xzz2anv77hx8jziz4hfyh0vwkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/y8p41rl2w9p95wny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/ykz6b6mhm9v5bn619792lnadrdp2ym-zx-5.2.4' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/5mhdz75albcd417121qch0q9zfdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/6v88ick1cxn59l8m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/qvw8f8g0d1l7145j3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/vp40my263xk32f07788srg159rscna-binutils-2.30' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xadwdjcmmdc2lpskfcj09gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xd7yvlv36sr9yx1x9lkr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xzz2anv77hx8jziz4hfyh0vwkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/y8p41rl2w9p95wny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/ykz6b6mhm9v5bn619792lnadrdp2ym-zx-5.2.4' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/lxj4yza56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/5mhdz75albcd417121qch0q9zfdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/6v88ick1cxn59l8m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/qvw8f8g0d1l7145j3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/vp40my263xk32f07788srg159rscna-binutils-2.30' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xadwdjcmmdc2lpskfcj09gw0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xd7yvlv36sr9yx1x9lkr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/xzz2anv77hx8jziz4hfyh0vwkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/y8p41rl2w9p95wny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-7-test-login copying path /nix/store/ykz6b6mhm9v5bn619792lnadrdp2ym-zx-5.2.4' from 'https://cache.nixos.org'...
```

```
centos-7-test-login copying path '/nix/store/9xm9n09n0z92r9n1vbvxwqgxfnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/3bn0819v7aghg0wxi17f43zr1q9y9jib4-readline-7.0p5' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/98c80y9rplnwcx8gIfm4qsu494ajy0q-gnugrep-3.1' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/ykz2b66mkm9vq5bn6i9792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/gga70q/m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/mzx4y6amj7i638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/zbrn444bp7mlyvyp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/5l4qhky7nfbv9yrcrk7cbmdinh8br-gcc-7.3.0' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/qcvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/9z650yzcz5zycw5n39ya6a4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/xzz2anv77hx8jiz24bhfyy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/fjxk359n102sq572kspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
centos-7-test-login copying path '/nix/store/xadwdjcnmdc2lpskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-7-test-login - system: "x86_64-linux"
centos-7-test-login - host os: "Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"
centos-7-test-login - multi-user?: "no"
centos-7-test-login - sandbox: "no"
centos-7-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
centos-7-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
centos-7-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
centos-7-test-login Finishing: testnixinfo, duration:21 result:0
centos-7-test-login Starting: testshell
centos-7-test-login ./testscript::runtest::39 testshell
centos-7-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
centos-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-7-test-login /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
centos-7-test-login copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
centos-7-test-login Hello, world!
centos-7-test-login Finishing: testshell, duration:1 result:0
centos-7-test-login Starting: testnixenv
centos-7-test-login ./testscript::runtest::39 testnixenv
centos-7-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login building '/nix/store/94bd86i12lpvzip9mhbw74ig14q97c-user-environment.drv'...
centos-7-test-login created 38 symlinks in user environment
centos-7-test-login ./testscript::testnixenv::17 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login building '/nix/store/bj717qjczsb26ad53m0a4n266v5vj-user-environment.drv'...
centos-7-test-login created 6 symlinks in user environment
centos-7-test-login Finishing: testnixenv, duration:0 result:0
centos-7-test-login Starting: testnixchannel
centos-7-test-login ./testscript::runtest::39 testnixchannel
centos-7-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login ./testscript::testnixchannel::23 nix-channel --update
centos-7-test-login unpacking channels...
centos-7-test-login created 5 symlinks in user environment
centos-7-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-7-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
centos-7-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
centos-7-test-login building '/nix/store/q264qcanjrmh8h176z953awr2miy7-user-environment.drv'...
centos-7-test-login created 38 symlinks in user environment
centos-7-test-login ./testscript::testnixchannel::25 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixchannel, duration:7 result:0
centos-7-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
centos-7-test-login-interactive bash: no job control in this shell
centos-7-test-login-interactive Starting: testnixinfo
centos-7-test-login-interactive ./testscript::runtest::10 testnixinfo
centos-7-test-login-interactive ./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-login-interactive - system: "x86_64-linux"
centos-7-test-login-interactive - host os: "Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)"
centos-7-test-login-interactive - multi-user?: "no"
centos-7-test-login-interactive - sandbox: "no"
centos-7-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
centos-7-test-login-interactive - channels(vagrant): "nixos-18-03.18.03.133174.edd63e05dle, nixpkgs-18.09pre150352.7c826371c49"
centos-7-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
centos-7-test-login-interactive Finishing: testnixinfo, duration:3 result:0
centos-7-test-login-interactive Starting: testshell
centos-7-test-login-interactive ./testscript::runtest::10 testshell
centos-7-test-login-interactive ./testscript::testshell::41 nix-shell -p hello --run hello
centos-7-test-login-interactive Hello, world!
centos-7-test-login-interactive Finishing: testshell, duration:1 result:0
centos-7-test-login-interactive Starting: testnixenv
centos-7-test-login-interactive ./testscript::runtest::10 testnixenv
centos-7-test-login-interactive ./testscript::testnixenv::37 nix-env -iA nixpkgs.hello
centos-7-test-login-interactive installing 'hello-2.10'
centos-7-test-login-interactive ./testscript::testnixenv::36 hello
centos-7-test-login-interactive Hello, world!
centos-7-test-login-interactive ./testscript::testnixenv::35 nix-env --uninstall 'hello.*'
centos-7-test-login-interactive uninstalling 'hello-2.10'
centos-7-test-login-interactive Finishing: testnixenv, duration:0 result:0
centos-7-test-login-interactive Starting: testnixchannel
centos-7-test-login-interactive ./testscript::runtest::10 testnixchannel
centos-7-test-login-interactive ./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login-interactive ./testscript::testnixchannel::30 nix-channel --update
centos-7-test-login-interactive unpacking channels...
centos-7-test-login-interactive ./testscript::testnixchannel::29 nix-env -iA nixos-18-03.hello
centos-7-test-login-interactive installing 'hello-2.10'
centos-7-test-login-interactive ./testscript::testnixchannel::28 hello
centos-7-test-login-interactive Hello, world!
centos-7-test-login-interactive ./testscript::testnixchannel::27 nix-env --uninstall 'hello.*'
centos-7-test-login-interactive uninstalling 'hello-2.10'
centos-7-test-login-interactive Finishing: testnixchannel, duration:2 result:0
centos-7-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
centos-7-test-login-interactive bash: no job control in this shell
centos-7-test-login-interactive Starting: testnixinfo
centos-7-test-login-interactive ./testscript::runtest::10 testnixinfo
centos-7-test-login-interactive ./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-login-interactive bash: nix-shell: command not found
centos-7-test-login-interactive Finishing: testnixinfo, duration:0 result:1
centos-7-test-login-interactive Starting: testshell
centos-7-test-login-interactive ./testscript::runtest::10 testshell
centos-7-test-login-interactive ./testscript::testshell::381 nix-shell -p hello --run hello
centos-7-test-login-interactive bash: nix-shell: command not found
centos-7-test-login-interactive Finishing: testshell, duration:0 result:1
centos-7-test-login-interactive Starting: testnixenv
centos-7-test-login-interactive ./testscript::runtest::10 testnixenv
centos-7-test-login-interactive ./testscript::testnixenv::377 nix-env -iA nixpkgs.hello
centos-7-test-login-interactive bash: nix-env: command not found
centos-7-test-login-interactive Finishing: testnixenv, duration:0 result:1
centos-7-test-login-interactive Starting: testnixchannel
centos-7-test-login-interactive ./testscript::runtest::10 testnixchannel
centos-7-test-login-interactive ./testscript::testnixchannel::371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login-interactive bash: nix-channel: command not found
centos-7-test-login-interactive Finishing: testnixchannel, duration:0 result:1
centos-7-test-ssh Starting: testnixinfo
centos-7-test-ssh ./testscript::runtest::39 testnixinfo
centos-7-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-ssh ./testscript: line 8: nix-shell: command not found
centos-7-test-ssh Finishing: testnixinfo, duration:0 result:1
```

```

centos-7-test-ssh Starting: testshell
centos-7-test-ssh ./testscript::runtest::39 testshell
centos-7-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
centos-7-test-ssh ./testscript: line 12: nix-shell: command not found
centos-7-test-ssh Finishing: testshell, duration:0 result:1
centos-7-test-ssh Starting: testnixenv
centos-7-test-ssh ./testscript::runtest::39 testnixenv
centos-7-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
centos-7-test-ssh ./testscript: line 16: nix-env: command not found
centos-7-test-ssh Finishing: testnixenv, duration:0 result:1
centos-7-test-ssh Starting: testnixchannel
centos-7-test-ssh ./testscript::runtest::39 testnixchannel
centos-7-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-ssh ./testscript: line 22: nix-channel: command not found
centos-7-test-ssh Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-centos-7-install-method

```
install-default-unless-selinux
```

[top of data](#)

install-default-unless-selinux-centos-7-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "centos/7"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-centos-7-image-name

```
centos-7
```

[top of data](#)

install-force-no-daemon-fedora-27-image-name

```
fedora-27
```

[top of data](#)

install-force-no-daemon-fedora-27-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/fedora27'...
#####[KProgress: 10%
#####[KProgress: 20%
#####[KProgress: 30%
#####[KProgress: 40%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpxKkfyft52W_default_1535664028437_33511
==> default: Fixed port collision for 22 => 2222. Now on port 2208.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2208 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2208
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
  default: The guest additions on this VM do not match the installed version of
  default: VirtualBox! In most cases this is fine, but in rare cases it can
  default: prevent things such as shared folders from working properly. If you see
  default: shared folder errors, please make sure the guest additions within the
  default: virtual machine match the version of VirtualBox you have installed on
  default: your host and reload your VM.
  default:
  default: Guest Additions Version: 5.1.38
  default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Fedora 27 - x86_64 - Updates 3.0 MB/s | 26 MB 00:08
  default: Last metadata expiration check: 0:00:15 ago on Thu 30 Aug 2018 02:21:21 PM PDT.
  default: Package curl-7.55.1-13.fc27.x86_64 is already installed, skipping.
  default: Dependencies resolved.
  default: Nothing to do.
  default: Complete!
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4= ' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

```



```
fedora-27-test-login /nix/store/fjxk3k59n102sq572kkspdjy303k45-stdev-linux
fedora-27-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4djnp0kvd-gzip-1.9
fedora-27-test-login /nix/store/hx54gg9n64gl9gwggfdvdm42r2b51kv-glibc-2.27
fedora-27-test-login /nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
fedora-27-test-login /nix/store/j2c1xfb2rl9daldfwcp8ywgj5x9ygmz-ncurses-6.1
fedora-27-test-login /nix/store/jicmavp929lxd0232ryl0za94rrslxj0p-attr-2.4.47
fedora-27-test-login /nix/store/jz7lmmjbyaqpc6fvmlv3n20nin6h0g-gawk-4.2.1
fedora-27-test-login /nix/store/ksvmi3fjv6j7qkswpn6qrvjym2si336-bash-interactive-4.4-p23-doc
fedora-27-test-login /nix/store/lxj4yzas56kgzs064jbd908sh74wf4-bash-interactive-4.4-p23-info
fedora-27-test-login /nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params
fedora-27-test-login /nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
fedora-27-test-login /nix/store/qcvcvnrlyr4dm78fnf6vszya5fndflp-binutils-wrapper-2.30
fedora-27-test-login /nix/store/qqa70q7m5332dr4gab8z0p004ajyg6flh-nix-info
fedora-27-test-login /nix/store/qw8f8g0d1l74wsj3355lhlyjw2an4-bzip2-1.0.6.0.1
fedora-27-test-login /nix/store/rhzcwaz7xk6dq9z2h9yca0z7w08mwg7c-coreutils-8.29
fedora-27-test-login /nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg661v-patchelf-0.9
fedora-27-test-login /nix/store/vp40my263k32f07788srrlg159rycsna-binutils-2.30
fedora-27-test-login /nix/store/xadwbjcnmcd2lppskfj009w0wsvynd-bash-interactive-4.4-p23-dev
fedora-27-test-login /nix/store/xyblv36sr9yix9alxr2svr2m09nix-pcre-8.42
fedora-27-test-login /nix/store/xzz2anv77hx8jziz4hbfiy0wkvw006d-bash-interactive-4.4-p23
fedora-27-test-login /nix/store/y8p4rlr2w9p9swy215h517i57kcv5z3-findutils-4.6.0
fedora-27-test-login /nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4
fedora-27-test-login copying path '/nix/store/ksvmi3fjv6j7qkswpn6qrvjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/lxj4yzas56kgzs064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/5mldi7y5albcd4i712lqch0qz2rhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/hx54gg9n64gl9gwggfdvdm42r2b51kv-glibc-2.27' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/jicmavp929lxd0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/6v88i6k1cxnns91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/a8slaxaq3p8rixqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/qw8f8g0d1l74wsj3355lhlyjw2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/rhzcwaz7xk6dq9z2h9yca0z7w08mwg7c-coreutils-8.29' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/fai1750p2q3gc71sqp1psq2r138hsz01-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/1141f22hsyf0q3a25c45490m9p800-diffutils-3.6' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/92gpnymmm60dsx9f07vnr89z6z889l-ed-1.14.2' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/mdpwyfa0v4i9ravwr9g0cw5i8firncs-expand-response-params' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/y8p4rlr2w9p9swy215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/jz7lmmjbyaqpc6fvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/6nqk63zyp217ng87g6r1z2l89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/ach9e29x8lq89kpidi73ss4fjs0vzy3q7-glibc-2.27-bin' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/09ij2aakz8mhrk4wbkghp6k6f8z1cr-gnumake-4.2.1' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/i4n918fnq0wgyriany523pfbcd47f4z7ybhsk-gnutar-1.30' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/dk98cmwylpcxv290m6dq4r74zybhsk-gnutar-1.30' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4djnp0kvd-gzip-1.9' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/j2c1xfb2rl9daldfwcp8ywgj5x9ygmz-ncurses-6.1' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/i7vcsw4p6n51b72al2ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg661v-patchelf-0.9' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/9xm9n09n0292r9n1v0bvxqwjnf60z-paxctl-0.9' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/xd7y1b136sr9yix9alxr2svr2m09nix-pcre-8.42' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/3bn0819v7aghg0wkl17f43zrlq9yjb4-readline-7.0p5' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/98c80y9rpl1qwcx8q1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/ykz66mkm9vqv5bn6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/qqa70q7m5332dr4gab8z0p004ajyg6flh-nix-info' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/vp40my263k32f07788srrlg159rycsna-binutils-2.30' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/5l4qkya7nyf9n9yrcrk7c6mdinph8br-gcc-7.3.0' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/qcvcvnrlyr4dm78fnf6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/9z650yzzc5z5yhc5n36ya64j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/xzz2anv77hx8jziz4hbfiy0wkvw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/fjxk3k59n102sq572kkspdjy303k45-stdev-linux' from 'https://cache.nixos.org/...'
fedora-27-test-login copying path '/nix/store/xadwbjcnmcd2lppskfj009w0wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org/...'
fedora-27-test-login - system: "x86_64-linux"
fedora-27-test-login - host os: "Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)"
fedora-27-test-login - multi-user?: "no"
fedora-27-test-login - sandbox: "no"
fedora-27-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
fedora-27-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
fedora-27-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
fedora-27-test-login Finishing: testnixinfo, duration:24 result:0
fedora-27-test-login Starting: testshell
fedora-27-test-login ./testscript::runtest:39 testshell
fedora-27-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-27-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-27-test-login /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
fedora-27-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org/...'
fedora-27-test-login Hello, world!
fedora-27-test-login Finishing: testshell, duration:2 result:0
fedora-27-test-login Starting: testnixenv
fedora-27-test-login ./testscript::runtest:39 testnixenv
fedora-27-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-27-test-login installing 'hello-2.10'
fedora-27-test-login building '/nix/store/94bdc86i12zlpvzi9p9mbw74igl4q97c-user-environment.drv'...
fedora-27-test-login created 38 symlinks in user environment
fedora-27-test-login ./testscript::testnixenv:17 hello
fedora-27-test-login Hello, world!
fedora-27-test-login ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
fedora-27-test-login uninstalling 'hello-2.10'
fedora-27-test-login building '/nix/store/bj717qczsb26ad53m0a4nz66vj5vj-user-environment.drv'...
fedora-27-test-login created 6 symlinks in user environment
fedora-27-test-login Finishing: testnixenv, duration:1 result:0
fedora-27-test-login Starting: testnixchannel
fedora-27-test-login ./testscript::runtest:39 testnixchannel
fedora-27-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login ./testscript::testnixchannel:23 nix-channel --update
fedora-27-test-login unpacking channels
fedora-27-test-login created 5 symlinks in user environment
fedora-27-test-login ./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
fedora-27-test-login installing 'hello-2.10'
fedora-27-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-27-test-login /nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10
fedora-27-test-login copying path '/nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org/...'
fedora-27-test-login building '/nix/store/q264qcanqjrmh8h176cz953awr2miy7-user-environment.drv'...
fedora-27-test-login created 38 symlinks in user environment
fedora-27-test-login ./testscript::testnixchannel:25 hello
fedora-27-test-login Hello, world!
fedora-27-test-login ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*'
fedora-27-test-login uninstalling 'hello-2.10'
fedora-27-test-login Finishing: testnixchannel, duration:9 result:0
fedora-27-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-login-interactive bash: no job control in this shell
fedora-27-test-login-interactive Starting: testnixinfo
fedora-27-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-27-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-login-interactive - system: "x86_64-linux"
fedora-27-test-login-interactive - host os: "Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)"
fedora-27-test-login-interactive - multi-user?: "no"
fedora-27-test-login-interactive - sandbox: "no"
fedora-27-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
fedora-27-test-login-interactive - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
fedora-27-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
fedora-27-test-login-interactive Finishing: testnixinfo, duration:5 result:0
fedora-27-test-login-interactive Starting: testshell
fedora-27-test-login-interactive ./testscript::runtest:10 testshell
fedora-27-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
```

```

fedora-27-test-login-interactive      Hello, world!
fedora-27-test-login-interactive      Finishing: testshell, duration:1 result:0
fedora-27-test-login-interactive      Starting: testnixenv
fedora-27-test-login-interactive      ./testscript::runtest:10 testnixenv
fedora-27-test-login-interactive      ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
fedora-27-test-login-interactive      installing 'hello-2.10'
fedora-27-test-login-interactive      ./testscript::testnixenv::0 hello
fedora-27-test-login-interactive      Hello, world!
fedora-27-test-login-interactive      ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
fedora-27-test-login-interactive      uninstalling 'hello-2.10'
fedora-27-test-login-interactive      Finishing: testnixenv, duration:0 result:0
fedora-27-test-login-interactive      Starting: testnixchannel
fedora-27-test-login-interactive      ./testscript::runtest:10 testnixchannel
fedora-27-test-login-interactive      ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login-interactive      ./testscript::testnixchannel::0 nix-channel --update
fedora-27-test-login-interactive      unpacking channels...
fedora-27-test-login-interactive      ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
fedora-27-test-login-interactive      installing 'hello-2.10'
fedora-27-test-login-interactive      ./testscript::testnixchannel::0 hello
fedora-27-test-login-interactive      Hello, world!
fedora-27-test-login-interactive      ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
fedora-27-test-login-interactive      uninstalling 'hello-2.10'
fedora-27-test-login-interactive      Finishing: testnixchannel, duration:2 result:0
fedora-27-test-interactive             bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-interactive             bash: no job control in this shell
fedora-27-test-interactive             Starting: testnixinfo
fedora-27-test-interactive             ./testscript::runtest:10 testnixinfo
fedora-27-test-interactive             ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-interactive             bash: nix-shell: command not found
fedora-27-test-interactive             Finishing: testnixinfo, duration:0 result:127
fedora-27-test-interactive             Starting: testshell
fedora-27-test-interactive             ./testscript::runtest:10 testshell
fedora-27-test-interactive             ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-27-test-interactive             bash: nix-shell: command not found
fedora-27-test-interactive             Finishing: testshell, duration:0 result:127
fedora-27-test-interactive             Starting: testnixenv
fedora-27-test-interactive             ./testscript::runtest:10 testnixenv
fedora-27-test-interactive             ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-27-test-interactive             bash: nix-env: command not found
fedora-27-test-interactive             Finishing: testnixenv, duration:0 result:127
fedora-27-test-interactive             Starting: testnixchannel
fedora-27-test-interactive             ./testscript::runtest:10 testnixchannel
fedora-27-test-interactive             ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-interactive             bash: nix-channel: command not found
fedora-27-test-interactive             Finishing: testnixchannel, duration:0 result:127
fedora-27-test-ssh                     Starting: testnixinfo
fedora-27-test-ssh                     ./testscript::runtest:39 testnixinfo
fedora-27-test-ssh                     ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-ssh                     ./testscript: line 8: nix-shell: command not found
fedora-27-test-ssh                     Finishing: testnixinfo, duration:0 result:127
fedora-27-test-ssh                     Starting: testshell
fedora-27-test-ssh                     ./testscript::runtest:39 testshell
fedora-27-test-ssh                     ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-27-test-ssh                     ./testscript: line 12: nix-shell: command not found
fedora-27-test-ssh                     Finishing: testshell, duration:0 result:127
fedora-27-test-ssh                     Starting: testnixenv
fedora-27-test-ssh                     ./testscript::runtest:39 testnixenv
fedora-27-test-ssh                     ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-27-test-ssh                     ./testscript: line 16: nix-env: command not found
fedora-27-test-ssh                     Finishing: testnixenv, duration:0 result:127
fedora-27-test-ssh                     Starting: testnixchannel
fedora-27-test-ssh                     ./testscript::runtest:39 testnixchannel
fedora-27-test-ssh                     ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-ssh                     ./testscript: line 22: nix-channel: command not found
fedora-27-test-ssh                     Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-fedora-27-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-fedora-27-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora27"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-fedora-28-image-name

fedora-28

[top of data](#)

install-default-fedora-28-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora28"
  config.vm.provision "shell", inline: <<-SHELL
yum -y install curl bzip2

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-fedora-28-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/fedora28'...

███[KProgress: 10%
███[KProgress: 20%
███[KProgress: 30%
███[KProgress: 40%
███[KProgress: 90%
███[K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmp93izr4KoHR_default_1535676550575_34442
==> default: Fixed port collision for 22 => 2222. Now on port 2200.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2200 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2200
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Fedora 28 - x86_64 - Updates                3.2 MB/s | 23 MB    00:07
  default: Last metadata expiration check: 0:00:12 ago on Thu 30 Aug 2018 05:49:44 PM PDT.
  default: Package curl-7.59.0-6.fc28.x86_64 is already installed, skipping.
  default: Dependencies resolved.
  default:
  default: Package      Arch      Version      Repository      Size
  default: -----
  default: Installing:
  default: bzip2        x86_64    1.0.6-26.fc28  fedora          59 k
  default:
  default: Transaction Summary
  default: -----
  default: Install 1 Package
  default: Total download size: 59 k
  default: Installed size: 88 k
  default: Downloading Packages:
  default: bzip2-1.0.6-26.fc28.x86_64.rpm                137 kB/s | 59 kB    00:00
  default: -----
  default: Total                                           61 kB/s | 59 kB    00:00
  default: Running transaction check
  default: Transaction check succeeded.
  default: Running transaction test
  default: Transaction test succeeded.
  default: Running transaction
  default:   Preparing                :                               1/1
  default:
  default:   Installing              : bzip2-1.0.6-26.fc28.x86_64      1/1
  default:
  default:   Running scriptlet: bzip2-1.0.6-26.fc28.x86_64            1/1
  default:
  default:   Verifying               : bzip2-1.0.6-26.fc28.x86_64      1/1
  default:
  default:
  default: Installed:
  default:  bzip2.x86_64 1.0.6-26.fc28
  default: Complete!
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"
}
```

```

(
  runtest testnixinfo
  runtest testshell
  runtest testnixenv
  runtest testnixchannel
)
tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
fedora-28-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
fedora-28-install + sh
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6741 0 0 0 0 0 0 0 0 0 0 0 6741
fedora-28-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux'.
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 35.5M 1 672k 0 0 602k 0 0:01:00 0:00:01 0:00:59 602k
5 35.5M 5 1936k 0 0 918k 0 0:00:39 0:00:02 0:00:37 918k
9 35.5M 9 3376k 0 0 1089k 0 0:00:33 0:00:03 0:00:30 1089k
13 35.5M 13 5056k 0 0 1234k 0 0:00:29 0:00:04 0:00:25 1234k
18 35.5M 18 6896k 0 0 1356k 0 0:00:26 0:00:05 0:00:21 1380k
24 35.5M 24 8960k 0 0 1473k 0 0:00:24 0:00:06 0:00:18 1668k
30 35.5M 30 10.9M 0 0 1572k 0 0:00:23 0:00:07 0:00:16 1847k
36 35.5M 36 12.9M 0 0 1639k 0 0:00:22 0:00:08 0:00:14 1980k
42 35.5M 42 15.0M 0 0 1693k 0 0:00:21 0:00:09 0:00:12 2067k
48 35.5M 48 17.1M 0 0 1735k 0 0:00:20 0:00:10 0:00:10 2120k
53 35.5M 53 19.1M 0 0 1769k 0 0:00:20 0:00:11 0:00:09 2129k
59 35.5M 59 21.2M 0 0 1798k 0 0:00:20 0:00:12 0:00:08 2122k
65 35.5M 65 23.2M 0 0 1822k 0 0:00:19 0:00:13 0:00:06 2119k
71 35.5M 71 25.3M 0 0 1843k 0 0:00:19 0:00:14 0:00:05 2119k
77 35.5M 77 27.4M 0 0 1860k 0 0:00:19 0:00:15 0:00:04 2111k
82 35.5M 82 29.4M 0 0 1876k 0 0:00:19 0:00:16 0:00:03 2114k
88 35.5M 88 31.5M 0 0 1891k 0 0:00:19 0:00:17 0:00:02 2114k
94 35.5M 94 33.6M 0 0 1904k 0 0:00:19 0:00:18 0:00:01 2117k
100 35.5M 100 35.5M 0 0 1915k 0 0:00:19 0:00:19 0:00:00 2119k
fedora-28-install [1;31mSwitching to the Daemon-based Installer[0m
fedora-28-install [38;32mWelcome to the Multi-User Nix Installation
fedora-28-install [0m
fedora-28-install This installation tool will set up your computer with the Nix package
fedora-28-install manager. This will happen in a few stages:
fedora-28-install
fedora-28-install 1. Make sure your computer doesn't already have Nix. If it does, I
fedora-28-install will show you instructions on how to clean up your old one.
fedora-28-install
fedora-28-install 2. Show you what we are going to install and where. Then we will ask
fedora-28-install if you are ready to continue.
fedora-28-install
fedora-28-install 3. Create the system users and groups that the Nix daemon uses to run
fedora-28-install builds.
fedora-28-install
fedora-28-install 4. Perform the basic installation of the Nix files daemon.
fedora-28-install
fedora-28-install 5. Configure your shell to import special Nix Profile files, so you
fedora-28-install can use Nix.
fedora-28-install
fedora-28-install 6. Start the Nix daemon.
fedora-28-install
fedora-28-install [38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
fedora-28-install [0m[0mNo TTY, assuming you would say yes :)
fedora-28-install
fedora-28-install We will:
fedora-28-install
fedora-28-install - make sure your computer doesn't already have Nix files
fedora-28-install (if it does, I will tell you how to clean them up.)
fedora-28-install - create local users (see the list above for the users we'll make)
fedora-28-install - create a local group (nixbld)
fedora-28-install - install Nix in to /nix
fedora-28-install - create a configuration file in /etc/nix
fedora-28-install - set up the "default profile" by creating some Nix-related files in
fedora-28-install /root
fedora-28-install - back up /etc/bashrc to /etc/bashrc.backup-before-nix
fedora-28-install - update /etc/bashrc to include some Nix configuration
fedora-28-install - load and start a service (at /etc/systemd/system/nix-daemon.service
fedora-28-install and /etc/systemd/system/nix-daemon.socket) for nix-daemon
fedora-28-install
fedora-28-install [38;32m[38;4;32mReady to continue?
fedora-28-install [0m[0mNo TTY, assuming you would say yes :)
fedora-28-install
fedora-28-install [38;34m---- let's talk about sudo -----
fedora-28-install [0mThis script is going to call sudo a lot. Normally, it would show you
fedora-28-install exactly what commands it is running and why. However, the script is
fedora-28-install run in a headless fashion, like this:
fedora-28-install
fedora-28-install $ curl https://nixos.org/nix/install | sh
fedora-28-install
fedora-28-install or maybe in a CI pipeline. Because of that, we're going to skip the
fedora-28-install verbose output in the interest of brevity.
fedora-28-install
fedora-28-install If you would like to
fedora-28-install see the output, try like this:
fedora-28-install
fedora-28-install $ curl -o install-nix https://nixos.org/nix/install
fedora-28-install $ sh ./install-nix
fedora-28-install
fedora-28-install [38;34m---- Nix config report -----
fedora-28-install [0m[38;1m Temp Dir[0m: /tmp/tmp.6X57rdbwC7
fedora-28-install [38;1m Nix Root[0m: /nix
fedora-28-install [38;1m Build Users[0m: 32
fedora-28-install [38;1m Build Group ID[0m: 30000
fedora-28-install [38;1mBuild Group Name[0m: nixbld
fedora-28-install
fedora-28-install [38;4;34mbuild users:
fedora-28-install [0m[38;1m Username[0m: UID
fedora-28-install [38;1m nixbld1[0m: 30001
fedora-28-install [38;1m nixbld2[0m: 30002
fedora-28-install [38;1m nixbld3[0m: 30003
fedora-28-install [38;1m nixbld4[0m: 30004
fedora-28-install [38;1m nixbld5[0m: 30005
fedora-28-install [38;1m nixbld6[0m: 30006
fedora-28-install [38;1m nixbld7[0m: 30007
fedora-28-install [38;1m nixbld8[0m: 30008
fedora-28-install [38;1m nixbld9[0m: 30009
fedora-28-install [38;1m nixbld10[0m: 30010
fedora-28-install [38;1m nixbld11[0m: 30011
fedora-28-install [38;1m nixbld12[0m: 30012
fedora-28-install [38;1m nixbld13[0m: 30013
fedora-28-install [38;1m nixbld14[0m: 30014
fedora-28-install [38;1m nixbld15[0m: 30015
fedora-28-install [38;1m nixbld16[0m: 30016
fedora-28-install [38;1m nixbld17[0m: 30017

```



```
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld25
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 25
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld26
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 26
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld27
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 27
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld28
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 28
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld29
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 29
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld30
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 30
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld31
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 31
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install
fedora-28-install [38;32m--> Setting up the build user nixbld32
fedora-28-install [0m[38;1m Created[0m: Yes
fedora-28-install [38;1m Hidden[0m: Yes
fedora-28-install [38;1m Home Directory[0m: /var/empty
fedora-28-install usermod: no changes
fedora-28-install [38;1m Note[0m: Nix build user 32
fedora-28-install [38;1m Logins Disabled[0m: Yes
fedora-28-install [38;1m Member of nixbld[0m: Yes
fedora-28-install [38;1m PrimaryGroupID[0m: 30000
fedora-28-install mkdir: created directory '/nix/'
fedora-28-install mkdir: created directory '/nix/var/'
fedora-28-install mkdir: created directory '/nix/var/log/'
fedora-28-install mkdir: created directory '/nix/var/log/nix/'
fedora-28-install mkdir: created directory '/nix/var/log/nix/drvs/'
fedora-28-install mkdir: created directory '/nix/var/nix/'
fedora-28-install mkdir: created directory '/nix/var/nix/db/'
fedora-28-install mkdir: created directory '/nix/var/nix/gcroots/'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles/'
fedora-28-install mkdir: created directory '/nix/var/nix/temproots/'
fedora-28-install mkdir: created directory '/nix/var/nix/userpool/'
fedora-28-install mkdir: created directory '/nix/var/nix/gcroots/per-user/'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles/per-user/'
fedora-28-install mkdir: created directory '/nix/store/'
fedora-28-install mkdir: created directory '/nix/var/nix/profiles/per-user/root/'
fedora-28-install mkdir: created directory '/root/.nix-defexpr/'
fedora-28-install mkdir: created directory '/etc/nix/'
fedora-28-install Alright! We have our first nix at /nix/store/ngjwnr8scnmfpqymgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
fedora-28-install Just finished getting the nix database ready.
fedora-28-install
fedora-28-install # Nix
fedora-28-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-28-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-28-install fi
fedora-28-install # End Nix
fedora-28-install
fedora-28-install # Nix
fedora-28-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-28-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-28-install fi
fedora-28-install # End Nix
fedora-28-install
fedora-28-install installing 'nix-2.1pre6385_d16ff76c'
fedora-28-install building '/nix/store/hazjcds9g96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-28-install created 6 symlinks in user environment
fedora-28-install installing 'nss-cacert-3.38'
fedora-28-install building '/nix/store/xsv6s00z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
fedora-28-install created 9 symlinks in user environment
fedora-28-install unpacking channels...
fedora-28-install created 2 symlinks in user environment
fedora-28-install Failed to link unit: Access denied
fedora-28-install
fedora-28-install [38;34m---- oh no! -----
fedora-28-install [0m[38;31mJeeze, something went wrong. If you can take all the output and open
fedora-28-install an issue, we'd love to fix the problem so nobody else has this issue.
fedora-28-install
fedora-28-install :(
fedora-28-install [0m
fedora-28-install
```

```

fedora-28-install [38:31mWe'd love to help if you need it.
fedora-28-install
fedora-28-install If you can, open an issue at https://github.com/nixos/nix/issues
fedora-28-install
fedora-28-install Or feel free to contact the team,
fedora-28-install - on IRC #nixos on irc.freenode.net
fedora-28-install - on twitter @nixos_org
fedora-28-install [0mfedora-28-test-login Starting: testnixinfo
fedora-28-test-login ./testscript::runtest:39 testnixinfo
fedora-28-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testnixinfo, duration:1 result:1
fedora-28-test-login Starting: testshell
fedora-28-test-login ./testscript::runtest:39 testshell
fedora-28-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testshell, duration:0 result:1
fedora-28-test-login Starting: testnixenv
fedora-28-test-login ./testscript::runtest:39 testnixenv
fedora-28-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-28-test-login installing 'hello-2.10'
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login (use '--show-trace' to show detailed location information)
fedora-28-test-login Finishing: testnixenv, duration:0 result:1
fedora-28-test-login Starting: testnixchannel
fedora-28-test-login ./testscript::runtest:39 testnixchannel
fedora-28-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-login ./testscript::testnixchannel:23 nix-channel --update
fedora-28-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login Finishing: testnixchannel, duration:2 result:1
fedora-28-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-28-test-login-interactive bash: no job control in this shell
fedora-28-test-login-interactive Starting: testnixinfo
fedora-28-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-28-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testnixinfo, duration:0 result:1
fedora-28-test-login-interactive Starting: testshell
fedora-28-test-login-interactive ./testscript::runtest:10 testshell
fedora-28-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testshell, duration:0 result:1
fedora-28-test-login-interactive Starting: testnixenv
fedora-28-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-28-test-login-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-28-test-login-interactive installing 'hello-2.10'
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-login-interactive Finishing: testnixenv, duration:0 result:1
fedora-28-test-login-interactive Starting: testnixchannel
fedora-28-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-28-test-login-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-login-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-28-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-login-interactive Finishing: testnixchannel, duration:1 result:1
fedora-28-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-28-test-interactive bash: no job control in this shell
fedora-28-test-interactive Starting: testnixinfo
fedora-28-test-interactive ./testscript::runtest:10 testnixinfo
fedora-28-test-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testnixinfo, duration:0 result:1
fedora-28-test-interactive Starting: testshell
fedora-28-test-interactive ./testscript::runtest:10 testshell
fedora-28-test-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testshell, duration:0 result:1
fedora-28-test-interactive Starting: testnixenv
fedora-28-test-interactive ./testscript::runtest:10 testnixenv
fedora-28-test-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-28-test-interactive installing 'hello-2.10'
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive (use '--show-trace' to show detailed location information)
fedora-28-test-interactive Finishing: testnixenv, duration:0 result:1
fedora-28-test-interactive Starting: testnixchannel
fedora-28-test-interactive ./testscript::runtest:10 testnixchannel
fedora-28-test-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-28-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-interactive Finishing: testnixchannel, duration:1 result:1
fedora-28-test-ssh Starting: testnixinfo
fedora-28-test-ssh ./testscript::runtest:39 testnixinfo
fedora-28-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testnixinfo, duration:0 result:1
fedora-28-test-ssh Starting: testshell
fedora-28-test-ssh ./testscript::runtest:39 testshell
fedora-28-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testshell, duration:0 result:1
fedora-28-test-ssh Starting: testnixenv
fedora-28-test-ssh ./testscript::runtest:39 testnixenv
fedora-28-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-28-test-ssh installing 'hello-2.10'
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh (use '--show-trace' to show detailed location information)
fedora-28-test-ssh Finishing: testnixenv, duration:0 result:1
fedora-28-test-ssh Starting: testnixchannel
fedora-28-test-ssh ./testscript::runtest:39 testnixchannel
fedora-28-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-ssh ./testscript::testnixchannel:23 nix-channel --update
fedora-28-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-28-test-ssh Finishing: testnixchannel, duration:1 result:1

```

[top of data](#)

install-default-fedora-28-install-method

install-default

[top of data](#)

install-default-unless-selinux-ubuntu-12-04-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'ubuntu/precise64'...

[KProgress: 90%


```
ubuntu-12-04-test-login Starting: testnixinfo
ubuntu-12-04-test-login ./testscript::runtest::39 testnixinfo
ubuntu-12-04-test-login /testsript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-12-04-test-login these paths will be fetched (69.04 MiB download, 417.33 MiB unpacked):
ubuntu-12-04-test-login /nix/store/091j2aakz8mhrk4k4wghpk6k8fzclr-gnumake-4.2.3
ubuntu-12-04-test-login /nix/store/1141f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6
ubuntu-12-04-test-login /nix/store/3bn0819v7agh0w1l7f43zr1q9y9jb4-readline-7.0p5
ubuntu-12-04-test-login /nix/store/514qhkyay7nyfbv9yrcr7cbmdinph8br-gcc-7.3.0
ubuntu-12-04-test-login /nix/store/5ml2i7y5albcd4i7121qch0g9zfhdz0-bash-interactive-4.4-p23-man
ubuntu-12-04-test-login /nix/store/6nqk63zyp2l77ng87x6r1z189rldx1l-gcc-7.3.0-lib
ubuntu-12-04-test-login /nix/store/6v88ick1cxn599l8mqrrqw0lrl27x-bash-4.4-p23
ubuntu-12-04-test-login /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxk-fzlib-1.2.11
ubuntu-12-04-test-login /nix/store/92gpnym60dsx9f07jvn89z6zx88g-ed-1.14.2
ubuntu-12-04-test-login /nix/store/98c80y9rp1qlwxc8g1f4m4qsv494ajy8g-gnugrep-3.1
ubuntu-12-04-test-login /nix/store/9xm9n09n29r9nlvbbxwqwjnf60z-paxctl-0.9
ubuntu-12-04-test-login /nix/store/9z650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
ubuntu-12-04-test-login /nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52
ubuntu-12-04-test-login /nix/store/ach9z9x8l9g89kpid73ss4fjsozvzyg3g7-glibc-2.27-bin
ubuntu-12-04-test-login /nix/store/agh9v0g5q8f5xhda24fxw2x2vbx4js-gnused-4.5
ubuntu-12-04-test-login /nix/store/dkh9cmxw1pcxv290md6d4r74y4pbhsk-gnutar-1.30
ubuntu-12-04-test-login /nix/store/fai750p2a3gc7isqplipsq2rl38hsz8l-bzip2-1.0.6.0.1-bin
ubuntu-12-04-test-login /nix/store/fjk3k59n102sq572kspdjy303kv45-stdevn-linux
ubuntu-12-04-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4ydp0vdd-gzip-1.9
ubuntu-12-04-test-login /nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27
ubuntu-12-04-test-login /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev
ubuntu-12-04-test-login /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
ubuntu-12-04-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15
ubuntu-12-04-test-login /nix/store/j2clxfb2r19daldfwcp8ywjx9y9xgzm-ncurses-6.1
ubuntu-12-04-test-login /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47
ubuntu-12-04-test-login /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
ubuntu-12-04-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrygm2si336-bash-interactive-4.4-p23-doc
ubuntu-12-04-test-login /nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
ubuntu-12-04-test-login /nix/store/mdpwyfa0v419rawrdg0cqw5i8firncs-expand-response-params
ubuntu-12-04-test-login /nix/store/mzx4y6amjn7i638c6692qslazyzx619-xz-5.2.4-bin
ubuntu-12-04-test-login /nix/store/qcgvnr1ryrd4xm78fh6vszysafndflp-binutils-wrapper-2.30
ubuntu-12-04-test-login /nix/store/qga70q7m5332d4gab8z004ajyg6flh-nix-info
ubuntu-12-04-test-login /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
ubuntu-12-04-test-login /nix/store/sc4w9y5a3nszmmcy3yhmhx6wysg66iw-patchelf-0.9
ubuntu-12-04-test-login /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
ubuntu-12-04-test-login /nix/store/xadwdjcnmdc2l1pskfj08g0w8svynd-bash-interactive-4.4-p23-dev
ubuntu-12-04-test-login /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
ubuntu-12-04-test-login /nix/store/xzz2anv77hx8jiz24hb7y0wkw006d-bash-interactive-4.4-p23
ubuntu-12-04-test-login /nix/store/y8p4rl2w9p9swny2l5h517i57kvc5z3-findutils-4.6.0
ubuntu-12-04-test-login /nix/store/ykz66mkhm9vqv5bn6i972lnadr2ym-xz-5.2.4
ubuntu-12-04-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/lxj4yza556kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/5ml2i7y5albcd4i7121qch0g9zfhdz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/jicmavp929lX0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/6v88ick1cxn599l8mqrrqw0lrl27x-bash-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/a8slaxaq3p8rxiqpbaaskvghyb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/qw8f8g0d1l714w5335lhyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/fai750p2a3gc7isqplipsq2rl38hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/1141f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/92gpnym60dsx9f07jvn89z6zx88g-ed-1.14.2' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/mdpwyfa0v419rawrdg0cqw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/y8p4rl2w9p9swny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/6nqk63zyp2l77ng87x6r1z189rldx1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/ach9z9x8l9g89kpid73ss4fjsozvzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/091j2aakz8mhrk4k4wghpk6k8fzclr-gnumake-4.2.3' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/agh9v0g5q8f5xhda24fxw2x2vbx4js-gnused-4.5' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/dkh9cmxw1pcxv290md6d4r74y4pbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/j2clxfb2r19daldfwcp8ywjx9y9xgzm-ncurses-6.1' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/sc4w9y5a3nszmmcy3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/9xm9n09n29r9nlvbbxwqwjnf60z-paxctl-0.9' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/3bn0819v7agh0w1l7f43zr1q9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/98c80y9rp1qlwxc8g1f4m4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/ykz66mkhm9vqv5bn6i972lnadr2ym-xz-5.2.4' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/qga70q7m5332d4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/mzx4y6amjn7i638c6692qslazyzx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxk-fzlib-1.2.11' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/514qhkyay7nyfbv9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/qcgvnr1ryrd4xm78fh6vszysafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/9z650yzzcx5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/xzz2anv77hx8jiz24hb7y0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/fjk3k59n102sq572kspdjy303kv45-stdevn-linux' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login copying path /nix/store/xadwdjcnmdc2l1pskfj08g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login - system: "x86_64-linux"
ubuntu-12-04-test-login - host os: "Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin"
ubuntu-12-04-test-login - multi-user?: 'no'
ubuntu-12-04-test-login - sandbox: 'no'
ubuntu-12-04-test-login - version: 'nix-env (Nix) 2.1pre6385 d16ff76c'
ubuntu-12-04-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-12-04-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
ubuntu-12-04-test-login Finishing: testnixinfo, duration:28 result:0
ubuntu-12-04-test-login Starting: testshell
ubuntu-12-04-test-login ./testscript::runtest::39 testshell
ubuntu-12-04-test-login /testsript::testshell:12 nix-shell -p hello --run hello
ubuntu-12-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-12-04-test-login /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
ubuntu-12-04-test-login copying path /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login Hello, world!
ubuntu-12-04-test-login Finishing: testshell, duration:1 result:0
ubuntu-12-04-test-login Starting: testnixenv
ubuntu-12-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-12-04-test-login /testsript::testnixenv:16 nix-env -iA nixpkgs.hello
ubuntu-12-04-test-login installing 'hello-2.10'
ubuntu-12-04-test-login building '/nix/store/94bdc86i12z1pvzi9p9mhw74igl4q97c-user-environment.drv'...
ubuntu-12-04-test-login created 38 symlinks in user environment
ubuntu-12-04-test-login ./testscript::testnixenv:17 hello
ubuntu-12-04-test-login Hello, world!
ubuntu-12-04-test-login ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
ubuntu-12-04-test-login uninstalling 'hello-2.10'
ubuntu-12-04-test-login building '/nix/store/bj717q7czsb26adc53mv0a4z66vj5vj-user-environment.drv'...
ubuntu-12-04-test-login created 6 symlinks in user environment
ubuntu-12-04-test-login Finishing: testnixenv, duration:0 result:0
ubuntu-12-04-test-login Starting: testnixchannel
ubuntu-12-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-12-04-test-login /testsript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-12-04-test-login ./testscript::testnixchannel:23 nix-channel --update
ubuntu-12-04-test-login unpacking channels...
ubuntu-12-04-test-login created 5 symlinks in user environment
ubuntu-12-04-test-login ./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
ubuntu-12-04-test-login installing 'hello-2.10'
ubuntu-12-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-12-04-test-login /nix/store/nic2bl8ry6fyxr9717983d5b24snlc-hello-2.10
ubuntu-12-04-test-login copying path /nix/store/nic2bl8ry6fyxr9717983d5b24snlc-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-12-04-test-login building '/nix/store/q264qcanjmmh8h176cz953awr2mly7-user-environment.drv'...
ubuntu-12-04-test-login created 38 symlinks in user environment
ubuntu-12-04-test-login ./testscript::testnixchannel:25 hello
```

```

ubuntu-12-04-test-login      Hello, world!
ubuntu-12-04-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-12-04-test-login      uninstalling 'hello-2.10'
ubuntu-12-04-test-login      Finishing: testnixchannel, duration:8 result:0
ubuntu-12-04-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
ubuntu-12-04-test-login-interactive bash: no job control in this shell
ubuntu-12-04-test-login-interactive Starting: testnixinfo
ubuntu-12-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-12-04-test-login-interactive ./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-12-04-test-login-interactive - system: "x86_64-linux"
ubuntu-12-04-test-login-interactive - host os: "Linux 3.2.0-126-virtual, Ubuntu, 12.04.5 LTS, Precise Pangolin"
ubuntu-12-04-test-login-interactive - multi-user?: "no"
ubuntu-12-04-test-login-interactive - sandbox: "no"
ubuntu-12-04-test-login-interactive - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-12-04-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
ubuntu-12-04-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
ubuntu-12-04-test-login-interactive Finishing: testnixinfo, duration:3 result:0
ubuntu-12-04-test-login-interactive Starting: testshell
ubuntu-12-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-12-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-12-04-test-login-interactive Hello, world!
ubuntu-12-04-test-login-interactive Finishing: testshell, duration:1 result:0
ubuntu-12-04-test-login-interactive Starting: testnixenv
ubuntu-12-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-12-04-test-login-interactive ./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
ubuntu-12-04-test-login-interactive installing 'hello-2.10'
ubuntu-12-04-test-login-interactive ./testscript::testnixenv::5 hello
ubuntu-12-04-test-login-interactive Hello, world!
ubuntu-12-04-test-login-interactive ./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
ubuntu-12-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-12-04-test-login-interactive Finishing: testnixenv, duration:0 result:0
ubuntu-12-04-test-login-interactive Starting: testnixchannel
ubuntu-12-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-12-04-test-login-interactive ./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-12-04-test-login-interactive ./testscript::testnixchannel::11 nix-channel --update
ubuntu-12-04-test-login-interactive unpacking channels...
ubuntu-12-04-test-login-interactive ./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
ubuntu-12-04-test-login-interactive installing 'hello-2.10'
ubuntu-12-04-test-login-interactive ./testscript::testnixchannel::13 hello
ubuntu-12-04-test-login-interactive Hello, world!
ubuntu-12-04-test-login-interactive ./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
ubuntu-12-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-12-04-test-login-interactive Finishing: testnixchannel, duration:1 result:0
ubuntu-12-04-test-interactive bash: cannot set terminal process group (-1): Invalid argument
ubuntu-12-04-test-interactive bash: no job control in this shell
ubuntu-12-04-test-interactive Starting: testnixinfo
ubuntu-12-04-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-12-04-test-interactive ./testscript::testnixinfo::3 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
ubuntu-12-04-test-interactive nix-shell: command not found
ubuntu-12-04-test-interactive Finishing: testnixinfo, duration:0 result:1
ubuntu-12-04-test-interactive Starting: testshell
ubuntu-12-04-test-interactive ./testscript::runtest::10 testshell
ubuntu-12-04-test-interactive ./testscript::testshell::7 nix-shell -p hello --run hello
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-shell
ubuntu-12-04-test-interactive nix-shell: command not found
ubuntu-12-04-test-interactive Finishing: testshell, duration:0 result:1
ubuntu-12-04-test-interactive Starting: testnixenv
ubuntu-12-04-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-12-04-test-interactive ./testscript::testnixenv::11 nix-env -iA nixpkgs.hello
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-env
ubuntu-12-04-test-interactive nix-env: command not found
ubuntu-12-04-test-interactive Finishing: testnixenv, duration:0 result:1
ubuntu-12-04-test-interactive Starting: testnixchannel
ubuntu-12-04-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-12-04-test-interactive ./testscript::testnixchannel::17 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-12-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/bin/python /usr/lib/command-not-found -- nix-channel
ubuntu-12-04-test-interactive nix-channel: command not found
ubuntu-12-04-test-interactive Finishing: testnixchannel, duration:0 result:1
ubuntu-12-04-test-ssh      Starting: testnixinfo
ubuntu-12-04-test-ssh      ./testscript::runtest::39 testnixinfo
ubuntu-12-04-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-12-04-test-ssh      ./testscript: line 8: nix-shell: command not found
ubuntu-12-04-test-ssh      Finishing: testnixinfo, duration:0 result:1
ubuntu-12-04-test-ssh      Starting: testshell
ubuntu-12-04-test-ssh      ./testscript::runtest::39 testshell
ubuntu-12-04-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-12-04-test-ssh      ./testscript: line 12: nix-shell: command not found
ubuntu-12-04-test-ssh      Finishing: testshell, duration:0 result:1
ubuntu-12-04-test-ssh      Starting: testnixenv
ubuntu-12-04-test-ssh      ./testscript::runtest::39 testnixenv
ubuntu-12-04-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-12-04-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-12-04-test-ssh      Finishing: testnixenv, duration:0 result:1
ubuntu-12-04-test-ssh      Starting: testnixchannel
ubuntu-12-04-test-ssh      ./testscript::runtest::39 testnixchannel
ubuntu-12-04-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-12-04-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-12-04-test-ssh      Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-ubuntu-12-04-image-name

ubuntu-12-04

[top of data](#)

install-default-unless-selinux-ubuntu-12-04-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-ubuntu-12-04-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/precise64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:

```

```
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-daemon-ubuntu-14-04-install-method

install-force-daemon

[top of data](#)

install-force-daemon-ubuntu-14-04-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'ubuntu/trusty64'...

```
##[KProgress: 60%
##[KProgress: 90%
##[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmp4MMKbX4vEU_default_1535664524577_77479
=> default: Clearing any previously set forwarded ports...
=> default: Fixed port collision for 22 => 2222. Now on port 2208.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2208 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2208
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
  default: The guest additions on this VM do not match the installed version of
  default: VirtualBox! In most cases this is fine, but in rare cases it can
  default: prevent things such as shared folders from working properly. If you see
  default: shared folder errors, please make sure the guest additions within the
  default: virtual machine match the version of VirtualBox you have installed on
  default: your host and reload your VM.
  default:
  default: Guest Additions Version: 4.3.36
  default: VirtualBox Version: 5.2
=> default: Running provisioner: shell...
  default: Running: inline script
  default: Get:1 http://security.ubuntu.com trusty-security InRelease [65.9 kB]
  default: Ign http://archive.ubuntu.com trusty InRelease
  default: Get:2 http://archive.ubuntu.com trusty-updates InRelease [65.9 kB]
  default: Get:3 http://security.ubuntu.com trusty-security/main Sources [161 kB]
  default: Hit http://archive.ubuntu.com trusty-backports InRelease
  default: Hit http://archive.ubuntu.com trusty Release.gpg
  default: Get:4 http://archive.ubuntu.com trusty-updates/main Sources [421 kB]
  default: Get:5 http://security.ubuntu.com trusty-security/universe Sources [79.3 kB]
  default: Get:6 http://security.ubuntu.com trusty-security/main amd64 Packages [763 kB]
  default: Get:7 http://archive.ubuntu.com trusty-updates/restricted Sources [6,322 B]
  default: Get:8 http://archive.ubuntu.com trusty-updates/universe Sources [207 kB]
  default: Get:9 http://security.ubuntu.com trusty-security/universe amd64 Packages [245 kB]
  default: Get:10 http://archive.ubuntu.com trusty-updates/multiverse Sources [7,441 B]
  default: Get:11 http://archive.ubuntu.com trusty-updates/main amd64 Packages [1,101 kB]
  default: Get:12 http://security.ubuntu.com trusty-security/main Translation-en [412 kB]
  default: Get:13 http://security.ubuntu.com trusty-security/universe Translation-en [133 kB]
  default: Get:14 http://archive.ubuntu.com trusty-updates/restricted amd64 Packages [17.2 kB]
  default: Get:15 http://archive.ubuntu.com trusty-updates/universe amd64 Packages [473 kB]
  default: Get:16 http://archive.ubuntu.com trusty-updates/multiverse amd64 Packages [14.6 kB]
  default: Get:17 http://archive.ubuntu.com trusty-updates/main Translation-en [546 kB]
  default: Get:18 http://archive.ubuntu.com trusty-updates/multiverse Translation-en [7,616 B]
  default: Get:19 http://archive.ubuntu.com trusty-updates/restricted Translation-en [4,021 B]
  default: Get:20 http://archive.ubuntu.com trusty-updates/universe Translation-en [253 kB]
  default: Get:21 http://archive.ubuntu.com trusty-backports/main Sources [9,709 B]
  default: Get:22 http://archive.ubuntu.com trusty-backports/restricted Sources [28 B]
  default: Get:23 http://archive.ubuntu.com trusty-backports/universe Sources [35.4 kB]
  default: Get:24 http://archive.ubuntu.com trusty-backports/multiverse Sources [1,896 B]
  default: Hit http://archive.ubuntu.com trusty-backports/main amd64 Packages
  default: Hit http://archive.ubuntu.com trusty-backports/restricted amd64 Packages
  default: Hit http://archive.ubuntu.com trusty-backports/universe amd64 Packages
  default: Hit http://archive.ubuntu.com trusty-backports/multiverse amd64 Packages
  default: Hit http://archive.ubuntu.com trusty-backports/main Translation-en
  default: Hit http://archive.ubuntu.com trusty-backports/multiverse Translation-en
  default: Hit http://archive.ubuntu.com trusty-backports/restricted Translation-en
  default: Hit http://archive.ubuntu.com trusty-backports/universe Translation-en
  default: Hit http://archive.ubuntu.com trusty Release
  default: Get:25 http://archive.ubuntu.com trusty/main Sources [1,064 kB]
  default: Get:26 http://archive.ubuntu.com trusty/restricted Sources [5,433 B]
  default: Get:27 http://archive.ubuntu.com trusty/universe Sources [6,399 kB]
  default: Get:28 http://archive.ubuntu.com trusty/multiverse Sources [174 kB]
  default: Hit http://archive.ubuntu.com trusty/main amd64 Packages
  default: Hit http://archive.ubuntu.com trusty/restricted amd64 Packages
  default: Hit http://archive.ubuntu.com trusty/universe amd64 Packages
  default: Hit http://archive.ubuntu.com trusty/multiverse amd64 Packages
  default: Hit http://archive.ubuntu.com trusty/main Translation-en
  default: Hit http://archive.ubuntu.com trusty/multiverse Translation-en
  default: Hit http://archive.ubuntu.com trusty/restricted Translation-en
  default: Hit http://archive.ubuntu.com trusty/universe Translation-en
  default: Ign http://archive.ubuntu.com trusty/main Translation-en_US
  default: Ign http://archive.ubuntu.com trusty/multiverse Translation-en_US
  default: Ign http://archive.ubuntu.com trusty/restricted Translation-en_US
  default: Ign http://archive.ubuntu.com trusty/universe Translation-en_US
  default: Fetched 12.7 MB in 11s (1,111 kB/s)
  default: Reading package lists...
  default: Reading package lists...
  default: Building dependency tree...
  default: Reading state information...
  default: curl is already the newest version.
  default: 0 upgraded, 0 newly installed, 0 to remove and 4 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4= "${BASH_SOURCE}::"${FUNCNAME[0]}::${LINENO}
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
```

```

)
testshell() (
nix-shell -p hello --run hello
)
testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)
testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)
runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-14-04-install + sh -s -- --daemon
ubuntu-14-04-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-14-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-14-04-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 7137 0 0 0 0 0 7141
ubuntu-14-04-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-lin
ubuntu-14-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-14-04-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 16384 0 0 37256 0 0:16:40 0:16:40 0:16:40 37236
2 35.5M 2 1056k 0 0 735k 0 0:00:49 0:00:01 0:00:48 735k
6 35.5M 6 2352k 0 0 968k 0 0:00:37 0:00:02 0:00:35 967k
10 35.5M 10 3856k 0 0 1125k 0 0:00:32 0:00:03 0:00:29 1125k
15 35.5M 15 5584k 0 0 1259k 0 0:00:28 0:00:04 0:00:24 1259k
20 35.5M 20 7472k 0 0 1378k 0 0:00:26 0:00:05 0:00:21 1496k
25 35.5M 25 9424k 0 0 1468k 0 0:00:24 0:00:06 0:00:18 1679k
31 35.5M 31 11.1M 0 0 1534k 0 0:00:23 0:00:07 0:00:16 1810k
36 35.5M 36 13.0M 0 0 1584k 0 0:00:22 0:00:08 0:00:14 1899k
41 35.5M 41 14.9M 0 0 1622k 0 0:00:22 0:00:09 0:00:13 1945k
47 35.5M 47 16.8M 0 0 1656k 0 0:00:21 0:00:10 0:00:11 1957k
52 35.5M 52 18.7M 0 0 1681k 0 0:00:21 0:00:11 0:00:10 1955k
58 35.5M 58 20.6M 0 0 1703k 0 0:00:21 0:00:12 0:00:09 1953k
63 35.5M 63 22.5M 0 0 1724k 0 0:00:21 0:00:13 0:00:08 1959k
69 35.5M 69 24.5M 0 0 1743k 0 0:00:20 0:00:14 0:00:06 1969k
74 35.5M 74 26.4M 0 0 1757k 0 0:00:20 0:00:15 0:00:05 1965k
79 35.5M 79 28.3M 0 0 1769k 0 0:00:20 0:00:16 0:00:04 1969k
85 35.5M 85 30.2M 0 0 1779k 0 0:00:20 0:00:17 0:00:03 1968k
90 35.5M 90 32.1M 0 0 1789k 0 0:00:20 0:00:18 0:00:02 1962k
95 35.5M 95 34.0M 0 0 1797k 0 0:00:20 0:00:19 0:00:01 1956k
100 35.5M 100 35.5M 0 0 1801k 0 0:00:20 0:00:20 0:00:00 1945k
\el[1;31mSwitching to the Daemon-based Installer\el[0m
ubuntu-14-04-install
ubuntu-14-04-install [38;34m---- oh no! -----
ubuntu-14-04-install [0m[38;31mSorry, I don't know what to do on Linux
ubuntu-14-04-install [0m
ubuntu-14-04-install [38;31mWe'd love to help if you need it.
ubuntu-14-04-install
If you can, open an issue at https://github.com/nixos/nix/issues
ubuntu-14-04-install
Or feel free to contact the team,
ubuntu-14-04-install - on IRC #nixos on irc.freenode.net
ubuntu-14-04-install - on twitter @nixos_org
ubuntu-14-04-install [0mubuntu-14-04-test-login Starting: testnixinfo
ubuntu-14-04-test-login ./testscript::runtest::39 testnixinfo
ubuntu-14-04-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-login ./testscript: line 8: nix-shell: command not found
ubuntu-14-04-test-login Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-login Starting: testshell
ubuntu-14-04-test-login ./testscript::runtest::39 testshell
ubuntu-14-04-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
ubuntu-14-04-test-login ./testscript: line 12: nix-shell: command not found
ubuntu-14-04-test-login Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-login Starting: testnixenv
ubuntu-14-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login ./testscript: line 16: nix-env: command not found
ubuntu-14-04-test-login Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-login Starting: testnixchannel
ubuntu-14-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login ./testscript: line 22: nix-channel: command not found
ubuntu-14-04-test-login Finishing: testnixchannel, duration:0 result:1
ubuntu-14-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-login-interactive bash: no job control in this shell
ubuntu-14-04-test-login-interactive Starting: testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::testnixinfo:-4 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-login-interactive nix-shell: command not found

```

```

ubuntu-14-04-test-login-interactive Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-login-interactive Starting: testshell
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::testshell::0 nix-shell -p hello --run hello
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-login-interactive nix-shell: command not found
ubuntu-14-04-test-login-interactive Finishing: testshell, duration:1 result:1
ubuntu-14-04-test-login-interactive Starting: testnixenv
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-14-04-test-login-interactive nix-env: command not found
ubuntu-14-04-test-login-interactive Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-login-interactive Starting: testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-login-interactive /testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-14-04-test-login-interactive nix-channel: command not found
ubuntu-14-04-test-login-interactive Finishing: testnixchannel, duration:0 result:1
ubuntu-14-04-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-interactive bash: no job control in this shell
ubuntu-14-04-test-interactive Starting: testnixinfo
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-interactive /testscript::testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-interactive nix-shell: command not found
ubuntu-14-04-test-interactive Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testshell
ubuntu-14-04-test-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-interactive /testscript::testshell::212 nix-shell -p hello --run hello
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-interactive nix-shell: command not found
ubuntu-14-04-test-interactive Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testnixenv
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-interactive /testscript::testnixenv::208 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-14-04-test-interactive nix-env: command not found
ubuntu-14-04-test-interactive Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testnixchannel
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-interactive /testscript::testnixchannel::202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-14-04-test-interactive nix-channel: command not found
ubuntu-14-04-test-interactive Finishing: testnixchannel, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testnixinfo
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixinfo
ubuntu-14-04-test-ssh /testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-ssh ./testscript: line 8: nix-shell: command not found
ubuntu-14-04-test-ssh Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testshell
ubuntu-14-04-test-ssh ./testscript::runtest::39 testshell
ubuntu-14-04-test-ssh /testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-14-04-test-ssh ./testscript: line 12: nix-shell: command not found
ubuntu-14-04-test-ssh Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testnixenv
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-ssh /testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-ssh ./testscript: line 16: nix-env: command not found
ubuntu-14-04-test-ssh Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testnixchannel
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-ssh /testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-ssh ./testscript: line 22: nix-channel: command not found
ubuntu-14-04-test-ssh Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-daemon-ubuntu-14-04-image-name

ubuntu-14-04

[top of data](#)

install-force-daemon-ubuntu-14-04-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/trusty64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-debian-7-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-debian-7-image-name

debian-7

[top of data](#)

install-force-no-daemon-debian-7-run-log

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'debian/wheezy64'...

███[KProgress: 20%

```

[KProgress: 40%
[KProgress: 60%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpNP82DJeRik_default_1535663888353_58750
=> default: Fixed port collision for 22 => 2222. Now on port 2213.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2213 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2213
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
  default: No guest additions were detected on the base box for this VM! Guest
  default: additions are required for forwarded ports, shared folders, host only
  default: networking, and more. If SSH fails on this machine, please install
  default: the guest additions and repack the box to continue.
  default:
  default: This is not an error message; everything may continue to work properly,
  default: in which case you may ignore this message.
=> default: Running provisioner: shell...
  default: Running: inline script
  default: Get:1 http://security.debian.org wheezy/updates Release.gpg [1,601 B]
  default: Get:2 http://httpredir.debian.org wheezy Release.gpg [2,373 B]
  default: Get:3 http://httpredir.debian.org wheezy Release [191 kB]
  default: Get:4 http://security.debian.org wheezy/updates Release [52.3 kB]
  default: Hit http://httpredir.debian.org wheezy/main Sources
  default: Get:5 http://security.debian.org wheezy/updates/main Sources [354 kB]
  default: Hit http://httpredir.debian.org wheezy/main amd64 Packages
  default: Get:6 http://security.debian.org wheezy/updates/main amd64 Packages [589 kB]
  default: Fetched 1,190 kB in 5s (212 kB/s)
  default: Reading package lists...
  default: Reading package lists...
  default: Building dependency tree...
  default: Reading state information...
  default: The following extra packages will be installed:
  default:   libcurl3 librtmp0 libssh2-1
  default: The following NEW packages will be installed:
  default:   curl libcurl3 librtmp0 libssh2-1
  default: 0 upgraded, 4 newly installed, 0 to remove and 78 not upgraded.
  default: Need to get 805 kB of archives.
  default: After this operation, 1,412 kB of additional disk space will be used.
  default: Get:1 http://security.debian.org/ wheezy/updates/main librtmp0 amd64 2.4+20111222.git4e06e21-1+deb7u1 [62.5 kB]
  default: Get:2 http://security.debian.org/ wheezy/updates/main libcurl3 amd64 7.26.0-1+wheezy25+deb7u1 [335 kB]
  default: Get:3 http://httpredir.debian.org/debian/ wheezy/main libssh2-1 amd64 1.4.2-1.1+deb7u2 [134 kB]
  default: Get:4 http://security.debian.org/ wheezy/updates/main curl amd64 7.26.0-1+wheezy25+deb7u1 [273 kB]
  default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
  default: Fetched 805 kB in 0s (1,873 kB/s)
  default: Selecting previously unselected package librtmp0:amd64.
  default: (Reading database ...
  default: 24988 files and directories currently installed.)
  default: Unpacking librtmp0:amd64 (from ../librtmp0_2.4+20111222.git4e06e21-1+deb7u1_amd64.deb) ...
  default: Selecting previously unselected package libssh2-1:amd64.
  default: Unpacking libssh2-1:amd64 (from ../libssh2-1_1.4.2-1.1+deb7u2_amd64.deb) ...
  default: Selecting previously unselected package libcurl3:amd64.
  default: Unpacking libcurl3:amd64 (from ../libcurl3_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
  default: Selecting previously unselected package curl.
  default: Unpacking curl (from ../curl_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
  default: Processing triggers for man-db ...
  default: Setting up librtmp0:amd64 (2.4+20111222.git4e06e21-1+deb7u1) ...
  default: Setting up libssh2-1:amd64 (1.4.2-1.1+deb7u2) ...
  default: Setting up libcurl3:amd64 (7.26.0-1+wheezy25+deb7u1) ...
  default: Setting up curl (7.26.0-1+wheezy25+deb7u1) ...
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

```



```
debian-7-test-login copying path '/nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/fai750p2q3gc7i5qplpsq2rL38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/l141f2zhsyf9qf9q3425cv4908m9p08g0-diffutils-3.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/92appymm60d5x9f07jv0826x80gl-ed-1.14.2' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/mdpwf80b4i9rawwrqd0cwq5i8fircvcs-expand-response-params' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/8p4rl2w9p9svny215H5175kvcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/jz7lnmjbyaqcpgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/6nqk63zypz177ng87x6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/ach929x81g89kpi7d3s54fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/091j2aakz8Bmh8k4wghpk6k8fzLcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/dkh9cmxy1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydn0vdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/j2clxfb2rl9da1dfwcp8ywgix9xygmz-ncurses-6.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/i7vcs4w6p51b72a12y5p3j1579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/sc4w9y5a3nszmmcy13yhmmx6wysg661w-patchelf-0.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/9xm9n09n0z92r9n1vbxxwqwjnf06zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/xd7yblv36sr9yx9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/3bn0819v7agho9x1l7f43zrl09y9j04-readline-7.0p5' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/98c80y9rpl0lwc8glfmdqsv494ajy8-gnupg-3.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/ykz666khhm9vq5bn619721nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/aga70q7m5332dr4gab28p004ajy6flh-nix-info' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/mzx4y6amj7i638c669zqs1azyzyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/zbrn44bp7mlyqvpj6h70kxnxpkwf-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/514qhky7nyfbnv9rcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/qcvnrlyrd4xm78fh6vszyafndfl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/9z659yzczx5yxh5w3n6y6a64jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/xzz2anv77hx8jziz44b4fyh0vkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/fjxk359n1025sq572kksdpjy303k45-stenv-linux' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/xadwdjcnmdc2lpskfcj00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-7-test-login - system: "x86_64-linux"
debian-7-test-login - host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
debian-7-test-login - multi-user?: 'no'
debian-7-test-login - sandbox: 'no'
debian-7-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
debian-7-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
debian-7-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
debian-7-test-login
debian-7-test-login Finishing: testnixinfo, duration:107 result:0
debian-7-test-login Starting: testshell
debian-7-test-login ./testscript::runtest::39 testshell
debian-7-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
debian-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-7-test-login /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
debian-7-test-login copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
debian-7-test-login Hello, world!
debian-7-test-login Finishing: testshell, duration:1 result:0
debian-7-test-login Starting: testnixenv
debian-7-test-login ./testscript::runtest::39 testnixenv
debian-7-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-7-test-login installing 'hello-2.10'
debian-7-test-login building '/nix/store/94bdc86112lpvzip9mhbv74igl4q97c-user-environment.drv'...
debian-7-test-login created 38 symlinks in user environment
debian-7-test-login ./testscript::testnixenv::17 hello
debian-7-test-login Hello, world!
debian-7-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
debian-7-test-login uninstalling 'hello-2.10'
debian-7-test-login building '/nix/store/bj717jqczsb26adc53m0a4nz66vj5v3-user-environment.drv'...
debian-7-test-login created 6 symlinks in user environment
debian-7-test-login Finishing: testnixenv, duration:0 result:0
debian-7-test-login Starting: testnixchannel
debian-7-test-login ./testscript::runtest::39 testnixchannel
debian-7-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-login ./testscript::testnixchannel::23 nix-channel --update
debian-7-test-login unpacking channels...
debian-7-test-login created 5 symlinks in user environment
debian-7-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
debian-7-test-login installing 'hello-2.10'
debian-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-7-test-login /nix/store/nic2bl8ry6vfyxr9717983d5b214snlc-hello-2.10
debian-7-test-login copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org'...
debian-7-test-login building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
debian-7-test-login created 38 symlinks in user environment
debian-7-test-login ./testscript::testnixchannel::25 hello
debian-7-test-login Hello, world!
debian-7-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
debian-7-test-login uninstalling 'hello-2.10'
debian-7-test-login Finishing: testnixchannel, duration:14 result:0
debian-7-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
debian-7-test-login-interactive bash: no job control in this shell
debian-7-test-login-interactive Starting: testnixinfo
debian-7-test-login-interactive ./testscript::runtest::10 testnixinfo
debian-7-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-login-interactive - system: "x86_64-linux"
debian-7-test-login-interactive - host os: "Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)"
debian-7-test-login-interactive - multi-user?: 'no'
debian-7-test-login-interactive - sandbox: 'no'
debian-7-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
debian-7-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
debian-7-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
debian-7-test-login-interactive
debian-7-test-login-interactive Finishing: testnixinfo, duration:4 result:0
debian-7-test-login-interactive Starting: testshell
debian-7-test-login-interactive ./testscript::runtest::10 testshell
debian-7-test-login-interactive ./testscript::testshell::4 nix-shell -p hello --run hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive Finishing: testshell, duration:1 result:0
debian-7-test-login-interactive Starting: testnixenv
debian-7-test-login-interactive ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
debian-7-test-login-interactive installing 'hello-2.10'
debian-7-test-login-interactive ./testscript::testnixenv::9 hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive ./testscript::testnixenv::10 nix-env --uninstall 'hello.*'
debian-7-test-login-interactive uninstalling 'hello-2.10'
debian-7-test-login-interactive Finishing: testnixenv, duration:0 result:0
debian-7-test-login-interactive Starting: testnixchannel
debian-7-test-login-interactive ./testscript::runtest::10 testnixchannel
debian-7-test-login-interactive ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-login-interactive ./testscript::testnixchannel::15 nix-channel --update
debian-7-test-login-interactive unpacking channels...
debian-7-test-login-interactive ./testscript::testnixchannel::16 nix-env -iA nixos-18-03.hello
debian-7-test-login-interactive installing 'hello-2.10'
debian-7-test-login-interactive ./testscript::testnixchannel::17 hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive ./testscript::testnixchannel::18 nix-env --uninstall 'hello.*'
debian-7-test-login-interactive uninstalling 'hello-2.10'
debian-7-test-login-interactive Finishing: testnixchannel, duration:1 result:0
debian-7-test-interactive bash: cannot set terminal process group (-1): Invalid argument
debian-7-test-interactive bash: no job control in this shell
debian-7-test-interactive Starting: testnixinfo
debian-7-test-interactive ./testscript::runtest::10 testnixinfo
debian-7-test-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-interactive bash: nix-shell: command not found
debian-7-test-interactive Finishing: testnixinfo, duration:0 result:1
debian-7-test-interactive Starting: testshell
debian-7-test-interactive ./testscript::runtest::10 testshell
debian-7-test-interactive ./testscript::testshell::4 nix-shell -p hello --run hello
```

```

debian-7-test-interactive      bash: nix-shell: command not found
debian-7-test-interactive      Finishing: testshell, duration:0 result:1
debian-7-test-interactive      Starting: testnixenv
debian-7-test-interactive      ./testscript::runtest::10 testnixenv
debian-7-test-interactive      ./testscript::testnixenv:8 nix-env -iA nixpkgs.hello
debian-7-test-interactive      bash: nix-env: command not found
debian-7-test-interactive      Finishing: testnixenv, duration:0 result:1
debian-7-test-interactive      Starting: testnixchannel
debian-7-test-interactive      ./testscript::runtest::10 testnixchannel
debian-7-test-interactive      ./testscript::testnixchannel:14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-interactive      bash: nix-channel: command not found
debian-7-test-interactive      Finishing: testnixchannel, duration:0 result:1
debian-7-test-ssh             Starting: testnixinfo
debian-7-test-ssh             ./testscript::runtest::39 testnixinfo
debian-7-test-ssh             ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-ssh             ./testscript: line 8: nix-shell: command not found
debian-7-test-ssh             Finishing: testnixinfo, duration:0 result:1
debian-7-test-ssh             Starting: testshell
debian-7-test-ssh             ./testscript::runtest::39 testshell
debian-7-test-ssh             ./testscript::testshell:12 nix-shell -p hello --run hello
debian-7-test-ssh             ./testscript: line 12: nix-shell: command not found
debian-7-test-ssh             Finishing: testshell, duration:0 result:1
debian-7-test-ssh             Starting: testnixenv
debian-7-test-ssh             ./testscript::runtest::39 testnixenv
debian-7-test-ssh             ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
debian-7-test-ssh             ./testscript: line 16: nix-env: command not found
debian-7-test-ssh             Finishing: testnixenv, duration:0 result:1
debian-7-test-ssh             Starting: testnixchannel
debian-7-test-ssh             ./testscript::runtest::39 testnixchannel
debian-7-test-ssh             ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-ssh             ./testscript: line 22: nix-channel: command not found
debian-7-test-ssh             Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-no-daemon-debian-7-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "debian/wheezy64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-ubuntu-18-10-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-ubuntu-18-10-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/cosmic64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-ubuntu-18-10-image-name

ubuntu-18-10

[top of data](#)

install-force-no-daemon-ubuntu-18-10-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/cosmic64'...

[KProgress: 10%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpdIIa0TTjEK_default_1535664203845_51183
==> default: Fixed port collision for 22 => 2222. Now on port 2212.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2212 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2212
  default: SSH username: vagrant
  default: SSH auth method: private key
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.

```

```

default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Hit:1 http://security.ubuntu.com/ubuntu cosmic-security InRelease
default: Get:2 http://archive.ubuntu.com/ubuntu cosmic InRelease [242 kB]
default: Hit:3 http://archive.ubuntu.com/ubuntu cosmic-updates InRelease
default: Get:4 http://archive.ubuntu.com/ubuntu cosmic-backports InRelease [65.5 kB]
default: Get:5 http://archive.ubuntu.com/ubuntu cosmic/restricted Sources [5908 B]
default: Get:6 http://archive.ubuntu.com/ubuntu cosmic/multiverse Sources [190 kB]
default: Get:7 http://archive.ubuntu.com/ubuntu cosmic/universe Sources [9338 kB]
default: Get:8 http://archive.ubuntu.com/ubuntu cosmic/main Sources [827 kB]
default: Get:9 http://archive.ubuntu.com/ubuntu cosmic/main amd64 Packages [1023 kB]
default: Get:10 http://archive.ubuntu.com/ubuntu cosmic/main Translation-en [515 kB]
default: Get:11 http://archive.ubuntu.com/ubuntu cosmic/universe amd64 Packages [8789 kB]
default: Get:12 http://archive.ubuntu.com/ubuntu cosmic/universe Translation-en [5063 kB]
default: Get:13 http://archive.ubuntu.com/ubuntu cosmic/multiverse amd64 Packages [158 kB]
default: Get:14 http://archive.ubuntu.com/ubuntu cosmic/multiverse Translation-en [113 kB]
default: Fetched 26.3 MB in 13s (2060 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default:
default: Reading state information...
default: curl is already the newest version (7.61.0-1).
default: 0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=' '${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
nix-shell -p hello --run hello
)

testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)

testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)

runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-18-10-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-18-10-install + sh -s -- --no-daemon
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-10-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 3931 0 0 0 0 0 0 3931
ubuntu-18-10-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c-x86_64-lin
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-10-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 35.5M 1 544k 0 0 557k 0 0:01:05 0:01:05 557k
4 35.5M 4 1776k 0 0 901k 0 0:00:40 0:00:01 0:00:39 900k
8 35.5M 8 3216k 0 0 1084k 0 0:00:33 0:00:02 0:00:31 1083k
13 35.5M 13 4864k 0 0 1214k 0 0:00:29 0:00:04 0:00:25 1215k
18 35.5M 18 6656k 0 0 1331k 0 0:00:27 0:00:04 0:00:23 1331k
23 35.5M 23 8496k 0 0 1416k 0 0:00:25 0:00:05 0:00:20 1583k
28 35.5M 28 10.0M 0 0 1475k 0 0:00:24 0:00:06 0:00:18 1701k
33 35.5M 33 11.8M 0 0 1522k 0 0:00:23 0:00:07 0:00:16 1782k
38 35.5M 38 13.6M 0 0 1556k 0 0:00:23 0:00:08 0:00:15 1831k
43 35.5M 43 15.4M 0 0 1572k 0 0:00:23 0:00:10 0:00:13 1812k
48 35.5M 48 17.2M 0 0 1608k 0 0:00:22 0:00:10 0:00:12 1839k

```

```
53 35.5M 53 19.0M 0 0 1628k 0 0:00:22 0:00:11 0:00:11 1842k
58 35.5M 58 20.9M 0 0 1648k 0 0:00:22 0:00:13 0:00:09 1849k
63 35.5M 63 22.6M 0 0 1658k 0 0:00:21 0:00:13 0:00:08 1840k
68 35.5M 68 24.4M 0 0 1670k 0 0:00:21 0:00:14 0:00:07 1870k
73 35.5M 73 26.2M 0 0 1684k 0 0:00:21 0:00:15 0:00:06 1848k
79 35.5M 79 28.0M 0 0 1693k 0 0:00:21 0:00:16 0:00:05 1848k
84 35.5M 84 29.8M 0 0 1701k 0 0:00:21 0:00:17 0:00:04 1838k
89 35.5M 89 31.6M 0 0 1708k 0 0:00:21 0:00:18 0:00:03 1848k
94 35.5M 94 33.4M 0 0 1715k 0 0:00:21 0:00:19 0:00:02 1847k
99 35.5M 99 35.2M 0 0 1721k 0 0:00:21 0:00:20 0:00:01 1842k
100 35.5M 100 35.5M 0 0 1722k 0 0:00:21 0:00:21 -:-:- 1840k
```

```
ubuntu-18-10-install performing a single-user installation of Nix...
ubuntu-18-10-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
ubuntu-18-10-install copying Nix to /nix/store...
ubuntu-18-10-install initialising Nix database...
ubuntu-18-10-install Nix: creating /home/vagrant/.nix-profile
ubuntu-18-10-install installing 'nix-2.1pre6385_d16ff76c'
ubuntu-18-10-install building '/nix/store/hazjvcdsgg96f008j3mn9mya0mmk0pbi-user-environment.drv'...
ubuntu-18-10-install created 6 symlinks in user environment
ubuntu-18-10-install unpacking channels...
ubuntu-18-10-install created 2 symlinks in user environment
ubuntu-18-10-install modifying /home/vagrant/.bash_profile...
ubuntu-18-10-install
ubuntu-18-10-install Installation finished! To ensure that the necessary environment
ubuntu-18-10-install variables are set, either log in again, or type
ubuntu-18-10-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
```

```
ubuntu-18-10-install in your shell.
ubuntu-18-10-test-login Starting: testnixinfo
ubuntu-18-10-test-login ./testscript::runtest::39 testnixinfo
ubuntu-18-10-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
ubuntu-18-10-test-login /nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1
ubuntu-18-10-test-login /nix/store/1l41f22hsyf9fq3425cv49p8m9pb80-diffutils-3.6
ubuntu-18-10-test-login /nix/store/3b08v7tagh0wx17f43zrlq9y9jba-readline-7.0p5
ubuntu-18-10-test-login /nix/store/5l4qhkyay7nfbv9yrcrk7cbmdinph8br-gcc-7.3.0
ubuntu-18-10-test-login /nix/store/5mldi7y5albcd4i712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man
ubuntu-18-10-test-login /nix/store/6nqk63zypz17ng87x6r1z189rlxd11-gcc-7.3.0-lib
ubuntu-18-10-test-login /nix/store/6v881cklcnx5g9l8qrrqw0lrlr2x-bash-4.4-p23
ubuntu-18-10-test-login /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkff-zlib-1.2.11
ubuntu-18-10-test-login /nix/store/92gpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
ubuntu-18-10-test-login /nix/store/98c80y9rp1qlwxc8g1fm4qs494ajy8g-ngunreg-3.1
ubuntu-18-10-test-login /nix/store/9xm9n09n292r9n1vbbxwqxjnf60zd-paxctl-0.9
ubuntu-18-10-test-login /nix/store/9z650yzzc55zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
ubuntu-18-10-test-login /nix/store/a85laxaq3p8rxiaqpbbaakvghyxb0akb-acl-2.2.52
ubuntu-18-10-test-login /nix/store/ach9z9x8l8g9kpi73s4fjs0vzyg3g7-glibc-2.27-bin
ubuntu-18-10-test-login /nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
ubuntu-18-10-test-login /nix/store/dkh9cmvwxlpcxv290md6dq4r74yzbshk-gnutar-1.30
ubuntu-18-10-test-login /nix/store/fal750p2q3gc7isqplpsqzr138shz81-bzip2-1.0.6.0.1-bin
ubuntu-18-10-test-login /nix/store/fjxk359n182sq5572kspdjy303kv45-stenv-linux
ubuntu-18-10-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4jdnjnpvdd-gzip-1.9
ubuntu-18-10-test-login /nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27
ubuntu-18-10-test-login /nix/store/i4n918fn0wgryan523pfbdc57fpqzc-glibc-2.27-dev
ubuntu-18-10-test-login /nix/store/i7vcsw4p6n51b72a12yp5j31579wk3-patch-2.7.6
ubuntu-18-10-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk580slav1-linux-headers-4.15
ubuntu-18-10-test-login /nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1
ubuntu-18-10-test-login /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-atr-2.4.47
ubuntu-18-10-test-login /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
ubuntu-18-10-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
ubuntu-18-10-test-login /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
ubuntu-18-10-test-login /nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params
ubuntu-18-10-test-login /nix/store/mzx4y6amjn7i638c6692qslazyzxi69-xz-5.2.4-bin
ubuntu-18-10-test-login /nix/store/qcvvnrlyrd4xm78nfh6vszyafndflp-binutils-wrapper-2.30
ubuntu-18-10-test-login /nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
ubuntu-18-10-test-login /nix/store/qw8f8g0d1l74w5j3355hlyjwz2an4-bzip2-1.0.6.0.1
ubuntu-18-10-test-login /nix/store/rhczwaz7xk6dd9z2h9yca027w0bng7c-coreutils-8.29
ubuntu-18-10-test-login /nix/store/sc4w9y5a3nszmcv13ymhmw6wys66iwp-patchelf-0.9
ubuntu-18-10-test-login /nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
ubuntu-18-10-test-login /nix/store/xadwdjcnmdc2lppsfcj00g8wsvynd-bash-interactive-4.4-p23-dev
ubuntu-18-10-test-login /nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
ubuntu-18-10-test-login /nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23
ubuntu-18-10-test-login /nix/store/y8p41rl2w9p9swny215h517i57kvc5z3-findutils-4.6.0
ubuntu-18-10-test-login /nix/store/ykz66mkm9vq5bn619792lnadrp2ym-xz-5.2.4
ubuntu-18-10-test-login copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/5mldi7y5albcd4i712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk580slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/jicmavp929l0x232ryl0za94rrslxj0p-atr-2.4.47' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/6v881cklcnx5g9l8qrrqw0lrlr2x-bash-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/a85laxaq3p8rxiaqpbbaakvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/qw8f8g0d1l74w5j3355hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/rhczwaz7xk6dd9z2h9yca027w0bng7c-coreutils-8.29' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/fal750p2q3gc7isqplpsqzr138shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/1l41f22hsyf9fq3425cv49p8m9pb80-diffutils-3.6' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/92gpnymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/y8p41rl2w9p9swny215h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/6nqk63zypz17ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/ach9z9x8l8g9kpi73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/091j2aakzb8mhrkb4wkgpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/i4n918fn0wgryan523pfbdc57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/agyh8vq5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/dkh9cmvwxlpcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4jdnjnpvdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/j2clxfbrl9daldfwcp8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/i7vcsw4p6n51b72a12yp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/sc4w9y5a3nszmcv13ymhmw6wys66iwp-patchelf-0.9' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/9xm9n09n292r9n1vbbxwqxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/3bn0819v7tagh0wx17f43zrlq9y9jba-readline-7.0p5' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/98c80y9rp1qlwxc8g1fm4qs494ajy8g-ngunreg-3.1' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/ykz66mkm9vq5bn619792lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkff-zlib-1.2.11' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/5l4qhkyay7nfbv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/9z650yzzc55zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/xzz2anv77hx8jziz4hbfiy0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/fjxk359n182sq5572kspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login copying path '/nix/store/xadwdjcnmdc2lppsfcj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login - system: "Linux 4.15"
ubuntu-18-10-test-login - host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
ubuntu-18-10-test-login - multi-user?: "no"
ubuntu-18-10-test-login - sandbox: "no"
ubuntu-18-10-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-18-10-test-login - channels(vagrant): "nixpkgs-18.09pre150352.7c82637c49"
ubuntu-18-10-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
```

```
ubuntu-18-10-test-login Finishing: testnixinfo, duration:31 result:0
ubuntu-18-10-test-login Starting: testshell
ubuntu-18-10-test-login ./testscript::runtest::39 testshell
ubuntu-18-10-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
ubuntu-18-10-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-10-test-login /nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10
ubuntu-18-10-test-login copying path '/nix/store/z87ns3bv8d29c7dnlvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
```

```

ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      Finishing: testshell, duration:1 result:0
ubuntu-18-10-test-login      Starting: testnixenv
ubuntu-18-10-test-login      ./testscript::runttest::39 testnixenv
ubuntu-18-10-test-login      ./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-login      installing 'hello-2.10'
ubuntu-18-10-test-login      building '/nix/store/94bdc86i12z1pvpz9mhb74igl4q97c-user-environment.drv'...
ubuntu-18-10-test-login      created 38 symlinks in user environment
ubuntu-18-10-test-login      ./testscript::testnixenv:::17 hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      ./testscript::testnixenv:::18 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login      uninstalling 'hello-2.10'
ubuntu-18-10-test-login      building '/nix/store/bj717qjczsb26adc53m0a4nz66vj5vj-user-environment.drv'...
ubuntu-18-10-test-login      created 6 symlinks in user environment
ubuntu-18-10-test-login      Finishing: testnixenv, duration:1 result:0
ubuntu-18-10-test-login      Starting: testnixchannel
ubuntu-18-10-test-login      ./testscript::runttest::39 testnixchannel
ubuntu-18-10-test-login      ./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-login      ./testscript::testnixchannel:::23 nix-channel --update
ubuntu-18-10-test-login      unpacking channels...
ubuntu-18-10-test-login      created 5 symlinks in user environment
ubuntu-18-10-test-login      ./testscript::testnixchannel:::24 nix-env -iA nixos-18-03.hello
ubuntu-18-10-test-login      installing 'hello-2.10'
ubuntu-18-10-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-10-test-login      /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
ubuntu-18-10-test-login      copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-18-10-test-login      building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
ubuntu-18-10-test-login      created 38 symlinks in user environment
ubuntu-18-10-test-login      ./testscript::testnixchannel:::25 hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      ./testscript::testnixchannel:::26 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login      uninstalling 'hello-2.10'
ubuntu-18-10-test-login      Finishing: testnixchannel, duration:16 result:0
ubuntu-18-10-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-10-test-login-interactive bash: no job control in this shell
ubuntu-18-10-test-login-interactive Starting: testnixinfo
ubuntu-18-10-test-login-interactive ./testscript::runttest:::10 testnixinfo
ubuntu-18-10-test-login-interactive ./testscript::testnixinfo:::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-login-interactive - system: "x86_64-linux"
ubuntu-18-10-test-login-interactive - host os: "Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)"
ubuntu-18-10-test-login-interactive - multi-user?: "no"
ubuntu-18-10-test-login-interactive - sandbox: "no"
ubuntu-18-10-test-login-interactive - version: "nix-env (Nix) 2.1pre6385 d16ff76c"
ubuntu-18-10-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-10-test-login-interactive - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
ubuntu-18-10-test-login-interactive Finishing: testnixinfo, duration:7 result:0
ubuntu-18-10-test-login-interactive Starting: testshell
ubuntu-18-10-test-login-interactive ./testscript::runttest:::10 testshell
ubuntu-18-10-test-login-interactive ./testscript::testshell:::0 nix-shell -p hello --run hello
ubuntu-18-10-test-login-interactive Hello, world!
ubuntu-18-10-test-login-interactive Finishing: testshell, duration:2 result:0
ubuntu-18-10-test-login-interactive Starting: testnixenv
ubuntu-18-10-test-login-interactive ./testscript::runttest:::10 testnixenv
ubuntu-18-10-test-login-interactive ./testscript::testnixenv:::0 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-login-interactive installing 'hello-2.10'
ubuntu-18-10-test-login-interactive ./testscript::testnixenv:::0 hello
ubuntu-18-10-test-login-interactive Hello, world!
ubuntu-18-10-test-login-interactive ./testscript::testnixenv:::0 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-10-test-login-interactive Finishing: testnixenv, duration:0 result:0
ubuntu-18-10-test-login-interactive Starting: testnixchannel
ubuntu-18-10-test-login-interactive ./testscript::runttest:::10 testnixchannel
ubuntu-18-10-test-login-interactive ./testscript::testnixchannel:::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-login-interactive ./testscript::testnixchannel:::0 nix-channel --update
ubuntu-18-10-test-login-interactive unpacking channels...
ubuntu-18-10-test-login-interactive ./testscript::testnixchannel:::0 nix-env -iA nixos-18-03.hello
ubuntu-18-10-test-login-interactive installing 'hello-2.10'
ubuntu-18-10-test-login-interactive ./testscript::testnixchannel:::0 hello
ubuntu-18-10-test-login-interactive Hello, world!
ubuntu-18-10-test-login-interactive ./testscript::testnixchannel:::0 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-10-test-login-interactive Finishing: testnixchannel, duration:1 result:0
ubuntu-18-10-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-10-test-interactive bash: no job control in this shell
ubuntu-18-10-test-interactive Starting: testnixinfo
ubuntu-18-10-test-interactive ./testscript::runttest:::10 testnixinfo
ubuntu-18-10-test-interactive ./testscript::testnixinfo:::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-10-test-interactive nix-shell: command not found
ubuntu-18-10-test-interactive Finishing: testnixinfo, duration:1 result:127
ubuntu-18-10-test-interactive Starting: testshell
ubuntu-18-10-test-interactive ./testscript::runttest:::10 testshell
ubuntu-18-10-test-interactive ./testscript::testshell:::0 nix-shell -p hello --run hello
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-10-test-interactive nix-shell: command not found
ubuntu-18-10-test-interactive Finishing: testshell, duration:0 result:127
ubuntu-18-10-test-interactive Starting: testnixenv
ubuntu-18-10-test-interactive ./testscript::runttest:::10 testnixenv
ubuntu-18-10-test-interactive ./testscript::testnixenv:::0 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::3 /usr/lib/command-not-found -- nix-env
ubuntu-18-10-test-interactive nix-env: command not found
ubuntu-18-10-test-interactive Finishing: testnixenv, duration:0 result:127
ubuntu-18-10-test-interactive Starting: testnixchannel
ubuntu-18-10-test-interactive ./testscript::runttest:::10 testnixchannel
ubuntu-18-10-test-interactive ./testscript::testnixchannel:::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::2 '[' -x /usr/lib/command-not-found ']'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:::3 /usr/lib/command-not-found -- nix-channel
ubuntu-18-10-test-interactive nix-channel: command not found
ubuntu-18-10-test-interactive Finishing: testnixchannel, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixinfo
ubuntu-18-10-test-ssh      ./testscript::runttest:::39 testnixinfo
ubuntu-18-10-test-ssh      ./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-ssh      ./testscript: line 8: nix-shell: command not found
ubuntu-18-10-test-ssh      Finishing: testnixinfo, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testshell
ubuntu-18-10-test-ssh      ./testscript::runttest:::39 testshell
ubuntu-18-10-test-ssh      ./testscript::testshell:::12 nix-shell -p hello --run hello
ubuntu-18-10-test-ssh      ./testscript: line 12: nix-shell: command not found
ubuntu-18-10-test-ssh      Finishing: testshell, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixenv
ubuntu-18-10-test-ssh      ./testscript::runttest:::39 testnixenv
ubuntu-18-10-test-ssh      ./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-18-10-test-ssh      Finishing: testnixenv, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixchannel
ubuntu-18-10-test-ssh      ./testscript::runttest:::39 testnixchannel
ubuntu-18-10-test-ssh      ./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-18-10-test-ssh      Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-ubuntu-18-10-run-log


```
echo "Finishing: $testFn, duration:$duration result:$exitcode"
}
main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"
  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )
  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-18-10-install + /usr/sbin/sectatus
ubuntu-18-10-install ./install: 5: ./install: /usr/sbin/sectatus: not found
ubuntu-18-10-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-18-10-install + sh
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
100 2528 100 2528 0 0 7141 0 ---:--:-- ---:--:-- ---:--:-- 7161
ubuntu-18-10-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-lin
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-10-install % Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
2 35.5M 2 1008k 0 0 882k 0 0:00:41 0:00:01 0:00:40 881k
7 35.5M 7 2752k 0 0 1285k 0 0:00:28 0:00:02 0:00:26 1285k
12 35.5M 12 4672k 0 0 1488k 0 0:00:24 0:00:03 0:00:21 1488k
18 35.5M 18 6608k 0 0 1598k 0 0:00:22 0:00:04 0:00:18 1598k
23 35.5M 23 8560k 0 0 1669k 0 0:00:21 0:00:05 0:00:16 1732k
28 35.5M 28 10.2M 0 0 1716k 0 0:00:21 0:00:06 0:00:15 1907k
34 35.5M 34 12.2M 0 0 1747k 0 0:00:20 0:00:07 0:00:13 1944k
39 35.5M 39 14.1M 0 0 1771k 0 0:00:20 0:00:08 0:00:12 1948k
45 35.5M 45 16.0M 0 0 1792k 0 0:00:20 0:00:09 0:00:11 1951k
50 35.5M 50 17.9M 0 0 1808k 0 0:00:20 0:00:10 0:00:10 1950k
55 35.5M 55 19.8M 0 0 1821k 0 0:00:19 0:00:11 0:00:08 1950k
61 35.5M 61 21.7M 0 0 1833k 0 0:00:19 0:00:12 0:00:07 1956k
66 35.5M 66 23.6M 0 0 1842k 0 0:00:19 0:00:13 0:00:06 1959k
71 35.5M 71 25.5M 0 0 1850k 0 0:00:19 0:00:14 0:00:05 1958k
77 35.5M 77 27.4M 0 0 1857k 0 0:00:19 0:00:15 0:00:04 1958k
82 35.5M 82 29.3M 0 0 1864k 0 0:00:19 0:00:16 0:00:03 1959k
87 35.5M 87 31.2M 0 0 1869k 0 0:00:19 0:00:17 0:00:02 1959k
93 35.5M 93 33.2M 0 0 1876k 0 0:00:19 0:00:18 0:00:01 1965k
98 35.5M 98 35.1M 0 0 1881k 0 0:00:19 0:00:19 0:00:00 1966k
100 35.5M 100 35.5M 0 0 1883k 0 0:00:19 0:00:19 0:00:00 1978k
ubuntu-18-10-install [1:31mSwitching to the Daemon-based Installer[0m
ubuntu-18-10-install [38;32mWelcome to the Multi-User Nix Installation
ubuntu-18-10-install [0m
ubuntu-18-10-install This installation tool will set up your computer with the Nix package
ubuntu-18-10-install manager. This will happen in a few stages:
ubuntu-18-10-install
ubuntu-18-10-install 1. Make sure your computer doesn't already have Nix. If it does, I
ubuntu-18-10-install will show you instructions on how to clean up your old one.
ubuntu-18-10-install
ubuntu-18-10-install 2. Show you what we are going to install and where. Then we will ask
ubuntu-18-10-install if you are ready to continue.
ubuntu-18-10-install
ubuntu-18-10-install 3. Create the system users and groups that the Nix daemon uses to run
ubuntu-18-10-install builds.
ubuntu-18-10-install
ubuntu-18-10-install 4. Perform the basic installation of the Nix files daemon.
ubuntu-18-10-install
ubuntu-18-10-install 5. Configure your shell to import special Nix Profile files, so you
ubuntu-18-10-install can use Nix.
ubuntu-18-10-install
ubuntu-18-10-install 6. Start the Nix daemon.
ubuntu-18-10-install
ubuntu-18-10-install [38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
ubuntu-18-10-install [0mNo TTY, assuming you would say yes :)
ubuntu-18-10-install
ubuntu-18-10-install We will:
ubuntu-18-10-install
ubuntu-18-10-install - make sure your computer doesn't already have Nix files
ubuntu-18-10-install (if it does, I will tell you how to clean them up.)
ubuntu-18-10-install - create local users (see the list above for the users we'll make)
ubuntu-18-10-install - create a local group (nixbld)
ubuntu-18-10-install - install Nix in to /nix
ubuntu-18-10-install - create a configuration file in /etc/nix
ubuntu-18-10-install - set up the "default profile" by creating some Nix-related files in
ubuntu-18-10-install /root
ubuntu-18-10-install - load and start a service (at /etc/systemd/system/nix-daemon.service
ubuntu-18-10-install and /etc/systemd/system/nix-daemon.socket) for nix-daemon
ubuntu-18-10-install
ubuntu-18-10-install [38;32m[38;4;32mReady to continue?
ubuntu-18-10-install [0mNo TTY, assuming you would say yes :)
ubuntu-18-10-install
ubuntu-18-10-install [38;34m--- let's talk about sudo -----
ubuntu-18-10-install [0mThis script is going to call sudo a lot. Normally, it would show you
ubuntu-18-10-install exactly what commands it is running and why. However, the script is
ubuntu-18-10-install run in a headless fashion, like this:
ubuntu-18-10-install
ubuntu-18-10-install $ curl https://nixos.org/nix/install | sh
ubuntu-18-10-install
ubuntu-18-10-install or maybe in a CI pipeline. Because of that, we're going to skip the
ubuntu-18-10-install verbose output in the interest of brevity.
ubuntu-18-10-install
ubuntu-18-10-install If you would like to
ubuntu-18-10-install see the output, try like this:
ubuntu-18-10-install
ubuntu-18-10-install $ curl -o install-nix https://nixos.org/nix/install
ubuntu-18-10-install $ sh ./install-nix
ubuntu-18-10-install
ubuntu-18-10-install [38;34m--- Nix config report -----
ubuntu-18-10-install [0m[38;1m Temp Dir[0m: /tmp/tmp.LQ53LVPEw
ubuntu-18-10-install [38;1m Nix Root[0m: /nix
ubuntu-18-10-install [38;1m Build Users[0m: 32
ubuntu-18-10-install [38;1m Build Group ID[0m: 30000
ubuntu-18-10-install [38;1m Build Group Name[0m: nixbld
ubuntu-18-10-install
ubuntu-18-10-install [38;4;34mbuild users:
ubuntu-18-10-install [0m[38;1m Username[0m: UID
ubuntu-18-10-install [38;1m nixbld1[0m: 30001
ubuntu-18-10-install [38;1m nixbld2[0m: 30002
ubuntu-18-10-install [38;1m nixbld3[0m: 30003
ubuntu-18-10-install [38;1m nixbld4[0m: 30004
ubuntu-18-10-install [38;1m nixbld5[0m: 30005
ubuntu-18-10-install [38;1m nixbld6[0m: 30006
ubuntu-18-10-install [38;1m nixbld7[0m: 30007
ubuntu-18-10-install [38;1m nixbld8[0m: 30008
ubuntu-18-10-install [38;1m nixbld9[0m: 30009
```



```
ubuntu-18-10-install [38;1m nixbld10[0m: 30010
ubuntu-18-10-install [38;1m nixbld11[0m: 30011
ubuntu-18-10-install [38;1m nixbld12[0m: 30012
ubuntu-18-10-install [38;1m nixbld13[0m: 30013
ubuntu-18-10-install [38;1m nixbld14[0m: 30014
ubuntu-18-10-install [38;1m nixbld15[0m: 30015
ubuntu-18-10-install [38;1m nixbld16[0m: 30016
ubuntu-18-10-install [38;1m nixbld17[0m: 30017
ubuntu-18-10-install [38;1m nixbld18[0m: 30018
ubuntu-18-10-install [38;1m nixbld19[0m: 30019
ubuntu-18-10-install [38;1m nixbld20[0m: 30020
ubuntu-18-10-install [38;1m nixbld21[0m: 30021
ubuntu-18-10-install [38;1m nixbld22[0m: 30022
ubuntu-18-10-install [38;1m nixbld23[0m: 30023
ubuntu-18-10-install [38;1m nixbld24[0m: 30024
ubuntu-18-10-install [38;1m nixbld25[0m: 30025
ubuntu-18-10-install [38;1m nixbld26[0m: 30026
ubuntu-18-10-install [38;1m nixbld27[0m: 30027
ubuntu-18-10-install [38;1m nixbld28[0m: 30028
ubuntu-18-10-install [38;1m nixbld29[0m: 30029
ubuntu-18-10-install [38;1m nixbld30[0m: 30030
ubuntu-18-10-install [38;1m nixbld31[0m: 30031
ubuntu-18-10-install [38;1m nixbld32[0m: 30032
ubuntu-18-10-install [38;32m[38;4;32mReady to continue?
ubuntu-18-10-install [0mNo TTY, assuming you would say yes :)
ubuntu-18-10-install [38;32m--> Setting up the build group nixbld
[0m[38;1m Created[0m: Yes
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld1
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 1
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld2
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 2
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld3
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 3
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld4
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 4
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld5
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 5
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld6
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 6
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld7
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 7
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld8
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 8
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld9
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 9
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install [38;32m--> Setting up the build user nixbld10
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
Note[0m: Nix build user 10
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
ubuntu-18-10-install
```



```

ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld24
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 24
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld25
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 25
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld26
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 26
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld27
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 27
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld28
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 28
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld29
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 29
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld30
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 30
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld31
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 31
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install nix[38;32m--> Setting up the build user nixbld32
ubuntu-18-10-install nix[0m;nix[38;1m Creatednix[0m: Yes
ubuntu-18-10-install nix[38;1m Hiddennix[0m: Yes
ubuntu-18-10-install nix[38;1m Home Directorynix[0m: /var/empty
ubuntu-18-10-install usermod: no changes
ubuntu-18-10-install nix[38;1m Note[nix[0m: Nix build user 32
ubuntu-18-10-install nix[38;1m Logins Disablednix[0m: Yes
ubuntu-18-10-install nix[38;1m Member of nixbldnix[0m: Yes
ubuntu-18-10-install nix[38;1m PrimaryGroupIDnix[0m: 30000
ubuntu-18-10-install mkdir: created directory '/nix'
ubuntu-18-10-install mkdir: created directory '/nix/var'
ubuntu-18-10-install mkdir: created directory '/nix/var/log'
ubuntu-18-10-install mkdir: created directory '/nix/var/log/nix'
ubuntu-18-10-install mkdir: created directory '/nix/var/log/nix/drivers'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/db'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/gcroots'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/profiles'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/temproots'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/userpool'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/gcroots/per-user'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/profiles/per-user'
ubuntu-18-10-install mkdir: created directory '/nix/store'
ubuntu-18-10-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
ubuntu-18-10-install mkdir: created directory '/root/.nix-defexpr'
ubuntu-18-10-install mkdir: created directory '/etc/nix'
ubuntu-18-10-install Alright! We have our first nix at /nix/store/ngjwnr8scnmpqymjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
ubuntu-18-10-install Just finished getting the nix database ready.
ubuntu-18-10-install # Nix
ubuntu-18-10-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
ubuntu-18-10-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
ubuntu-18-10-install fi
ubuntu-18-10-install # End Nix
ubuntu-18-10-install installing 'nix-2.1pre6385_d16ff76c'
ubuntu-18-10-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mk0pbi-user-environment.drv'...
ubuntu-18-10-install created 6 symlinks in user environment
ubuntu-18-10-install installing 'nss-cacert-3.38'
ubuntu-18-10-install building '/nix/store/xsv6s0z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
ubuntu-18-10-install created 9 symlinks in user environment
ubuntu-18-10-install unpacking channels...
ubuntu-18-10-install created 2 symlinks in user environment
ubuntu-18-10-install Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
ubuntu-18-10-install Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-18-10-install Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-18-10-install nix[38;32mAlright! We're done!
ubuntu-18-10-install nix[0m
ubuntu-18-10-install Before Nix will work in your existing shells, you'll need to close
ubuntu-18-10-install them and open them again. Other than that, you should be ready to go.

```



```

ubuntu-18-10-test-login      Finishing: testnixenv, duration:0 result:0
ubuntu-18-10-test-login      Starting: testnixchannel
ubuntu-18-10-test-login      ./testscript::runtest::39 testnixchannel
ubuntu-18-10-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-login      ./testscript::testnixchannel::23 nix-channel --update
ubuntu-18-10-test-login      unpacking channels...
ubuntu-18-10-test-login      created 2 symlinks in user environment
ubuntu-18-10-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-18-10-test-login      installing 'hello-2.10'
ubuntu-18-10-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-10-test-login      /nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10
ubuntu-18-10-test-login      copying path /nix/store/nic2bl8ry6vfyxr97l7983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org'..
ubuntu-18-10-test-login      building /nix/store/nhlraq58nqyv6hwzpm6zdv97lsh7a-user-environment.drv'...
ubuntu-18-10-test-login      created 2 symlinks in user environment
ubuntu-18-10-test-login      ./testscript::testnixchannel::25 hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login      uninstalling 'hello-2.10'
ubuntu-18-10-test-login      Finishing: testnixchannel, duration:7 result:0
ubuntu-18-10-test-login      bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-10-test-login      bash: no job control in this shell
ubuntu-18-10-test-login      Starting: testnixinfo
ubuntu-18-10-test-login      ./testscript::runtest::10 testnixinfo
ubuntu-18-10-test-login      ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-login      - system: "x86_64-linux"
ubuntu-18-10-test-login      - host os: 'Linux 4.17.0-9-generic, Ubuntu, 18.10 (Cosmic Cuttlefish)'
ubuntu-18-10-test-login      - multi-user?: 'yes'
ubuntu-18-10-test-login      - sandbox: 'no'
ubuntu-18-10-test-login      - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-18-10-test-login      - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-10-test-login      - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
ubuntu-18-10-test-login      - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
ubuntu-18-10-test-login      Finishing: testnixinfo, duration:5 result:0
ubuntu-18-10-test-login      Starting: testshell
ubuntu-18-10-test-login      ./testscript::runtest::10 testshell
ubuntu-18-10-test-login      ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      Finishing: testshell, duration:1 result:0
ubuntu-18-10-test-login      Starting: testnixenv
ubuntu-18-10-test-login      ./testscript::runtest::10 testnixenv
ubuntu-18-10-test-login      ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-login      installing 'hello-2.10'
ubuntu-18-10-test-login      ./testscript::testnixenv::0 hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login      uninstalling 'hello-2.10'
ubuntu-18-10-test-login      Finishing: testnixenv, duration:0 result:0
ubuntu-18-10-test-login      Starting: testnixchannel
ubuntu-18-10-test-login      ./testscript::runtest::10 testnixchannel
ubuntu-18-10-test-login      ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-login      ./testscript::testnixchannel::0 nix-channel --update
ubuntu-18-10-test-login      unpacking channels...
ubuntu-18-10-test-login      ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
ubuntu-18-10-test-login      installing 'hello-2.10'
ubuntu-18-10-test-login      ./testscript::testnixchannel::0 hello
ubuntu-18-10-test-login      Hello, world!
ubuntu-18-10-test-login      ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
ubuntu-18-10-test-login      uninstalling 'hello-2.10'
ubuntu-18-10-test-login      Finishing: testnixchannel, duration:1 result:0
ubuntu-18-10-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-10-test-interactive bash: no job control in this shell
ubuntu-18-10-test-interactive Starting: testnixinfo
ubuntu-18-10-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-18-10-test-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found -- nix-shell
ubuntu-18-10-test-interactive nix-shell: command not found
ubuntu-18-10-test-interactive Finishing: testnixinfo, duration:1 result:127
ubuntu-18-10-test-interactive Starting: testshell
ubuntu-18-10-test-interactive ./testscript::runtest::10 testshell
ubuntu-18-10-test-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found -- nix-shell
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-10-test-interactive nix-shell: command not found
ubuntu-18-10-test-interactive Finishing: testshell, duration:0 result:127
ubuntu-18-10-test-interactive Starting: testnixenv
ubuntu-18-10-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-18-10-test-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found -- nix-env
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-18-10-test-interactive nix-env: command not found
ubuntu-18-10-test-interactive Finishing: testnixenv, duration:0 result:127
ubuntu-18-10-test-interactive Starting: testnixchannel
ubuntu-18-10-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-18-10-test-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found -- nix-channel
ubuntu-18-10-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-18-10-test-interactive nix-channel: command not found
ubuntu-18-10-test-interactive Finishing: testnixchannel, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixinfo
ubuntu-18-10-test-ssh      ./testscript::runtest::39 testnixinfo
ubuntu-18-10-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-10-test-ssh      ./testscript: line 8: nix-shell: command not found
ubuntu-18-10-test-ssh      Finishing: testnixinfo, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testshell
ubuntu-18-10-test-ssh      ./testscript::runtest::39 testshell
ubuntu-18-10-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-18-10-test-ssh      ./testscript: line 12: nix-shell: command not found
ubuntu-18-10-test-ssh      Finishing: testshell, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixenv
ubuntu-18-10-test-ssh      ./testscript::runtest::39 testnixenv
ubuntu-18-10-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-18-10-test-ssh      ./testscript: line 16: nix-env: command not found
ubuntu-18-10-test-ssh      Finishing: testnixenv, duration:0 result:127
ubuntu-18-10-test-ssh      Starting: testnixchannel
ubuntu-18-10-test-ssh      ./testscript::runtest::39 testnixchannel
ubuntu-18-10-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-10-test-ssh      ./testscript: line 22: nix-channel: command not found
ubuntu-18-10-test-ssh      Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-ubuntu-18-10-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-ubuntu-18-10-image-name

ubuntu-18-10

[top of data](#)

install-default-unless-selinux-ubuntu-18-10-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/cosmic64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-daemon-macos-sierra-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'jhcook/macos-sierra'...

```
##[KProgress: 10%
##[KProgress: 20%
##[KProgress: 30%
##[KProgress: 80%
##[KProgress: 90%
##[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmppyjTjkgHr_default_1535664617863_32777
=> default: Fixed port collision for 22 => 2222. Now on port 2203.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2203 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2203
  default: SSH username: vagrant
  default: SSH auth method: private key
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
  default: No guest additions were detected on the base box for this VM! Guest
  default: additions are required for forwarded ports, shared folders, host only
  default: networking, and more. If SSH fails on this machine, please install
  default: the guest additions and repack the box to continue.
  default:
  default: This is not an error message; everything may continue to work properly,
  default: in which case you may ignore this message.
=> default: Running provisioner: shell...
  default: Running: inline script
  default: The chosen disk supports resize; disregarding your new file system type and volume name
  default: Merging partitions into a new partition
  default:   Start partition: disk0s2 Macintosh HDD
  default:   Finish partition: disk0s3 Untitled
  default: Started partitioning on disk0
  default: Merging partitions
  default: Waiting for partitions to activate
  default: Growing disk
  default: Finished partitioning on disk0
  default: /dev/disk0 (internal, physical):
  default: #:          TYPE NAME          SIZE      IDENTIFIER
  default: 0:          GUID_partition_scheme      *137.4 GB  disk0
  default: 1:          EFI EFI                    209.7 MB  disk0s1
  default: 2:          Apple_HFS Macintosh HDD      137.1 GB  disk0s2
=> default: Running provisioner: shell...
  default: Running: inline script
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4= ' '${BASH_SOURCE}:' '${FUNCNAME[0]}:':$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}
```

```

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
macos-sierra-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
macos-sierra-install + sh -s -- --daemon
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
macos-sierra-install 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
macos-sierra-install 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
100 2528 100 2528 0 0 3169 0 --:--:-- --:--:-- --:--:-- 3171
macos-sierra-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-darwin from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-da
macos-sierra-install % Total % Received % Xferd Average Speed Time Time Time Current
macos-sierra-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
macos-sierra-install 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
macos-sierra-install 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
0 28.7M 0 81920 0 0 46195 0 0:10:53 0:00:01 0:10:52 46178
0 28.7M 0 81920 0 0 30528 0 0:16:28 0:00:02 0:16:26 30521
3 28.7M 3 1040k 0 0 310k 0 0:01:34 0:00:03 0:01:31 310k
7 28.7M 7 2272k 0 0 522k 0 0:00:56 0:00:04 0:00:52 522k
12 28.7M 12 3712k 0 0 694k 0 0:00:42 0:00:05 0:00:37 756k
18 28.7M 18 5360k 0 0 844k 0 0:00:34 0:00:06 0:00:28 1154k
24 28.7M 24 7168k 0 0 976k 0 0:00:30 0:00:07 0:00:23 1521k
31 28.7M 31 9248k 0 0 1105k 0 0:00:26 0:00:08 0:00:18 1636k
38 28.7M 38 11.0M 0 0 1211k 0 0:00:24 0:00:09 0:00:15 1807k
45 28.7M 45 13.1M 0 0 1297k 0 0:00:22 0:00:10 0:00:12 1939k
52 28.7M 52 15.1M 0 0 1368k 0 0:00:21 0:00:11 0:00:10 2032k
56 28.7M 56 16.1M 0 0 1279k 0 0:00:23 0:00:12 0:00:11 1677k
56 28.7M 56 16.1M 0 0 1232k 0 0:00:23 0:00:13 0:00:10 1441k
70 28.7M 70 20.2M 0 0 1442k 0 0:00:20 0:00:14 0:00:06 1876k
77 28.7M 77 22.2M 0 0 1486k 0 0:00:19 0:00:15 0:00:04 1880k
84 28.7M 84 24.3M 0 0 1525k 0 0:00:19 0:00:16 0:00:03 1881k
91 28.7M 91 26.4M 0 0 1558k 0 0:00:18 0:00:17 0:00:01 2378k
98 28.7M 98 28.4M 0 0 1589k 0 0:00:18 0:00:18 --:--:-- 2569k
100 28.7M 100 28.7M 0 0 1596k 0 0:00:18 0:00:18 --:--:-- 2133k
macos-sierra-install [1:31mSwitching to the Daemon-based Installer[0m
macos-sierra-install [38;32mWelcome to the Multi-User Nix Installation
macos-sierra-install [0m
macos-sierra-install This installation tool will set up your computer with the Nix package
macos-sierra-install manager. This will happen in a few stages:
macos-sierra-install
macos-sierra-install 1. Make sure your computer doesn't already have Nix. If it does, I
macos-sierra-install will show you instructions on how to clean up your old one.
macos-sierra-install
macos-sierra-install 2. Show you what we are going to install and where. Then we will ask
macos-sierra-install if you are ready to continue.
macos-sierra-install
macos-sierra-install 3. Create the system users and groups that the Nix daemon uses to run
macos-sierra-install builds.
macos-sierra-install
macos-sierra-install 4. Perform the basic installation of the Nix files daemon.
macos-sierra-install
macos-sierra-install 5. Configure your shell to import special Nix Profile files, so you
macos-sierra-install can use Nix.
macos-sierra-install
macos-sierra-install 6. Start the Nix daemon.
macos-sierra-install [38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
macos-sierra-install [0mNo TTY, assuming you would say yes :)
macos-sierra-install We will:
macos-sierra-install - make sure your computer doesn't already have Nix files
macos-sierra-install (if it does, I will tell you how to clean them up.)
macos-sierra-install - create local users (see the list above for the users we'll make)
macos-sierra-install - create a local group (nixbld)
macos-sierra-install - install Nix in to /nix
macos-sierra-install - create a configuration file in /etc/nix
macos-sierra-install - set up the "default profile" by creating some Nix-related files in
macos-sierra-install /var/root
macos-sierra-install - back up /etc/bashrc to /etc/bashrc.backup-before-nix
macos-sierra-install - update /etc/bashrc to include some Nix configuration
macos-sierra-install - back up /etc/zshrc to /etc/zshrc.backup-before-nix
macos-sierra-install - update /etc/zshrc to include some Nix configuration
macos-sierra-install - load and start a LaunchDaemon (at /Library/LaunchDaemons/org.nixos.nix-daemon.plist) for nix-daemon
macos-sierra-install [38;32m[38;4;32mReady to continue?
macos-sierra-install [0mNo TTY, assuming you would say yes :)
macos-sierra-install [38;34m--- let's talk about sudo -----
macos-sierra-install [0mThis script is going to call sudo a lot. Normally, it would show you
macos-sierra-install exactly what commands it is running and why. However, the script is
macos-sierra-install run in a headless fashion, like this:
macos-sierra-install
macos-sierra-install $ curl https://nixos.org/nix/install | sh
macos-sierra-install
macos-sierra-install or maybe in a CI pipeline. Because of that, we're going to skip the
macos-sierra-install verbose output in the interest of brevity.
macos-sierra-install
macos-sierra-install If you would like to
macos-sierra-install see the output, try like this:
macos-sierra-install
macos-sierra-install $ curl -o install-nix https://nixos.org/nix/install
macos-sierra-install $ sh ./install-nix
macos-sierra-install
macos-sierra-install [38;34m--- Nix config report -----
macos-sierra-install [0m[38;1m Temp Dir[0m: /var/folders/rm/ywx69srx1kq_dtz2y2nzn00000gp/T/tmp.XXXXXXXXXX.1V1K1PT7
macos-sierra-install [38;1m Nix Root[0m: /nix
macos-sierra-install [38;1m Build Users[0m: 32
macos-sierra-install [38;1m Build Group ID[0m: 30000
macos-sierra-install [38;1m Build Group Name[0m: nixbld
macos-sierra-install
macos-sierra-install [38;4;34mBuild users:
macos-sierra-install [0m[38;1m Username[0m: UID
macos-sierra-install [38;1m nixbld1[0m: 30001
macos-sierra-install [38;1m nixbld2[0m: 30002
macos-sierra-install [38;1m nixbld3[0m: 30003
macos-sierra-install [38;1m nixbld4[0m: 30004
macos-sierra-install [38;1m nixbld5[0m: 30005
macos-sierra-install [38;1m nixbld6[0m: 30006
macos-sierra-install [38;1m nixbld7[0m: 30007
macos-sierra-install [38;1m nixbld8[0m: 30008
macos-sierra-install [38;1m nixbld9[0m: 30009
macos-sierra-install [38;1m nixbld10[0m: 30010
macos-sierra-install [38;1m nixbld11[0m: 30011

```

```
macos-sierra-install [38;1m nixbld12[0m: 30012
macos-sierra-install [38;1m nixbld13[0m: 30013
macos-sierra-install [38;1m nixbld14[0m: 30014
macos-sierra-install [38;1m nixbld15[0m: 30015
macos-sierra-install [38;1m nixbld16[0m: 30016
macos-sierra-install [38;1m nixbld17[0m: 30017
macos-sierra-install [38;1m nixbld18[0m: 30018
macos-sierra-install [38;1m nixbld19[0m: 30019
macos-sierra-install [38;1m nixbld20[0m: 30020
macos-sierra-install [38;1m nixbld21[0m: 30021
macos-sierra-install [38;1m nixbld22[0m: 30022
macos-sierra-install [38;1m nixbld23[0m: 30023
macos-sierra-install [38;1m nixbld24[0m: 30024
macos-sierra-install [38;1m nixbld25[0m: 30025
macos-sierra-install [38;1m nixbld26[0m: 30026
macos-sierra-install [38;1m nixbld27[0m: 30027
macos-sierra-install [38;1m nixbld28[0m: 30028
macos-sierra-install [38;1m nixbld29[0m: 30029
macos-sierra-install [38;1m nixbld30[0m: 30030
macos-sierra-install [38;1m nixbld31[0m: 30031
macos-sierra-install [38;1m nixbld32[0m: 30032

[38;32m[38;4;32mReady to continue?
[0m[0mNo TTY, assuming you would say yes :)

[38;32m--> Setting up the build group nixbld
[0m[38;1m Created[0m: Yes

[38;32m--> Setting up the build user nixbld1
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 1
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld2
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 2
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld3
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 3
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld4
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 4
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld5
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 5
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld6
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 6
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld7
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 7
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld8
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 8
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld9
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 9
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld10
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 10
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld11
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
[38;1m Note[0m: Nix build user 11
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000

[38;32m--> Setting up the build user nixbld12
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
```



```

macos-sierra-install PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld27
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 27
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld28
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 28
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld29
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 29
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld30
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 30
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld31
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 31
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install [38;32m--> Setting up the build user nixbld32
macos-sierra-install [0m[38;1m Created[0m: Yes
macos-sierra-install [38;1m Hidden[0m: Yes
macos-sierra-install [38;1m Home Directory[0m: /var/empty
macos-sierra-install [38;1m Note[0m: Nix build user 32
macos-sierra-install [38;1m Logins Disabled[0m: Yes
macos-sierra-install [38;1m Member of nixbld[0m: Yes
macos-sierra-install [38;1m PrimaryGroupID[0m: 30000
macos-sierra-install
macos-sierra-install Alright! We have our first nix at /nix/store/41zy25q0n9mpbjgr7d5xmgpc22zk2c7l-nix-2.1pre6385_d16ff76c
macos-sierra-install Just finished getting the nix database ready.
macos-sierra-install
macos-sierra-install # Nix
macos-sierra-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
macos-sierra-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
macos-sierra-install fi
macos-sierra-install # End Nix
macos-sierra-install
macos-sierra-install # Nix
macos-sierra-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
macos-sierra-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
macos-sierra-install fi
macos-sierra-install # End Nix
macos-sierra-install
macos-sierra-install installing 'nix-2.1pre6385_d16ff76c'
macos-sierra-install building '/nix/store/cmsn6pay22cm7f0pjsylicliil3a5cys-user-environment.drv'...
macos-sierra-install created 7 symlinks in user environment
macos-sierra-install installing 'nss-cacert-3.38'
macos-sierra-install building '/nix/store/ammliqyr9zzl5k4wr9f8wgf6ks2mvf6k-user-environment.drv'...
macos-sierra-install created 9 symlinks in user environment
macos-sierra-install unpacking channels...
macos-sierra-install created 2 symlinks in user environment
macos-sierra-install [38;32mAlright! We're done!
macos-sierra-install [0m
macos-sierra-install Before Nix will work in your existing shells, you'll need to close
macos-sierra-install them and open them again. Other than that, you should be ready to go.
macos-sierra-install
macos-sierra-install Try it! Open a new terminal, and type:
macos-sierra-install
macos-sierra-install $ nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-install
macos-sierra-install Thank you for using this installer. If you have any feedback, don't
macos-sierra-install hesitate:
macos-sierra-install
macos-sierra-install We'd love to help if you need it.
macos-sierra-install
macos-sierra-install If you can, open an issue at https://github.com/nixos/nix/issues
macos-sierra-install
macos-sierra-install Or feel free to contact the team,
macos-sierra-install - on IRC #nixos on irc.freenode.net
macos-sierra-install - on twitter @nixos_org
macos-sierra-install Starting: testnixinfo
macos-sierra-install ./testscript::runtest::39 testnixinfo
macos-sierra-install ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-install ./testscript: line 8: nix-shell: command not found
macos-sierra-install Finishing: testnixinfo, duration:0 result:127
macos-sierra-install Starting: testshell
macos-sierra-install ./testscript::runtest::39 testshell
macos-sierra-install ./testscript::testshell:12 nix-shell -p hello --run hello
macos-sierra-install ./testscript: line 12: nix-shell: command not found
macos-sierra-install Finishing: testshell, duration:0 result:127
macos-sierra-install Starting: testnixenv
macos-sierra-install ./testscript::runtest::39 testnixenv
macos-sierra-install ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
macos-sierra-install ./testscript: line 16: nix-env: command not found
macos-sierra-install Finishing: testnixenv, duration:0 result:127
macos-sierra-install Starting: testnixchannel
macos-sierra-install ./testscript::runtest::39 testnixchannel
macos-sierra-install ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-install ./testscript: line 22: nix-channel: command not found
macos-sierra-install Finishing: testnixchannel, duration:0 result:127
macos-sierra-install Starting: testnixinfo
macos-sierra-install ./testscript::runtest::39 testnixinfo
macos-sierra-install ./testscript: testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-install these paths will be fetched (131.08 MiB download, 703.61 MiB unpacked):
macos-sierra-install /nix/store/04bnzqnqivgxrhly898ys6jhbv7r77z8-compiler-rt-5.0.2
macos-sierra-install /nix/store/14k27li9psmi201brzm3yihlm7nq0cfc-bzip2-1.0.6.0.1
macos-sierra-install /nix/store/19xwrnwdhx278wd2hf04fdh6d9fqc-clang-5.0.2
macos-sierra-install /nix/store/lvrn0x735avl7sq6mwf5h50slb4666j7-bash-interactive-4.4-p23-info
macos-sierra-install /nix/store/2571v4g663w2490rzm1qi4qrzljqijs-clang-5.0.2-lib
macos-sierra-install /nix/store/2kd8k0h7mkrwc4449la48liyl2di3mx-cctools-port-895
macos-sierra-install /nix/store/365x532d88lj3zyi84qlwmh0knlr749-gnugrep-3.1
macos-sierra-install /nix/store/39mw718qjmv94pqkx62nmkxw1ga17p-adv_cmds-osx-10.5.8-locale

```



```

macos-sierra-test-login-interactive copying path '/nix/store/ijaa24krpzakv5dpnlx9ijkh5df6743-hello-2.10' from 'https://cache.nixos.org'...
macos-sierra-test-login-interactive building '/nix/store/7gsk31nhqyykrg5smxybw3ccinhd9n9-user-environment.drv'...
macos-sierra-test-login-interactive created 2 symlinks in user environment
macos-sierra-test-login-interactive /testscript: testnixchannel::25 hello
macos-sierra-test-login-interactive Hello, world!
macos-sierra-test-login-interactive /testscript: testnixchannel::26 nix-env --uninstall 'hello.*'
macos-sierra-test-login-interactive uninstalling 'hello-2.10'
macos-sierra-test-login-interactive Finishing: testnixchannel, duration:21 result:0
macos-sierra-test-interactive Starting: testnixinfo
macos-sierra-test-interactive ./testscript: runtest::39 testnixinfo
macos-sierra-test-interactive /testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-interactive ./testscript: line 8: nix-shell: command not found
macos-sierra-test-interactive Finishing: testnixinfo, duration:0 result:127
macos-sierra-test-interactive Starting: testshell
macos-sierra-test-interactive ./testscript: runtest::39 testshell
macos-sierra-test-interactive ./testscript: testshell::12 nix-shell -p hello --run hello
macos-sierra-test-interactive ./testscript: line 12: nix-shell: command not found
macos-sierra-test-interactive Finishing: testshell, duration:1 result:127
macos-sierra-test-interactive Starting: testnixenv
macos-sierra-test-interactive ./testscript: runtest::39 testnixenv
macos-sierra-test-interactive /testscript: testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-interactive ./testscript: line 16: nix-env: command not found
macos-sierra-test-interactive Finishing: testnixenv, duration:0 result:127
macos-sierra-test-interactive Starting: testnixchannel
macos-sierra-test-interactive ./testscript: runtest::39 testnixchannel
macos-sierra-test-interactive /testscript: testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-interactive ./testscript: line 22: nix-channel: command not found
macos-sierra-test-interactive Finishing: testnixchannel, duration:0 result:127
macos-sierra-test-ssh Starting: testnixinfo
macos-sierra-test-ssh ./testscript: runtest::39 testnixinfo
macos-sierra-test-ssh /testscript: testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
macos-sierra-test-ssh ./testscript: line 8: nix-shell: command not found
macos-sierra-test-ssh Finishing: testnixinfo, duration:0 result:127
macos-sierra-test-ssh Starting: testshell
macos-sierra-test-ssh ./testscript: runtest::39 testshell
macos-sierra-test-ssh /testscript: testshell::12 nix-shell -p hello --run hello
macos-sierra-test-ssh ./testscript: line 12: nix-shell: command not found
macos-sierra-test-ssh Finishing: testshell, duration:0 result:127
macos-sierra-test-ssh Starting: testnixenv
macos-sierra-test-ssh ./testscript: runtest::39 testnixenv
macos-sierra-test-ssh /testscript: testnixenv::16 nix-env -iA nixpkgs.hello
macos-sierra-test-ssh ./testscript: line 16: nix-env: command not found
macos-sierra-test-ssh Finishing: testnixenv, duration:0 result:127
macos-sierra-test-ssh Starting: testnixchannel
macos-sierra-test-ssh ./testscript: runtest::39 testnixchannel
macos-sierra-test-ssh /testscript: testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
macos-sierra-test-ssh ./testscript: line 22: nix-channel: command not found
macos-sierra-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-daemon-macos-sierra-install-method

install-force-daemon

[top of data](#)

install-force-daemon-macos-sierra-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "jhcook/macOS-sierra"
  config.vm.provision "shell", inline: <<-SHELL

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macOS:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-force-daemon-macos-sierra-image-name

macos-sierra

[top of data](#)

install-force-no-daemon-debian-8-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "debian/jessie64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl rsync

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macOS:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-force-no-daemon-debian-8-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-debian-8-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'debian/jessie64'...

```

███[KProgress: 10%
███[KProgress: 20%
███[KProgress: 40%

```

```

[KProgress: 60%
[KProgress: 90%
[=====> default: Matching MAC address for NAT networking...
=> default: Setting the VM: tmp1S4rfcbZlk default 1535666593933_62573
=> default: Fixed port collision for 22 => 2222. Now on port 2200.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
=> default: Forwarding ports...
default: 22 (guest) => 2200 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2200
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
=> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.debian.org/jessie/updates InRelease [44.9 kB]
default: Ign http://httpredir.debian.org/jessie InRelease
default: Hit http://httpredir.debian.org/jessie Release.gpg
default: Hit http://httpredir.debian.org/jessie Release
default: Get:2 http://security.debian.org/jessie/updates/main Sources [246 kB]
default: Hit http://httpredir.debian.org/jessie/main Sources
default: Hit http://httpredir.debian.org/jessie/main amd64 Packages
default: Get:3 http://security.debian.org/jessie/updates/main amd64 Packages [518 kB]
default: Fetched 808 kB in 2s (271 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: The following extra packages will be installed:
default: libcurl3
default: The following NEW packages will be installed:
default: curl libcurl3 rsync
default: 0 upgraded, 3 newly installed, 0 to remove and 29 not upgraded.
default: Need to get 851 kB of archives.
default: After this operation, 1,604 kB of additional disk space will be used.
default: Get:1 http://httpredir.debian.org/debian/jessie/main libcurl3 amd64 7.38.0-4+deb8u1 [260 kB]
default: Get:2 http://httpredir.debian.org/debian/jessie/main curl amd64 7.38.0-4+deb8u1 [201 kB]
default: Get:3 http://httpredir.debian.org/debian/jessie/main rsync amd64 3.1.1-3+deb8u1 [390 kB]
default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
default: Fetched 851 kB in 0s (2,470 kB/s)
default: Selecting previously unselected package libcurl3:amd64.
default: (Reading database ...
default: (Reading database ... 5%
default: (Reading database ... 10%
default: (Reading database ... 15%
default: (Reading database ... 20%
default: (Reading database ... 25%
default: (Reading database ... 30%
default: (Reading database ... 35%
default: (Reading database ... 40%
default: (Reading database ... 45%
default: (Reading database ... 50%
default: (Reading database ... 55%
default: (Reading database ... 60%
default: (Reading database ... 65%
default: (Reading database ... 70%
default: (Reading database ... 75%
default: (Reading database ... 80%
default: (Reading database ... 85%
default: (Reading database ... 90%
default: (Reading database ... 95%
default: (Reading database ... 100%
(Reading database ... 28309 files and directories currently installed.)
default: Preparing to unpack .../libcurl3_7.38.0-4+deb8u1_amd64.deb ...
default: Unpacking libcurl3:amd64 (7.38.0-4+deb8u1) ...
default: Selecting previously unselected package curl.
default: Preparing to unpack .../curl_7.38.0-4+deb8u1_amd64.deb ...
default: Unpacking curl (7.38.0-4+deb8u1) ...
default: Selecting previously unselected package rsync.
default: Preparing to unpack .../rsync_3.1.1-3+deb8u1_amd64.deb ...
default: Unpacking rsync (3.1.1-3+deb8u1) ...
default: Processing triggers for man-db (2.7.0.2-5) ...
default: Processing triggers for systemd (215-17+deb8u7) ...
default: Setting up libcurl3:amd64 (7.38.0-4+deb8u1) ...
default: Setting up curl (7.38.0-4+deb8u1) ...
default: Setting up rsync (3.1.1-3+deb8u1) ...
default: Processing triggers for libc-bin (2.19-18+deb8u10) ...
default: Processing triggers for systemd (215-17+deb8u7) ...

=> default: Machine 'default' has a post `vagrant up` message. This is a message
=> default: from the creator of the Vagrantfile, and not from Vagrant itself:
=> default:
=> default: Vanilla Debian box. See https://app.vagrantup.com/debian for help and bug reports
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4=" ${BASH_SOURCE}::${FUNCNAME[0]}:${LINENO} "
set -u
set -o pipefail

testnixinfo() (
nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
nix-shell -p hello --run hello
)

testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)

testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update

```

```

nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
debian-8-install + + sh -s -- --no-daemon
debian-8-install curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
debian-8-install % Total % Received % Xferd Average Speed Time Time Time Current
debian-8-install Dload Upload Total Spent Left Speed
debian-8-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 7140 0 0 0 0 0 0 0 0 0 0 0 0
debian-8-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.t
debian-8-install % Total % Received % Xferd Average Speed Time Time Time Current
debian-8-install Dload Upload Total Spent Left Speed
debian-8-install 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 16384 0 0 36730 0 0:16:54 0:16:54 36735
2 35.5M 2 1088k 0 0 735k 0 0:00:49 0:00:01 0:00:48 735k
6 35.5M 6 2384k 0 0 963k 0 0:00:37 0:00:02 0:00:35 963k
10 35.5M 10 3840k 0 0 1107k 0 0:00:32 0:00:03 0:00:29 1106k
15 35.5M 15 5520k 0 0 1236k 0 0:00:29 0:00:04 0:00:25 1236k
20 35.5M 20 7376k 0 0 1351k 0 0:00:26 0:00:05 0:00:21 1469k
25 35.5M 25 9424k 0 0 1461k 0 0:00:24 0:00:06 0:00:18 1677k
31 35.5M 31 11.2M 0 0 1551k 0 0:00:23 0:00:07 0:00:16 1844k
37 35.5M 37 13.3M 0 0 1611k 0 0:00:22 0:00:08 0:00:14 1961k
43 35.5M 43 15.4M 0 0 1665k 0 0:00:21 0:00:09 0:00:12 2047k
49 35.5M 49 17.4M 0 0 1708k 0 0:00:21 0:00:10 0:00:11 2097k
54 35.5M 54 19.5M 0 0 1744k 0 0:00:20 0:00:11 0:00:09 2109k
60 35.5M 60 21.5M 0 0 1775k 0 0:00:20 0:00:12 0:00:08 2107k
66 35.5M 66 23.6M 0 0 1799k 0 0:00:20 0:00:13 0:00:07 2120k
72 35.5M 72 25.7M 0 0 1824k 0 0:00:19 0:00:14 0:00:05 2127k
76 35.5M 76 27.0M 0 0 1793k 0 0:00:20 0:00:15 0:00:05 1970k
79 35.5M 79 28.3M 0 0 1759k 0 0:00:20 0:00:16 0:00:04 1793k
83 35.5M 83 29.7M 0 0 1744k 0 0:00:20 0:00:17 0:00:03 1668k
88 35.5M 88 31.4M 0 0 1742k 0 0:00:20 0:00:18 0:00:02 1588k
93 35.5M 93 33.2M 0 0 1749k 0 0:00:20 0:00:19 0:00:01 1534k
99 35.5M 99 35.2M 0 0 1765k 0 0:00:20 0:00:20 0:00:00 1679k
100 35.5M 100 35.5M 0 0 1768k 0 0:00:20 0:00:20 0:00:00 1805k
debian-8-install performing a single-user installation of Nix...
debian-8-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
debian-8-install copying Nix to /nix/store.....
debian-8-install initialising Nix database...
debian-8-install Nix: creating /home/vagrant/.nix-profile
debian-8-install installing 'nix-2.1pre6385_d16ff76c'
debian-8-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
debian-8-install created 6 symlinks in user environment
debian-8-install unpacking channels...
debian-8-install created 2 symlinks in user environment
debian-8-install modifying /home/vagrant/.bash_profile...
debian-8-install
debian-8-install Installation finished! To ensure that the necessary environment
debian-8-install variables are set, either log in again, or type
debian-8-install
debian-8-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
debian-8-install
debian-8-install in your shell.
debian-8-test-login Starting: testnixinfo
debian-8-test-login ./testscript::runtest::39 testnixinfo
debian-8-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
debian-8-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
debian-8-test-login /nix/store/09ij2aakzb0mhrkb4wkghpk6k8f8fz1crl-gnumake-4.2.1
debian-8-test-login /nix/store/1141f22hsyf9f9f3425cv49p8m9pb080-diffutils-3.6
debian-8-test-login /nix/store/3bn0819v7aqh0wxli7f43zr1q9y9j84-readline-7.0p5
debian-8-test-login /nix/store/5l4ghkya7nyfbrv9yrc7k7cbmdmnp8br-gcc-7.3.0
debian-8-test-login /nix/store/5mldi7y5albcd4i712lqch09zfhdkz0-bash-interactive-4.4-p23-man
debian-8-test-login /nix/store/6nqk63zypz17ng87gx6rlz189lxd11-gcc-7.3.0-lib
debian-8-test-login /nix/store/6v88ick1cxnns9l8m8qrww6lrlr27x-bash-4.4-p23
debian-8-test-login /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwkcf-zlib-1.2.11
debian-8-test-login /nix/store/92gpnymw60dsx9f07jvn89z6x88gl-ed-1.14.2
debian-8-test-login /nix/store/98c80y9rplqlwxc8g1fm4qs494ajy8q-gnugrep-3.1
debian-8-test-login /nix/store/9xm9n0n0z92r9nlvbbxwqgxnjnf0z2-paxctl-0.9
debian-8-test-login /nix/store/9z650yccz5zyhcv5n36ya6x4jq436mr-gcc-wrapper-7.3.0
debian-8-test-login /nix/store/a8slaxaq3p8rxiqppbaasvghyxb0akk-acl-2.2.52
debian-8-test-login /nix/store/ach9z9x8l8g89kpid73s54fjs0vzyg3g7-glibc-2.27-bin
debian-8-test-login /nix/store/agyh8vqg5q8fsxhda24fxw72xv2bx4j5-gnused-4.5
debian-8-test-login /nix/store/dkh9cmvwxlpcxv290md6dq4r74yzbshk-gnutar-1.30
debian-8-test-login /nix/store/fai750p2a3gc71sqp1ipsqzr138hsz81-bzip2-1.0.6.0.1-bin
debian-8-test-login /nix/store/fjvk359n102sq572kspdjy303kv45-stdevn-Linux
debian-8-test-login /nix/store/h2r9w516xj4mdj3r4x2rnw4yjnpp0vdd-gzip-1.9
debian-8-test-login /nix/store/hx54qgrn64gl0wggdfvgdm42r2b5klv-glibc-2.27
debian-8-test-login /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev
debian-8-test-login /nix/store/i7vcsw4p6n51b72al2ysp5j31579wk-d3-patch-2.7.6
debian-8-test-login /nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
debian-8-test-login /nix/store/j2c1xf2rl9daldfwcp8ywgjxs9yxgmz-nurses-6.1
debian-8-test-login /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
debian-8-test-login /nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
debian-8-test-login /nix/store/ksvni3fjv6j7qkswpn6qvrjym2si336-bash-interactive-4.4-p23-doc
debian-8-test-login /nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
debian-8-test-login /nix/store/mdpwyfa0v419rawrdg0cwq518firnc-expand-response-params
debian-8-test-login /nix/store/mzx4y6amjn7i638c6692qslazyyz619-x-5.2.4-bin
debian-8-test-login /nix/store/qcvvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
debian-8-test-login /nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info

```

```
debian-8-test-login /nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
debian-8-test-login /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
debian-8-test-login /nix/store/sc4w9y5a3nszmmcy3yhmxx6wysg66iw-patchelf-0.9
debian-8-test-login /nix/store/vp40m2jcnmcd2lpskpfj00g0w8vsvnd-bash-interactive-4.4-p23-dev
debian-8-test-login /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
debian-8-test-login /nix/store/xzz2anv77hx8jz1z4hbffh0vkw006d-bash-interactive-4.4-p23
debian-8-test-login /nix/store/y8p4r1r2w9p9svny2l5h517i57kcv53-findutils-4.6.0
debian-8-test-login /nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4
debian-8-test-login copying path /nix/store/ksvml3fjv6j7qkswnp6qvrjygm25i336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/lxj4yzas56kzsr2064jdb908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/sml17y5albcd41712lq0h9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgmd42r25k1v-glibc-2.27' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/39k17g3rd3r7m7d17rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/jicmavp929l0x232ryl0za94rfrslj0p-attr-2.4.47' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/6v81cklcnxns99l8m0qrrqww0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/qvw8f8g0d1l7l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/fai759p2a3gc7isqllpsq2r138hsz8l-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/l141f2zshyfg9fa3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/92gpnymw60dsx9f07jvn89z6x88gl-ed-1.14.2' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/mdpwyfa0v419arwrdg0cqw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/y8p4r1r2w9p9svny2l5h517i57kcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/z7lnmjbyaqg6vfm1zn30n0in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/6nqk63zyp2177ng87x6r1z189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/ach92x8l8g9kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/091j2aakzb8mhrk4kqgkpk6f8z1crgnumake-4.2.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/l4n9l8fnq0wgryan523pfdck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/agh8vqg5q8fshxd42fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/dkh9cmwy0lpcxv290m6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/h2r9w516xj4md3r4x2rww4yjdnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/z2clxfbr19dald7fwp8ywgjx9s9xgmz-ncurses-6.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/l7vcs4p6n51b72a1z2yp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/sc4w9y5a3nszmmcy3yhmxx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/9vbm90nd92r9n13vbwqwgw9n6b0zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/3bn0819v7aghox1l7f43zrlq9y9jy4-readline-7.0p5' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/98c80y9rpl1qwc8x81fm4qs4494y8q-gnugrep-3.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/gqa70q7m5332dr4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/mzx4y6amjn7i6386692qs1azyz2x6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/zbrn44d4b7mlyqvp6j7h0kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/vp40m2jcnmcd2lpskpfj00g0w8vsvnd-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/514qkhy7nyfbnv9yrc7cbmdinph8r-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/gcvnr1ryrd4xm78fh0vszyafndf1p-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xzz2anv77hx8jz1z4hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/fjxk3k59n102sq5572kkspdjy30k3v5-stdev-linux' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xadwbdjcnmcd2lpskpfj00g0w8vsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-8-test-login - system: "x86_64-linux"
debian-8-test-login - host os: "linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
debian-8-test-login - multi-user?: "no"
debian-8-test-login - sandbox: "no"
debian-8-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
debian-8-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
debian-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
debian-8-test-login
Finishing: testnixinfo, duration:22 result:0
debian-8-test-login Starting: testshell
debian-8-test-login ./testscript::runtest::39 testshell
debian-8-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8dz9c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:2 result:0
debian-8-test-login Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/94bdc86i12z1pvz1p9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/bj717qjczsb26ad53m0a4nz66vj5v7-user-environment.drv'...
created 6 symlinks in user environment
Finishing: testnixenv, duration:0 result:0
debian-8-test-login Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10
copying path /nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:7 result:0
debian-8-test-login bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-8-test-login bash: no job control in this shell
debian-8-test-login Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
- multi-user?: "no"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
Finishing: testnixinfo, duration:5 result:0
debian-8-test-login Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
debian-8-test-login Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:0 result:0
debian-8-test-login Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::16 nix-channel --update
```

```

debian-8-test-login-interactive      unpacking channels...
debian-8-test-login-interactive      ./testscript::testnixchannel:17 nix-env -iA nixos-18-03.hello
debian-8-test-login-interactive      installing 'hello-2.10'
debian-8-test-login-interactive      ./testscript::testnixchannel:18 hello
debian-8-test-login-interactive      Hello, world!
debian-8-test-login-interactive      ./testscript::testnixchannel:19 nix-env --uninstall 'hello.*'
debian-8-test-login-interactive      uninstalling 'hello-2.10'
debian-8-test-login-interactive      Finishing: testnixchannel, duration:1 result:0
debian-8-test-interactive            bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-8-test-interactive            bash: no job control in this shell
debian-8-test-interactive            Starting: testnixinfo
debian-8-test-interactive            ./testscript::runtest::10 testnixinfo
debian-8-test-interactive            ./testscript::testnixinfo:1 nix-shell -p nix-info --run 'nix-info -m'
debian-8-test-interactive            bash: nix-shell: command not found
debian-8-test-interactive            Finishing: testnixinfo, duration:0 result:1
debian-8-test-interactive            Starting: testshell
debian-8-test-interactive            ./testscript::runtest::10 testshell
debian-8-test-interactive            ./testscript::testshell:5 nix-shell -p hello --run hello
debian-8-test-interactive            bash: nix-shell: command not found
debian-8-test-interactive            Finishing: testshell, duration:0 result:1
debian-8-test-interactive            Starting: testnixenv
debian-8-test-interactive            ./testscript::runtest::10 testnixenv
debian-8-test-interactive            ./testscript::testnixenv:9 nix-env -iA nixpkgs.hello
debian-8-test-interactive            bash: nix-env: command not found
debian-8-test-interactive            Finishing: testnixenv, duration:0 result:1
debian-8-test-interactive            Starting: testnixchannel
debian-8-test-interactive            ./testscript::runtest::10 testnixchannel
debian-8-test-interactive            ./testscript::testnixchannel:15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-8-test-interactive            bash: nix-channel: command not found
debian-8-test-interactive            Finishing: testnixchannel, duration:0 result:1
debian-8-test-ssh                    Starting: testnixinfo
debian-8-test-ssh                    ./testscript::runtest::39 testnixinfo
debian-8-test-ssh                    ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
debian-8-test-ssh                    ./testscript: line 8: nix-shell: command not found
debian-8-test-ssh                    Finishing: testnixinfo, duration:0 result:1
debian-8-test-ssh                    Starting: testshell
debian-8-test-ssh                    ./testscript::runtest::39 testshell
debian-8-test-ssh                    ./testscript::testshell:12 nix-shell -p hello --run hello
debian-8-test-ssh                    ./testscript: line 12: nix-shell: command not found
debian-8-test-ssh                    Finishing: testshell, duration:0 result:1
debian-8-test-ssh                    Starting: testnixenv
debian-8-test-ssh                    ./testscript::runtest::39 testnixenv
debian-8-test-ssh                    ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
debian-8-test-ssh                    ./testscript: line 16: nix-env: command not found
debian-8-test-ssh                    Finishing: testnixenv, duration:0 result:1
debian-8-test-ssh                    Starting: testnixchannel
debian-8-test-ssh                    ./testscript::runtest::39 testnixchannel
debian-8-test-ssh                    ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-8-test-ssh                    ./testscript: line 22: nix-channel: command not found
debian-8-test-ssh                    Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-no-daemon-debian-8-image-name

debian-8

[top of data](#)

install-default-unless-selinux-debian-7-image-name

debian-7

[top of data](#)

install-default-unless-selinux-debian-7-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-debian-7-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "debian/wheezy64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-debian-7-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'debian/wheezy64'...

[KProgress: 20%
[KProgress: 40%
[KProgress: 60%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpTpAH1VhxZC_default_1535673983235_13310
==> default: Fixed port collision for 22 => 2222. Now on port 2206.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2206 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2206
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...

```



```

default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.debian.org wheezy/updates Release.gpg [1,601 B]
default: Get:2 http://security.debian.org wheezy/updates Release [52.3 kB]
default: Get:3 http://httpredir.debian.org wheezy Release.gpg [2,373 B]
default: Get:4 http://security.debian.org wheezy/updates/main Sources [354 kB]
default: Get:5 http://httpredir.debian.org wheezy Release [191 kB]
default: Get:6 http://security.debian.org wheezy/updates/main amd64 Packages [589 kB]
default: Hit http://httpredir.debian.org wheezy/main Sources
default: Hit http://httpredir.debian.org wheezy/main amd64 Packages
default: Fetched 1,190 kB in 2s (494 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: The following extra packages will be installed:
default:   libcurl3 librtmp0 libssh2-1
default: The following NEW packages will be installed:
default:   curl libcurl3 librtmp0 libssh2-1
default: 0 upgraded, 4 newly installed, 0 to remove and 78 not upgraded.
default: Need to get 805 kB of archives.
default: After this operation, 1,412 kB of additional disk space will be used.
default: Get:1 http://security.debian.org/ wheezy/updates/main librtmp0 amd64 2.4+20111222.git4e06e21-1+deb7u1 [62.5 kB]
default: Get:2 http://httpredir.debian.org/debian/ wheezy/main libssh2-1 amd64 1.4.2-1.1+deb7u2 [134 kB]
default: Get:3 http://security.debian.org/ wheezy/updates/main libcurl3 amd64 7.26.0-1+wheezy25+deb7u1 [335 kB]
default: Get:4 http://security.debian.org/ wheezy/updates/main curl amd64 7.26.0-1+wheezy25+deb7u1 [273 kB]
default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
default: Fetched 805 kB in 0s (1,001 kB/s)
default: Selecting previously unselected package librtmp0:amd64.
default: (Reading database ...
default: 24988 files and directories currently installed.)
default: Unpacking librtmp0:amd64 (from .../librtmp0_2.4+20111222.git4e06e21-1+deb7u1_amd64.deb) ...
default: Selecting previously unselected package libssh2-1:amd64.
default: Unpacking libssh2-1:amd64 (from .../libssh2-1_1.4.2-1.1+deb7u2_amd64.deb) ...
default: Selecting previously unselected package libcurl3:amd64.
default: Unpacking libcurl3:amd64 (from .../libcurl3_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
default: Selecting previously unselected package curl.
default: Unpacking curl (from .../curl_7.26.0-1+wheezy25+deb7u1_amd64.deb) ...
default: Processing triggers for man-db ...
default: Setting up librtmp0:amd64 (2.4+20111222.git4e06e21-1+deb7u1) ...
default: Setting up libssh2-1:amd64 (1.4.2-1.1+deb7u2) ...
default: Setting up libcurl3:amd64 (7.26.0-1+wheezy25+deb7u1) ...
default: Setting up curl (7.26.0-1+wheezy25+deb7u1) ...
# /bin/sh

set -eux

if /usr/sbin/sectatus && /usr/sbin/sectatus 2>&1 | grep -q enforcing; then
    echo "punting to no-daemon"
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
# /usr/bin/env bash

export PS4=' ${BASH_SOURCE}::${FUNCNAME[0]}::$LINENO '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$STESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"

    echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"

    (
        runtest testnixinfo
        runtest testshell
        runtest testnixenv
        runtest testnixchannel
    )

    tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
debian-7-install + /usr/sbin/sectatus

```

```
debian-7-install ./install: 5: ./install: /usr/sbin/sectatus: not found
debian-7-install + sh
debian-7-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
debian-7-install % Total % Received % Xferd Average Speed Time Time Current
debian-7-install % Download Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 7098 0 0 0 0 0 9192
debian-7-install downloading Nix 2.1pre6385_d16ff76c binary tarball from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c-x86_64-linux.t
debian-7-install % Total % Received % Xferd Average Speed Time Time Current
debian-7-install % Download Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 16384 0 0 37324 0 0:16:38 0:16:38 46152
4 35.5M 4 1616k 0 0 1190k 0 0:00:30 0:00:01 0:00:29 1269k
10 35.5M 10 3888k 0 0 1628k 0 0:00:22 0:00:02 0:00:20 1687k
16 35.5M 16 6090k 0 0 1773k 0 0:00:20 0:00:03 0:00:17 1819k
22 35.5M 22 8112k 0 0 1853k 0 0:00:19 0:00:04 0:00:15 1890k
28 35.5M 28 9.9M 0 0 1903k 0 0:00:19 0:00:05 0:00:14 2068k
33 35.5M 33 12.0M 0 0 1934k 0 0:00:18 0:00:06 0:00:12 2136k
39 35.5M 39 14.0M 0 0 1960k 0 0:00:18 0:00:07 0:00:11 2119k
45 35.5M 45 16.1M 0 0 1979k 0 0:00:18 0:00:08 0:00:10 2118k
51 35.5M 51 18.2M 0 0 1986k 0 0:00:18 0:00:09 0:00:09 2102k
57 35.5M 57 20.2M 0 0 1998k 0 0:00:18 0:00:10 0:00:08 2101k
62 35.5M 62 22.3M 0 0 2009k 0 0:00:18 0:00:11 0:00:07 2104k
68 35.5M 68 24.3M 0 0 2017k 0 0:00:18 0:00:12 0:00:06 2101k
74 35.5M 74 26.4M 0 0 2024k 0 0:00:17 0:00:13 0:00:04 2100k
79 35.5M 79 28.3M 0 0 2021k 0 0:00:18 0:00:14 0:00:04 2088k
85 35.5M 85 30.4M 0 0 2027k 0 0:00:17 0:00:15 0:00:02 2087k
91 35.5M 91 32.5M 0 0 2033k 0 0:00:17 0:00:16 0:00:01 2087k
97 35.5M 97 34.5M 0 0 2037k 0 0:00:17 0:00:17 0:00:00 2087k
100 35.5M 100 35.5M 0 0 2042k 0 0:00:17 0:00:17 0:00:00 2095k
debian-7-install performing a single-user installation of Nix...
debian-7-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
debian-7-install copying Nix to /nix/store...
debian-7-install initialising Nix database...
debian-7-install Nix: creating /home/vagrant/.nix-profile
debian-7-install installing 'nix-2.1pre6385_d16ff76c'
debian-7-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mkm0pbi-user-environment.drv'...
debian-7-install created 6 symlinks in user environment
debian-7-install unpacking channels...
debian-7-install created 2 symlinks in user environment
debian-7-install modifying /home/vagrant/.bash_profile...
debian-7-install Installation finished! To ensure that the necessary environment
debian-7-install variables are set, either log in again, or type
debian-7-install . /home/vagrant/.nix-profile/profile.d/nix.sh
debian-7-install in your shell.
debian-7-test-login Starting: testnixinfo
debian-7-test-login /testsript::runttest::39 testnixinfo
debian-7-test-login /testsript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
debian-7-test-login /nix/store/09j12aakz8mhrk4wkghpk6k8fz2lcr-gnumake-4.2.1
debian-7-test-login /nix/store/1141f22hsyfg9fq3425cv49p8m9pb80-diffutils-3.6
debian-7-test-login /nix/store/3bn0819v7agh0wxi1f43zr1q9y9j4-readline-7.0p5
debian-7-test-login /nix/store/514qhkya7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
debian-7-test-login /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
debian-7-test-login /nix/store/6nqk63zyp2177ng8qx6r1z189rlxd11-gcc-7.3.0-lib
debian-7-test-login /nix/store/6v88ick1cxns5g91m8qrrqw0lr1r2x-bash-4.4-p23
debian-7-test-login /nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11
debian-7-test-login /nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2
debian-7-test-login /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
debian-7-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
debian-7-test-login /nix/store/9z659yzzc5z5yhcw5n36yabx4jq436mr-gcc-wrapper-7.3.0
debian-7-test-login /nix/store/a8slaxaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52
debian-7-test-login /nix/store/ach92x8l8g89kpi73ssdfj8vzvg3g7-glibc-2.27-bin
debian-7-test-login /nix/store/acyh8vgsq8fshxnds24fxw12xv2bx4js-gnused-4.5
debian-7-test-login /nix/store/dkh9cmvwx1pcxv290md6d474y2zshsk-qlutar-1.30
debian-7-test-login /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin
debian-7-test-login /nix/store/fjxk3k59n102sq572kkspdjy30k3v45-stdenv-linux
debian-7-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4jndp0vdd-gzip-1.9
debian-7-test-login /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
debian-7-test-login /nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev
debian-7-test-login /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
debian-7-test-login /nix/store/i9k17g3rd3r7ms17rdsqsrk58gs1av1-linux-headers-4.15
debian-7-test-login /nix/store/j2clxfb2rl9daldfwpc8ywgjxs9yxgmz-ncurses-6.1
debian-7-test-login /nix/store/jicmavp929l80232ryl0za94r1rs1xj0p-attr-2.4.47
debian-7-test-login /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
debian-7-test-login /nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc
debian-7-test-login /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
debian-7-test-login /nix/store/mdpwyfaw0v419avrdrd0cw518f1ncs-expand-response-params
debian-7-test-login /nix/store/mzxy6amjnr1638c6692qslazyzxi69-xz-5.2.4-bin
debian-7-test-login /nix/store/ocwvrlrvrd4xm78nfh6vzay5fndflp-binutils-wrapper-2.30
debian-7-test-login /nix/store/oga70q7m5332d4gab8zpp004ajy6flh-nix-info
debian-7-test-login /nix/store/qwv8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
debian-7-test-login /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
debian-7-test-login /nix/store/sc4w9y5a3nszmcyci3yhmwx6wysg66iw-patchelf-0.9
debian-7-test-login /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
debian-7-test-login /nix/store/xadwbdjcnmdc21ppskfjc00g8w8svynd-bash-interactive-4.4-p23-dev
debian-7-test-login /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
debian-7-test-login /nix/store/xzz2anv77hx8jziz4hb7y0vkw0066d-bash-interactive-4.4-p23
debian-7-test-login /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
debian-7-test-login /nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4
debian-7-test-login copying path /nix/store/ksvmi3fjv6j7qkswnp6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/i9k17g3rd3r7ms17rdsqsrk58gs1av1-linux-headers-4.15' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/jicmavp929l80232ryl0za94r1rs1xj0p-attr-2.4.47' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/6v88ick1cxns5g91m8qrrqw0lr1r2x-bash-4.4-p23' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/a8slaxaq3p8rx1qppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/qwv8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/fai750p2q3gc7isqplpsq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/1141f22hsyfg9fq3425cv49p8m9pb80-diffutils-3.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/92gpnndymw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/mdpwyfaw0v419avrdrd0cw518f1ncs-expand-response-params' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/ach92x8l8g89kpi73ssdfj8vzvg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/09j12aakz8mhrk4wkghpk6k8fz2lcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/acyh8vgsq8fshxnds24fxw12xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/dkh9cmvwx1pcxv290md6d474y2zshsk-qlutar-1.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4jndp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/j2clxfb2rl9daldfwpc8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/3bn0819v7agh0wxi1f43zr1q9y9j4-readline-7.0p5' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/ykz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/mzxy6amjnr1638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-7-test-login copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
```

```
debian-7-test-login copying path '/nix/store/5l4qhkya7nyfbnv9yrcrk7cbmdiph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/qcvvnrlryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/9z659yzzcx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/xzz2anv7hw8jz1z4bfyfb0vwkww006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/fjxk3k59n10zqs572kspdjy303kv45-sdenv-linux' from 'https://cache.nixos.org'...
debian-7-test-login copying path '/nix/store/xadwbdjcnmcd2lppsfkjc00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-7-test-login - system: 'x86_64-linux'
debian-7-test-login - host os: 'Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)'
debian-7-test-login - multi-user?: 'no'
debian-7-test-login - sandbox: 'no'
debian-7-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
debian-7-test-login - channels(vagrant): '"nixpkgs-18.09pre150352.7c826371c49"'
debian-7-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
debian-7-test-login Finishing: testnixinfo, duration:35 result:0
debian-7-test-login Starting: testshell
debian-7-test-login ./testscript::runtest::39 testshell
debian-7-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
debian-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-7-test-login /nix/store/z8ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
debian-7-test-login copying path '/nix/store/z8ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
debian-7-test-login Hello, world!
debian-7-test-login Finishing: testshell, duration:1 result:0
debian-7-test-login Starting: testnixenv
debian-7-test-login ./testscript::runtest::39 testnixenv
debian-7-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-7-test-login installing 'hello-2.10'
debian-7-test-login building '/nix/store/94bdc86i12z1pvpzjp9mhbv74iglq497c-user-environment.drv'...
debian-7-test-login created 38 symlinks in user environment
debian-7-test-login ./testscript::testnixenv::17 hello
debian-7-test-login Hello, world!
debian-7-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
debian-7-test-login uninstalling 'hello-2.10'
debian-7-test-login building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
debian-7-test-login created 6 symlinks in user environment
debian-7-test-login Finishing: testnixenv, duration:1 result:0
debian-7-test-login Starting: testnixchannel
debian-7-test-login ./testscript::runtest::39 testnixchannel
debian-7-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-login ./testscript::testnixchannel::23 nix-channel --update
debian-7-test-login unpacking channels...
debian-7-test-login created 5 symlinks in user environment
debian-7-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
debian-7-test-login installing 'hello-2.10'
debian-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-7-test-login /nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
debian-7-test-login copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
debian-7-test-login building '/nix/store/q264qcanqjmmh8h176zc953awr2mly7-user-environment.drv'...
debian-7-test-login created 38 symlinks in user environment
debian-7-test-login ./testscript::testnixchannel::25 hello
debian-7-test-login Hello, world!
debian-7-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
debian-7-test-login uninstalling 'hello-2.10'
debian-7-test-login Finishing: testnixchannel, duration:11 result:0
debian-7-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
debian-7-test-login-interactive bash: no job control in this shell
debian-7-test-login-interactive Starting: testnixinfo
debian-7-test-login-interactive ./testscript::runtest::10 testnixinfo
debian-7-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-login-interactive - system: 'x86_64-linux'
debian-7-test-login-interactive - host os: 'Linux 3.2.0-4-amd64, Debian GNU/Linux, 7 (wheezy)'
debian-7-test-login-interactive - multi-user?: 'no'
debian-7-test-login-interactive - sandbox: 'no'
debian-7-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
debian-7-test-login-interactive - channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
debian-7-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
debian-7-test-login-interactive Finishing: testnixinfo, duration:5 result:0
debian-7-test-login-interactive Starting: testshell
debian-7-test-login-interactive ./testscript::runtest::10 testshell
debian-7-test-login-interactive ./testscript::testshell::4 nix-shell -p hello --run hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive Finishing: testshell, duration:1 result:0
debian-7-test-login-interactive Starting: testnixenv
debian-7-test-login-interactive ./testscript::runtest::10 testnixenv
debian-7-test-login-interactive ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
debian-7-test-login-interactive installing 'hello-2.10'
debian-7-test-login-interactive ./testscript::testnixenv::9 hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive ./testscript::testnixenv::10 nix-env --uninstall 'hello.*'
debian-7-test-login-interactive uninstalling 'hello-2.10'
debian-7-test-login-interactive Finishing: testnixenv, duration:0 result:0
debian-7-test-login-interactive Starting: testnixchannel
debian-7-test-login-interactive ./testscript::runtest::10 testnixchannel
debian-7-test-login-interactive ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-login-interactive ./testscript::testnixchannel::15 nix-channel --update
debian-7-test-login-interactive unpacking channels...
debian-7-test-login-interactive ./testscript::testnixchannel::16 nix-env -iA nixos-18-03.hello
debian-7-test-login-interactive installing 'hello-2.10'
debian-7-test-login-interactive ./testscript::testnixchannel::17 hello
debian-7-test-login-interactive Hello, world!
debian-7-test-login-interactive ./testscript::testnixchannel::18 nix-env --uninstall 'hello.*'
debian-7-test-login-interactive uninstalling 'hello-2.10'
debian-7-test-login-interactive Finishing: testnixchannel, duration:1 result:0
debian-7-test-login-interactive bash: cannot set terminal process group (-1): Invalid argument
debian-7-test-login-interactive bash: no job control in this shell
debian-7-test-login-interactive Starting: testnixinfo
debian-7-test-login-interactive ./testscript::runtest::10 testnixinfo
debian-7-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-login-interactive bash: nix-shell: command not found
debian-7-test-login-interactive Finishing: testnixinfo, duration:0 result:1
debian-7-test-login-interactive Starting: testshell
debian-7-test-login-interactive ./testscript::runtest::10 testshell
debian-7-test-login-interactive ./testscript::testshell::4 nix-shell -p hello --run hello
debian-7-test-login-interactive bash: nix-shell: command not found
debian-7-test-login-interactive Finishing: testshell, duration:0 result:1
debian-7-test-login-interactive Starting: testnixenv
debian-7-test-login-interactive ./testscript::runtest::10 testnixenv
debian-7-test-login-interactive ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
debian-7-test-login-interactive bash: nix-env: command not found
debian-7-test-login-interactive Finishing: testnixenv, duration:0 result:1
debian-7-test-login-interactive Starting: testnixchannel
debian-7-test-login-interactive ./testscript::runtest::10 testnixchannel
debian-7-test-login-interactive ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-login-interactive bash: nix-channel: command not found
debian-7-test-login-interactive Finishing: testnixchannel, duration:0 result:1
debian-7-test-ssh Starting: testnixinfo
debian-7-test-ssh ./testscript::runtest::39 testnixinfo
debian-7-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
debian-7-test-ssh ./testscript: line 8: nix-shell: command not found
debian-7-test-ssh Finishing: testnixinfo, duration:0 result:1
debian-7-test-ssh Starting: testshell
debian-7-test-ssh ./testscript::runtest::39 testshell
debian-7-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
debian-7-test-ssh ./testscript: line 12: nix-shell: command not found
debian-7-test-ssh Finishing: testshell, duration:0 result:1
debian-7-test-ssh Starting: testnixenv
debian-7-test-ssh ./testscript::runtest::39 testnixenv
debian-7-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-7-test-ssh ./testscript: line 16: nix-env: command not found
```

```
debian-7-test-ssh Finishing: testnixenv, duration:0 result:1
debian-7-test-ssh Starting: testnixchannel
debian-7-test-ssh ./testscript::runtest::39 testnixchannel
debian-7-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-7-test-ssh ./testscript: line 22: nix-channel: command not found
debian-7-test-ssh Finishing: testnixchannel, duration:0 result:1
```

[top of data](#)

install-default-centos-7-install-method

install-default

[top of data](#)

install-default-centos-7-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "centos/7"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-centos-7-image-name

centos-7

[top of data](#)

install-default-centos-7-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'centos/7'...

```
====[KProgress: 20%
====[KProgress: 40%
====[KProgress: 70%
====[KProgress: 90%
====[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmp750usX29nH_default_1535663597834_76304
==> default: Fixed port collision for 22 => 2222. Now on port 2208.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2208 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2208
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Loaded plugins: fastestmirror
default: Determining fastest mirrors
default: * base: distro.ibiblio.org
default: * extras: mirror.trouble-free.net
default: * updates: mirror.cs.pitt.edu
default: Package curl-7.29.0-46.el7.x86_64 already installed and latest version
default: Nothing to do
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)
```



```
centos-7-install # Nix
centos-7-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
centos-7-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
centos-7-install fi
centos-7-install # End Nix
centos-7-install
centos-7-install # Nix
centos-7-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
centos-7-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
centos-7-install fi
centos-7-install # End Nix
centos-7-install installing 'nix-2.1pre6385_d16ff76c'
centos-7-install building '/nix/store/hazjvcdsgg96fb0j3m9mya0mkm0ppi-user-environment.drv'...
centos-7-install created 6 symlinks in user environment
centos-7-install installing 'nss-cacert-3.38'
centos-7-install building '/nix/store/xsv6s0z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
centos-7-install created 9 symlinks in user environment
centos-7-install unpacking channels...
centos-7-install created 2 symlinks in user environment
centos-7-install Created symlink from /etc/systemd/system/nix-daemon.service to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
centos-7-install Created symlink from /etc/systemd/system/sockets.target wants/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
centos-7-install Created symlink from /etc/systemd/system/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
centos-7-install [38;32mAlright! We're done!
centos-7-install [0m
centos-7-install Before Nix will work in your existing shells, you'll need to close
centos-7-install them and open them again. Other than that, you should be ready to go.
centos-7-install
centos-7-install Try it! Open a new terminal, and type:
centos-7-install
centos-7-install $ nix-shell -p nix-info --run "nix-info -m"
centos-7-install
centos-7-install Thank you for using this installer. If you have any feedback, don't
centos-7-install hesitate:
centos-7-install
centos-7-install We'd love to help if you need it.
centos-7-install
centos-7-install If you can, open an issue at https://github.com/nixos/nix/issues
centos-7-install
centos-7-install Or feel free to contact the team,
centos-7-install - on IRC #nixos on irc.freenode.net
centos-7-install - on twitter @nixos_org
centos-7-install Starting: testnixinfo
centos-7-install-./testscript::runtest::39 testnixinfo
centos-7-install-./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-7-install-these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
centos-7-install-/nix/store/09ij2aakz8bmrk4kghpk6k8f8zclcr-gnumake-4.2.1
centos-7-install-/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8q0-diffutils-3.6
centos-7-install-/nix/store/3bn0819v7aghg0wx1l7f43zrlq9y9jb4-readline-7.0p5
centos-7-install-/nix/store/514qhkyaynyfbnv9yrcrk7c8mdinph8br-gcc-7.3.0
centos-7-install-/nix/store/5ml17y5albcd417121lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
centos-7-install-/nix/store/6nqk63zypz17ng87gxr6lzl89rlxd11-gcc-7.3.0-lib
centos-7-install-/nix/store/6v88ick1cxn59g1m8qrrqw0lrl27x-bash-4.4-p23
centos-7-install-/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpkxf-zlib-1.2.11
centos-7-install-/nix/store/92gpdnvmw60dsx9f07jvn8926zx88gl-ed-1.14.2
centos-7-install-/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1
centos-7-install-/nix/store/9xm9n09n0z92r9nlvbbxwqjwnf60z-paxctl-0.9
centos-7-install-/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
centos-7-install-/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
centos-7-install-/nix/store/ach9z9x8l8g9kpid73s4fjs0vzy3g7-glibc-2.27-bin
centos-7-install-/nix/store/agh8vqg5q8fshxda24fwj2xv2bx4js-gnused-4.5
centos-7-install-/nix/store/dkh9cmvxlpcxv290md6dq474zbhsk-gnutar-1.30
centos-7-install-/nix/store/fai750p2q3gc7isqplpsq2rl38shz81-bzip2-1.0.6.0.1-bin
centos-7-install-/nix/store/fjxk3k59n102sq572kkspdjy303k45-stenv-linux
centos-7-install-/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
centos-7-install-/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
centos-7-install-/nix/store/i4n918fn0wgryan52pfbdcck57fpzcc-glibc-2.27-dev
centos-7-install-/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
centos-7-install-/nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
centos-7-install-/nix/store/j2clxfb2rl9aldfwcp8ywgjx9yxgmz-ncurses-6.1
centos-7-install-/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
centos-7-install-/nix/store/jz7lnmbyaocpgf6vmlv3n20ni6h0g-gawk-4.2.1
centos-7-install-/nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
centos-7-install-/nix/store/lx4yzas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
centos-7-install-/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8frncs-expand-response-params
centos-7-install-/nix/store/mzx4y6amjn7i638c6692qslazyzyx6i9-xz-5.2.4-bin
centos-7-install-/nix/store/qcgvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
centos-7-install-/nix/store/qga70qm5332dr4gab8z0p04ajyg6flh-nix-info
centos-7-install-/nix/store/qvw8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
centos-7-install-/nix/store/rhczvaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
centos-7-install-/nix/store/sc4w9y5a3nszmmcy13yhmwx6y9g661w-patchelf-0.9
centos-7-install-/nix/store/vp40my263xk32f7788srrg159rycsna-binutils-2.30
centos-7-install-/nix/store/xadwdjcnmcc21psskfj09g0w8svynd-bash-interactive-4.4-p23-dev
centos-7-install-/nix/store/xd7ybv36s9yix9alx2rsyr2n0z9rix-pcre-8.42
centos-7-install-/nix/store/xzz2anv77hx8jziz4bhfyh0vkw0066d-bash-interactive-4.4-p23
centos-7-install-/nix/store/y8p41rl2w9p9swny2l5h517i57kvcv53-findutils-4.6.0
centos-7-install-/nix/store/ykz66mkmh9vq5bn6197921nadrp2ym-xz-5.2.4
centos-7-install-copying path '/nix/store/lx4yzas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/5ml17y5albcd417121lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/i9kl7g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/dx7ybv36s9yix9alx2rsyr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpkxf-zlib-1.2.11' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/ykz66mkmh9vq5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/jz7lnmbyaocpgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/bnqk63zypz17ng87gxr6lzl89rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/6v88ick1cxn59g1m8qrrqw0lrl27x-bash-4.4-p23' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/qvw8f8g0d1l714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/92gpdnvmw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/ach9z9x8l8g9kpid73s4fjs0vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/09ij2aakz8bmrk4kghpk6k8f8zclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/agh8vqg5q8fshxda24fwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/9xm9n09n0z92r9nlvbbxwqjwnf60z-paxctl-0.9' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/mdpwyfa0v4i9ravrdg0cwq5i8frncs-expand-response-params' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/j2clxfb2rl9aldfwcp8ywgjx9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/vp40my263xk32f7788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/mzx4y6amjn7i638c6692qslazyzyx6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/fai750p2q3gc7isqplpsq2rl38shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/sc4w9y5a3nszmmcy13yhmwx6y9g661w-patchelf-0.9' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/i4n918fn0wgryan52pfbdcck57fpzcc-glibc-2.27-dev' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/3bn0819v7aghg0wx1l7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/dkh9cmvxlpcxv290md6dq474zbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/rhczvaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/514qhkyaynyfbnv9yrcrk7c8mdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/1141f22hsyfg9fq3425cv49p8m9pb8q0-diffutils-3.6' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/y8p41rl2w9p9swny2l5h517i57kvcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/qga70qm5332dr4gab8z0p04ajyg6flh-nix-info' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/qcgvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/9z650yzczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/xzz2anv77hx8jziz4bhfyh0vkw0066d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/fjxk3k59n102sq572kkspdjy303k45-stenv-linux' from 'https://cache.nixos.org'...
centos-7-install-copying path '/nix/store/xadwdjcnmcc21psskfj09g0w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
centos-7-install-copying path '/system: "x86_64-linux"'
```

```
centos-7-test-login - host os: `Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)`
centos-7-test-login - multi-user?: `yes`
centos-7-test-login - sandbox: `no`
centos-7-test-login - version: `nix-env (Nix) 2.1pre6385_d16ff76c`
centos-7-test-login - channels(root): `nixpkgs-18.09pre150352.7c826371c49`
centos-7-test-login - nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`

centos-7-test-login Finishing: testnixinfo, duration:17 result:0
centos-7-test-login Starting: testshell
centos-7-test-login ./testscript::runtest::39 testshell
centos-7-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
centos-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-7-test-login /nix/store/z87ns3bv8d2c7dnlvbj54i613ch8k10-hello-2.10
centos-7-test-login copying path '/nix/store/z87ns3bv8d2c7dnlvbj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
centos-7-test-login Hello, world!
centos-7-test-login Finishing: testshell, duration:1 result:0
centos-7-test-login Starting: testnixenv
centos-7-test-login ./testscript::runtest::39 testnixenv
centos-7-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login building '/nix/store/ximiibc4pjn9y05fs5v29zcbaxsm6kx-user-environment.drv'...
centos-7-test-login created 2 symlinks in user environment
centos-7-test-login ./testscript::testnixenv::17 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login building '/nix/store/xsk9wjy0dpp7w7d3r3bkzaxlqdzq6q-user-environment.drv'...
centos-7-test-login created 0 symlinks in user environment
centos-7-test-login Finishing: testnixenv, duration:1 result:0
centos-7-test-login Starting: testnixchannel
centos-7-test-login ./testscript::runtest::39 testnixchannel
centos-7-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login ./testscript::testnixchannel::23 nix-channel --update
centos-7-test-login unpacking channels...
centos-7-test-login created 2 symlinks in user environment
centos-7-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
centos-7-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
centos-7-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
centos-7-test-login building '/nix/store/nh1raq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
centos-7-test-login created 2 symlinks in user environment
centos-7-test-login ./testscript::testnixchannel::25 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixchannel, duration:6 result:0
centos-7-test-login bash: cannot set terminal process group (-1): Inappropriate ioctl for device
centos-7-test-login bash: no job control in this shell
centos-7-test-login Starting: testnixinfo
centos-7-test-login ./testscript::runtest::10 testnixinfo
centos-7-test-login ./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-login - system: "x86_64-linux"
centos-7-test-login - host os: `Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)`
centos-7-test-login - multi-user?: `yes`
centos-7-test-login - sandbox: `no`
centos-7-test-login - version: `nix-env (Nix) 2.1pre6385_d16ff76c`
centos-7-test-login - channels(root): `nixpkgs-18.09pre150352.7c826371c49`
centos-7-test-login - channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
centos-7-test-login - nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`

centos-7-test-login Finishing: testnixinfo, duration:3 result:0
centos-7-test-login Starting: testshell
centos-7-test-login ./testscript::runtest::10 testshell
centos-7-test-login ./testscript::testshell::41 nix-shell -p hello --run hello
centos-7-test-login Hello, world!
centos-7-test-login Finishing: testshell, duration:0 result:0
centos-7-test-login Starting: testnixenv
centos-7-test-login ./testscript::runtest::10 testnixenv
centos-7-test-login ./testscript::testnixenv::37 nix-env -iA nixpkgs.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login ./testscript::testnixenv::36 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixenv::35 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixenv, duration:1 result:0
centos-7-test-login Starting: testnixchannel
centos-7-test-login ./testscript::runtest::10 testnixchannel
centos-7-test-login ./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login ./testscript::testnixchannel::30 nix-channel --update
centos-7-test-login unpacking channels...
centos-7-test-login ./testscript::testnixchannel::29 nix-env -iA nixos-18-03.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login ./testscript::testnixchannel::28 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixchannel::27 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixchannel, duration:1 result:0
centos-7-test-login bash: cannot set terminal process group (-1): Inappropriate ioctl for device
centos-7-test-login bash: no job control in this shell
centos-7-test-login Starting: testnixinfo
centos-7-test-login ./testscript::runtest::10 testnixinfo
centos-7-test-login ./testscript::testnixinfo::385 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-login - system: "x86_64-linux"
centos-7-test-login - host os: `Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)`
centos-7-test-login - multi-user?: `yes`
centos-7-test-login - sandbox: `no`
centos-7-test-login - version: `nix-env (Nix) 2.1pre6385_d16ff76c`
centos-7-test-login - channels(root): `nixpkgs-18.09pre150352.7c826371c49`
centos-7-test-login - channels(vagrant): `nixos-18-03-18.03.133174.edd63e05d1e`
centos-7-test-login - nixpkgs: `/nix/var/nix/profiles/per-user/root/channels/nixpkgs`

centos-7-test-login Finishing: testnixinfo, duration:3 result:0
centos-7-test-login Starting: testshell
centos-7-test-login ./testscript::runtest::10 testshell
centos-7-test-login ./testscript::testshell::381 nix-shell -p hello --run hello
centos-7-test-login Hello, world!
centos-7-test-login Finishing: testshell, duration:0 result:0
centos-7-test-login Starting: testnixenv
centos-7-test-login ./testscript::runtest::10 testnixenv
centos-7-test-login ./testscript::testnixenv::377 nix-env -iA nixpkgs.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login ./testscript::testnixenv::376 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixenv::375 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixenv, duration:1 result:0
centos-7-test-login Starting: testnixchannel
centos-7-test-login ./testscript::runtest::10 testnixchannel
centos-7-test-login ./testscript::testnixchannel::371 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-login ./testscript::testnixchannel::370 nix-channel --update
centos-7-test-login unpacking channels...
centos-7-test-login ./testscript::testnixchannel::369 nix-env -iA nixos-18-03.hello
centos-7-test-login installing 'hello-2.10'
centos-7-test-login ./testscript::testnixchannel::368 hello
centos-7-test-login Hello, world!
centos-7-test-login ./testscript::testnixchannel::367 nix-env --uninstall 'hello.*'
centos-7-test-login uninstalling 'hello-2.10'
centos-7-test-login Finishing: testnixchannel, duration:0 result:0
centos-7-test-ssh Starting: testnixinfo
```

```

centos-7-test-ssh      ./testscript::runtest::39 testnixinfo
centos-7-test-ssh      ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
centos-7-test-ssh      - system: 'x86_64-linux'
centos-7-test-ssh      - host os: 'Linux 3.10.0-862.2.3.el7.x86_64, CentOS Linux, 7 (Core)'
centos-7-test-ssh      - multi-user?: 'yes'
centos-7-test-ssh      - sandbox: 'no'
centos-7-test-ssh      - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
centos-7-test-ssh      - channels(root): '"nixpkgs-18.09pre150352.7c826371c49"'
centos-7-test-ssh      - channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e"'
centos-7-test-ssh      - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
centos-7-test-ssh      Finishing: testnixinfo, duration:5 result:0
centos-7-test-ssh      Starting: testshell
centos-7-test-ssh      ./testscript::runtest::39 testshell
centos-7-test-ssh      ./testscript::testshell:12 nix-shell -p hello --run hello
centos-7-test-ssh      Hello, world!
centos-7-test-ssh      Finishing: testshell, duration:0 result:0
centos-7-test-ssh      Starting: testnixenv
centos-7-test-ssh      ./testscript::runtest::39 testnixenv
centos-7-test-ssh      ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
centos-7-test-ssh      installing 'hello-2.10'
centos-7-test-ssh      ./testscript::testnixenv:17 hello
centos-7-test-ssh      Hello, world!
centos-7-test-ssh      ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
centos-7-test-ssh      uninstalling 'hello-2.10'
centos-7-test-ssh      Finishing: testnixenv, duration:1 result:0
centos-7-test-ssh      Starting: testnixchannel
centos-7-test-ssh      ./testscript::runtest::39 testnixchannel
centos-7-test-ssh      ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
centos-7-test-ssh      ./testscript::testnixchannel:23 nix-channel --update
centos-7-test-ssh      unpacking channels...
centos-7-test-ssh      ./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
centos-7-test-ssh      installing 'hello-2.10'
centos-7-test-ssh      ./testscript::testnixchannel:25 hello
centos-7-test-ssh      Hello, world!
centos-7-test-ssh      ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*'
centos-7-test-ssh      uninstalling 'hello-2.10'
centos-7-test-ssh      Finishing: testnixchannel, duration:1 result:0

```

[top of data](#)

install-default-ubuntu-14-04-install-method

```
install-default
```

[top of data](#)

install-default-ubuntu-14-04-image-name

```
ubuntu-14-04
```

[top of data](#)

install-default-ubuntu-14-04-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/trusty64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-default-ubuntu-14-04-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/trusty64'...

```

```

[KProgress: 70%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpulyShzY99_default_1535663699816_82283
==> default: Clearing any previously set forwarded ports...
==> default: Fixed port collision for 22 => 2222. Now on port 2204.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
default: Forwarding ports...
default: 22 (guest) => 2204 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2204
default: SSH username: vagrant
default: SSH auth method: private key
default: Warning: Connection reset. Retrying...
default: Warning: Remote connection disconnect. Retrying...
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 4.3.36
default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.ubuntu.com trusty-security InRelease [65.9 kB]
default: Ign http://archive.ubuntu.com trusty InRelease
default: Get:2 http://archive.ubuntu.com trusty-updates InRelease [65.9 kB]

```

```

default: Get:3 http://security.ubuntu.com trusty-security/main Sources [161 kB]
default: Hit http://archive.ubuntu.com trusty-backports InRelease
default: Hit http://archive.ubuntu.com trusty Release.gpg
default: Get:4 http://archive.ubuntu.com trusty-updates/main Sources [421 kB]
default: Get:5 http://security.ubuntu.com trusty-security/universe Sources [79.3 kB]
default: Get:6 http://security.ubuntu.com trusty-security/main amd64 Packages [763 kB]
default: Get:7 http://archive.ubuntu.com trusty-updates/restricted Sources [6,322 B]
default: Get:8 http://archive.ubuntu.com trusty-updates/universe Sources [207 kB]
default: Get:9 http://security.ubuntu.com trusty-security/universe amd64 Packages [245 kB]
default: Get:10 http://archive.ubuntu.com trusty-updates/multiverse Sources [7,441 B]
default: Get:11 http://archive.ubuntu.com trusty-updates/main amd64 Packages [1,101 kB]
default: Get:12 http://security.ubuntu.com trusty-security/main Translation-en [412 kB]
default: Get:13 http://security.ubuntu.com trusty-security/universe Translation-en [133 kB]
default: Get:14 http://archive.ubuntu.com trusty-updates/restricted amd64 Packages [17.2 kB]
default: Get:15 http://archive.ubuntu.com trusty-updates/universe amd64 Packages [473 kB]
default: Get:16 http://archive.ubuntu.com trusty-updates/multiverse amd64 Packages [14.6 kB]
default: Get:17 http://archive.ubuntu.com trusty-updates/main Translation-en [546 kB]
default: Get:18 http://archive.ubuntu.com trusty-updates/multiverse Translation-en [7,616 B]
default: Get:19 http://archive.ubuntu.com trusty-updates/restricted Translation-en [4,021 B]
default: Get:20 http://archive.ubuntu.com trusty-updates/universe Translation-en [253 kB]
default: Get:21 http://archive.ubuntu.com trusty-backports/main Sources [9,709 B]
default: Get:22 http://archive.ubuntu.com trusty-backports/restricted Sources [28 B]
default: Get:23 http://archive.ubuntu.com trusty-backports/universe Sources [35.4 kB]
default: Get:24 http://archive.ubuntu.com trusty-backports/multiverse Sources [1,896 B]
default: Hit http://archive.ubuntu.com trusty-backports/main amd64 Packages
default: Hit http://archive.ubuntu.com trusty-backports/restricted amd64 Packages
default: Hit http://archive.ubuntu.com trusty-backports/universe amd64 Packages
default: Hit http://archive.ubuntu.com trusty-backports/multiverse amd64 Packages
default: Hit http://archive.ubuntu.com trusty-backports/main Translation-en
default: Hit http://archive.ubuntu.com trusty-backports/multiverse Translation-en
default: Hit http://archive.ubuntu.com trusty-backports/restricted Translation-en
default: Hit http://archive.ubuntu.com trusty-backports/universe Translation-en
default: Hit http://archive.ubuntu.com trusty Release
default: Get:25 http://archive.ubuntu.com trusty/main Sources [1,064 kB]
default: Get:26 http://archive.ubuntu.com trusty/restricted Sources [5,433 B]
default: Get:27 http://archive.ubuntu.com trusty/universe Sources [6,399 kB]
default: Get:28 http://archive.ubuntu.com trusty/multiverse Sources [174 kB]
default: Hit http://archive.ubuntu.com trusty/main amd64 Packages
default: Hit http://archive.ubuntu.com trusty/restricted amd64 Packages
default: Hit http://archive.ubuntu.com trusty/universe amd64 Packages
default: Hit http://archive.ubuntu.com trusty/multiverse amd64 Packages
default: Hit http://archive.ubuntu.com trusty/main Translation-en
default: Hit http://archive.ubuntu.com trusty/multiverse Translation-en
default: Hit http://archive.ubuntu.com trusty/restricted Translation-en
default: Hit http://archive.ubuntu.com trusty/universe Translation-en
default: Ign http://archive.ubuntu.com trusty/main Translation-en_US
default: Ign http://archive.ubuntu.com trusty/multiverse Translation-en_US
default: Ign http://archive.ubuntu.com trusty/restricted Translation-en_US
default: Ign http://archive.ubuntu.com trusty/universe Translation-en_US
default: Fetched 12.7 MB in 12s (1,043 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: curl is already the newest version.
default: 0 upgraded, 0 newly installed, 0 to remove and 4 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}:::LINENO '
set -u
set -o pipefail

testnixinfo() (
nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
nix-shell -p hello --run hello
)

testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)

testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)

runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-14-04-install + sh
ubuntu-14-04-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-14-04-install % Total % Received % Xferd Average Speed Time Time Current
ubuntu-14-04-install Dload Upload Total Spent Left Speed

```



```
ubuntu-14-04-test-login copying path '/nix/store/xzz2anv77hx8jz14hbfyh0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login copying path '/nix/store/fjxk3k59n102sqs572kkspdjy303k45-stdenv-linux' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login copying path '/nix/store/xadwbdjcnmdc2lppskfjco00gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login - system: "x86_64-linux"
ubuntu-14-04-test-login - host os: 'Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr'
ubuntu-14-04-test-login - multi-user?: 'no'
ubuntu-14-04-test-login - sandbox: 'no'
ubuntu-14-04-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-14-04-test-login - channels(vagrant): 'nixpkgs-18.09pre150352.7c826371c49'
ubuntu-14-04-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'

Finishing: testnixinfo, duration:28 result:0
Starting: testshell
ubuntu-14-04-test-login ./testscript::runtest::39 testshell
ubuntu-14-04-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-14-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-14-04-test-login /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
ubuntu-14-04-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login Hello, world!
ubuntu-14-04-test-login Finishing: testshell, duration:2 result:0
Starting: testnixenv
ubuntu-14-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login installing 'hello-2.10'
ubuntu-14-04-test-login building '/nix/store/94bdc861l2z1pvz1p9mhbv74igl4q97c-user-environment.drv'...
ubuntu-14-04-test-login created 38 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixenv::17 hello
ubuntu-14-04-test-login Hello, world!
ubuntu-14-04-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login uninstalling 'hello-2.10'
ubuntu-14-04-test-login building '/nix/store/bj717qczsb26ad53mv0a4nz66vj5vj-user-environment.drv'...
ubuntu-14-04-test-login created 6 symlinks in user environment
ubuntu-14-04-test-login Finishing: testnixenv, duration:0 result:0
Starting: testnixchannel
ubuntu-14-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login ./testscript::testnixchannel::23 nix-channel --update
ubuntu-14-04-test-login unpacking channels...
ubuntu-14-04-test-login created 5 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-14-04-test-login installing 'hello-2.10'
ubuntu-14-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-14-04-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
ubuntu-14-04-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login building '/nix/store/q264qcanqjmrhm8h176cz953awr2mly7-user-environment.drv'...
ubuntu-14-04-test-login created 38 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixchannel::25 hello
ubuntu-14-04-test-login Hello, world!
ubuntu-14-04-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login uninstalling 'hello-2.10'
ubuntu-14-04-test-login Finishing: testnixchannel, duration:14 result:0
ubuntu-14-04-test-login bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-login bash: no job control in this shell
Starting: testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-login-interactive - system: "x86_64-linux"
ubuntu-14-04-test-login-interactive - host os: 'Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr'
ubuntu-14-04-test-login-interactive - multi-user?: 'no'
ubuntu-14-04-test-login-interactive - sandbox: 'no'
ubuntu-14-04-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-14-04-test-login-interactive - channels(vagrant): 'nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49'
ubuntu-14-04-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'

Finishing: testnixinfo, duration:4 result:0
Starting: testshell
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive Finishing: testshell, duration:0 result:0
Starting: testnixenv
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login-interactive installing 'hello-2.10'
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::5 hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-14-04-test-login-interactive Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::11 nix-channel --update
ubuntu-14-04-test-login-interactive unpacking channels...
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
ubuntu-14-04-test-login-interactive installing 'hello-2.10'
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::13 hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-14-04-test-login-interactive Finishing: testnixchannel, duration:1 result:0
Starting: testnixinfo
ubuntu-14-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-login-interactive bash: no job control in this shell
Starting: testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-login-interactive nix-shell: command not found
ubuntu-14-04-test-login-interactive Finishing: testnixinfo, duration:0 result:1
Starting: testshell
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-login-interactive ./testscript::testshell::212 nix-shell -p hello --run hello
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-login-interactive nix-shell: command not found
ubuntu-14-04-test-login-interactive Finishing: testshell, duration:0 result:1
Starting: testnixenv
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::208 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-14-04-test-login-interactive nix-env: command not found
ubuntu-14-04-test-login-interactive Finishing: testnixenv, duration:1 result:1
Starting: testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-14-04-test-login-interactive nix-channel: command not found
ubuntu-14-04-test-login-interactive Finishing: testnixchannel, duration:0 result:1
Starting: testnixinfo
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixinfo
ubuntu-14-04-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-ssh ./testscript: line 8: nix-shell: command not found
ubuntu-14-04-test-ssh Finishing: testnixinfo, duration:0 result:1
Starting: testshell
ubuntu-14-04-test-ssh ./testscript::runtest::39 testshell
ubuntu-14-04-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-14-04-test-ssh ./testscript: line 12: nix-shell: command not found
```

```

ubuntu-14-04-test-ssh    Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-ssh    Starting: testnixenv
ubuntu-14-04-test-ssh    ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-ssh    ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-ssh    ./testscript: line 16: nix-env: command not found
ubuntu-14-04-test-ssh    Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-ssh    Starting: testnixchannel
ubuntu-14-04-test-ssh    ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-ssh    ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-ssh    ./testscript: line 22: nix-channel: command not found
ubuntu-14-04-test-ssh    Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-daemon-gentoo-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```

==> default: Importing base box 'generic/gentoo'...

[KProgress: 10%
[KProgress: 20%
[KProgress: 30%
[KProgress: 40%
[KProgress: 50%
[KProgress: 60%
[KProgress: 70%
[KProgress: 80%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmp2pF8i10Gx2_default_1535664453575_46873
==> default: Fixed port collision for 22 => 2222. Now on port 2201.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2201 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2201
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
default: Running: inline script
default: Calculating dependencies
default: .
default: .. done!
default: >>> Verifying ebuild manifests
default: >>> Jobs: 0 of 1 complete, 1 running      Load avg: 0.17, 0.04, 0.01
default: >>> Emerging (1 of 1) net-misc/curl-7.61.0:gentoo
default: >>> Jobs: 0 of 1 complete, 1 running      Load avg: 0.17, 0.04, 0.01
default: >>> Jobs: 0 of 1 complete                  Load avg: 2.29, 0.76, 0.27
default: >>> Installing (1 of 1) net-misc/curl-7.61.0:gentoo
default: >>> Jobs: 0 of 1 complete                  Load avg: 2.29, 0.76, 0.27
default: >>> Jobs: 1 of 1 complete                  Load avg: 2.19, 0.77, 0.28
default: >>> Auto-cleaning packages...
default:
default: >>> No outdated packages were found on your system.
default:
default: * GNU info directory index is up-to-date.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"

    echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"
}

```

```

)
  runtest testnixinfo
  runtest testshell
  runtest testnixenv
  runtest testnixchannel
)
tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
gentoo-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
gentoo-install + sh -s -- --daemon
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
gentoo-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 6795 0 0 0 0 0 0 0 0 0 0 0 6832
gentoo-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.tar
gentoo-install % Total % Received % Xferd Dload Upload Total Spent Time Time Current
gentoo-install % Total % Received % Xferd Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 16384 0 0 30173 0 0:20:35 0:20:35 36328
2 35.5M 2 1040k 0 0 676k 0 0:00:53 0:00:01 0:00:52 720k
6 35.5M 6 2352k 0 0 928k 0 0:00:39 0:00:02 0:00:37 963k
10 35.5M 10 3840k 0 0 1088k 0 0:00:33 0:00:03 0:00:30 1117k
15 35.5M 15 5536k 0 0 1223k 0 0:00:29 0:00:04 0:00:25 1249k
20 35.5M 20 7408k 0 0 1342k 0 0:00:27 0:00:05 0:00:22 1486k
26 35.5M 26 9472k 0 0 1454k 0 0:00:25 0:00:06 0:00:19 1694k
31 35.5M 31 11.3M 0 0 1543k 0 0:00:23 0:00:07 0:00:16 1856k
37 35.5M 37 13.3M 0 0 1610k 0 0:00:22 0:00:08 0:00:14 1981k
43 35.5M 43 15.5M 0 0 1672k 0 0:00:21 0:00:09 0:00:12 2076k
49 35.5M 49 17.6M 0 0 1714k 0 0:00:21 0:00:10 0:00:11 2123k
55 35.5M 55 19.7M 0 0 1750k 0 0:00:20 0:00:11 0:00:09 2133k
61 35.5M 61 21.7M 0 0 1779k 0 0:00:20 0:00:12 0:00:08 2133k
66 35.5M 66 23.8M 0 0 1803k 0 0:00:20 0:00:13 0:00:07 2131k
72 35.5M 72 25.8M 0 0 1825k 0 0:00:19 0:00:14 0:00:05 2119k
78 35.5M 78 27.9M 0 0 1844k 0 0:00:19 0:00:15 0:00:04 2119k
84 35.5M 84 30.0M 0 0 1861k 0 0:00:19 0:00:16 0:00:03 2119k
90 35.5M 90 32.0M 0 0 1872k 0 0:00:19 0:00:17 0:00:02 2103k
96 35.5M 96 34.1M 0 0 1885k 0 0:00:19 0:00:18 0:00:01 2106k
100 35.5M 100 35.5M 0 0 1895k 0 0:00:19 0:00:19 0:00:00 2113k
gentoo-install [1;31mSwitching to the Daemon-based Installer[0m
gentoo-install [38;34m--- oh no! -----
gentoo-install [0m[38;31mSorry, I don't know what to do on Linux
gentoo-install [0m
gentoo-install [38;31mWe'd love to help if you need it.
gentoo-install
gentoo-install If you can, open an issue at https://github.com/nixos/nix/issues
gentoo-install
gentoo-install Or feel free to contact the team,
gentoo-install - on IRC #nixos on irc.freenode.net
gentoo-install - on twitter @nixos_org
gentoo-install [0mgentoo-test-login Starting: testnixinfo
gentoo-test-login ./testscript::runtest::39 testnixinfo
gentoo-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login ./testscript: line 8: nix-shell: command not found
gentoo-test-login Finishing: testnixinfo, duration:0 result:127
gentoo-test-login Starting: testshell
gentoo-test-login ./testscript::runtest::39 testshell
gentoo-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-login ./testscript: line 12: nix-shell: command not found
gentoo-test-login Finishing: testshell, duration:0 result:127
gentoo-test-login Starting: testnixenv
gentoo-test-login ./testscript::runtest::39 testnixenv
gentoo-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-login ./testscript: line 16: nix-env: command not found
gentoo-test-login Finishing: testnixenv, duration:0 result:127
gentoo-test-login Starting: testnixchannel
gentoo-test-login ./testscript::runtest::39 testnixchannel
gentoo-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-login ./testscript: line 22: nix-channel: command not found
gentoo-test-login Finishing: testnixchannel, duration:0 result:127
gentoo-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-login-interactive bash: no job control in this shell
gentoo-test-login-interactive Starting: testnixinfo
gentoo-test-login-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-login-interactive ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login-interactive bash: nix-shell: command not found
gentoo-test-login-interactive Finishing: testnixinfo, duration:0 result:127
gentoo-test-login-interactive Starting: testshell
gentoo-test-login-interactive ./testscript::runtest::10 testshell
gentoo-test-login-interactive ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-login-interactive bash: nix-shell: command not found
gentoo-test-login-interactive Finishing: testshell, duration:0 result:127
gentoo-test-login-interactive Starting: testnixenv
gentoo-test-login-interactive ./testscript::runtest::10 testnixenv
gentoo-test-login-interactive ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-login-interactive bash: nix-env: command not found
gentoo-test-login-interactive Finishing: testnixenv, duration:0 result:127
gentoo-test-login-interactive Starting: testnixchannel
gentoo-test-login-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-login-interactive ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-login-interactive bash: nix-channel: command not found
gentoo-test-login-interactive Finishing: testnixchannel, duration:0 result:127
gentoo-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-interactive bash: no job control in this shell
gentoo-test-interactive Starting: testnixinfo
gentoo-test-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-interactive ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testnixinfo, duration:0 result:127
gentoo-test-interactive Starting: testshell
gentoo-test-interactive ./testscript::runtest::10 testshell
gentoo-test-interactive ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testshell, duration:0 result:127
gentoo-test-interactive Starting: testnixenv
gentoo-test-interactive ./testscript::runtest::10 testnixenv
gentoo-test-interactive ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-interactive bash: nix-env: command not found
gentoo-test-interactive Finishing: testnixenv, duration:0 result:127
gentoo-test-interactive Starting: testnixchannel
gentoo-test-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-interactive ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-interactive bash: nix-channel: command not found
gentoo-test-interactive Finishing: testnixchannel, duration:0 result:127
gentoo-test-ssh Starting: testnixinfo
gentoo-test-ssh ./testscript::runtest::39 testnixinfo
gentoo-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-ssh ./testscript: line 8: nix-shell: command not found
gentoo-test-ssh Finishing: testnixinfo, duration:0 result:127
gentoo-test-ssh Starting: testshell
gentoo-test-ssh ./testscript::runtest::39 testshell
gentoo-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-ssh ./testscript: line 12: nix-shell: command not found
gentoo-test-ssh Finishing: testshell, duration:0 result:127

```



```
gentoo-test-ssh Starting: testnixenv
gentoo-test-ssh ./testscript::runtest::39 testnixenv
gentoo-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
gentoo-test-ssh ./testscript: line 16: nix-env: command not found
gentoo-test-ssh Finishing: testnixenv, duration:0 result:127
gentoo-test-ssh Starting: testnixchannel
gentoo-test-ssh ./testscript::runtest::39 testnixchannel
gentoo-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-ssh ./testscript: line 22: nix-channel: command not found
gentoo-test-ssh Finishing: testnixchannel, duration:0 result:127
```

[top of data](#)

install-force-daemon-gentoo-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "generic/gentoo"
  config.vm.provision "shell", inline: <<-SHELL
emerge curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-daemon-gentoo-image-name

gentoo

[top of data](#)

install-force-daemon-gentoo-install-method

install-force-daemon

[top of data](#)

install-default-unless-selinux-ubuntu-14-04-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-ubuntu-14-04-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'ubuntu/trusty64'...

```
====[KProgress: 90%
====[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmph5dw09JhVp_default_1535674029620_36041
==> default: Clearing any previously set forwarded ports...
==> default: Fixed port collision for 22 => 2222. Now on port 2212.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2212 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2212
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 4.3.36
default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.ubuntu.com trusty-security InRelease [65.9 kB]
default: Ign http://archive.ubuntu.com trusty InRelease
default: Get:2 http://archive.ubuntu.com trusty-updates InRelease [65.9 kB]
default: Get:3 http://security.ubuntu.com trusty-security/main Sources [161 kB]
default: Hit http://archive.ubuntu.com trusty-backports InRelease
default: Hit http://archive.ubuntu.com trusty Release.gpg
default: Get:4 http://archive.ubuntu.com trusty-updates/main Sources [421 kB]
default: Get:5 http://security.ubuntu.com trusty-security/universe Sources [79.3 kB]
default: Get:6 http://security.ubuntu.com trusty-security/main amd64 Packages [763 kB]
default: Get:7 http://archive.ubuntu.com trusty-updates/restricted Sources [6,322 B]
default: Get:8 http://archive.ubuntu.com trusty-updates/universe Sources [207 kB]
default: Get:9 http://security.ubuntu.com trusty-security/universe amd64 Packages [245 kB]
default: Get:10 http://archive.ubuntu.com trusty-updates/multiverse Sources [7,441 B]
default: Get:11 http://archive.ubuntu.com trusty-updates/main amd64 Packages [1,101 kB]
default: Get:12 http://security.ubuntu.com trusty-security/main Translation-en [412 kB]
default: Get:13 http://security.ubuntu.com trusty-security/universe Translation-en [133 kB]
default: Get:14 http://archive.ubuntu.com trusty-updates/restricted amd64 Packages [17.2 kB]
default: Get:15 http://archive.ubuntu.com trusty-updates/universe amd64 Packages [473 kB]
default: Get:16 http://archive.ubuntu.com trusty-updates/multiverse amd64 Packages [14.6 kB]
default: Get:17 http://archive.ubuntu.com trusty-updates/main Translation-en [546 kB]
default: Get:18 http://archive.ubuntu.com trusty-updates/multiverse Translation-en [7,616 B]
default: Get:19 http://archive.ubuntu.com trusty-updates/restricted Translation-en [4,021 B]
default: Get:20 http://archive.ubuntu.com trusty-updates/universe Translation-en [253 kB]
default: Get:21 http://archive.ubuntu.com trusty-backports/main Sources [9,709 B]
default: Get:22 http://archive.ubuntu.com trusty-backports/restricted Sources [28 B]
default: Get:23 http://archive.ubuntu.com trusty-backports/universe Sources [35.4 kB]
default: Get:24 http://archive.ubuntu.com trusty-backports/multiverse Sources [1,896 B]
default: Hit http://archive.ubuntu.com trusty-backports/main amd64 Packages
```



```
53 35.5M 53 19.0M 0 0 1989k 0 0:00:18 0:00:09 0:00:09 2098k
59 35.5M 59 21.1M 0 0 2003k 0 0:00:18 0:00:10 0:00:08 2104k
65 35.5M 65 23.1M 0 0 2011k 0 0:00:18 0:00:11 0:00:07 2101k
71 35.5M 71 25.2M 0 0 2022k 0 0:00:18 0:00:12 0:00:06 2108k
76 35.5M 76 27.3M 0 0 2027k 0 0:00:17 0:00:13 0:00:04 2118k
82 35.5M 82 29.3M 0 0 2034k 0 0:00:17 0:00:14 0:00:03 2121k
88 35.5M 88 31.4M 0 0 2039k 0 0:00:17 0:00:15 0:00:02 2118k
94 35.5M 94 33.5M 0 0 2044k 0 0:00:17 0:00:16 0:00:01 2121k
100 35.5M 100 35.5M 0 0 2052k 0 0:00:17 0:00:17 -:-:-:- 2132k
ubuntu-14-04-install performing a single-user installation of Nix...
ubuntu-14-04-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
ubuntu-14-04-install copying Nix to /nix/store.....mkdir
ubuntu-14-04-install initialising Nix database...
ubuntu-14-04-install Nix: creating /home/vagrant/.nix-profile
ubuntu-14-04-install installing 'nix-2.1pre6385_d16ff76c'
ubuntu-14-04-install building '/nix/store/hazjvcdsgg96f08j3mn9mya0mmk0pbi-user-environment.drv'...
ubuntu-14-04-install created 6 symlinks in user environment
ubuntu-14-04-install unpacking channels...
ubuntu-14-04-install created 2 symlinks in user environment
ubuntu-14-04-install modifying /home/vagrant/.bash_profile...

Installation finished! To ensure that the necessary environment
variables are set, either log in again, or type

. /home/vagrant/.nix-profile/etc/profile.d/nix.sh

in your shell.
Starting: testnixinfo
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakz8mhrk4wkghpk6kf8zflcr-gnumake-4.2.1
/nix/store/l14f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1l7f43zrlq9y9jb4-readline-7.0p5
/nix/store/514qhkyaynyf8vny9yrcrk7cbmdinph8br-gcc-7.3.0
/nix/store/5mld1.7y5albcd41712lqch0qzfdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87x6rlz189rxd1l-gcc-7.3.0-lib
/nix/store/6v881cklcnx59l8m8rrqw0lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6j7h70kxnxpwkfl-zlib-1.2.11
/nix/store/92gpnymmw60dsx9f07jvn8926zx88gl-ed-1.14.2
/nix/store/98c80y9rplq1wlcx8g1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9n1vbbxwgwjnf60zd-paxctl-0.9
/nix/store/9z650yzzc5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiaqpbbaaskvghyxb0akb-acl-2.2.52
/nix/store/ach92x8l8g9kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshxda24fxw2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6d4r74yzbshk-gnutar-1.30
/nix/store/fai750p2q3gc7isqplpsq2r138shz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk359n102sq572kkspdjy303kv45-stenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4n918fnq0wgyran523pfbdck57fpqcz-glibc-2.27-dev
/nix/store/i7vcsaw4p6n51b72a12y5p3j1579wkd3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsosrk58slav1-linux-headers-4.15
/nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxgmz-ncurses-6.1
/nix/store/jicmavp929l0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qksvnp6qvrjym2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kqzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyzx619-xz-5.2.4-bin
/nix/store/qcvvnrlyrd4xm78nfhv6vsyafndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z004ajy6flh-nix-info
/nix/store/qw8f8g0d1174w5j3355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6dq9z2h9yca02wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy13yhm6w6wsg66iw-patchelf-0.9
/nix/store/vp40my263x32f07788srrg159rycsna-binutils-2.30
/nix/store/xd7yblv36sr9yx9alx2syr2n0z9lx-pcre-8.42
/nix/store/xz2anv77hx8jziz4hb7f0hwk0066-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny215h517i57kvcv53-findutils-4.6.0
/nix/store/ykz666mhm9vq5bn619721nadrp2ym-xz-5.2.4
copying path /nix/store/ksvmi3fjv6j7qksvnp6qvrjym2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path /nix/store/lxj4zas56kqzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path /nix/store/5mld1.7y5albcd41712lqch0qzfdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path /nix/store/i9k17g3rd3r7msl7rdsosrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path /nix/store/jicmavp929l0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path /nix/store/6v881cklcnx59l8m8rrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/a8slaxaq3p8rxiaqpbbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
copying path /nix/store/qw8f8g0d1174w5j3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path /nix/store/rhczwaz7xk6dq9z2h9yca02wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
copying path /nix/store/fai750p2q3gc7isqplpsq2r138shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
copying path /nix/store/l14f22hsyf9qf3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
copying path /nix/store/92gpnymmw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path /nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
copying path /nix/store/y8p41rl2w9p9swny215h517i57kvcv53-findutils-4.6.0' from 'https://cache.nixos.org'...
copying path /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/6nqk63zypz177ng87x6rlz189rxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
copying path /nix/store/ach92x8l8g9kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
copying path /nix/store/09ij2aakz8mhrk4wkghpk6kf8zflcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
copying path /nix/store/i4n918fnq0wgyran523pfbdck57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
copying path /nix/store/agyh8vqg5q8fshxda24fxw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
copying path /nix/store/dkh9cmvwx1pcxv290md6d4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
copying path /nix/store/fjxk359n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path /nix/store/i7vcsaw4p6n51b72a12y5p3j1579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
copying path /nix/store/sc4w9y5a3nszmmcy13yhm6w6wsg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/9xm9n09n0z92r9n1vbbxwgwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
copying path /nix/store/xd7yblv36sr9yx9alx2syr2n0z9lx-pcre-8.42' from 'https://cache.nixos.org'...
copying path /nix/store/3bn0819v7aghg0wx1l7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
copying path /nix/store/98c80y9rplq1wlcx8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
copying path /nix/store/ykz666mhm9vq5bn619721nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
copying path /nix/store/qga70q7m5332d4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
copying path /nix/store/7zbrn4d4bp7mlyqvp6j7h70kxnxpwkfl-zlib-1.2.11' from 'https://cache.nixos.org'...
copying path /nix/store/vp40my263x32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/514qhkyaynyf8vny9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/qcvvnrlyrd4xm78nfhv6vsyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
copying path /nix/store/9z650yzzc5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
copying path /nix/store/xz2anv77hx8jziz4hb7f0hwk0066-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
copying path /nix/store/fjxk359n102sq572kkspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
copying path /nix/store/xadwbdjcnmdc21ppskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
- system: "x86_64-linux"
- host os: "Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr"
- multi-user?: "no"
- sandbox?: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"

Finishing: testnixinfo, duration:27 result:0
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:1 result:0
```

```

ubuntu-14-04-test-login Starting: testnixenv
ubuntu-14-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login installing 'hello-2.10'
ubuntu-14-04-test-login building '/nix/store/94bdc86il2z1pvzip9mhbw74igl4q97c-user-environment.drv'...
ubuntu-14-04-test-login created 38 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixenv::17 hello
ubuntu-14-04-test-login Hello, world!
ubuntu-14-04-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login uninstalling 'hello-2.10'
ubuntu-14-04-test-login building '/nix/store/bj717qjczsb26adc53m0a4nz66vj5vj-user-environment.drv'...
ubuntu-14-04-test-login created 6 symlinks in user environment
ubuntu-14-04-test-login Finishing: testnixenv, duration:1 result:0
ubuntu-14-04-test-login Starting: testnixchannel
ubuntu-14-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login ./testscript::testnixchannel::23 nix-channel --update
ubuntu-14-04-test-login unpacking channels...
ubuntu-14-04-test-login created 5 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-14-04-test-login installing 'hello-2.10'
ubuntu-14-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-14-04-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
ubuntu-14-04-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-14-04-test-login building '/nix/store/q264qcanjmrh8h176zc953awr2mly7-user-environment.drv'...
ubuntu-14-04-test-login created 38 symlinks in user environment
ubuntu-14-04-test-login ./testscript::testnixchannel::25 hello
ubuntu-14-04-test-login Hello, world!
ubuntu-14-04-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login uninstalling 'hello-2.10'
ubuntu-14-04-test-login Finishing: testnixchannel, duration:7 result:0
ubuntu-14-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-login-interactive bash: no job control in this shell
ubuntu-14-04-test-login-interactive Starting: testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-login-interactive ./testscript::testnixinfo::4 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-login-interactive - system: "x86_64-linux"
ubuntu-14-04-test-login-interactive - host os: 'Linux 3.13.0-157-generic, Ubuntu, 14.04.5 LTS, Trusty Tahr'
ubuntu-14-04-test-login-interactive - multi-user?: 'no'
ubuntu-14-04-test-login-interactive - sandbox: 'no'
ubuntu-14-04-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-14-04-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
ubuntu-14-04-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
ubuntu-14-04-test-login-interactive Finishing: testnixinfo, duration:4 result:0
ubuntu-14-04-test-login-interactive Starting: testshell
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive Finishing: testshell, duration:1 result:0
ubuntu-14-04-test-login-interactive Starting: testnixenv
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::4 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-login-interactive installing 'hello-2.10'
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::5 hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive ./testscript::testnixenv::6 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-14-04-test-login-interactive Finishing: testnixenv, duration:0 result:0
ubuntu-14-04-test-login-interactive Starting: testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::10 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::11 nix-channel --update
ubuntu-14-04-test-login-interactive unpacking channels...
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::12 nix-env -iA nixos-18-03.hello
ubuntu-14-04-test-login-interactive installing 'hello-2.10'
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::13 hello
ubuntu-14-04-test-login-interactive Hello, world!
ubuntu-14-04-test-login-interactive ./testscript::testnixchannel::14 nix-env --uninstall 'hello.*'
ubuntu-14-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-14-04-test-login-interactive Finishing: testnixchannel, duration:1 result:0
ubuntu-14-04-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-14-04-test-interactive bash: no job control in this shell
ubuntu-14-04-test-interactive Starting: testnixinfo
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixinfo
ubuntu-14-04-test-interactive ./testscript::testnixinfo::216 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-interactive nix-shell: command not found
ubuntu-14-04-test-interactive Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testshell
ubuntu-14-04-test-interactive ./testscript::runtest::10 testshell
ubuntu-14-04-test-interactive ./testscript::testshell::212 nix-shell -p hello --run hello
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-14-04-test-interactive nix-shell: command not found
ubuntu-14-04-test-interactive Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-interactive Starting: testnixenv
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixenv
ubuntu-14-04-test-interactive ./testscript::testnixenv::208 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-14-04-test-interactive nix-env: command not found
ubuntu-14-04-test-interactive Finishing: testnixenv, duration:1 result:1
ubuntu-14-04-test-interactive Starting: testnixchannel
ubuntu-14-04-test-interactive ./testscript::runtest::10 testnixchannel
ubuntu-14-04-test-interactive ./testscript::testnixchannel::202 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-14-04-test-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-14-04-test-interactive nix-channel: command not found
ubuntu-14-04-test-interactive Finishing: testnixchannel, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testnixinfo
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixinfo
ubuntu-14-04-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-14-04-test-ssh ./testscript: line 8: nix-shell: command not found
ubuntu-14-04-test-ssh Finishing: testnixinfo, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testshell
ubuntu-14-04-test-ssh ./testscript::runtest::39 testshell
ubuntu-14-04-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-14-04-test-ssh ./testscript: line 12: nix-shell: command not found
ubuntu-14-04-test-ssh Finishing: testshell, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testnixenv
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixenv
ubuntu-14-04-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-14-04-test-ssh ./testscript: line 16: nix-env: command not found
ubuntu-14-04-test-ssh Finishing: testnixenv, duration:0 result:1
ubuntu-14-04-test-ssh Starting: testnixchannel
ubuntu-14-04-test-ssh ./testscript::runtest::39 testnixchannel
ubuntu-14-04-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-14-04-test-ssh ./testscript: line 22: nix-channel: command not found
ubuntu-14-04-test-ssh Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-ubuntu-14-04-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/trusty64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-unless-selinux-ubuntu-14-04-image-name

ubuntu-14-04

[top of data](#)

install-default-fedora-27-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora27"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-fedora-27-install-method

install-default

[top of data](#)

install-default-fedora-27-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'generic/fedora27'...

```
====[KProgress: 10%
====[KProgress: 20%
====[KProgress: 30%
====[KProgress: 40%
====[KProgress: 80%
====[KProgress: 90%
====[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpkbar0wIADI_default_1535663597858_82938
=> default: Fixed port collision for 22 => 2222. Now on port 2201.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
=> default: Forwarding ports...
default: 22 (guest) => 2201 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2201
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 5.1.38
default: VirtualBox Version: 5.2
=> default: Running provisioner: shell...
default: Running: inline script
default: Fedora 27 - x86_64 - Updates 3.0 MB/s | 26 MB 00:08
default: Last metadata expiration check: 0:00:16 ago on Thu 30 Aug 2018 02:14:17 PM PDT.
default: Package curl-7.55.1-13.fc27.x86_64 is already installed, skipping.
default: Dependencies resolved.
default: Nothing to do.
default: Complete!
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
```



```
fedora-27-install $ curl https://nixos.org/nix/install | sh
fedora-27-install or maybe in a CI pipeline. Because of that, we're going to skip the
fedora-27-install verbose output in the interest of brevity.
```

If you would like to see the output, try like this:

```
fedora-27-install $ curl -o install-nix https://nixos.org/nix/install
fedora-27-install $ sh ./install-nix
```

```
fedora-27-install [38:34m--- Nix config report -----
fedora-27-install [0m[38:1m Temp Dir[38:1m: /tmp/tmp.VTKeyhCva0
fedora-27-install [38:1m Nix Root[38:1m: /nix
fedora-27-install [38:1m Build Users[38:1m: 32
fedora-27-install [38:1m Build Group ID[38:1m: 30000
fedora-27-install [38:1mBuild Group Name[38:1m: nixbld

fedora-27-install [38:4:34mbuild users:
fedora-27-install [0m[38:1m Username[38:1m: UID
fedora-27-install [38:1m nixbld1[38:1m: 30001
fedora-27-install [38:1m nixbld2[38:1m: 30002
fedora-27-install [38:1m nixbld3[38:1m: 30003
fedora-27-install [38:1m nixbld4[38:1m: 30004
fedora-27-install [38:1m nixbld5[38:1m: 30005
fedora-27-install [38:1m nixbld6[38:1m: 30006
fedora-27-install [38:1m nixbld7[38:1m: 30007
fedora-27-install [38:1m nixbld8[38:1m: 30008
fedora-27-install [38:1m nixbld9[38:1m: 30009
fedora-27-install [38:1m nixbld10[38:1m: 30010
fedora-27-install [38:1m nixbld11[38:1m: 30011
fedora-27-install [38:1m nixbld12[38:1m: 30012
fedora-27-install [38:1m nixbld13[38:1m: 30013
fedora-27-install [38:1m nixbld14[38:1m: 30014
fedora-27-install [38:1m nixbld15[38:1m: 30015
fedora-27-install [38:1m nixbld16[38:1m: 30016
fedora-27-install [38:1m nixbld17[38:1m: 30017
fedora-27-install [38:1m nixbld18[38:1m: 30018
fedora-27-install [38:1m nixbld19[38:1m: 30019
fedora-27-install [38:1m nixbld20[38:1m: 30020
fedora-27-install [38:1m nixbld21[38:1m: 30021
fedora-27-install [38:1m nixbld22[38:1m: 30022
fedora-27-install [38:1m nixbld23[38:1m: 30023
fedora-27-install [38:1m nixbld24[38:1m: 30024
fedora-27-install [38:1m nixbld25[38:1m: 30025
fedora-27-install [38:1m nixbld26[38:1m: 30026
fedora-27-install [38:1m nixbld27[38:1m: 30027
fedora-27-install [38:1m nixbld28[38:1m: 30028
fedora-27-install [38:1m nixbld29[38:1m: 30029
fedora-27-install [38:1m nixbld30[38:1m: 30030
fedora-27-install [38:1m nixbld31[38:1m: 30031
fedora-27-install [38:1m nixbld32[38:1m: 30032

fedora-27-install [38:32m[38:4:32mReady to continue?
fedora-27-install [0mNo TTY, assuming you would say yes :)

fedora-27-install [38:32m--> Setting up the build group nixbld
fedora-27-install [0m[38:1m Created[38:1m: Yes

fedora-27-install [38:32m--> Setting up the build user nixbld1
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 1
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld2
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 2
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld3
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 3
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld4
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 4
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld5
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 5
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld6
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 6
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000

fedora-27-install [38:32m--> Setting up the build user nixbld7
fedora-27-install [0m[38:1m Created[38:1m: Yes
fedora-27-install [38:1m Hidden[38:1m: Yes
fedora-27-install [38:1m Home Directory[38:1m: /var/empty
fedora-27-install usermod: no changes
fedora-27-install [38:1m Note[38:1m: Nix build user 7
fedora-27-install [38:1m Logins Disabled[38:1m: Yes
fedora-27-install [38:1m Member of nixbld[38:1m: Yes
fedora-27-install [38:1m PrimaryGroupID[38:1m: 30000
```



```
fedora-27-install mkdir: created directory '/nix/var/nix/gcroots/per-user'
fedora-27-install mkdir: created directory '/nix/var/nix/profiles/per-user'
fedora-27-install mkdir: created directory '/nix/store'
fedora-27-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
fedora-27-install mkdir: created directory '/root/.nix-defexpr'
fedora-27-install mkdir: created directory '/etc/nix'
fedora-27-install Alright! We have our first nix at /nix/store/ngjwnr8scnmfpgymgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
fedora-27-install Just finished getting the nix database ready.
fedora-27-install
fedora-27-install # Nix
fedora-27-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-27-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-27-install fi
fedora-27-install # End Nix
fedora-27-install
fedora-27-install # Nix
fedora-27-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
fedora-27-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fedora-27-install fi
fedora-27-install # End Nix
fedora-27-install
fedora-27-install installing 'nix-2.1pre6385_d16ff76c'
fedora-27-install building '/nix/store/hazjvcdsg996fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-27-install created 6 symlinks in user environment
fedora-27-install installing 'nss-cacert-3.38'
fedora-27-install building '/nix/store/xsv6s0z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
fedora-27-install created 9 symlinks in user environment
fedora-27-install unpacking channels...
fedora-27-install created 2 symlinks in user environment
fedora-27-install Failed to link unit: Access denied
fedora-27-install
fedora-27-install [38;34m---- oh no! -----
fedora-27-install [0m[38;31mJeez, something went wrong. If you can take all the output and open
fedora-27-install an issue, we'd love to fix the problem so nobody else has this issue.
fedora-27-install
fedora-27-install :(
fedora-27-install [0m
fedora-27-install [38;31mWe'd love to help if you need it.
fedora-27-install
fedora-27-install If you can, open an issue at https://github.com/nixos/nix/issues
fedora-27-install
fedora-27-install Or feel free to contact the team,
fedora-27-install - on IRC #nixos on irc.freenode.net
fedora-27-install - on twitter @nixos_org
fedora-27-install [0mfedora-27-test-login Starting: testnixinfo
fedora-27-test-login ./testscript::runtest:39 testnixinfo
fedora-27-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login (use '--show-trace' to show detailed location information)
fedora-27-test-login Finishing: testnixinfo, duration:0 result:1
fedora-27-test-login Starting: testshell
fedora-27-test-login ./testscript::runtest:39 testshell
fedora-27-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-27-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login (use '--show-trace' to show detailed location information)
fedora-27-test-login Finishing: testshell, duration:0 result:1
fedora-27-test-login Starting: testnixenv
fedora-27-test-login ./testscript::runtest:39 testnixenv
fedora-27-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-27-test-login installing 'hello-2.10'
fedora-27-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login (use '--show-trace' to show detailed location information)
fedora-27-test-login Finishing: testnixenv, duration:0 result:1
fedora-27-test-login Starting: testnixchannel
fedora-27-test-login ./testscript::runtest:39 testnixchannel
fedora-27-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login ./testscript::testnixchannel:23 nix-channel --update
fedora-27-test-login error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login Finishing: testnixchannel, duration:1 result:1
fedora-27-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-login-interactive bash: no job control in this shell
fedora-27-test-login-interactive Starting: testnixinfo
fedora-27-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-27-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-login-interactive Finishing: testnixinfo, duration:0 result:1
fedora-27-test-login-interactive Starting: testshell
fedora-27-test-login-interactive ./testscript::runtest:10 testshell
fedora-27-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-27-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-login-interactive Finishing: testshell, duration:1 result:1
fedora-27-test-login-interactive Starting: testnixenv
fedora-27-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-27-test-login-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-27-test-login-interactive installing 'hello-2.10'
fedora-27-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-login-interactive Finishing: testnixenv, duration:0 result:1
fedora-27-test-login-interactive Starting: testnixchannel
fedora-27-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-27-test-login-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-27-test-login-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-login-interactive Finishing: testnixchannel, duration:0 result:1
fedora-27-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-interactive bash: no job control in this shell
fedora-27-test-interactive Starting: testnixinfo
fedora-27-test-interactive ./testscript::runtest:10 testnixinfo
fedora-27-test-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-interactive Finishing: testnixinfo, duration:0 result:1
fedora-27-test-interactive Starting: testshell
fedora-27-test-interactive ./testscript::runtest:10 testshell
fedora-27-test-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-27-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-interactive Finishing: testshell, duration:0 result:1
fedora-27-test-interactive Starting: testnixenv
fedora-27-test-interactive ./testscript::runtest:10 testnixenv
fedora-27-test-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-27-test-interactive installing 'hello-2.10'
fedora-27-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-interactive (use '--show-trace' to show detailed location information)
fedora-27-test-interactive Finishing: testnixenv, duration:0 result:1
fedora-27-test-interactive Starting: testnixchannel
fedora-27-test-interactive ./testscript::runtest:10 testnixchannel
fedora-27-test-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-interactive ./testscript::testnixchannel:0 nix-channel --update
fedora-27-test-interactive error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-interactive Finishing: testnixchannel, duration:1 result:1
fedora-27-test-ssh Starting: testnixinfo
fedora-27-test-ssh ./testscript::runtest:39 testnixinfo
fedora-27-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-ssh (use '--show-trace' to show detailed location information)
fedora-27-test-ssh Finishing: testnixinfo, duration:0 result:1
```

```

fedora-27-test-ssh Starting: testshell
fedora-27-test-ssh ./testscript::runtest::39 testshell
fedora-27-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
fedora-27-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-ssh (use '--show-trace' to show detailed location information)
fedora-27-test-ssh Finishing: testshell, duration:0 result:1
fedora-27-test-ssh Starting: testnixenv
fedora-27-test-ssh ./testscript::runtest::39 testnixenv
fedora-27-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
fedora-27-test-ssh installing 'hello-2.10'
fedora-27-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-ssh (use '--show-trace' to show detailed location information)
fedora-27-test-ssh Finishing: testnixenv, duration:0 result:1
fedora-27-test-ssh Starting: testnixchannel
fedora-27-test-ssh ./testscript::runtest::39 testnixchannel
fedora-27-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-ssh ./testscript::testnixchannel::23 nix-channel --update
fedora-27-test-ssh error: cannot connect to daemon at '/nix/var/nix/daemon-socket/socket': No such file or directory
fedora-27-test-ssh Finishing: testnixchannel, duration:1 result:1

```

[top of data](#)

install-default-fedora-27-image-name

fedora-27

[top of data](#)

install-default-unless-selinux-fedora-25-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'generic/fedora25'...

```

#####[KProgress: 10%
#####[KProgress: 20%
#####[KProgress: 30%
#####[KProgress: 40%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmp58KkrqGZTy_default_1535675114015_28552
=> default: Fixed port collision for 22 => 2222. Now on port 2200.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
=> default: Forwarding ports...
default: 22 (guest) => 2200 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2200
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 5.1.38
default: VirtualBox Version: 5.2
=> default: Running provisioner: shell...
default: Running: inline script
default: Redirecting to '/usr/bin/dnf install curl' (see 'man yum2dnf')
default: Package curl-7.51.0-9.fc25.x86_64 is already installed, skipping.
default: Dependencies resolved.
default: Nothing to do.
default: Complete!
#!/bin/sh

set -eux

if /usr/sbin/sectatus && /usr/sbin/sectatus 2>&1 | grep -q enforcing; then
    echo "punting to no-daemon"
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
    curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    )
}

```

```

) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
fedora-25-install + /usr/sbin/sestatus
fedora-25-install SELinux status: enabled
fedora-25-install SELinuxfs mount: /sys/fs/SELinux
fedora-25-install SELinux root directory: /etc/SELinux
fedora-25-install Loaded policy name: targeted
fedora-25-install Current mode: enforcing
fedora-25-install Mode from config file: enforcing
fedora-25-install Policy MLS status: enabled
fedora-25-install Policy deny_unknown status: allowed
fedora-25-install Max kernel policy version: 31
fedora-25-install punting to no-daemon
fedora-25-install + /usr/sbin/sestatus
fedora-25-install + grep -q enforcing
fedora-25-install + echo 'punting to no-daemon'
fedora-25-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
fedora-25-install + sh -s -- --no-daemon
fedora-25-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-25-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6782 0 0 0 0 0 6795
fedora-25-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.'
fedora-25-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-25-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 0 0 0 0 0 0 0 0 0 0
2 35.5M 2 945k 0 0 692k 0 0:00:52 0:00:01 0:00:51 692k
6 35.5M 6 2340k 0 0 975k 0 0:00:37 0:00:02 0:00:35 975k
10 35.5M 10 3844k 0 0 1132k 0 0:00:32 0:00:03 0:00:29 1132k
15 35.5M 15 5537k 0 0 1262k 0 0:00:28 0:00:04 0:00:24 1261k
20 35.5M 20 7428k 0 0 1380k 0 0:00:26 0:00:05 0:00:21 1483k
26 35.5M 26 9494k 0 0 1489k 0 0:00:24 0:00:06 0:00:18 1706k
31 35.5M 31 11.3M 0 0 1572k 0 0:00:23 0:00:07 0:00:16 1861k
37 35.5M 37 13.4M 0 0 1634k 0 0:00:22 0:00:08 0:00:14 1974k
43 35.5M 43 15.4M 0 0 1685k 0 0:00:21 0:00:09 0:00:12 2056k
49 35.5M 49 17.5M 0 0 1726k 0 0:00:21 0:00:10 0:00:11 2098k
55 35.5M 55 19.5M 0 0 1761k 0 0:00:20 0:00:11 0:00:09 2106k
60 35.5M 60 21.6M 0 0 1790k 0 0:00:20 0:00:12 0:00:08 2110k
66 35.5M 66 23.6M 0 0 1813k 0 0:00:20 0:00:13 0:00:07 2117k
72 35.5M 72 25.6M 0 0 1838k 0 0:00:19 0:00:14 0:00:05 2126k
78 35.5M 78 27.9M 0 0 1856k 0 0:00:19 0:00:15 0:00:04 2124k
84 35.5M 84 29.9M 0 0 1872k 0 0:00:19 0:00:16 0:00:03 2126k
90 35.5M 90 32.0M 0 0 1885k 0 0:00:19 0:00:17 0:00:02 2120k
95 35.5M 95 34.0M 0 0 1898k 0 0:00:19 0:00:18 0:00:01 2123k
100 35.5M 100 35.5M 0 0 1907k 0 0:00:19 0:00:19 0:00:00 2120k
fedora-25-install performing a single-user installation of Nix...
fedora-25-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
fedora-25-install copying Nix to /nix/store.....
fedora-25-install initialising Nix database...
fedora-25-install Nix: creating /home/vagrant/.nix-profile
fedora-25-install installing 'nix-2.1pre6385_d16ff76c'
fedora-25-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-25-install created 6 symlinks in user environment
fedora-25-install unpacking channels...
fedora-25-install created 2 symlinks in user environment
fedora-25-install modifying /home/vagrant/.bash_profile...
fedora-25-install Installation finished! To ensure that the necessary environment
fedora-25-install variables are set, either log in again, or type
fedora-25-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
fedora-25-install in your shell.
fedora-25-test-login Starting: testnixinfo
fedora-25-test-login ./testscript::runtest:39 testnixinfo
fedora-25-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
fedora-25-test-login /nix/store/09ij2aakzb8mhrkb4wqghpk6kF8fzLcr-gnumake-4.2.1
fedora-25-test-login /nix/store/1141f22h5yfq9f3425cv49p8m9pb8g0-diffutils-3.6
fedora-25-test-login /nix/store/3bn0819v7aghg0wll17f43zrlq9y9jB4-readline-7.0p5
fedora-25-test-login /nix/store/5l4qhky7nyfbv9yrcr7cbmdinph8br-gcc-7.3.0
fedora-25-test-login /nix/store/5mlidi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
fedora-25-test-login /nix/store/6mq632zypz17ng870xrlz189rlxd11-gcc-7.3.0-lib
fedora-25-test-login /nix/store/6v8BiCkckxnn5g9lmbqrqaw0lrlf27x-bash-4.4-p23
fedora-25-test-login /nix/store/7zbrnd4bplvlyvqp6jhy78kxnpwxkf-zlib-1.2.11
fedora-25-test-login /nix/store/92gpnndmm60dsx9f07jvn89z6z88gl-ed-1.14.2
fedora-25-test-login /nix/store/98c80y9rplqlwxc8g1fm4qsv494ajy8-gnugrep-3.1
fedora-25-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
fedora-25-test-login /nix/store/9z650y5zcz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
fedora-25-test-login /nix/store/a8slaxaq3p8rxlqqbaaskvghy0akb-acl-2.2.52
fedora-25-test-login /nix/store/ach9z9x8lq89kpid73ss4fjs0vzy3g7-glibc-2.27-bin
fedora-25-test-login /nix/store/agyh8vqg5q8f5xhda24fwj2xv2b4js-gnused-4.5
fedora-25-test-login /nix/store/dkh9cmxyw1pcxv290md6dq4r74yzbhs-knutar-1.30
fedora-25-test-login /nix/store/fai750p2q3gc71sqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
fedora-25-test-login /nix/store/fjxk3k59n102sq5572kkspdjy303k45-stdenv-linux
fedora-25-test-login /nix/store/h2r9w5i6xj4mdj3r4x2rww4yjdnp0vdd-gzip-1.9
fedora-25-test-login /nix/store/hx54ggnr64gl90wggdfvgdm42r2b5iv-glibc-2.27
fedora-25-test-login /nix/store/14n918fng0wgyryan523pfbdcK57fpqzc-glibc-2.27-dev
fedora-25-test-login /nix/store/i7vcs4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
fedora-25-test-login /nix/store/i9kl7q3rdr37m5l7rdsqrK58gsLavl-Linux-headers-4.15
fedora-25-test-login /nix/store/j2c1xfb2rl9daIdfwcp8ywgXs9yXgmz-ncurses-6.1
fedora-25-test-login /nix/store/jicmavp929lx0232ryl0za94rrslj0p-attr-2.4.47
fedora-25-test-login /nix/store/jz7lmmjbyaqpc6fvmlv3n20nin6h0g-gawk-4.2.1
fedora-25-test-login /nix/store/Ksvmi3fjv6j7qksvnp6qrvjym2i336-bash-interactive-4.4-p23-doc
fedora-25-test-login /nix/store/Lxj4zas56kqzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
fedora-25-test-login /nix/store/mdpwyfa0v4i9ravwrdg0cwq5i8firncs-expand-response-params
fedora-25-test-login /nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
fedora-25-test-login /nix/store/qcvvnrlyrdr4xm78fh6vszya5fndfl-binutils-wrapper-2.30
fedora-25-test-login /nix/store/qqa70q7m5332dr4gab8z004ajy6flh-nix-info
fedora-25-test-login /nix/store/qw8f8g0d1i7l4wsj335lhyjw2an4-bzip2-1.0.6.0.1
fedora-25-test-login /nix/store/rhzcwaz7xk6dq9z2h9yca027wx0nw7c-coreutils-8.29
fedora-25-test-login /nix/store/sc4w9y5a3nszmmcyi3yhhmxy6wysg66iw-patchelf-0.9
fedora-25-test-login /nix/store/vp40my263xk32f07788rrgl59rycsna-binutils-2.30

```

```
fedora-25-test-logout /nix/store/xadwbdjcmcd21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev
fedora-25-test-logout /nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42
fedora-25-test-logout /nix/store/xzz2anv77hx8jz1z4hbfyh0wkvw006d-bash-interactive-4.4-p23
fedora-25-test-logout /nix/store/y8p4rl2w9p9swy215h517157kcv5z3-findutils-4.6.0
/nix/store/ykz066kmh9vqv5b6i97921nadrd2ym-xz-5.2.4
fedora-25-test-logout copying path /nix/store/ksvmi3fjv6j7qkswp6nrvjgm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/lxj4y2as56kqzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/5mld17y5albcd4i71l1qclh0qz9zfhkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/hx54ggnr64gl9gwgdvfdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/i9k17r3dr3r7ms17rdszsrk58slav1-linux-headers-4.15' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/6v88icklcnx59l8mqrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/a8slaxaq3p8rixqpbbaaskvghy0k0ak-acl-2.2.52' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/qw0f8g0d1174wsj33s5lh1jwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/rhzcwaz7xk6d9z2h9yca0z7wx0mwg7c-coreutils-8.29' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/fai750p2q3gc7f1sqp1psq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/1141f22hsyf09f3q425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/9z2gndymm60dsx9f071vn89z6z88gl-ed-1.14.2' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/mdpwyfa0v419awrdg0cwq518f1rncs-expand-response-params' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/y8p4rl2w9p9swy215h517157kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/i27lmmjbyagqcf5vmmv320nln6f0g-gawk-4.2.1' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/6nqk63zyp2177ng87y6r1z189rldx11-gcc-7.3.0-lib' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/ach929x8l898pkid73ss4fj50vzyq37-glibc-2.27-bin' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/09ij2aakz8mhrkb4kqhp6k6k8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/ia918fnq0w9vyan523pfbcd57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/agh8vqg5q8f5xhda24f2xw2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/dk9hcmwylpcxv290md6d4q74yzbshk-gnutar-1.30' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4ydnjpvdd-gzip-1.9' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/j2clxfb2rl9da1dfwcp89ywj59ygmz-ncurses-6.1' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/i7vcsw4p6n5172a12ysp5j31579kdd3-patch-2.7.6' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/sc4w9y5a3nzmzncyc3yhmhx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/9xm9n09n0292r9n1vbbwqgxfj60zd-paxctl-0.9' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/xd7yblv36sr9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/3bn0819v7aghn0xw117f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/98c80y9rplq1wcc8x81fmq5s494ajy0g-gnugrep-3.1' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/ykz066kmh9vqv5b6i97921nadrd2ym-xz-5.2.4' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/qga70q7m5332dr4gab82p04ajygf6h-nix-info' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/mzx4y6amj71638c6692qs1azyxk619-xz-5.2.4-bin' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/7zbrn4d4b7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/vp40m263k32f07788rrgl5nrxpyscna-binutils-2.30' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/514qkya7nyfby9yrcrk7cbmdiph8br-gcc-7.3.0' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/qcvnrlyrd4xm7rnf6vtszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/9z650yczsz52yhcn5n36ya6j4x436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/xzz2anv77hx8jz1z4hbfyh0wkvw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/fjkk359n102sq5572kksjdjy303k45-stdev-linux' from 'https://cache.nixos.org/...'
fedora-25-test-logout copying path /nix/store/xadwbdjcmcd21ppskfj00g0w8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org/...'
fedora-25-test-logout - system: "x86_64-linux"
fedora-25-test-logout - host os: "Linux 4.13.16-100.fc25.x86_64, Fedora, 25 (Twenty Five)"
fedora-25-test-logout - multi-user?: no
fedora-25-test-logout - sandbox: no
fedora-25-test-logout - version: nix-env (Nix) 2.1pre6385_d16ff76c
fedora-25-test-logout - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
fedora-25-test-logout - nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
Fedora-25 (Twenty Five)
Finishing: testnixinfo, duration:24 result:0
Starting: testshell
./testscript::runttest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10
copying path /nix/store/z87ns3bv8d29c7dnlvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org/...'
Hello, world!
Finishing: testshell, duration:2 result:0
Starting: testnixenv
./testscript::runttest::39 testnixenv
installing 'hello-2.10'
building /nix/store/94bdc86il2z1pvpzi9mhbv74igl4q97c-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --install 'hello.*'
uninstalling 'hello-2.10'
building /nix/store/bj717qjczsb26ad53m0a4nz66vj5vj-user-environment.drv'...
created 6 symlinks in user environment
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runttest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 5 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10
copying path /nix/store/nic2bl8ry6vfyx9717983d5b214snlc-hello-2.10' from 'https://cache.nixos.org/...'
building /nix/store/q264qcanjmrh8h176zc953awr2mij7-user-environment.drv'...
created 38 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:7 result:0
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runttest::10 testnixinfo
./testscript::testnixinfo::45 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.13.16-100.fc25.x86_64, Fedora, 25 (Twenty Five)"
- multi-user?: no
- sandbox: no
- version: nix-env (Nix) 2.1pre6385_d16ff76c
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: /home/vagrant/.nix-defexpr/channels/nixpkgs
Finishing: testnixinfo, duration:7 result:0
Starting: testshell
./testscript::runttest::10 testshell
./testscript::testshell::41 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runttest::10 testnixenv
./testscript::testnixenv::37 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::36 hello
Hello, world!
./testscript::testnixenv::35 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runttest::10 testnixchannel
./testscript::testnixchannel::31 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::30 nix-channel --update
unpacking channels...
./testscript::testnixchannel::29 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::28 hello
```

```

fedora-25-test-login-interactive      Hello, world!
fedora-25-test-login-interactive      ./testscript::testnixchannel:::27 nix-env --uninstall 'hello.*'
fedora-25-test-login-interactive      uninstalling 'hello-2.10'
fedora-25-test-login-interactive      Finishing: testnixchannel, duration:1 result:0
fedora-25-test-interactive            bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-25-test-interactive            bash: no job control in this shell
fedora-25-test-interactive            Starting: testnixinfo
fedora-25-test-interactive            ./testscript::runtest:::10 testnixinfo
fedora-25-test-interactive            ./testscript::testnixinfo:::1-2 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-interactive            bash: nix-shell: command not found
fedora-25-test-interactive            Finishing: testnixinfo, duration:0 result:1
fedora-25-test-interactive            Starting: testshell
fedora-25-test-interactive            ./testscript::runtest:::10 testshell
fedora-25-test-interactive            ./testscript::testshell:::2 nix-shell -p hello --run hello
fedora-25-test-interactive            bash: nix-shell: command not found
fedora-25-test-interactive            Finishing: testshell, duration:0 result:1
fedora-25-test-interactive            Starting: testnixenv
fedora-25-test-interactive            ./testscript::runtest:::10 testnixenv
fedora-25-test-interactive            ./testscript::testnixenv:::6 nix-env -iA nixpkgs.hello
fedora-25-test-interactive            bash: nix-env: command not found
fedora-25-test-interactive            Finishing: testnixenv, duration:0 result:1
fedora-25-test-interactive            Starting: testnixchannel
fedora-25-test-interactive            ./testscript::runtest:::10 testnixchannel
fedora-25-test-interactive            ./testscript::testnixchannel:::12 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-interactive            bash: nix-channel: command not found
fedora-25-test-interactive            Finishing: testnixchannel, duration:0 result:1
fedora-25-test-ssh                   Starting: testnixinfo
fedora-25-test-ssh                   ./testscript::runtest:::39 testnixinfo
fedora-25-test-ssh                   ./testscript::testnixinfo:::8 nix-shell -p nix-info --run 'nix-info -m'
fedora-25-test-ssh                   ./testscript: line 8: nix-shell: command not found
fedora-25-test-ssh                   Finishing: testnixinfo, duration:0 result:1
fedora-25-test-ssh                   Starting: testshell
fedora-25-test-ssh                   ./testscript::runtest:::39 testshell
fedora-25-test-ssh                   ./testscript::testshell:::12 nix-shell -p hello --run hello
fedora-25-test-ssh                   ./testscript: line 12: nix-shell: command not found
fedora-25-test-ssh                   Finishing: testshell, duration:0 result:1
fedora-25-test-ssh                   Starting: testnixenv
fedora-25-test-ssh                   ./testscript::runtest:::39 testnixenv
fedora-25-test-ssh                   ./testscript::testnixenv:::16 nix-env -iA nixpkgs.hello
fedora-25-test-ssh                   ./testscript: line 16: nix-env: command not found
fedora-25-test-ssh                   Finishing: testnixenv, duration:0 result:1
fedora-25-test-ssh                   Starting: testnixchannel
fedora-25-test-ssh                   ./testscript::runtest:::39 testnixchannel
fedora-25-test-ssh                   ./testscript::testnixchannel:::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-25-test-ssh                   ./testscript: line 22: nix-channel: command not found
fedora-25-test-ssh                   Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-default-unless-selinux-fedora-25-image-name

fedora-25

[top of data](#)

install-default-unless-selinux-fedora-25-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-fedora-25-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora25"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-default-unless-selinux-gentoo-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```

==> default: Importing base box 'generic/gentoo'...

#####[KProgress: 10%
#####[KProgress: 20%
#####[KProgress: 30%
#####[KProgress: 40%
#####[KProgress: 50%
#####[KProgress: 60%
#####[KProgress: 70%
#####[KProgress: 80%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpYlcqNpKGiP_default_1535675391363_64813
==> default: Fixed port collision for 22 => 2222. Now on port 2200.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2200 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2200
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Calculating dependencies

```



```
gentoo-install installing 'nix-2.lpre6385_d16ff76c'
gentoo-install building '/nix/store/hazjvcdsgg96fb08j3mn9ya0mmk0pbi-user-environment.drv'...
gentoo-install created 6 symlinks in user environment
gentoo-install unpacking channels...
gentoo-install created 2 symlinks in user environment
gentoo-install modifying /home/vagrant/.bash_profile...
gentoo-install Installation finished! To ensure that the necessary environment
gentoo-install variables are set, either log in again, or type
gentoo-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
gentoo-install in your shell.
gentoo-test-login Starting: testnixinfo
gentoo-test-login ./testscript::runttest::39 testnixinfo
gentoo-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
gentoo-test-login /nix/store/09ij2aakz8bmrk4k4kghpk6k8fz2lcr-gnumake-4.2.1
gentoo-test-login /nix/store/1141f2zshyfg9fq3425cv49p8m9pb080-diffutils-3.6
gentoo-test-login /nix/store/3bn0819v7agho9u11f43zrlq9jyjb4-readline-7.0p5
gentoo-test-login /nix/store/5l4qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
gentoo-test-login /nix/store/5mldi7y5albcd4i712lqch0q9zfdkz0-bash-interactive-4.4-p23-man
gentoo-test-login /nix/store/6nqk63zyp2l77ng87gx6rlz189rlxd1l-gcc-7.3.0-lib
gentoo-test-login /nix/store/6v88ick1cxns59l8mrrqw6lrlr27x-bash-4.4-p23
gentoo-test-login /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
gentoo-test-login /nix/store/92gpnndymw60dsx9f07jvn8926zx88gl-ed-1.14.2
gentoo-test-login /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
gentoo-test-login /nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60z2-paxctl-0.9
gentoo-test-login /nix/store/9z650yczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
gentoo-test-login /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
gentoo-test-login /nix/store/ach9z9x8lg98kpid73s4fj50vzyg3g7-glibc-2.27-bin
gentoo-test-login /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5
gentoo-test-login /nix/store/dkh9cmwyx1pcxv290md6dq4r74yzbhs-knutar-1.30
gentoo-test-login /nix/store/fai750p2q3gc7isqpl1psqzrl38hsz81-bzip2-1.0.6.0.1-bin
gentoo-test-login /nix/store/fjxk359n102sq5572kspdjy30kxv45-stenv-linux
gentoo-test-login /nix/store/hz2r9w516xj4mdj3r4x2rwm4ydnjnp0vdd-gzip-1.9
gentoo-test-login /nix/store/hx54qgnr64gl0wgdfvgdm4z2bs1kv-glibc-2.27
gentoo-test-login /nix/store/i4n918fnq0wgryan523pfdck57fpqz-glibc-2.27-dev
gentoo-test-login /nix/store/i7vcsw4p651b72a12ysp5j31579wkd3-patch-2.7.6
gentoo-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
gentoo-test-login /nix/store/j2clxfb2rl9daldfwcp8ywjxs9ygmz-ncurses-6.1
gentoo-test-login /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-attr-2.4.47
gentoo-test-login /nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1
gentoo-test-login /nix/store/ksvmi3fjv6j7qkswn6qvrjygm2s1336-bash-interactive-4.4-p23-doc
gentoo-test-login /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
gentoo-test-login /nix/store/mdpwyfa0v4i9ravwrq0cwq518firncs-expand-response-params
gentoo-test-login /nix/store/mzx4y6amjn7i638c6692qslazyxz619-xz-5.2.4-bin
gentoo-test-login /nix/store/qcgvnrlyrd4xm78nf6vzsyafndflp-binutils-wrapper-2.30
gentoo-test-login /nix/store/qqa70q7m5332dr4gab8zp004ajy6flh-nix-info
gentoo-test-login /nix/store/qv8f8g0d1l74wsj33s5hlyjwz2an4-bzip2-1.0.6.0.1
gentoo-test-login /nix/store/rhczwa27xk0d9z2h9ycaw7wbx0wg7c-coreutils-8.29
gentoo-test-login /nix/store/scd4y5a3nszmmcy13yhmw6wysy661w-patchelf-0.9
gentoo-test-login /nix/store/vp40my263xk32f07788rsrgl59rycsna-binutils-2.30
gentoo-test-login /nix/store/xadwbdjcnmcd2lppsxfj00g8wsvynd-bash-interactive-4.4-p23-dev
gentoo-test-login /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
gentoo-test-login /nix/store/xzz2anv77hx8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23
gentoo-test-login /nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0
gentoo-test-login /nix/store/ykz2b66khh9vqv5bn619792lnadrp2ym-zx-5.2.4
gentoo-test-login copying path /nix/store/ksvmi3fjv6j7qkswn6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/5mldi7y5albcd4i712lqch0q9zfdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/hx54qgnr64gl0wgdfvgdm4z2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/6v88ick1cxns59l8mrrqw6lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/qv8f8g0d1l74wsj33s5hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/rhczwa27xk0d9z2h9ycaw7wbx0wg7c-coreutils-8.29' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/scd4y5a3nszmmcy13yhmw6wysy661w-patchelf-0.9' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/fai750p2q3gc7isqpl1psqzrl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/1141f2zshyfg9fq3425cv49p8m9pb080-diffutils-3.6' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/92gpnndymw60dsx9f07jvn8926zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/mdpwyfa0v4i9ravwrq0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/y8p41rl2w9p9swny2l5h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/jz7lnmjbyaqpcgf6vmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/6nqk63zyp2l77ng87gx6rlz189rlxd1l-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/ach9z9x8lg98kpid73s4fj50vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/09ij2aakz8bmrk4k4kghpk6k8fz2lcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/i4n918fnq0wgryan523pfdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/dkh9cmwyx1pcxv290md6dq4r74yzbhs-knutar-1.30' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/hz2r9w516xj4mdj3r4x2rwm4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/j2clxfb2rl9daldfwcp8ywjxs9ygmz-ncurses-6.1' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/i7vcsw4p651b72a12ysp5j31579wkd3-patch-2.7.6' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/scd4y5a3nszmmcy13yhmw6wysy661w-patchelf-0.9' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/9xm9n09n0z92r9nlvbbxwqwjnf60z2-paxctl-0.9' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/3bn0819v7agho9u11f43zrlq9jyjb4-readline-7.0p5' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/ykz2b66khh9vqv5bn619792lnadrp2ym-zx-5.2.4' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/qa70q7m5332dr4gab8zp004ajy6flh-nix-info' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/mzx4y6amjn7i638c6692qslazyxz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/vp40my263xk32f07788rsrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/5l4qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/qcgvnrlyrd4xm78nf6vzsyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/9z650yczx5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/xzz2anv77hx8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/fjxk359n102sq5572kspdjy30kxv45-stenv-linux' from 'https://cache.nixos.org'...
gentoo-test-login copying path /nix/store/xadwbdjcnmcd2lppsxfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
gentoo-test-login - system: 'x86_64-linux'
gentoo-test-login - host os: 'Linux 4.14.65-gentoo, Gentoo, noversion'
gentoo-test-login - multi-user?: 'no'
gentoo-test-login - sandbox: 'no'
gentoo-test-login - version: 'nix-env (Nix) 2.lpre6385_d16ff76c'
gentoo-test-login - channels(vagrant): 'nixpkgs-18.09pre150352.7c82637c49'
gentoo-test-login - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
gentoo-test-login
gentoo-test-login Finishing: testnixinfo, duration:22 result:0
gentoo-test-login Starting: testshell
gentoo-test-login ./testscript::runttest::39 testshell
gentoo-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
gentoo-test-login /nix/store/z87ns3bv8dz9c7dnblvj541613ch8k10-hello-2.10
gentoo-test-login copying path /nix/store/z87ns3bv8dz9c7dnblvj541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
gentoo-test-login Hello, world!
gentoo-test-login Finishing: testshell, duration:2 result:0
gentoo-test-login Starting: testnixenv
gentoo-test-login ./testscript::runttest::39 testnixenv
gentoo-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-login installing 'hello-2.10'
gentoo-test-login building '/nix/store/94bdc86i1z1p2ip9mhbw74ig14q97c-user-environment.drv'...
gentoo-test-login created 38 symlinks in user environment
gentoo-test-login ./testscript::testnixenv:17 hello
gentoo-test-login Hello, world!
gentoo-test-login ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
gentoo-test-login uninstalling 'hello-2.10'
gentoo-test-login building '/nix/store/bj717qjczsb26ad53m0v04nz66vj5v-user-environment.drv'...
gentoo-test-login created 6 symlinks in user environment
gentoo-test-login Finishing: testnixenv, duration:0 result:0
gentoo-test-login Starting: testnixchannel
```



```

gentoo-test-login      ./testscript::runtest::39 testnixchannel
gentoo-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-login      ./testscript::testnixchannel::23 nix-channel --update
gentoo-test-login      unpacking channels...
gentoo-test-login      created 5 symlinks in user environment
gentoo-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
gentoo-test-login      installing 'hello-2.10'
gentoo-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
gentoo-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
gentoo-test-login      copying path /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org'...
gentoo-test-login      building /nix/store/q264qcanqjrmh8h176zc953awr2mly7-user-environment.drv...
gentoo-test-login      created 38 symlinks in user environment
gentoo-test-login      ./testscript::testnixchannel::25 hello
gentoo-test-login      Hello, world!
gentoo-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
gentoo-test-login      uninstalling 'hello-2.10'
gentoo-test-login      Finishing: testnixchannel, duration:8 result:0
gentoo-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-login-interactive bash: no job control in this shell
gentoo-test-login-interactive Starting: testnixinfo
gentoo-test-login-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-login-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login-interactive - system: "x86_64-linux"
gentoo-test-login-interactive - host os: 'Linux 4.14.65-gentoo, Gentoo, noversion'
gentoo-test-login-interactive - multi-user?: 'no'
gentoo-test-login-interactive - sandbox: 'no'
gentoo-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
gentoo-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle, nixpkgs-18.09pre150352.7c826371c49"
gentoo-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
gentoo-test-login-interactive Finishing: testnixinfo, duration:5 result:0
gentoo-test-login-interactive Starting: testshell
gentoo-test-login-interactive ./testscript::runtest::10 testshell
gentoo-test-login-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive Finishing: testshell, duration:2 result:0
gentoo-test-login-interactive Starting: testnixenv
gentoo-test-login-interactive ./testscript::runtest::10 testnixenv
gentoo-test-login-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
gentoo-test-login-interactive installing 'hello-2.10'
gentoo-test-login-interactive ./testscript::testnixenv::17 hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
gentoo-test-login-interactive uninstalling 'hello-2.10'
gentoo-test-login-interactive Finishing: testnixenv, duration:0 result:0
gentoo-test-login-interactive Starting: testnixchannel
gentoo-test-login-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-login-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-login-interactive ./testscript::testnixchannel::23 nix-channel --update
gentoo-test-login-interactive unpacking channels...
gentoo-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
gentoo-test-login-interactive installing 'hello-2.10'
gentoo-test-login-interactive ./testscript::testnixchannel::25 hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
gentoo-test-login-interactive uninstalling 'hello-2.10'
gentoo-test-login-interactive Finishing: testnixchannel, duration:1 result:0
gentoo-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-interactive bash: no job control in this shell
gentoo-test-interactive Starting: testnixinfo
gentoo-test-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testnixinfo, duration:0 result:127
gentoo-test-interactive Starting: testshell
gentoo-test-interactive ./testscript::runtest::10 testshell
gentoo-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testshell, duration:0 result:127
gentoo-test-interactive Starting: testnixenv
gentoo-test-interactive ./testscript::runtest::10 testnixenv
gentoo-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
gentoo-test-interactive bash: nix-env: command not found
gentoo-test-interactive Finishing: testnixenv, duration:0 result:127
gentoo-test-interactive Starting: testnixchannel
gentoo-test-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-interactive bash: nix-channel: command not found
gentoo-test-interactive Finishing: testnixchannel, duration:0 result:127
gentoo-test-ssh Starting: testnixinfo
gentoo-test-ssh ./testscript::runtest::39 testnixinfo
gentoo-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-ssh ./testscript: line 8: nix-shell: command not found
gentoo-test-ssh Finishing: testnixinfo, duration:0 result:127
gentoo-test-ssh Starting: testshell
gentoo-test-ssh ./testscript::runtest::39 testshell
gentoo-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
gentoo-test-ssh ./testscript: line 12: nix-shell: command not found
gentoo-test-ssh Finishing: testshell, duration:0 result:127
gentoo-test-ssh Starting: testnixenv
gentoo-test-ssh ./testscript::runtest::39 testnixenv
gentoo-test-ssh ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
gentoo-test-ssh ./testscript: line 16: nix-env: command not found
gentoo-test-ssh Finishing: testnixenv, duration:0 result:127
gentoo-test-ssh Starting: testnixchannel
gentoo-test-ssh ./testscript::runtest::39 testnixchannel
gentoo-test-ssh ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-ssh ./testscript: line 22: nix-channel: command not found
gentoo-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-gentoo-image-name

gentoo

[top of data](#)

install-default-unless-selinux-gentoo-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/gentoo"
  config.vm.provision "shell", inline: <<-SHELL
  emerge curl

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhc", "off"]
  end
end

```

[top of data](#)

install-default-unless-selinux-gentoo-install-method

```
install-default-unless-selinux
```

[top of data](#)

install-force-daemon-alpine-3-7-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine37"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end
```

[top of data](#)

install-force-daemon-alpine-3-7-install-method

```
install-force-daemon
```

[top of data](#)

install-force-daemon-alpine-3-7-image-name

```
alpine-3-7
```

[top of data](#)

install-force-daemon-alpine-3-7-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/alpine37'...

[KProgress: 20%
[KProgress: 30%
[KProgress: 50%
[KProgress: 80%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpF2wlH5g79Y_default_1535664235723_76241
==> default: Fixed port collision for 22 => 2222. Now on port 2200.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2200 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2200
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Running provisioner: shell...
  default: Running: inline script
  default: fetch https://mirror.leaseweb.com/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
  default: fetch https://mirror.leaseweb.com/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
  default: OK: 168 MiB in 71 packages

#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:${FUNCNAME[0]}:$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s')
  echo "Starting: $testFn"
}
```

```

set -ex
"stestFn"
) 2>&1 | tee "stestdir/log" | sed 's/\ / '
exitcode=?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "stestdir/exitcode"
echo "$duration" > "stestdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
alpine-3-7-install + + sh -s -- --daemon
alpine-3-7-install curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
alpine-3-7-install % Total % Received % Xferd Average Speed Time Time Current
alpine-3-7-install % Dload Upload Total Spent Left Speed
alpine-3-7-install 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 6566 0 0 0 0 0 6583
alpine-3-7-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux
alpine-3-7-install % Total % Received % Xferd Average Speed Time Time Current
alpine-3-7-install % Dload Upload Total Spent Left Speed
alpine-3-7-install 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0
2 35.5M 2 768k 0 0 660k 0 0:00:55 0:00:01 0:00:54 660k
5 35.5M 5 2064k 0 0 957k 0 0:00:38 0:00:02 0:00:36 956k
9 35.5M 9 3568k 0 0 1132k 0 0:00:32 0:00:03 0:00:29 1131k
14 35.5M 14 5264k 0 0 1269k 0 0:00:28 0:00:04 0:00:24 1269k
19 35.5M 19 7184k 0 0 1397k 0 0:00:26 0:00:05 0:00:21 1455k
25 35.5M 25 9280k 0 0 1502k 0 0:00:24 0:00:06 0:00:18 1697k
31 35.5M 31 11.1M 0 0 1586k 0 0:00:22 0:00:07 0:00:15 1857k
37 35.5M 37 13.1M 0 0 1653k 0 0:00:22 0:00:08 0:00:14 1981k
42 35.5M 42 15.2M 0 0 1704k 0 0:00:21 0:00:09 0:00:12 2063k
48 35.5M 48 17.2M 0 0 1743k 0 0:00:20 0:00:10 0:00:10 2100k
54 35.5M 54 19.3M 0 0 1777k 0 0:00:20 0:00:11 0:00:09 2119k
60 35.5M 60 21.4M 0 0 1807k 0 0:00:20 0:00:12 0:00:08 2125k
66 35.5M 66 23.4M 0 0 1829k 0 0:00:19 0:00:13 0:00:06 2118k
71 35.5M 71 25.5M 0 0 1851k 0 0:00:19 0:00:14 0:00:05 2121k
78 35.5M 78 27.7M 0 0 1871k 0 0:00:19 0:00:15 0:00:04 2129k
83 35.5M 83 29.7M 0 0 1885k 0 0:00:19 0:00:16 0:00:03 2126k
89 35.5M 89 31.8M 0 0 1899k 0 0:00:19 0:00:17 0:00:02 2122k
95 35.5M 95 33.9M 0 0 1911k 0 0:00:19 0:00:18 0:00:01 2126k
100 35.5M 100 35.5M 0 0 1920k 0 0:00:18 0:00:18 0:00:00 2125k
alpine-3-7-install [1;31mSwitching to the Daemon-based Installer[0m
alpine-3-7-install
alpine-3-7-install [38;34m--- oh no! -----
alpine-3-7-install [0m[38;31mSorry, I don't know what to do on Linux
alpine-3-7-install [0m
alpine-3-7-install [38;31mWe'd love to help if you need it.
alpine-3-7-install
alpine-3-7-install If you can, open an issue at https://github.com/nixos/nix/issues
alpine-3-7-install
alpine-3-7-install Or feel free to contact the team,
alpine-3-7-install - on IRC #nixos on irc.freenode.net
alpine-3-7-install - on twitter @nixos.org
alpine-3-7-install [0malpine-3-7-test-login Starting: testnixinfo
alpine-3-7-test-login ./testscript::runtest::39 testnixinfo
alpine-3-7-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-7-test-login ./testscript: line 8: nix-shell: command not found
alpine-3-7-test-login Finishing: testnixinfo, duration:0 result:127
alpine-3-7-test-login Starting: testshell
alpine-3-7-test-login ./testscript::runtest::39 testshell
alpine-3-7-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
alpine-3-7-test-login ./testscript: line 12: nix-shell: command not found
alpine-3-7-test-login Finishing: testshell, duration:0 result:127
alpine-3-7-test-login Starting: testnixenv
alpine-3-7-test-login ./testscript::runtest::39 testnixenv
alpine-3-7-test-login ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-7-test-login ./testscript: line 16: nix-env: command not found
alpine-3-7-test-login Finishing: testnixenv, duration:0 result:127
alpine-3-7-test-login Starting: testnixchannel
alpine-3-7-test-login ./testscript::runtest::39 testnixchannel
alpine-3-7-test-login ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-7-test-login ./testscript: line 22: nix-channel: command not found
alpine-3-7-test-login Finishing: testnixchannel, duration:0 result:127
alpine-3-7-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-7-test-login bash: no job control in this shell
alpine-3-7-test-login Starting: testnixinfo
alpine-3-7-test-login ./testscript::runtest::10 testnixinfo
alpine-3-7-test-login ./testscript: testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-7-test-login bash: nix-shell: command not found
alpine-3-7-test-login Finishing: testnixinfo, duration:0 result:127
alpine-3-7-test-login Starting: testshell
alpine-3-7-test-login ./testscript::runtest::10 testshell
alpine-3-7-test-login ./testscript: testshell:0 nix-shell -p hello --run hello
alpine-3-7-test-login bash: nix-shell: command not found
alpine-3-7-test-login Finishing: testshell, duration:0 result:127
alpine-3-7-test-login Starting: testnixenv
alpine-3-7-test-login ./testscript::runtest::10 testnixenv
alpine-3-7-test-login ./testscript: testnixenv:0 nix-env -iA nixpkgs.hello
alpine-3-7-test-login bash: nix-env: command not found
alpine-3-7-test-login Finishing: testnixenv, duration:0 result:127
alpine-3-7-test-login Starting: testnixchannel
alpine-3-7-test-login ./testscript::runtest::10 testnixchannel
alpine-3-7-test-login ./testscript: testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-7-test-login bash: nix-channel: command not found
alpine-3-7-test-login Finishing: testnixchannel, duration:0 result:127
alpine-3-7-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-7-test-login bash: no job control in this shell
alpine-3-7-test-login Starting: testnixinfo
alpine-3-7-test-login ./testscript::runtest::10 testnixinfo
alpine-3-7-test-login ./testscript: testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-7-test-login bash: nix-shell: command not found
alpine-3-7-test-login Finishing: testnixinfo, duration:0 result:127
alpine-3-7-test-login Starting: testshell
alpine-3-7-test-login ./testscript::runtest::10 testshell
alpine-3-7-test-login ./testscript: testshell:12 nix-shell -p hello --run hello
alpine-3-7-test-login bash: nix-shell: command not found
alpine-3-7-test-login Finishing: testshell, duration:0 result:127
alpine-3-7-test-login Starting: testnixenv
alpine-3-7-test-login ./testscript::runtest::10 testnixenv
alpine-3-7-test-login ./testscript: testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-7-test-login bash: nix-env: command not found

```

```

alpine-3-7-test-interactive Finishing: testnixenv, duration:0 result:127
alpine-3-7-test-interactive Starting: testnixchannel
alpine-3-7-test-interactive ./testscript::runtest:10 testnixchannel
alpine-3-7-test-interactive ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-7-test-interactive bash: nix-channel: command not found
alpine-3-7-test-interactive Finishing: testnixchannel, duration:0 result:127
alpine-3-7-test-ssh Starting: testnixinfo
alpine-3-7-test-ssh ./testscript::runtest:39 testnixinfo
alpine-3-7-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-7-test-ssh ./testscript: line 8: nix-shell: command not found
alpine-3-7-test-ssh Finishing: testnixinfo, duration:0 result:127
alpine-3-7-test-ssh Starting: testshell
alpine-3-7-test-ssh ./testscript::runtest:39 testshell
alpine-3-7-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
alpine-3-7-test-ssh ./testscript: line 12: nix-shell: command not found
alpine-3-7-test-ssh Finishing: testshell, duration:0 result:127
alpine-3-7-test-ssh Starting: testnixenv
alpine-3-7-test-ssh ./testscript::runtest:39 testnixenv
alpine-3-7-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-7-test-ssh ./testscript: line 16: nix-env: command not found
alpine-3-7-test-ssh Finishing: testnixenv, duration:0 result:127
alpine-3-7-test-ssh Starting: testnixchannel
alpine-3-7-test-ssh ./testscript::runtest:39 testnixchannel
alpine-3-7-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-7-test-ssh ./testscript: line 22: nix-channel: command not found
alpine-3-7-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-alpine-3-8-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine38"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbbehci", "off"]
end
end

```

[top of data](#)

install-default-alpine-3-8-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'generic/alpine38'...

```

#####[KProgress: 30%
#####[KProgress: 40%
#####[KProgress: 60%
#####[KProgress: 70%
#####[KProgress: 90%
#####[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpd9m0NXo0z6_default_1535663597729_86594
=> default: Fixed port collision for 22 => 2222. Now on port 2210.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2210 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2210
  default: SSH username: vagrant
  default: SSH auth method: private key
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Running provisioner: shell...
  default: Running: inline script
  default: fetch https://mirror.leaseweb.com/alpine/v3.8/main/x86_64/APKINDEX.tar.gz
  default: fetch https://mirror.leaseweb.com/alpine/v3.8/community/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
  default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
  default: OK: 141 MiB in 74 packages
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"

```



```
alpine-3-8-test-login copying path /nix/store/5mld17y5albcd417121qch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/hx54ggnr64q1g0wggdfvgdm42r2bslkv-glibc-2.27' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/19k17g3rd37ms17rdsqsr450gslavl-linux-headers-4.15' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ijicmav92rlx0222y10z9a9rslx0p-attr-2.4.47' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/6v881cklcmx5n91m8qrrrww0llr127x-bash-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/a85laxaq3p8rxiaqpbaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/qw8f80gd1l714w5j33551hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/rhczvaz7xk6ddg92z2h9yc0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fai750p2q3gc7isqplips2q1r38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/1141f22h5y9f9q3425cv498m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/92gndpymw60dsx9f07jvn49826zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mdpwyfa0v419ravrdgocwq5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/98p41rl2w9p9svny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20in6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/6nqk63zyp2177ng87x6f1z89rld11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ach9z8x81g89kpid73s4fjs0vzyg37-glibc-2.27-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/091j2aakz0bmrkr4b4wghpk6k8fzlcrgnumake-4.2.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/14n918fn0w9mryan523pfbck57fpqzcglibc-2.27-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/ayh8v0gq5q8f5xhda24fjxw2v2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/dkn9cmw1pcxv290md6d474y2bhskgnutar-1.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/h2r9w516x74mdj3r4x2rwm4ydp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/j2clfb2rl9dadfwpc8ywgj5x9ygmz-nurses-6.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/17vcs4w6n51b72a12p5p531579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/sc4w95a3nszmmcy31hymk6w5g66iw-patchelf-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9xm9n09n292r91n1vbbwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/dx7yblv36sr9yix9alx2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/3bn0819v7aghg0w1x7f43zrlq9y9jb4-readline-7.0p5' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/98c80y9rplq1wxc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/kzb66mkm9vq5bn6197921nadrpym-xz-5.2.4' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/gga70q7m5332d4gab8z004yagj6flh-nix-info' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/mzx4y6amj71638c6692qslazyzxi69-xz-5.2.4-bin' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/7zbrn444bpm1yqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/vp40my263kx32f07788sr9l59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/5l4qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/gcvvnr1ryrd4xm78nfh0v5zaf5mfdflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/9z859yrcz5zyhcv5n36ya64jg430mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/kzz2anv77hx8jz24bhfbyh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/fjxk3k5n102qs572kspdyj383k045-stdev-linux' from 'https://cache.nixos.org'...
alpine-3-8-test-login copying path /nix/store/xadwbdjcnmdc21pksfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
alpine-3-8-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-8-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
alpine-3-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-8-test-login
alpine-3-8-test-login Finishing: testnixinfo, duration:22 result:0
alpine-3-8-test-login Starting: testshell
alpine-3-8-test-login ./testscript::runtest::39 testshell
alpine-3-8-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/z87ns3bv0d9c7dnblvj54i613ch8k10-hello-2.10
alpine-3-8-test-login copying path /nix/store/z87ns3bv0d9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login Finishing: testshell, duration:2 result:0
alpine-3-8-test-login Starting: testnixenv
alpine-3-8-test-login ./testscript::runtest::39 testnixenv
alpine-3-8-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login building /nix/store/94bdc86i12zlpvzi9mhbw74igl4q97c-user-environment.drv'...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixenv::17 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login building /nix/store/bj717qjczsb26ad53mv0a4nz66vj5vj-user-environment.drv'...
alpine-3-8-test-login created 6 symlinks in user environment
alpine-3-8-test-login Finishing: testnixenv, duration:0 result:0
alpine-3-8-test-login Starting: testnixchannel
alpine-3-8-test-login ./testscript::runtest::39 testnixchannel
alpine-3-8-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login ./testscript::testnixchannel::23 nix-channel --update
alpine-3-8-test-login unpacking channels...
alpine-3-8-test-login created 5 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-8-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
alpine-3-8-test-login copying path /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-8-test-login building /nix/store/q264qcanajmrmh8h176zc953awr2miy7-user-environment.drv'...
alpine-3-8-test-login created 38 symlinks in user environment
alpine-3-8-test-login ./testscript::testnixchannel::25 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixchannel, duration:7 result:0
alpine-3-8-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-login bash: no job control in this shell
alpine-3-8-test-login Starting: testnixinfo
alpine-3-8-test-login ./testscript::runtest::10 testnixinfo
alpine-3-8-test-login ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-login - system: "x86_64-linux"
alpine-3-8-test-login - host os: "Linux 4.14.52-0-virt, Alpine Linux, noversion"
alpine-3-8-test-login - multi-user?: "no"
alpine-3-8-test-login - sandbox: "no"
alpine-3-8-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3-8-test-login - channels (vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
alpine-3-8-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3-8-test-login
alpine-3-8-test-login Finishing: testnixinfo, duration:4 result:0
alpine-3-8-test-login Starting: testshell
alpine-3-8-test-login ./testscript::runtest::10 testshell
alpine-3-8-test-login ./testscript::testshell::0 nix-shell -p hello --run hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login Finishing: testshell, duration:1 result:0
alpine-3-8-test-login Starting: testnixenv
alpine-3-8-test-login ./testscript::runtest::10 testnixenv
alpine-3-8-test-login ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login ./testscript::testnixenv::0 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixenv, duration:0 result:0
alpine-3-8-test-login Starting: testnixchannel
alpine-3-8-test-login ./testscript::runtest::10 testnixchannel
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-channel --update
alpine-3-8-test-login unpacking channels...
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
alpine-3-8-test-login installing 'hello-2.10'
alpine-3-8-test-login ./testscript::testnixchannel::0 hello
alpine-3-8-test-login Hello, world!
alpine-3-8-test-login ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
alpine-3-8-test-login uninstalling 'hello-2.10'
alpine-3-8-test-login Finishing: testnixchannel, duration:2 result:0
alpine-3-8-test-login bash: cannot set terminal process group (-1): Not a tty
alpine-3-8-test-login bash: no job control in this shell
alpine-3-8-test-login Starting: testnixinfo
```

```

alpine-3-8-test-interactive      ./testscript::runtest::10 testnixinfo
alpine-3-8-test-interactive      ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-interactive      bash: nix-shell: command not found
alpine-3-8-test-interactive      Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-interactive      Starting: testshell
alpine-3-8-test-interactive      ./testscript::runtest::10 testshell
alpine-3-8-test-interactive      ./testscript::testshell:12 nix-shell -p hello --run hello
alpine-3-8-test-interactive      bash: nix-shell: command not found
alpine-3-8-test-interactive      Finishing: testshell, duration:0 result:127
alpine-3-8-test-interactive      Starting: testnixenv
alpine-3-8-test-interactive      ./testscript::runtest::10 testnixenv
alpine-3-8-test-interactive      ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-8-test-interactive      bash: nix-env: command not found
alpine-3-8-test-interactive      Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-interactive      Starting: testnixchannel
alpine-3-8-test-interactive      ./testscript::runtest::10 testnixchannel
alpine-3-8-test-interactive      ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-interactive      bash: nix-channel: command not found
alpine-3-8-test-interactive      Finishing: testnixchannel, duration:0 result:127
alpine-3-8-test-ssh            Starting: testnixinfo
alpine-3-8-test-ssh            ./testscript::runtest::39 testnixinfo
alpine-3-8-test-ssh            ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-8-test-ssh            ./testscript: line 8: nix-shell: command not found
alpine-3-8-test-ssh            Finishing: testnixinfo, duration:0 result:127
alpine-3-8-test-ssh            Starting: testshell
alpine-3-8-test-ssh            ./testscript::runtest::39 testshell
alpine-3-8-test-ssh            ./testscript::testshell:12 nix-shell -p hello --run hello
alpine-3-8-test-ssh            ./testscript: line 12: nix-shell: command not found
alpine-3-8-test-ssh            Finishing: testshell, duration:0 result:127
alpine-3-8-test-ssh            Starting: testnixenv
alpine-3-8-test-ssh            ./testscript::runtest::39 testnixenv
alpine-3-8-test-ssh            ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
alpine-3-8-test-ssh            ./testscript: line 16: nix-env: command not found
alpine-3-8-test-ssh            Finishing: testnixenv, duration:0 result:127
alpine-3-8-test-ssh            Starting: testnixchannel
alpine-3-8-test-ssh            ./testscript::runtest::39 testnixchannel
alpine-3-8-test-ssh            ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-8-test-ssh            ./testscript: line 22: nix-channel: command not found
alpine-3-8-test-ssh            Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-alpine-3-8-image-name

alpine-3-8

[top of data](#)

install-default-alpine-3-8-install-method

install-default

[top of data](#)

install-default-gentoo-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/gentoo"
  config.vm.provision "shell", inline: <<-SHELL
  emerge curl

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-default-gentoo-image-name

gentoo

[top of data](#)

install-default-gentoo-install-method

install-default

[top of data](#)

install-default-gentoo-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'generic/gentoo'...

```

##### [KProgress: 10%
##### [KProgress: 20%
##### [KProgress: 30%
##### [KProgress: 40%
##### [KProgress: 50%
##### [KProgress: 60%
##### [KProgress: 70%
##### [KProgress: 80%
##### [KProgress: 90%
##### [K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpZ2Av8AtiS0_default_1535663597788_20681
==> default: Fixed port collision for 22 => 2222. Now on port 2200.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2200 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2200
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:

```

```

default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
default: Running: inline script
default: Calculating dependencies
default: ... done!
default: >>> Verifying ebuid manifests
default: >>> Jobs: 0 of 1 complete, 1 running      Load avg: 0.27, 0.06, 0.02
default: >>> Emerging (1 of 1) net-misc/curl-7.61.0::gentoo
default: >>> Jobs: 0 of 1 complete, 1 running      Load avg: 0.27, 0.06, 0.02
default: >>> Jobs: 0 of 1 complete                  Load avg: 2.61, 0.85, 0.31
default: >>> Installing (1 of 1) net-misc/curl-7.61.0::gentoo
default: >>> Jobs: 0 of 1 complete                  Load avg: 2.61, 0.85, 0.31
default: >>> Jobs: 1 of 1 complete                  Load avg: 2.48, 0.85, 0.31
default: >>> Auto-cleaning packages...
default:
default: >>> No outdated packages were found on your system.
default: * GNU info directory index is up-to-date.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:: ${FUNCNAME[0]}:: $LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello
)

testnixenv() (
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
)

testnixchannel() (
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
)

runtest() {
  testFn=$1

  local testdir="$TESTDIR/tests/$testFn"
  mkdir -p "$testdir"

  start=$(date +%s)
  echo "Starting: $testFn"
  (
    set -ex
    "$testFn"
  ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
  exitcode=$?
  end=$(date +%s)
  duration=$((end - start))
  echo "$exitcode" > "$testdir/exitcode"
  echo "$duration" > "$testdir/duration"

  echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
  readonly TESTDIR=./nix-test-matrix-log
  rm -rf "$TESTDIR"
  mkdir "$TESTDIR"

  (
    runtest testnixinfo
    runtest testshell
    runtest testnixenv
    runtest testnixchannel
  )

  tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
gentoo-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
gentoo-install + sh
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 702k 0 0:00:00 0:00:00 0:00:00 7041
gentoo-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.tar
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
gentoo-install % Total % Received % Xferd Average Speed Time Time Time Current
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
2 35.5M 2 896k 0 0 702k 0 0:00:51 0:00:01 0:00:50 703k
6 35.5M 6 2208k 0 0 990k 0 0:00:36 0:00:02 0:00:34 990k
10 35.5M 10 3728k 0 0 1155k 0 0:00:31 0:00:03 0:00:28 1155k
15 35.5M 15 5472k 0 0 1283k 0 0:00:28 0:00:04 0:00:24 1283k
20 35.5M 20 7392k 0 0 1405k 0 0:00:25 0:00:05 0:00:20 1481k
26 35.5M 26 9472k 0 0 1512k 0 0:00:24 0:00:06 0:00:18 1719k
31 35.5M 31 11.3M 0 0 1596k 0 0:00:22 0:00:07 0:00:15 1865k
37 35.5M 37 13.3M 0 0 1659k 0 0:00:21 0:00:08 0:00:13 1982k
43 35.5M 43 15.4M 0 0 1706k 0 0:00:21 0:00:09 0:00:12 2068k
49 35.5M 49 17.4M 0 0 1747k 0 0:00:20 0:00:10 0:00:10 2107k
54 35.5M 54 19.5M 0 0 1778k 0 0:00:20 0:00:11 0:00:09 2111k
60 35.5M 60 21.5M 0 0 1806k 0 0:00:20 0:00:12 0:00:08 2111k
66 35.5M 66 23.6M 0 0 1829k 0 0:00:19 0:00:13 0:00:06 2112k
72 35.5M 72 25.7M 0 0 1849k 0 0:00:19 0:00:14 0:00:05 2112k
78 35.5M 78 27.7M 0 0 1866k 0 0:00:19 0:00:15 0:00:04 2112k
83 35.5M 83 29.8M 0 0 1882k 0 0:00:19 0:00:16 0:00:03 2116k
89 35.5M 89 31.9M 0 0 1897k 0 0:00:19 0:00:17 0:00:02 2121k
95 35.5M 95 34.1M 0 0 1912k 0 0:00:19 0:00:18 0:00:01 2129k
100 35.5M 100 35.5M 0 0 1918k 0 0:00:18 0:00:18 0:00:00 2129k
gentoo-install performing a single-user installation of Nix...
gentoo-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
gentoo-install copying Nix to /nix/store.....
gentoo-install initialising Nix database...
gentoo-install Nix: creating /home/vagrant/.nix-profile
gentoo-install installing 'nix-2.1pre6385_d16ff76c'
gentoo-install building '/nix/store/hazjvcdsg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...

```



```
gentoo-install      created 6 symlinks in user environment
gentoo-install      unpacking channels...
gentoo-install      created 2 symlinks in user environment
gentoo-install      modifying /home/vagrant/.bash_profile...
gentoo-install      Installation finished! To ensure that the necessary environment
gentoo-install      variables are set, either log in again, or type
gentoo-install      . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
gentoo-install      in your shell.
gentoo-test-login   Starting: testnixinfo
gentoo-test-login   ./testscript::runtest::39 testnixinfo
gentoo-test-login   ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login   these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
gentoo-test-login   /nix/store/09ij2aakzb0mhrk4kwhgpk6k8fz2lcr-gnumake-4.2.1
gentoo-test-login   /nix/store/1141f22hsyf9fq3425cv49p8m9pb80g-diffutils-3.6
gentoo-test-login   /nix/store/3bn0819v7aghg0wx117f43zrlq9y9jb4-readline-7.0p5
gentoo-test-login   /nix/store/514qhkyaynyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
gentoo-test-login   /nix/store/5mlid7y5albcd41712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man
gentoo-test-login   /nix/store/6nqk63zypz177ng87gx6r1z189rlxd11-gcc-7.3.0-lib
gentoo-test-login   /nix/store/6v88ick1cxnns59l8qrrqw0lrlr27x-bash-4.4-p23
gentoo-test-login   /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
gentoo-test-login   /nix/store/92gpdymmw60dsx9f07jvn8926z88gl-ed-1.14.2
gentoo-test-login   /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
gentoo-test-login   /nix/store/9xm9n09n0z92r9nlvbbxwqwgxnjf60zd-paxctl-0.9
gentoo-test-login   /nix/store/9z650yzcz5zyhcw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
gentoo-test-login   /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52
gentoo-test-login   /nix/store/ach9z9x8l8g9kpid73s4fj5v0zyg3g7-glibc-2.27-bin
gentoo-test-login   /nix/store/aghv8vq5q8fshxda24fxw2xv2bx4j5-gnused-4.5
gentoo-test-login   /nix/store/dkh9cmvwx1pcxv290md6d4r74ybzhs-knutar-1.30
gentoo-test-login   /nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin
gentoo-test-login   /nix/store/fjxk359n102sq572kkspdjy303k45-stdevn-linux
gentoo-test-login   /nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
gentoo-test-login   /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27
gentoo-test-login   /nix/store/i4n9l8fn0wgryan523pfbck57fpqzc-glibc-2.27-dev
gentoo-test-login   /nix/store/i4v7csw4p6ns1b72a1z5p5j31579wk3-patch-2.7.6
gentoo-test-login   /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
gentoo-test-login   /nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxgmz-ncurses-6.1
gentoo-test-login   /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-attr-2.4.47
gentoo-test-login   /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
gentoo-test-login   /nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
gentoo-test-login   /nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
gentoo-test-login   /nix/store/mdpwyfa0v4i9ravrdg0cwq518firncs-expand-response-params
gentoo-test-login   /nix/store/mzx4y6amjn7i638c6692q3lazzyzx619-xz-5.2.4-bin
gentoo-test-login   /nix/store/qcqvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
gentoo-test-login   /nix/store/qga70q7m5332dr4gab8zp004ajy6f1h-nix-info
gentoo-test-login   /nix/store/qvw8f8g0d117l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
gentoo-test-login   /nix/store/rhczvaz7xk6dq9z2h9yca0z7w0nwg7c-coreutils-8.29
gentoo-test-login   /nix/store/sc4w9y5a3nszmmcy13hmmx6wysg661w-patchelf-0.9
gentoo-test-login   /nix/store/vp40my263xk32f07788srg159rycsna-binutils-2.30
gentoo-test-login   /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev
gentoo-test-login   /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev
gentoo-test-login   /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev
gentoo-test-login   /nix/store/xz2anv77hx8jziz4hbfiy0wkw006d-bash-interactive-4.4-p23
gentoo-test-login   /nix/store/y8p41rl2w9p9swny2l5h517i57kvc5z3-findutils-4.6.0
gentoo-test-login   /nix/store/ykz2b66khhm9vq5bn619721nadrp2ym-xz-5.2.4
gentoo-test-login   copying path /nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/5mlid7y5albcd41712lqch0g9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/6v88ick1cxnns59l8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/a8slaxaq3p8rxiqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/qvw8f8g0d117l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/rhczvaz7xk6dq9z2h9yca0z7w0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/fai750p2q3gc7isqplpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/fjxk359n102sq572kkspdjy303k45-stdevn-linux' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/i4n9l8fn0wgryan523pfbck57fpqzc-glibc-2.27-dev' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/i4v7csw4p6ns1b72a1z5p5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/jicmavp929l0x232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/lxj4yzas56kzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/mdpwyfa0v4i9ravrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/mzx4y6amjn7i638c6692q3lazzyzx619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/qcqvnrlyrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/qga70q7m5332dr4gab8zp004ajy6f1h-nix-info' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/qvw8f8g0d117l4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/rhczvaz7xk6dq9z2h9yca0z7w0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/sc4w9y5a3nszmmcy13hmmx6wysg661w-patchelf-0.9' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/vp40my263xk32f07788srg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
gentoo-test-login   copying path /nix/store/xadwbdjcnmdd2lppsckfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
gentoo-test-login   - system: "x86_64-linux"
gentoo-test-login   - host os: "Linux 4.14.65-gentoo, Gentoo, noversion"
gentoo-test-login   - multi-user?: no
gentoo-test-login   - sandbox: no
gentoo-test-login   - version: "nix-env (Nix) 2.1pre6385.d16ff76c"
gentoo-test-login   - channels(vagrant): "nixpkgs-18.09pre150352.7c826371c49"
gentoo-test-login   - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
gentoo-test-login   Finishing: testnixinfo, duration:20 result:0
gentoo-test-login   Starting: testshell
gentoo-test-login   ./testscript::runtest::39 testshell
gentoo-test-login   ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-login   these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
gentoo-test-login   /nix/store/z87ns3bv8d29c7dnblv541613ch8k10-hello-2.10
gentoo-test-login   copying path /nix/store/z87ns3bv8d29c7dnblv541613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
gentoo-test-login   Hello, world!
gentoo-test-login   Finishing: testshell, duration:2 result:0
gentoo-test-login   Starting: testnixenv
gentoo-test-login   ./testscript::runtest::39 testnixenv
gentoo-test-login   ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-login   installing 'hello-2.10'
gentoo-test-login   building '/nix/store/94bdc86i12lpvzip9mhbv74igl4q97c-user-environment.drv'...
gentoo-test-login   created 38 symlinks in user environment
gentoo-test-login   ./testscript::testnixenv:17 hello
gentoo-test-login   Hello, world!
gentoo-test-login   ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
gentoo-test-login   uninstalling 'hello-2.10'
gentoo-test-login   building '/nix/store/bj717qczsb26ad53m0v04n266vj5v-user-environment.drv'...
gentoo-test-login   created 6 symlinks in user environment
gentoo-test-login   Finishing: testnixenv, duration:0 result:0
gentoo-test-login   Starting: testnixchannel
gentoo-test-login   ./testscript::runtest::39 testnixchannel
gentoo-test-login   ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
```

```

gentoo-test-login      ./testscript::testnixchannel::23 nix-channel --update
gentoo-test-login      unpacking channels...
gentoo-test-login      created 5 symlinks in user environment
gentoo-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
gentoo-test-login      installing 'hello-2.10'
gentoo-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
gentoo-test-login      /nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10
gentoo-test-login      copying path /nix/store/nic2bl8ry6vfyr9717983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org'...
gentoo-test-login      building /nix/store/q264qcanjrmh8h176zc953awr2miy7-user-environment.drv'...
gentoo-test-login      created 38 symlinks in user environment
gentoo-test-login      ./testscript::testnixchannel::25 hello
gentoo-test-login      Hello, world!
gentoo-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
gentoo-test-login      uninstalling 'hello-2.10'
gentoo-test-login      Finishing: testnixchannel, duration:7 result:0
gentoo-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-login-interactive bash: no job control in this shell
gentoo-test-login-interactive Starting: testnixinfo
gentoo-test-login-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-login-interactive ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-login-interactive - system: "x86_64-linux"
gentoo-test-login-interactive - host os: 'Linux 4.14.65-gentoo, Gentoo, noversion'
gentoo-test-login-interactive - multi-user?: 'no'
gentoo-test-login-interactive - sandbox: 'no'
gentoo-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
gentoo-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
gentoo-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
gentoo-test-login-interactive Finishing: testnixinfo, duration:4 result:0
gentoo-test-login-interactive Starting: testshell
gentoo-test-login-interactive ./testscript::runtest::10 testshell
gentoo-test-login-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive Finishing: testshell, duration:1 result:0
gentoo-test-login-interactive Starting: testnixenv
gentoo-test-login-interactive ./testscript::runtest::10 testnixenv
gentoo-test-login-interactive ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-login-interactive installing 'hello-2.10'
gentoo-test-login-interactive ./testscript::testnixenv:17 hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive ./testscript::testnixenv:18 nix-env --uninstall 'hello.*'
gentoo-test-login-interactive uninstalling 'hello-2.10'
gentoo-test-login-interactive Finishing: testnixenv, duration:1 result:0
gentoo-test-login-interactive Starting: testnixchannel
gentoo-test-login-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-login-interactive ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-login-interactive ./testscript::testnixchannel:23 nix-channel --update
gentoo-test-login-interactive unpacking channels...
gentoo-test-login-interactive ./testscript::testnixchannel:24 nix-env -iA nixos-18-03.hello
gentoo-test-login-interactive installing 'hello-2.10'
gentoo-test-login-interactive ./testscript::testnixchannel:25 hello
gentoo-test-login-interactive Hello, world!
gentoo-test-login-interactive ./testscript::testnixchannel:26 nix-env --uninstall 'hello.*'
gentoo-test-login-interactive uninstalling 'hello-2.10'
gentoo-test-login-interactive Finishing: testnixchannel, duration:1 result:0
gentoo-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
gentoo-test-interactive bash: no job control in this shell
gentoo-test-interactive Starting: testnixinfo
gentoo-test-interactive ./testscript::runtest::10 testnixinfo
gentoo-test-interactive ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testnixinfo, duration:0 result:127
gentoo-test-interactive Starting: testshell
gentoo-test-interactive ./testscript::runtest::10 testshell
gentoo-test-interactive ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-interactive bash: nix-shell: command not found
gentoo-test-interactive Finishing: testshell, duration:0 result:127
gentoo-test-interactive Starting: testnixenv
gentoo-test-interactive ./testscript::runtest::10 testnixenv
gentoo-test-interactive ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-interactive bash: nix-env: command not found
gentoo-test-interactive Finishing: testnixenv, duration:0 result:127
gentoo-test-interactive Starting: testnixchannel
gentoo-test-interactive ./testscript::runtest::10 testnixchannel
gentoo-test-interactive ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-interactive bash: nix-channel: command not found
gentoo-test-interactive Finishing: testnixchannel, duration:0 result:127
gentoo-test-ssh Starting: testnixinfo
gentoo-test-ssh ./testscript::runtest::39 testnixinfo
gentoo-test-ssh ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
gentoo-test-ssh ./testscript: line 8: nix-shell: command not found
gentoo-test-ssh Finishing: testnixinfo, duration:0 result:127
gentoo-test-ssh Starting: testshell
gentoo-test-ssh ./testscript::runtest::39 testshell
gentoo-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
gentoo-test-ssh ./testscript: line 12: nix-shell: command not found
gentoo-test-ssh Finishing: testshell, duration:0 result:127
gentoo-test-ssh Starting: testnixenv
gentoo-test-ssh ./testscript::runtest::39 testnixenv
gentoo-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
gentoo-test-ssh ./testscript: line 16: nix-env: command not found
gentoo-test-ssh Finishing: testnixenv, duration:0 result:127
gentoo-test-ssh Starting: testnixchannel
gentoo-test-ssh ./testscript::runtest::39 testnixchannel
gentoo-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
gentoo-test-ssh ./testscript: line 22: nix-channel: command not found
gentoo-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-no-daemon-alpine-3-5-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-alpine-3-5-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'generic/alpine35'...

███[KProgress: 20%

███[KProgress: 50%

███[KProgress: 60%

███[KProgress: 70%

███[KProgress: 90%

███[K=> default: Matching MAC address for NAT networking...

==> default: Setting the name of the VM: tmpWmDl82hhTH_default_1535663797615_20048

==> default: Fixed port collision for 22 => 2222. Now on port 2203.

==> default: Clearing any previously set network interfaces...

==> default: Preparing network interfaces based on configuration...

==> default: Adapter 1: nat

==> default: Forwarding ports...

==> default: 22 (guest) => 2203 (host) (adapter 1)

==> default: Running 'pre-boot' VM customizations...

==> default: Booting VM...


```
24 35.5M 24 8848K 0 0 1463k 0 0:00:24 0:00:06 0:00:18 1650k
29 35.5M 29 10.5M 0 0 1527k 0 0:00:23 0:00:07 0:00:16 1775k
34 35.5M 34 12.3M 0 0 1575k 0 0:00:23 0:00:08 0:00:15 1861k
40 35.5M 40 14.2M 0 0 1613k 0 0:00:22 0:00:09 0:00:13 1905k
45 35.5M 45 16.0M 0 0 1643k 0 0:00:22 0:00:10 0:00:12 1917k
50 35.5M 50 17.9M 0 0 1667k 0 0:00:21 0:00:11 0:00:10 1916k
55 35.5M 55 19.8M 0 0 1686k 0 0:00:21 0:00:12 0:00:09 1911k
60 35.5M 60 21.6M 0 0 1794k 0 0:00:21 0:00:13 0:00:08 1911k
66 35.5M 66 23.5M 0 0 1719k 0 0:00:21 0:00:14 0:00:07 1911k
71 35.5M 71 25.4M 0 0 1731k 0 0:00:21 0:00:15 0:00:06 1908k
76 35.5M 76 27.2M 0 0 1742k 0 0:00:20 0:00:16 0:00:04 1905k
81 35.5M 81 29.1M 0 0 1752k 0 0:00:20 0:00:17 0:00:03 1909k
87 35.5M 87 31.0M 0 0 1761k 0 0:00:20 0:00:18 0:00:02 1909k
92 35.5M 92 32.8M 0 0 1770k 0 0:00:20 0:00:19 0:00:01 1912k
97 35.5M 97 34.7M 0 0 1777k 0 0:00:20 0:00:20 ----- 1915k
100 35.5M 100 35.5M 0 0 1781k 0 0:00:20 ----- 1924k
alpine-3.5-install performing a single-user installation of Nix...
alpine-3.5-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
alpine-3.5-install copying Nix to /nix/store.....
alpine-3.5-install initialising Nix database.
alpine-3.5-install Nix: creating /home/vagrant/.nix-profile
alpine-3.5-install installing 'nix-2.1pre6385_d16ff76c'
alpine-3.5-install building '/nix/store/hazjvc5sgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
alpine-3.5-install created 6 symlinks in user environment
alpine-3.5-install unpacking channels...
alpine-3.5-install created 2 symlinks in user environment
alpine-3.5-install modifying /home/vagrant/.bash_profile...
alpine-3.5-install Installation finished! To ensure that the necessary environment
alpine-3.5-install variables are set, either log in again, or type
alpine-3.5-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
alpine-3.5-install in your shell.
alpine-3.5-test-login Starting: testnixinfo
alpine-3.5-test-login ./testscript:--run test:39 testnixinfo
alpine-3.5-test-login /testscript:--run testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3.5-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
alpine-3.5-test-login /nix/store/09ij2aakzBmhrk4kwhgk6k6k8fz2lcr-gnumake-4.2.1
alpine-3.5-test-login /nix/store/1141f22hsyfg9fq3425cv49p8m9pb800-diffutils-3.6
alpine-3.5-test-login /nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5
alpine-3.5-test-login /nix/store/5l4qhyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0
alpine-3.5-test-login /nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
alpine-3.5-test-login /nix/store/6nqk63zypz177ng87x6r1z189rlxd11-gcc-7.3.0-lib
alpine-3.5-test-login /nix/store/6v88ick1cxn59g1m8qrrqw0lrlr27x-bash-4.4-p23
alpine-3.5-test-login /nix/store/7zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11
alpine-3.5-test-login /nix/store/92gpnndm60dsx9f07jvn89z6z88gl-ed-1.14.2
alpine-3.5-test-login /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1
alpine-3.5-test-login /nix/store/9xm9m9n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
alpine-3.5-test-login /nix/store/9z650y9zcx5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0
alpine-3.5-test-login /nix/store/a85laxa3p8rx1qppbaaskghyxb0akb-acl-2.2.52
alpine-3.5-test-login /nix/store/ach9z9x8l8g9kpi73s4fj9vzv3g7-glibc-2.27-bin
alpine-3.5-test-login /nix/store/agyh8v9g5q8fsvhd24fxw2xv2b4j5-gnused-4.5
alpine-3.5-test-login /nix/store/dk9cmwv1pcxv290m6d4q74yzbzhsk-gnutar-1.30
alpine-3.5-test-login /nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin
alpine-3.5-test-login /nix/store/fjk3k59n102sq572kkspdjy303kv45-stenv-linux
alpine-3.5-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9
alpine-3.5-test-login /nix/store/hx54ggnr64g1q0wggdfvgdm42r2b5lkv-glibc-2.27
alpine-3.5-test-login /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev
alpine-3.5-test-login /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6
alpine-3.5-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk58gs1av1-linux-headers-4.15
alpine-3.5-test-login /nix/store/j2clxfb2r19daldfwcp8ywgjx9yxgmz-nurses-6.1
alpine-3.5-test-login /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
alpine-3.5-test-login /nix/store/jz7lnmjbyaapcgf6vmlv3n20nin6h0g-gawk-4.2.1
alpine-3.5-test-login /nix/store/ksvmi3fjv6j7qkspw6qvrjygm2si336-bash-interactive-4.4-p23-doc
alpine-3.5-test-login /nix/store/Lxj4yza556kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
alpine-3.5-test-login /nix/store/mdpwyfa0v419ravwrdd0cw5i8f1ncs-expand-response-params
alpine-3.5-test-login /nix/store/mz4y6amjn7i638c662z5lazyzxc6i9-xz-5.2.4-bin
alpine-3.5-test-login /nix/store/vvnr1ryrd4xm78mf6vsvz5fndflp-binutils-wrapper-2.30
alpine-3.5-test-login /nix/store/aga70q7m5332d4gab8zpp004ajy6flh-nix-info
alpine-3.5-test-login /nix/store/qw8f80d0l1714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1
alpine-3.5-test-login /nix/store/rhczwaz7xk6ddq9z2h9yca0z7wx0nw7c-coreutils-8.29
alpine-3.5-test-login /nix/store/sc4w9y5a3nszmmcy31yhm6w6ysg66iw-patchelf-0.9
alpine-3.5-test-login /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
alpine-3.5-test-login /nix/store/xadwbdjcnmdc21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev
alpine-3.5-test-login /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42
alpine-3.5-test-login /nix/store/zx2anv77hx8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23
alpine-3.5-test-login /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
alpine-3.5-test-login /nix/store/ykz6b6mkm9vq5bn619792Inadrp2ym-xz-5.2.4
alpine-3.5-test-login copying path /nix/store/ksvmi3fjv6j7qkspw6qvrjygm2si336-bash-interactive-4.4-p23-doc from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/Lxj4yza556kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/5mld17y5albcd41712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/hx54ggnr64g1q0wggdfvgdm42r2b5lkv-glibc-2.27 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gs1av1-linux-headers-4.15 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/6v88ick1cxn59g1m8qrrqw0lrlr27x-bash-4.4-p23 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/a85laxa3p8rx1qppbaaskghyxb0akb-acl-2.2.52 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/qw8f80d0l1714wsj33s51hlyjwz2an4-bzip2-1.0.6.0.1 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/rhczwaz7xk6ddq9z2h9yca0z7wx0nw7c-coreutils-8.29 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/fai750p2q3gc7isqpi1psq2r138hsz81-bzip2-1.0.6.0.1-bin from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/1141f22hsyfg9fq3425cv49p8m9pb800-diffutils-3.6 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/92gpnndm60dsx9f07jvn89z6z88gl-ed-1.14.2 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/mdpwyfa0v419ravwrdd0cw5i8f1ncs-expand-response-params from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/jz7lnmjbyaapcgf6vmlv3n20nin6h0g-gawk-4.2.1 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/ach9z9x8l8g9kpi73s4fj9vzv3g7-glibc-2.27-bin from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/09ij2aakzBmhrk4kwhgk6k6k8fz2lcr-gnumake-4.2.1 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/i4n918fnq0wgryan523pfbdck57fpqzc-glibc-2.27-dev from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/dk9cmwv1pcxv290m6d4q74yzbzhsk-gnutar-1.30 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4y4jnp0vdd-gzip-1.9 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/i7vcs4p6n51b72a12ysp5j31579wk3-patch-2.7.6 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/sc4w9y5a3nszmmcy31yhm6w6ysg66iw-patchelf-0.9 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/9xm9m9n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/xd7yblv36sr9yx9alxr2syr2n0z9rix-pcre-8.42 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/3bn0819v7agh0wx1i7f43zr1q9y9jb4-readline-7.0p5 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/98c80y9rp1qlwxc8g1fm4qsv494ajy8q-gnugrep-3.1 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/ykz6b6mkm9vq5bn619792Inadrp2ym-xz-5.2.4 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/mz4y6amjn7i638c662z5lazyzxc6i9-xz-5.2.4-bin from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/zbrn4d4bp7m1yqvp6jhy70kxnpwxkf-zlib-1.2.11 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/5l4qhyay7nyfbnv9ycrk7cbmdinph8br-gcc-7.3.0 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/cvvnrlryrd4xm78mf6vsvz5fndflp-binutils-wrapper-2.30 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/9z650y9zcx5zycw5n36ya6x4jq436mr-gcc-wrapper-7.3.0 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/zx2anv77hx8jziz4bhfyh0vkw006d-bash-interactive-4.4-p23 from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/fjk3k59n102sq572kkspdjy303kv45-stenv-linux from 'https://cache.nixos.org'...
alpine-3.5-test-login copying path /nix/store/xadwbdjcnmdc21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev from 'https://cache.nixos.org'...
alpine-3.5-test-login - system: "x86_64-linux"
alpine-3.5-test-login - host os: "Linux 4.4.59-0-virtgrsec, Alpine Linux, noversion"
alpine-3.5-test-login - multi-user?: "no"
alpine-3.5-test-login - sandbox: "no"
alpine-3.5-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
alpine-3.5-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
alpine-3.5-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
alpine-3.5-test-login Finishing: testnixinfo, duration:22 result:0
alpine-3.5-test-login Starting: testshell
```

```

alpine-3-5-test-login      ./testscript::runtest::39 testshell
alpine-3-5-test-login      ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-5-test-login      /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
alpine-3-5-test-login      copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-5-test-login      Hello, world!
alpine-3-5-test-login      Finishing: testshell, duration:1 result:0
alpine-3-5-test-login      Starting: testnixenv
alpine-3-5-test-login      ./testscript::runtest::39 testnixenv
alpine-3-5-test-login      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-login      installing 'hello-2.10'
alpine-3-5-test-login      building '/nix/store/q94bdc86i12z1pvzi9mhbv74igl4q97c-user-environment.drv'...
alpine-3-5-test-login      created 38 symlinks in user environment
alpine-3-5-test-login      ./testscript::testnixenv::17 hello
alpine-3-5-test-login      Hello, world!
alpine-3-5-test-login      ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-5-test-login      uninstalling 'hello-2.10'
alpine-3-5-test-login      building '/nix/store/bj717qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv'...
alpine-3-5-test-login      created 6 symlinks in user environment
alpine-3-5-test-login      Finishing: testnixenv, duration:1 result:0
alpine-3-5-test-login      Starting: testnixchannel
alpine-3-5-test-login      ./testscript::runtest::39 testnixchannel
alpine-3-5-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-login      ./testscript::testnixchannel::23 nix-channel --update
alpine-3-5-test-login      unpacking channels...
alpine-3-5-test-login      created 5 symlinks in user environment
alpine-3-5-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-5-test-login      installing 'hello-2.10'
alpine-3-5-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-5-test-login      /nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10
alpine-3-5-test-login      copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-5-test-login      building '/nix/store/q264qcanajmrmh8h176zc953awr2miz7-user-environment.drv'...
alpine-3-5-test-login      created 38 symlinks in user environment
alpine-3-5-test-login      ./testscript::testnixchannel::25 hello
alpine-3-5-test-login      Hello, world!
alpine-3-5-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-5-test-login      uninstalling 'hello-2.10'
alpine-3-5-test-login      Finishing: testnixchannel, duration:5 result:0
alpine-3-5-test-login-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-5-test-login-interactive bash: no job control in this shell
alpine-3-5-test-login-interactive Starting: testnixinfo
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixinfo
alpine-3-5-test-login-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-login-interactive - system: "x86_64-linux"
alpine-3-5-test-login-interactive - host os: 'Linux 4.4.59-0-virtgsec, Alpine Linux, noversion'
alpine-3-5-test-login-interactive - multi-user?: 'no'
alpine-3-5-test-login-interactive - sandbox: 'no'
alpine-3-5-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
alpine-3-5-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
alpine-3-5-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
alpine-3-5-test-login-interactive Finishing: testnixinfo, duration:4 result:0
alpine-3-5-test-login-interactive Starting: testshell
alpine-3-5-test-login-interactive ./testscript::runtest::10 testshell
alpine-3-5-test-login-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive Finishing: testshell, duration:1 result:0
alpine-3-5-test-login-interactive Starting: testnixenv
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixenv
alpine-3-5-test-login-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-login-interactive installing 'hello-2.10'
alpine-3-5-test-login-interactive ./testscript::testnixenv::17 hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-5-test-login-interactive uninstalling 'hello-2.10'
alpine-3-5-test-login-interactive Finishing: testnixenv, duration:0 result:0
alpine-3-5-test-login-interactive Starting: testnixchannel
alpine-3-5-test-login-interactive ./testscript::runtest::10 testnixchannel
alpine-3-5-test-login-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-login-interactive ./testscript::testnixchannel::23 nix-channel --update
alpine-3-5-test-login-interactive unpacking channels...
alpine-3-5-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-5-test-login-interactive installing 'hello-2.10'
alpine-3-5-test-login-interactive ./testscript::testnixchannel::25 hello
alpine-3-5-test-login-interactive Hello, world!
alpine-3-5-test-login-interactive ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-5-test-login-interactive uninstalling 'hello-2.10'
alpine-3-5-test-login-interactive Finishing: testnixchannel, duration:2 result:0
alpine-3-5-test-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-5-test-interactive bash: no job control in this shell
alpine-3-5-test-interactive Starting: testnixinfo
alpine-3-5-test-interactive ./testscript::runtest::10 testnixinfo
alpine-3-5-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-interactive bash: nix-shell: command not found
alpine-3-5-test-interactive Finishing: testnixinfo, duration:0 result:1
alpine-3-5-test-interactive Starting: testshell
alpine-3-5-test-interactive ./testscript::runtest::10 testshell
alpine-3-5-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-interactive bash: nix-shell: command not found
alpine-3-5-test-interactive Finishing: testshell, duration:0 result:1
alpine-3-5-test-interactive Starting: testnixenv
alpine-3-5-test-interactive ./testscript::runtest::10 testnixenv
alpine-3-5-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-interactive bash: nix-env: command not found
alpine-3-5-test-interactive Finishing: testnixenv, duration:0 result:1
alpine-3-5-test-interactive Starting: testnixchannel
alpine-3-5-test-interactive ./testscript::runtest::10 testnixchannel
alpine-3-5-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-interactive bash: nix-channel: command not found
alpine-3-5-test-interactive Finishing: testnixchannel, duration:0 result:1
alpine-3-5-test-ssh      Starting: testnixinfo
alpine-3-5-test-ssh      ./testscript::runtest::39 testnixinfo
alpine-3-5-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-5-test-ssh      ./testscript: line 8: nix-shell: command not found
alpine-3-5-test-ssh      Finishing: testnixinfo, duration:0 result:1
alpine-3-5-test-ssh      Starting: testshell
alpine-3-5-test-ssh      ./testscript::runtest::39 testshell
alpine-3-5-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-5-test-ssh      ./testscript: line 12: nix-shell: command not found
alpine-3-5-test-ssh      Finishing: testshell, duration:0 result:1
alpine-3-5-test-ssh      Starting: testnixenv
alpine-3-5-test-ssh      ./testscript::runtest::39 testnixenv
alpine-3-5-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-5-test-ssh      ./testscript: line 16: nix-env: command not found
alpine-3-5-test-ssh      Finishing: testnixenv, duration:0 result:1
alpine-3-5-test-ssh      Starting: testnixchannel
alpine-3-5-test-ssh      ./testscript::runtest::39 testnixchannel
alpine-3-5-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-5-test-ssh      ./testscript: line 22: nix-channel: command not found
alpine-3-5-test-ssh      Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-no-daemon-alpine-3-5-image-name

alpine-3-5

[top of data](#)

install-force-no-daemon-alpine-3-5-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine35"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-default-unless-selinux-fedora-28-image-name

fedora-28

[top of data](#)

install-default-unless-selinux-fedora-28-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-fedora-28-run-log

```
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/fedora28'...

[KProgress: 10%
[KProgress: 20%
[KProgress: 30%
[KProgress: 40%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpAhoA01UmPZ_default_1535676550584_51838
==> default: Fixed port collision for 22 => 2222. Now on port 2202.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2202 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2202
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Fedora 28 - x86_64 - Updates 2.9 MB/s | 23 MB 00:08
  default: Last metadata expiration check: 0:00:13 ago on Thu 30 Aug 2018 05:49:44 PM PDT.
  default: Package curl-7.59.0-6.fc28.x86_64 is already installed, skipping.
  default: Dependencies resolved.
  default: =====
  default: Package Arch Version Repository Size
  default: =====
  default: Installing:
  default: bzip2 x86_64 1.0.6-26.fc28 fedora 59 k
  default:
  default: Transaction Summary
  default: =====
  default: Install 1 Package
  default: Total download size: 59 k
  default: Installed size: 88 k
  default: Downloading Packages:
  default: bzip2-1.0.6-26.fc28.x86_64.rpm 3.2 MB/s | 59 kB 00:00
  default: -----
  default: Total 110 kB/s | 59 kB 00:00
  default: Running transaction check
  default: Transaction check succeeded.
  default: Running transaction test
  default: Transaction test succeeded.
  default: Running transaction
  default: Preparing : 1/1
  default:
  default: Installing : bzip2-1.0.6-26.fc28.x86_64 1/1
  default:
  default: Running scriptlet: bzip2-1.0.6-26.fc28.x86_64 1/1
  default:
  default: Verifying : bzip2-1.0.6-26.fc28.x86_64 1/1
  default:
  default:
  default: Installed:
  default: bzip2.x86_64 1.0.6-26.fc28
  default: Complete!
#!/bin/sh

set -eux

if /usr/sbin/sectatus && /usr/sbin/sectatus 2>&1 | grep -q enforcing; then
  echo "punting to no-daemon"
  curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
else
  curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh
fi
#!/usr/bin/env bash

export PS4=' '${BASH_SOURCE}::'${FUNCNAME[0]}:.$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
```

```

)
testshell() (
nix-shell -p hello --run hello
)
testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)
testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)
runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
fedora-28-install + /usr/sbin/sestatus
fedora-28-install SELinux status: enabled
fedora-28-install SELinuxfs mount: /sys/fs/selinux
fedora-28-install SELinux root directory: /etc/selinux
fedora-28-install Loaded policy name: targeted
fedora-28-install Current mode: enforcing
fedora-28-install Mode from config file: enforcing
fedora-28-install Policy MLS status: enabled
fedora-28-install Policy deny_unknown status: allowed
fedora-28-install Memory protection checking: actual (secure)
fedora-28-install Max kernel policy version: 31
fedora-28-install punting to no-daemon
fedora-28-install + /usr/sbin/sestatus
fedora-28-install + grep -q enforcing
fedora-28-install + echo 'punting to no-daemon'
fedora-28-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
fedora-28-install + sh -s -- --no-daemon
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 6888 0 0 0 0 0 0 0 0 0 0 0 6888
fedora-28-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux.'
fedora-28-install % Total % Received % Xferd Average Speed Time Time Time Current
fedora-28-install Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 112k 0 0 181k 0 0:03:20 0:00:00 0:03:20 181k
3 35.5M 3 1264k 0 0 806k 0 0:00:45 0:00:01 0:00:44 806k
7 35.5M 7 2608k 0 0 1018k 0 0:00:35 0:00:02 0:00:33 1017k
11 35.5M 11 4176k 0 0 1160k 0 0:00:31 0:00:03 0:00:28 1160k
16 35.5M 16 5920k 0 0 1289k 0 0:00:28 0:00:04 0:00:24 1289k
21 35.5M 21 7856k 0 0 1406k 0 0:00:25 0:00:05 0:00:20 1558k
27 35.5M 27 9952k 0 0 1512k 0 0:00:24 0:00:06 0:00:18 1734k
33 35.5M 33 11.7M 0 0 1591k 0 0:00:22 0:00:07 0:00:15 1884k
38 35.5M 38 13.8M 0 0 1653k 0 0:00:22 0:00:08 0:00:14 2010k
45 35.5M 45 16.0M 0 0 1710k 0 0:00:21 0:00:09 0:00:12 2095k
50 35.5M 50 18.0M 0 0 1747k 0 0:00:20 0:00:10 0:00:10 2128k
56 35.5M 56 20.1M 0 0 1778k 0 0:00:20 0:00:11 0:00:09 2128k
62 35.5M 62 22.1M 0 0 1806k 0 0:00:20 0:00:12 0:00:08 2130k
68 35.5M 68 24.2M 0 0 1829k 0 0:00:19 0:00:13 0:00:06 2130k
74 35.5M 74 26.3M 0 0 1849k 0 0:00:19 0:00:14 0:00:05 2118k
79 35.5M 79 28.3M 0 0 1866k 0 0:00:19 0:00:15 0:00:04 2118k
85 35.5M 85 30.4M 0 0 1880k 0 0:00:19 0:00:16 0:00:03 2114k
91 35.5M 91 32.5M 0 0 1894k 0 0:00:19 0:00:17 0:00:02 2115k
97 35.5M 97 34.5M 0 0 1906k 0 0:00:19 0:00:18 0:00:01 2114k
100 35.5M 100 35.5M 0 0 1915k 0 0:00:19 0:00:19 0:00:00 2133k
fedora-28-install performing a single-user installation of Nix...
fedora-28-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
fedora-28-install copying Nix to /nix/store.....
fedora-28-install initialising Nix database...
fedora-28-install Nix: creating /home/vagrant/.nix-profile
fedora-28-install installing 'nix-2.1pre6385_d16ff76c'
fedora-28-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-28-install created 6 symlinks in user environment
fedora-28-install unpacking channels...
fedora-28-install created 2 symlinks in user environment
fedora-28-install modifying /home/vagrant/.bash_profile...
fedora-28-install Installation finished! To ensure that the necessary environment
fedora-28-install variables are set, either log in again, or type
fedora-28-install
fedora-28-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
fedora-28-install
fedora-28-install in your shell.
fedora-28-test-login Starting: testnixinfo
fedora-28-test-login ./testscript::runtest:39 testnixinfo
fedora-28-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
fedora-28-test-login /nix/store/091j2aakzb8mhrkb4wkgphk6kF8zLcr-gnumake-4.2.1
fedora-28-test-login /nix/store/1141f22hsyfq9fq3425cv49p8m9pb8g0-diffutils-3.6
fedora-28-test-login /nix/store/3bn0819v7aghg0w117f43zr1q9y9jb4-readline-7.0p5
fedora-28-test-login /nix/store/5L4qhky7nyf7bnv9yrc7cbmdinph8br-gcc-7.3.0

```

```
fedora-28-test-login /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
fedora-28-test-login /nix/store/6nqk63zypz17ng87gbr1z189rlxd11-gcc-7.3.0-lib
fedora-28-test-login /nix/store/6v88i6k1cxcnm59g1m8qrrqww0rlr27x-bash-4.4-p23
fedora-28-test-login /nix/store/7zbnrd4b7mlyvqp6jhy70kxnpwxkf-zlib-1.2.11
fedora-28-test-login /nix/store/92gndymmm60dsx9f07vm89z6x88gl-ed-1.4.2
fedora-28-test-login /nix/store/98c80y9rplqlwxc8gl1fm4qsv494j8a-gnugrep-3.1
fedora-28-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9
fedora-28-test-login /nix/store/9z650yyczx5zycw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
fedora-28-test-login /nix/store/a8slaxaq3p8rx1qqpbaaskvghyxb0akb-acl-2.2.52
fedora-28-test-login /nix/store/ach9z9x8lq89kpid73ss4fjs0vzy3g7-glibc-2.27-bin
fedora-28-test-login /nix/store/agyh8vqg5q8fshda24fxw2xv2bx4js-gnused-4.5
fedora-28-test-login /nix/store/dkh9cmxw1pcxv290md6dq4r74yzbshk-gnutar-1.30
fedora-28-test-login /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
fedora-28-test-login /nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stenv-linux
fedora-28-test-login /nix/store/h2r9w5i6xj4mdj3r4x2rww4jdn0vdd-gzip-1.9
fedora-28-test-login /nix/store/hx54ggnr64gl90wgddfvdm42r2b5lv-glibc-2.27
fedora-28-test-login /nix/store/i4n918fng0wgyran523pfbdc57fpqz-glibc-2.27-dev
fedora-28-test-login /nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6
fedora-28-test-login /nix/store/19k17q3rd3r7ms17rdsqrk58gs1av1-linux-headers-4.15
fedora-28-test-login /nix/store/j2c1xfb2r19da1dfwcp8y9q9xvmmz-nurses-6.1
fedora-28-test-login /nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47
fedora-28-test-login /nix/store/jz7lmmjbyaqpc6fvvmlv3n20ninf60g-gawk-4.2.1
fedora-28-test-login /nix/store/ksvmi3fjv6j7qkswp6qrvjym2s1336-bash-interactive-4.4-p23-doc
fedora-28-test-login /nix/store/lxj4yzas56kgzs064jbd908sh74wf4-bash-interactive-4.4-p23-info
fedora-28-test-login /nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params
fedora-28-test-login /nix/store/mzx4y6amjn7i638c6692qs1azyx6i9-xz-5.2.4-bin
fedora-28-test-login /nix/store/qcgvnr1ryrd4xm78fnf6svzya5fndflp-binutils-wrapper-2.30
fedora-28-test-login /nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info
fedora-28-test-login /nix/store/qw8f8g0d1i7l4wsj3351hlyjw2an4-bzip2-1.0.6.0.1
fedora-28-test-login /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
fedora-28-test-login /nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9
fedora-28-test-login /nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30
fedora-28-test-login /nix/store/xadwbjcnmcd21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev
fedora-28-test-login /nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42
fedora-28-test-login /nix/store/xzz2anv77hx8jz1z4hbfyh0vkwv006d-bash-interactive-4.4-p23
fedora-28-test-login /nix/store/y8p4rl2w9p9swy215h17i57kvc53-findutils-4.6.0
fedora-28-test-login /nix/store/ykz66kmhm9v5b6i97921nadrp2ym-xz-5.2.4
fedora-28-test-login copying path /nix/store/ksvmi3fjv6j7qkswp6qrvjym2s1336-bash-interactive-4.4-p23-doc from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/lxj4yzas56kgzs064jbd908sh74wf4-bash-interactive-4.4-p23-info from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/hx54ggnr64gl90wgddfvdm42r2b5lv-glibc-2.27 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/i9k17q3rd3r7ms17rdsqrk58gs1av1-linux-headers-4.15 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/jicmavp929lx0232ryl0za94rslxj0p-attr-2.4.47 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/6v88i6k1cxcnm59g1m8qrrqww0rlr27x-bash-4.4-p23 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/a8slaxaq3p8rx1qqpbaaskvghyxb0akb-acl-2.2.52 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/qw8f8g0d1i7l4wsj3351hlyjw2an4-bzip2-1.0.6.0.1 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/rhzcwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/1141f22hsyf9f9q3245cv49p8m9pb8g0-diffutils-3.6 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/92gndymmm60dsx9f07vm89z6x88gl-ed-1.4.2 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/mdpwyfa0v4i9ravrdg0cwq5i8firncs-expand-response-params from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/y8p4rl2w9p9swy215h17i57kvc53-findutils-4.6.0 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/jz7lmmjbyaqpc6fvvmlv3n20ninf60g-gawk-4.2.1 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/6nqk63zypz17ng87gbr1z189rlxd11-gcc-7.3.0-lib from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/ach9z9x8lq89kpid73ss4fjs0vzy3g7-glibc-2.27-bin from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/09ij2aakz8mhrkb4kghpk6kfbfz1cr-gnumake-4.2.1 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/i4n918fng0wgyran523pfbdc57fpqz-glibc-2.27-dev from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/agyh8vqg5q8fshda24fxw2xv2bx4js-gnused-4.5 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/dkh9cmxw1pcxv290md6dq4r74yzbshk-gnutar-1.30 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/h2r9w5i6xj4mdj3r4x2rww4jdn0vdd-gzip-1.9 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/j2c1xfb2r19da1dfwcp8y9q9xvmmz-nurses-6.1 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/i7vcsw4p6n51b72a12ysp5j31579wkd3-patch-2.7.6 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/sc4w9y5a3nszmmcyi3yhmhx6wysg66iw-patchelf-0.9 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/9xm9n09n0z92r9n1vbbxwqwxjnf60zd-paxctl-0.9 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/3bn0819v7aghn0xw11f743zr1q9y9jb4-readline-7.0p5 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/98c80y9rplqlwxc8gl1fm4qsv494j8a-gnugrep-3.1 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/ykz66kmhm9v5b6i97921nadrp2ym-xz-5.2.4 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/qga70q7m5332dr4gab8z004ajy6flh-nix-info from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/mzx4y6amjn7i638c6692qs1azyx6i9-xz-5.2.4-bin from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/7zbnrd4b7mlyvqp6jhy70kxnpwxkf-zlib-1.2.11 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/vp40my263k32f07788srrgl59rycsna-binutils-2.30 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/5l4qkya7nyfbnv9yrcrk7cbmdiph8r-gcc-7.3.0 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/qcgvnr1ryrd4xm78fnf6svzya5fndflp-binutils-wrapper-2.30 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/9z650yyczx5zycw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/xzz2anv77hx8jz1z4hbfyh0vkwv006d-bash-interactive-4.4-p23 from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/fjxk3k59n102sq5572kkspdjy303kv45-stenv-linux from 'https://cache.nixos.org/...'
fedora-28-test-login copying path /nix/store/xadwbjcnmcd21ppskfj00g0w8svynd-bash-interactive-4.4-p23-dev from 'https://cache.nixos.org/...'
fedora-28-test-login - system: "x86_64-linux"
fedora-28-test-login - host os: "Linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)"
fedora-28-test-login - multi-user?: no
fedora-28-test-login - sandbox: no
fedora-28-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
fedora-28-test-login - channels (vagrant): "nixpkgs-18.09pre150352.7c826371c49"
fedora-28-test-login - nixpkgs: "/home/vagrant/.nix-defexpr/channels/nixpkgs"
fedora-28-test-login Finishing: testnixinfo, duration:29 result:0
fedora-28-test-login Starting: testshell
fedora-28-test-login ./testscript::runtest::39 testshell
fedora-28-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
fedora-28-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-28-test-login /nix/store/z87ns3bv8d29c7dnlbvj54i6l3ch8k10-hello-2.10
fedora-28-test-login copying path /nix/store/z87ns3bv8d29c7dnlbvj54i6l3ch8k10-hello-2.10 from 'https://cache.nixos.org/...'
fedora-28-test-login Hello, world!
fedora-28-test-login Finishing: testshell, duration:3 result:0
fedora-28-test-login Starting: testnixenv
fedora-28-test-login ./testscript::runtest::39 testnixenv
fedora-28-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
fedora-28-test-login installing 'hello-2.10'
fedora-28-test-login building /nix/store/94bdc86i12z1pvpz9mhbv74igl4q97c-user-environment.drv...
fedora-28-test-login created 38 symlinks in user environment
fedora-28-test-login ./testscript::testnixenv::17 hello
fedora-28-test-login Hello, world!
fedora-28-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
fedora-28-test-login uninstalling 'hello-2.10'
fedora-28-test-login building /nix/store/bj71qjczsb26adc53mv0a4nz66vj5vj-user-environment.drv...
fedora-28-test-login created 6 symlinks in user environment
fedora-28-test-login Finishing: testnixenv, duration:0 result:0
fedora-28-test-login Starting: testnixchannel
fedora-28-test-login ./testscript::runtest::39 testnixchannel
fedora-28-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-28-test-login ./testscript::testnixchannel::23 nix-channel --update
fedora-28-test-login unpacking channels...
fedora-28-test-login created 5 symlinks in user environment
fedora-28-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
fedora-28-test-login installing 'hello-2.10'
fedora-28-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-28-test-login /nix/store/nic2bl8ry6vfy9r9717983d5b2l4snlc-hello-2.10
fedora-28-test-login copying path /nix/store/nic2bl8ry6vfy9r9717983d5b2l4snlc-hello-2.10 from 'https://cache.nixos.org/...'
fedora-28-test-login building /nix/store/q264qcanqjrmh8h176zc953awr2miy7-user-environment.drv...
fedora-28-test-login created 38 symlinks in user environment
fedora-28-test-login ./testscript::testnixchannel::25 hello
fedora-28-test-login Hello, world!
fedora-28-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
fedora-28-test-login uninstalling 'hello-2.10'
fedora-28-test-login Finishing: testnixchannel, duration:19 result:0
fedora-28-test-login interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-28-test-login interactive bash: no job control in this shell
fedora-28-test-login interactive Starting: testnixinfo
fedora-28-test-login interactive ./testscript::runtest::10 testnixinfo
```



```

fedora-28-test-login-interactive      ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-28-test-login-interactive      - system: 'x86_64-linux'
fedora-28-test-login-interactive      - host os: 'Linux 4.17.18-200.fc28.x86_64, Fedora, 28 (Twenty Eight)'
fedora-28-test-login-interactive      - multi-user?: 'no'
fedora-28-test-login-interactive      - sandbox: 'no'
fedora-28-test-login-interactive      - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
fedora-28-test-login-interactive      - channels(vagrant): ''nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49''
fedora-28-test-login-interactive      - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'

Fedora-28-test-login-interactive:
Finishing: testnixinfo, duration:5 result:0
Starting: testshell
./testscript::runtest:10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest:10 testnixenv
./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv:0 hello
Hello, world!
./testscript::testnixenv:0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest:10 testnixchannel
./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel:0 nix-channel --update
unpacking channels...
./testscript::testnixchannel:0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel:0 hello
Hello, world!
./testscript::testnixchannel:0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:1 result:0
Fedora-28-test-interactive:
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest:10 testnixinfo
./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:127
Starting: testshell
./testscript::runtest:10 testshell
./testscript::testshell:0 nix-shell -p hello --run hello
bash: nix-shell: command not found
Finishing: testshell, duration:0 result:127
Starting: testnixenv
./testscript::runtest:10 testnixenv
./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
Finishing: testnixenv, duration:0 result:127
Starting: testnixchannel
./testscript::runtest:10 testnixchannel
./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
Finishing: testnixchannel, duration:0 result:127
Fedora-28-test-ssh:
Starting: testnixinfo
./testscript::runtest:39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:127
Starting: testshell
./testscript::runtest:39 testshell
./testscript::testshell:12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
Finishing: testshell, duration:0 result:127
Starting: testnixenv
./testscript::runtest:39 testnixenv
./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
Finishing: testnixenv, duration:0 result:127
Starting: testnixchannel
./testscript::runtest:39 testnixchannel
./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-unless-selinux-fedora-28-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora28"
  config.vm.provision "shell", inline: <<-SHELL
yum -y install curl bzip2

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhc1", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-alpine-3-6-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/alpine36"
  config.vm.provision "shell", inline: <<-SHELL
apk --no-cache add curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhc1", "off"]
end
end

```

[top of data](#)

install-force-no-daemon-alpine-3-6-install-method

install-force-no-daemon

[top of data](#)

install-force-no-daemon-alpine-3-6-image-name

alpine-3-6

[top of data](#)

install-force-no-daemon-alpine-3-6-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```
==> default: Importing base box 'generic/alpine36'...
#####[KProgress: 30%
#####[KProgress: 60%
#####[KProgress: 70%
#####[KProgress: 90%
#####[K====> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpX6oHsZep6m_default_1535663817415_27766
==> default: Fixed port collision for 22 => 2222. Now on port 2209.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
    default: Adapter 1: nat
==> default: Forwarding ports...
    default: 22 (guest) => 2209 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
    default: SSH address: 127.0.0.1:2209
    default: SSH username: vagrant
    default: SSH auth method: private key
    default:
    default: Vagrant insecure key detected. Vagrant will automatically replace
    default: this with a newly generated keypair for better security.
    default:
    default: Inserting generated public key within guest...
    default: Removing insecure key from the guest if it's present...
    default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Running provisioner: shell...
    default: Running: inline script
    default: fetch https://mirror.leaseweb.com/alpine/v3.6/main/x86_64/APKINDEX.tar.gz
    default: fetch https://mirror.leaseweb.com/alpine/v3.6/community/x86_64/APKINDEX.tar.gz
    default: fetch http://nl.alpinelinux.org/alpine/edge/testing/x86_64/APKINDEX.tar.gz
    default: fetch http://nl.alpinelinux.org/alpine/edge/main/x86_64/APKINDEX.tar.gz
    default: WARNING:
    default: This apk-tools is OLD! Some packages might not function properly.
    default: OK: 164 MiB in 69 packages
# /bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --no-daemon
#!/usr/bin/env bash

export PS4= ' ${BASH_SOURCE}::'${FUNCNAME[0]}::${LINENO} '
set -u
set -o pipefail

testnixinfo() (
    nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
    nix-shell -p hello --run hello
)

testnixenv() (
    nix-env -iA nixpkgs.hello
    hello
    nix-env --uninstall 'hello.*'
)

testnixchannel() (
    nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
    nix-channel --update
    nix-env -iA nixos-18-03.hello
    hello
    nix-env --uninstall 'hello.*'
)

runtest() {
    testFn=$1

    local testdir="$TESTDIR/tests/$testFn"
    mkdir -p "$testdir"

    start=$(date +%s)
    echo "Starting: $testFn"
    (
        set -ex
        "$testFn"
    ) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
    exitcode=$?
    end=$(date +%s)
    duration=$((end - start))
    echo "$exitcode" > "$testdir/exitcode"
    echo "$duration" > "$testdir/duration"
}

echo "Finishing: $testFn, duration:$duration result:$exitcode"

main() {
    readonly TESTDIR=./nix-test-matrix-log
    rm -rf "$TESTDIR"
    mkdir "$TESTDIR"

    (
        runtest testnixinfo
        runtest testshell
        runtest testnixenv
        runtest testnixchannel
    )

    tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
alpine-3-6-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
alpine-3-6-install + sh -s -- --no-daemon
alpine-3-6-install % Total % Received % Xferd Average Speed Time Time Time Current
alpine-3-6-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
0 2528 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
```

```
100 2528 100 2528 0 0 6515 0 ---:---:---:---:---:---: 6498
alpine-3-6-install downloading Nix 2.lpre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c-x86_64-linux
alpine-3-6-install % Total % Received % Xferd Average Speed Time Time Time Current
alpine-3-6-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0
1 35.5M 1 464k 0 0 484k 0 0:01:15 --:--:-- 0:01:15 484k
4 35.5M 4 1744k 0 0 892k 0 0:00:40 0:00:01 0:00:39 892k
8 35.5M 8 3200k 0 0 1084k 0 0:00:33 0:00:02 0:00:31 1084k
13 35.5M 13 4848k 0 0 1229k 0 0:00:29 0:00:03 0:00:26 1228k
18 35.5M 18 6720k 0 0 1359k 0 0:00:26 0:00:04 0:00:22 1359k
24 35.5M 24 8864k 0 0 1483k 0 0:00:24 0:00:05 0:00:19 1673k
30 35.5M 30 10.7M 0 0 1571k 0 0:00:23 0:00:06 0:00:17 1835k
35 35.5M 35 12.7M 0 0 1640k 0 0:00:22 0:00:07 0:00:15 1966k
41 35.5M 41 14.8M 0 0 1693k 0 0:00:21 0:00:08 0:00:13 2058k
47 35.5M 47 16.8M 0 0 1736k 0 0:00:20 0:00:09 0:00:11 2107k
53 35.5M 53 18.9M 0 0 1770k 0 0:00:20 0:00:10 0:00:10 2114k
59 35.5M 59 21.0M 0 0 1798k 0 0:00:20 0:00:11 0:00:09 2116k
64 35.5M 64 23.0M 0 0 1822k 0 0:00:19 0:00:12 0:00:07 2114k
70 35.5M 70 25.1M 0 0 1845k 0 0:00:19 0:00:13 0:00:06 2116k
76 35.5M 76 27.1M 0 0 1862k 0 0:00:19 0:00:14 0:00:05 2113k
82 35.5M 82 29.2M 0 0 1878k 0 0:00:19 0:00:15 0:00:04 2117k
88 35.5M 88 31.3M 0 0 1893k 0 0:00:19 0:00:16 0:00:03 2118k
94 35.5M 94 33.4M 0 0 1905k 0 0:00:19 0:00:17 0:00:02 2121k
99 35.5M 99 35.5M 0 0 1917k 0 0:00:18 0:00:18 --:--:-- 2121k
100 35.5M 100 35.5M 0 0 1918k 0 0:00:18 0:00:18 --:--:-- 2128k
alpine-3-6-install performing a single-user installation of Nix...
alpine-3-6-install directory /nix does not exist; creating it by running 'mkdir -m 0755 /nix && chown vagrant /nix' using sudo
alpine-3-6-install copying Nix to /nix/store.....
alpine-3-6-install initialising Nix database...
alpine-3-6-install Nix: creating /home/vagrant/.nix-profile
alpine-3-6-install installing 'nix-2.lpre6385_d16ff76c'
alpine-3-6-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
alpine-3-6-install created 6 symlinks in user environment
alpine-3-6-install unpacking channels...
alpine-3-6-install created 2 symlinks in user environment
alpine-3-6-install modifying /home/vagrant/.bash_profile...
alpine-3-6-install Installation finished! To ensure that the necessary environment
alpine-3-6-install variables are set, either log in again, or type
alpine-3-6-install . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
alpine-3-6-install in your shell.
alpine-3-6-test-login Starting: testnixinfo
alpine-3-6-test-login ./testscript::runtest::39 testnixinfo
alpine-3-6-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
alpine-3-6-test-login /nix/store/09ij2aakzb8mhrk4kwhgk6k8fzclcr-gnumake-4.2.1
alpine-3-6-test-login /nix/store/1141f22hsyf9qf3425cv49p8m9pb0g0-diffutils-3.6
alpine-3-6-test-login /nix/store/3b08019v7aghh0xw117f43zr1q9y9jy4-readline-7.0p5
alpine-3-6-test-login /nix/store/514qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
alpine-3-6-test-login /nix/store/5mlDl7y5albcd4i712lqch0g9fdkz0-bash-interactive-4.4-p23-man
alpine-3-6-test-login /nix/store/6nqk63zypz177ng87x6r1z189rlxd11-gcc-7.3.0-lib
alpine-3-6-test-login /nix/store/6v88ick1cxn5g9l8m8qrrqw0lrlr27x-bash-4.4-p23
alpine-3-6-test-login /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxf-zlib-1.2.11
alpine-3-6-test-login /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
alpine-3-6-test-login /nix/store/98c809y9rlqwc8g1fm4qsv494ajy8q-gnugrep-3.1
alpine-3-6-test-login /nix/store/9xm9n09n0z92r9n1vbbxwqwjnf60zd-paxctl-0.9
alpine-3-6-test-login /nix/store/9z650yzz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
alpine-3-6-test-login /nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52
alpine-3-6-test-login /nix/store/ach92x8l8g9kpid73s4fjs0vzyg3g7-glibc-2.27-bin
alpine-3-6-test-login /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
alpine-3-6-test-login /nix/store/dkh9cmwyp1pcxv290md6dq4r74yzbshk-gnutar-1.30
alpine-3-6-test-login /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
alpine-3-6-test-login /nix/store/fjk3k59n102sq572ksqdyj303k45-stdevn-linux
alpine-3-6-test-login /nix/store/h2r9w516xj4mdj3r4x2rwm4ydnjnp0vdd-gzip-1.9
alpine-3-6-test-login /nix/store/hx4ggnr64e1g0wgdffvgdm4z2r2b5kv-glibc-2.27
alpine-3-6-test-login /nix/store/i4n91fng0wgyan523pfbdck57fpqz-glibc-2.27-dev
alpine-3-6-test-login /nix/store/i7vcsw4p6n5l72a1z2sp5j31579wk3-patch-2.7.6
alpine-3-6-test-login /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
alpine-3-6-test-login /nix/store/j2clxfb2rl9daldfwpc8ywgjx9yqgmz-ncurses-6.1
alpine-3-6-test-login /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
alpine-3-6-test-login /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1
alpine-3-6-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
alpine-3-6-test-login /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
alpine-3-6-test-login /nix/store/mdpwyfa0v4i9rawrdg0cwq518frncs-expand-response-params
alpine-3-6-test-login /nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin
alpine-3-6-test-login /nix/store/qcvnr1ryrd4xm78nfh6v5zay5fndflp-binutils-wrapper-2.30
alpine-3-6-test-login /nix/store/qga70q7m5332d4gab8z004ajyg6flh-nix-info
alpine-3-6-test-login /nix/store/qvw8f8g0d1l714ws3355lhlyjwz2an4-bzip2-1.0.6.0.1
alpine-3-6-test-login /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
alpine-3-6-test-login /nix/store/sc4w9y5a3nszmmcy13yhm6kxw6ysg66iw-patchelf-0.9
alpine-3-6-test-login /nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30
alpine-3-6-test-login /nix/store/xadwjdcmcc2lppskfj00g8w8svynd-bash-interactive-4.4-p23-dev
alpine-3-6-test-login /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42
alpine-3-6-test-login /nix/store/xzz2anv77hx8jziz4hbffh0vkw006d-bash-interactive-4.4-p23
alpine-3-6-test-login /nix/store/y8p41rl2w9p9swny215h51757kvc5z3-findutils-4.6.0
alpine-3-6-test-login /nix/store/ykz6b6kmm9vq5bn619792lnadr2ym-xz-5.2.4
alpine-3-6-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/lxj4zas56kzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/5mlDl7y5albcd4i712lqch0g9fdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/hx4ggnr64e1g0wgdffvgdm4z2r2b5kv-glibc-2.27' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/6v88ick1cxn5g9l8m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/a8slaxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/qvw8f8g0d1l714ws3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/1141f22hsyf9qf3425cv49p8m9pb0g0-diffutils-3.6' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/mdpwyfa0v4i9rawrdg0cwq518frncs-expand-response-params' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/y8p41rl2w9p9swny215h51757kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/9z650yzz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/jz7lnmjbyaqpcgf6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/6nqk63zypz177ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/ach92x8l8g9kpid73s4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/09ij2aakzb8mhrk4kwhgk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/i4n91fng0wgyan523pfbdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/dkh9cmwyp1pcxv290md6dq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rwm4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/j2clxfb2rl9daldfwpc8ywgjx9yqgmz-ncurses-6.1' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/i7vcsw4p6n5l72a1z2sp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/sc4w9y5a3nszmmcy13yhm6kxw6ysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/vp40my263xk32f07788srrg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/3b08019v7aghh0xw117f43zr1q9y9jy4-readline-7.0p5' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/98c809y9rlqwc8g1fm4qsv494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/ykz6b6kmm9vq5bn619792lnadr2ym-xz-5.2.4' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/qga70q7m5332d4gab8z004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/mzx4y6amjn7i638c6692qslazyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/514qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/qcvnr1ryrd4xm78nfh6v5zay5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/9z650yzz5zyhcw5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/xzz2anv77hx8jziz4hbffh0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/fjk3k59n102sq572ksqdyj303k45-stdevn-linux' from 'https://cache.nixos.org'...
alpine-3-6-test-login copying path /nix/store/xadwjdcmcc2lppskfj00g8w8svynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
```

```
alpine-3-6-test-login      - system: "x86_64-linux"
alpine-3-6-test-login      - host os: 'Linux 4.9.32-0-virt hardened, Alpine Linux, noversion'
alpine-3-6-test-login      - multi-user?: 'no'
alpine-3-6-test-login      - sandbox: 'no'
alpine-3-6-test-login      - version: 'nix-env (Nix) 2.1pre6385 d16ff76c'
alpine-3-6-test-login      - channels(vagrant): '"nixpkgs-18.09pre150352.7c826371c49"'
alpine-3-6-test-login      - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
alpine-3-6-test-login      Finishing: testnixinfo, duration:19 result:0
alpine-3-6-test-login      Starting: testshell
alpine-3-6-test-login      ./testscript::runtest::39 testshell
alpine-3-6-test-login      ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-6-test-login      /nix/store/z87ns3bv8d29c7dnblv54i613ch8k10-hello-2.10
alpine-3-6-test-login      copying path '/nix/store/z87ns3bv8d29c7dnblv54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-6-test-login      Hello, world!
alpine-3-6-test-login      Finishing: testshell, duration:2 result:0
alpine-3-6-test-login      Starting: testnixenv
alpine-3-6-test-login      ./testscript::runtest::39 testnixenv
alpine-3-6-test-login      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-login      installing 'hello-2.10'
alpine-3-6-test-login      building '/nix/store/94bdc86i1z1pvz1p9mhbv74igl4q97c-user-environment.drv'...
alpine-3-6-test-login      created 38 symlinks in user environment
alpine-3-6-test-login      ./testscript::testnixenv::17 hello
alpine-3-6-test-login      Hello, world!
alpine-3-6-test-login      ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-6-test-login      uninstalling 'hello-2.10'
alpine-3-6-test-login      building '/nix/store/bj717qjczsb26adc53m0a4nz66vj5v-user-environment.drv'...
alpine-3-6-test-login      created 6 symlinks in user environment
alpine-3-6-test-login      Finishing: testnixenv, duration:0 result:0
alpine-3-6-test-login      Starting: testnixchannel
alpine-3-6-test-login      ./testscript::runtest::39 testnixchannel
alpine-3-6-test-login      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-login      ./testscript::testnixchannel::23 nix-channel --update
alpine-3-6-test-login      unpacking channels...
alpine-3-6-test-login      created 5 symlinks in user environment
alpine-3-6-test-login      ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-6-test-login      installing 'hello-2.10'
alpine-3-6-test-login      these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
alpine-3-6-test-login      /nix/store/nic2bl8ry6fyxr971983d5b2l4snlc-hello-2.10
alpine-3-6-test-login      copying path '/nix/store/nic2bl8ry6fyxr971983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
alpine-3-6-test-login      building '/nix/store/q264qcanjmrh8h176zc953awr2mly7-user-environment.drv'...
alpine-3-6-test-login      created 38 symlinks in user environment
alpine-3-6-test-login      ./testscript::testnixchannel::25 hello
alpine-3-6-test-login      Hello, world!
alpine-3-6-test-login      ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-6-test-login      uninstalling 'hello-2.10'
alpine-3-6-test-login      Finishing: testnixchannel, duration:8 result:0
alpine-3-6-test-login-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-6-test-login-interactive bash: no job control in this shell
alpine-3-6-test-login-interactive Starting: testnixinfo
alpine-3-6-test-login-interactive ./testscript::runtest::10 testnixinfo
alpine-3-6-test-login-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-login-interactive - system: "x86_64-linux"
alpine-3-6-test-login-interactive - host os: 'Linux 4.9.32-0-virt hardened, Alpine Linux, noversion'
alpine-3-6-test-login-interactive - multi-user?: 'no'
alpine-3-6-test-login-interactive - sandbox: 'no'
alpine-3-6-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385 d16ff76c'
alpine-3-6-test-login-interactive - channels(vagrant): '"nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"'
alpine-3-6-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
alpine-3-6-test-login-interactive Finishing: testnixinfo, duration:3 result:0
alpine-3-6-test-login-interactive Starting: testshell
alpine-3-6-test-login-interactive ./testscript::runtest::10 testshell
alpine-3-6-test-login-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-login-interactive Hello, world!
alpine-3-6-test-login-interactive Finishing: testshell, duration:2 result:0
alpine-3-6-test-login-interactive Starting: testnixenv
alpine-3-6-test-login-interactive ./testscript::runtest::10 testnixenv
alpine-3-6-test-login-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-login-interactive installing 'hello-2.10'
alpine-3-6-test-login-interactive ./testscript::testnixenv::17 hello
alpine-3-6-test-login-interactive Hello, world!
alpine-3-6-test-login-interactive ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
alpine-3-6-test-login-interactive uninstalling 'hello-2.10'
alpine-3-6-test-login-interactive Finishing: testnixenv, duration:0 result:0
alpine-3-6-test-login-interactive Starting: testnixchannel
alpine-3-6-test-login-interactive ./testscript::runtest::10 testnixchannel
alpine-3-6-test-login-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-login-interactive ./testscript::testnixchannel::23 nix-channel --update
alpine-3-6-test-login-interactive unpacking channels...
alpine-3-6-test-login-interactive ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
alpine-3-6-test-login-interactive installing 'hello-2.10'
alpine-3-6-test-login-interactive ./testscript::testnixchannel::25 hello
alpine-3-6-test-login-interactive Hello, world!
alpine-3-6-test-login-interactive ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
alpine-3-6-test-login-interactive uninstalling 'hello-2.10'
alpine-3-6-test-login-interactive Finishing: testnixchannel, duration:1 result:0
alpine-3-6-test-interactive bash: cannot set terminal process group (-1): Not a tty
alpine-3-6-test-interactive bash: no job control in this shell
alpine-3-6-test-interactive Starting: testnixinfo
alpine-3-6-test-interactive ./testscript::runtest::10 testnixinfo
alpine-3-6-test-interactive ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-interactive bash: nix-shell: command not found
alpine-3-6-test-interactive Finishing: testnixinfo, duration:0 result:1
alpine-3-6-test-interactive Starting: testshell
alpine-3-6-test-interactive ./testscript::runtest::10 testshell
alpine-3-6-test-interactive ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-interactive bash: nix-shell: command not found
alpine-3-6-test-interactive Finishing: testshell, duration:0 result:1
alpine-3-6-test-interactive Starting: testnixenv
alpine-3-6-test-interactive ./testscript::runtest::10 testnixenv
alpine-3-6-test-interactive ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-interactive bash: nix-env: command not found
alpine-3-6-test-interactive Finishing: testnixenv, duration:0 result:1
alpine-3-6-test-interactive Starting: testnixchannel
alpine-3-6-test-interactive ./testscript::runtest::10 testnixchannel
alpine-3-6-test-interactive ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-interactive bash: nix-channel: command not found
alpine-3-6-test-interactive Finishing: testnixchannel, duration:0 result:1
alpine-3-6-test-ssh      Starting: testnixinfo
alpine-3-6-test-ssh      ./testscript::runtest::39 testnixinfo
alpine-3-6-test-ssh      ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
alpine-3-6-test-ssh      ./testscript: line 8: nix-shell: command not found
alpine-3-6-test-ssh      Finishing: testnixinfo, duration:0 result:1
alpine-3-6-test-ssh      Starting: testshell
alpine-3-6-test-ssh      ./testscript::runtest::39 testshell
alpine-3-6-test-ssh      ./testscript::testshell::12 nix-shell -p hello --run hello
alpine-3-6-test-ssh      ./testscript: line 12: nix-shell: command not found
alpine-3-6-test-ssh      Finishing: testshell, duration:0 result:1
alpine-3-6-test-ssh      Starting: testnixenv
alpine-3-6-test-ssh      ./testscript::runtest::39 testnixenv
alpine-3-6-test-ssh      ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
alpine-3-6-test-ssh      ./testscript: line 16: nix-env: command not found
alpine-3-6-test-ssh      Finishing: testnixenv, duration:0 result:1
alpine-3-6-test-ssh      Starting: testnixchannel
alpine-3-6-test-ssh      ./testscript::runtest::39 testnixchannel
alpine-3-6-test-ssh      ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
alpine-3-6-test-ssh      ./testscript: line 22: nix-channel: command not found
alpine-3-6-test-ssh      Finishing: testnixchannel, duration:0 result:1
```

[top of data](#)

install-default-debian-9-install-method

install-default

[top of data](#)

install-default-debian-9-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "debian/stretch64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl rsync

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end
```

[top of data](#)

install-default-debian-9-run-log

Bringing machine 'default' up with 'virtualbox' provider...

```
==> default: Importing base box 'debian/stretch64'...
#####[KProgress: 20%
#####[KProgress: 40%
#####[KProgress: 60%
#####[KProgress: 90%
#####[K==> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpTb8qlhPoFS_default_1535663597727_43142
==> default: Fixed port collision for 22 => 2222. Now on port 2202.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
==> default: Forwarding ports...
  default: 22 (guest) => 2202 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2202
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
  default: No guest additions were detected on the base box for this VM! Guest
  default: additions are required for forwarded ports, shared folders, host only
  default: networking, and more. If SSH fails on this machine, please install
  default: the guest additions and repack the box to continue.
  default:
  default: This is not an error message; everything may continue to work properly,
  default: in which case you may ignore this message.
==> default: Running provisioner: shell...
  default: Running: inline script
  default: Ign:1 http://deb.debian.org/debian stretch InRelease
  default: Hit:2 http://deb.debian.org/debian stretch Release
  default: Get:3 http://security.debian.org/debian-security stretch/updates InRelease [94.3 kB]
  default: Get:5 http://security.debian.org/debian-security stretch/updates/main Sources [164 kB]
  default: Get:6 http://security.debian.org/debian-security stretch/updates/main amd64 Packages [391 kB]
  default: Fetched 650 kB in 0s (907 kB/s)
  default: Reading package lists...
  default: Reading package lists...
  default: Building dependency tree...
  default: Reading state information...
  default: The following additional packages will be installed:
  default:   libcurl3
  default: The following NEW packages will be installed:
  default:   curl libcurl3 rsync
  default: 0 upgraded, 3 newly installed, 0 to remove and 6 not upgraded.
  default: Need to get 912 kB of archives.
  default: After this operation, 1,693 kB of additional disk space will be used.
  default: Get:1 http://deb.debian.org/debian stretch/main amd64 libcurl3 amd64 7.52.1-5+deb9u6 [291 kB]
  default: Get:2 http://deb.debian.org/debian stretch/main amd64 curl amd64 7.52.1-5+deb9u6 [228 kB]
  default: Get:3 http://deb.debian.org/debian stretch/main amd64 rsync amd64 3.1.2-1+deb9u1 [393 kB]
  default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
  default: Fetched 912 kB in 0s (18.6 MB/s)
  default: Selecting previously unselected package libcurl3:amd64.
  default: (Reading database ...
  default: (Reading database ... 5%
(Reading database ... 10%
(Reading database ... 15%
(Reading database ... 20%
(Reading database ... 25%
(Reading database ... 30%
(Reading database ... 35%
(Reading database ... 40%
(Reading database ... 45%
  default: (Reading database ... 50%
(Reading database ... 55%
(Reading database ... 60%
(Reading database ... 65%
(Reading database ... 70%
  default: (Reading database ... 75%
  default: (Reading database ... 80%
  default: (Reading database ... 85%
  default: (Reading database ... 90%
  default: (Reading database ... 95%
  default: (Reading database ... 100%
(Reading database ... 31246 files and directories currently installed.)
  default: Preparing to unpack .../libcurl3_7.52.1-5+deb9u6_amd64.deb ...
  default: Unpacking libcurl3:amd64 (7.52.1-5+deb9u6) ...
  default: Selecting previously unselected package curl.
  default: Preparing to unpack ../curl_7.52.1-5+deb9u6_amd64.deb ...
  default: Unpacking curl (7.52.1-5+deb9u6) ...
  default: Selecting previously unselected package rsync.
  default: Preparing to unpack ../rsync_3.1.2-1+deb9u1_amd64.deb ...
  default: Unpacking rsync (3.1.2-1+deb9u1) ...
```



```
debian-9-install 4. Perform the basic installation of the Nix files daemon.
debian-9-install
debian-9-install 5. Configure your shell to import special Nix Profile files, so you
debian-9-install can use Nix.
debian-9-install
debian-9-install 6. Start the Nix daemon.
debian-9-install
[38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
[0mNo TTY, assuming you would say yes :)
debian-9-install
We will:
debian-9-install
- make sure your computer doesn't already have Nix files
  (if it does, I will tell you how to clean them up.)
debian-9-install
- create local users (see the list above for the users we'll make)
debian-9-install
- create a local group (nixbld)
debian-9-install
- install Nix in to /nix
debian-9-install
- create a configuration file in /etc/nix
debian-9-install
- set up the "default profile" by creating some Nix-related files in
  /root
debian-9-install
- Load and start a service (at /etc/systemd/system/nix-daemon.service
  and /etc/systemd/system/nix-daemon.socket) for nix-daemon
debian-9-install
[38;32m[38;4;32mReady to continue?
[0mNo TTY, assuming you would say yes :)
debian-9-install
[38;34m--- let's talk about sudo -----
[0mThis script is going to call sudo a lot. Normally, it would show you
exactly what commands it is running and why. However, the script is
run in a headless fashion, like this:
debian-9-install
$ curl https://nixos.org/nix/install | sh
debian-9-install
or maybe in a CI pipeline. Because of that, we're going to skip the
verbose output in the interest of brevity.
debian-9-install
If you would like to
see the output, try like this:
debian-9-install
$ curl -o install-nix https://nixos.org/nix/install
$ sh ./install-nix
debian-9-install
[38;34m--- Nix config report -----
[0m[38;1m Temp Dir[0m: /tmp/tmp.qNatpxwcd0
[38;1m Nix Root[0m: /nix
[38;1m Build Users[0m: 32
[38;1m Build Group ID[0m: 30000
[38;1mBuild Group Name[0m: nixbld
debian-9-install
[38;4;34mbuild users:
[0m[38;1m Username[0m: UID
[38;1m nixbld1[0m: 30001
[38;1m nixbld2[0m: 30002
[38;1m nixbld3[0m: 30003
[38;1m nixbld4[0m: 30004
[38;1m nixbld5[0m: 30005
[38;1m nixbld6[0m: 30006
[38;1m nixbld7[0m: 30007
[38;1m nixbld8[0m: 30008
[38;1m nixbld9[0m: 30009
[38;1m nixbld10[0m: 30010
[38;1m nixbld11[0m: 30011
[38;1m nixbld12[0m: 30012
[38;1m nixbld13[0m: 30013
[38;1m nixbld14[0m: 30014
[38;1m nixbld15[0m: 30015
[38;1m nixbld16[0m: 30016
[38;1m nixbld17[0m: 30017
[38;1m nixbld18[0m: 30018
[38;1m nixbld19[0m: 30019
[38;1m nixbld20[0m: 30020
[38;1m nixbld21[0m: 30021
[38;1m nixbld22[0m: 30022
[38;1m nixbld23[0m: 30023
[38;1m nixbld24[0m: 30024
[38;1m nixbld25[0m: 30025
[38;1m nixbld26[0m: 30026
[38;1m nixbld27[0m: 30027
[38;1m nixbld28[0m: 30028
[38;1m nixbld29[0m: 30029
[38;1m nixbld30[0m: 30030
[38;1m nixbld31[0m: 30031
[38;1m nixbld32[0m: 30032
debian-9-install
[38;32m[38;4;32mReady to continue?
[0mNo TTY, assuming you would say yes :)
debian-9-install
[38;32m--> Setting up the build group nixbld
[0m[38;1m Created[0m: Yes
debian-9-install
[38;32m--> Setting up the build user nixbld1
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 1
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
debian-9-install
[38;32m--> Setting up the build user nixbld2
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 2
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
debian-9-install
[38;32m--> Setting up the build user nixbld3
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 3
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
debian-9-install
[38;32m--> Setting up the build user nixbld4
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 4
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
debian-9-install
```



```
debian-9-install
debian-9-install
[38;32m--> Setting up the build user nixbld31
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 31
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
debian-9-install
[38;32m--> Setting up the build user nixbld32
[0m[38;1m Created[0m: Yes
[38;1m Hidden[0m: Yes
[38;1m Home Directory[0m: /var/empty
usermod: no changes
[38;1m Note[0m: Nix build user 32
[38;1m Logins Disabled[0m: Yes
[38;1m Member of nixbld[0m: Yes
[38;1m PrimaryGroupID[0m: 30000
mkdir: created directory '/nix'
mkdir: created directory '/nix/var'
mkdir: created directory '/nix/var/log'
mkdir: created directory '/nix/var/log/nix'
mkdir: created directory '/nix/var/log/nix/drvs'
mkdir: created directory '/nix/var/nix'
mkdir: created directory '/nix/var/nix/db'
mkdir: created directory '/nix/var/nix/gcroots'
mkdir: created directory '/nix/var/nix/profiles'
mkdir: created directory '/nix/var/nix/temproots'
mkdir: created directory '/nix/var/nix/userpool'
mkdir: created directory '/nix/var/nix/gcroots/per-user'
mkdir: created directory '/nix/var/nix/profiles/per-user'
mkdir: created directory '/nix/store'
mkdir: created directory '/nix/var/nix/profiles/per-user/root'
mkdir: created directory '/root/.nix-defexpr'
mkdir: created directory '/etc/nix'
[0m
[0m Alright! We have our first nix at /nix/store/ngjwnr8scnmfpqmgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
Just finished getting the nix database ready.
debian-9-install
# Nix
if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
. '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fi
# End Nix
debian-9-install
installing 'nix-2.1pre6385_d16ff76c'
building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
created 6 symlinks in user environment
installing 'nss-cacert-3.38'
building '/nix/store/xsv6s0z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
created 9 symlinks in user environment
unpacking channels...
created 2 symlinks in user environment
Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
[38;32mAlright! We're done!
[0m
Before Nix will work in your existing shells, you'll need to close them and open them again. Other than that, you should be ready to go.
Try it! Open a new terminal, and type:
$ nix-shell -p nix-info --run "nix-info -m"
Thank you for using this installer. If you have any feedback, don't hesitate:
We'd love to help if you need it.
If you can, open an issue at https://github.com/nixos/nix/issues
Or feel free to contact the team,
- on IRC #nixos on irc.freenode.net
- on twitter @nixos_org
Starting: testnixinfo
./testscript::runttest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09ij2aakzb8mhrkb4wkghpk6k8fzclr-gnumake-4.2.1
/nix/store/1l41f22hsyfq9fq3425cv49p8m9pb800-diffutils-3.6
/nix/store/3bn0819v7aghg0wx17f43zr1q9y9jb4-readline-7.0p5
/nix/store/5l1kya7nyfby9vcrkctcmdinph8br-gcc-7.3.0
/nix/store/5mld17y5abcd41712lqch0g9zfrhdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz177ng87gx6rlz189rlxd1l-gcc-7.3.0-lib
/nix/store/6v88ick1cxn5g9lm8qrrqw60lrlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnpwxfk-zlib-1.2.11
/nix/store/92gpnymv60dsx9f07jvn89z6zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8q1fm4qs494ajy8q-ngnupreg-3.1
/nix/store/9xm9n0n0z92r9n1vbbxwqxwjnf60z2-paxctl-0.9
/nix/store/9z650ycz5zyhcw5n36ya6x4j4q36m-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqpbaasvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8l9g89kpd73s4fj50vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmvwx1pcxv290md6dq4r74yzbsh-gnutar-1.30
/nix/store/fai750p2q3gc/isqplpsq2r138shz8l-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq572kkspdjy303kv45-stdenv-linux
/nix/store/h2r9w516xj4mdj3r4x2rww4ydjnp0vdd-gzip-1.9
/nix/store/hx54ggnr64lg0wggdfvgdm42r2bs1kv-glibc-2.27
/nix/store/i4a918fng0wgrvans23pfbdc57f9qzc-glibc-2.27-dev
/nix/store/i7vcsw4p6n5lb72a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
/nix/store/j2clxfbrl9daldfwpc8ywgjx9sxyqmx-ncurses-6.1
/nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravrdg0cwq518firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyzy619-xz-5.2.4-bin
/nix/store/qcvvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332dr4gab8zp004ajyg6flh-nix-info
/nix/store/qvw8f8g0d1l7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6ddqz2h9yca0z7wx0nwg7c-coreutils-8.29
/nix/store/sc4w9y5a3nszmmcy3yhmkk6wysg66iv-patchelf-0.9
/nix/store/vp40my26xk32f67788srg159rycsna-binutils-2.30
/nix/store/wadnmnc2l1npskfcj00g8wsvynd-bash-interactive-4.4-p23-dev
/nix/store/xd7yblv36s9yix9alxr2syr2n0z9rix-pcre-8.42
/nix/store/xzz2anv77hx8jziz4hbfyh0vkwv006ed-bash-interactive-4.4-p23
/nix/store/y8p41rl2w9p9swny2l5h517i57kcv5z3-findutils-4.6.0
/nix/store/ykzb66mkm9vq5bn6197921nadrp2ym-xz-5.2.4
copying path '/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
copying path '/nix/store/5mld17y5abcd41712lqch0g9zfrhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
copying path '/nix/store/lxj4zas56kgzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
copying path '/nix/store/hx54ggnr64lg0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
copying path '/nix/store/39k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
copying path '/nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
copying path '/nix/store/qvw8f8g0d1l7l4wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
copying path '/nix/store/92gpnymv60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
copying path '/nix/store/mdpwyfa0v419ravrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
```

```
debian-9-test-login copying path '/nix/store/j7lnmjbyaacpgf6vmlv3n20n6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/bnqk63zyp2177ng87x6rlz189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/ach929x8l9g89kpid73s54f3s0vzygg7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/991j2aakzabmbk4kwshpk6k8f8z1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/8yhg5vq5q8f8xhd24fwj2xv2b4j5-gmudex-4.5' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/7zbrn4d4bp7mlyavp6jhy70kxnxpwwkf-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4yjdnpvdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xd7yblv36s9yix9a1xr2syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/6v881ck1cnn5s91m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/fkz66mkm9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/9xm9n09n0z9r2r9nlvbbxwqwjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/j2clxfbr2l9daldfwcbrpwygix9yxmz-ncurses-6.1' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/a85laxaq3p8rxiqpbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/fj750p2q3gc7i5apilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/i7vcs4w6p5n1b72a12y5p3j1579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/sc4w9y5a3nszmmcy13yhmxx6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/i4n918fn0wrgyran523pfbdck57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/vp40my263xk3z7f077885rgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/dk9cmvwx1pcxv290mddq4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/nhzczaw7xk6dd9229ycad27w0wng7c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/tz4y6amj7i638c662q1zazyzy619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/98c80y9p1qlwxc8glfmdqsv494ajy8g-ngnupreg-3.1' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/5l4qkya7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/3bn0819v7aghh0xli7f43zrl9y9jy4-readline-7.0p5' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/8p41rl2w9p9svny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/1141f22hsyfq9f9q3425cv49p8mp8q0-diffutils-3.6' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/aga70q7m532dr4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/qcvnrlyrd4xm78fnh6vszyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/9z659yzzc5xyhcn5n36ya64jq436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/fjxk359n102sq552kkspdjy303kv45-stdenv-linux' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xzz2anv77hx8jziz24hbvyf0vkvw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-9-test-login copying path '/nix/store/xadwdjcnmdc2lpskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-9-test-login - system: "x86_64-linux"
debian-9-test-login - host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
debian-9-test-login - multi-user?: "yes"
debian-9-test-login - sandbox: "no"
debian-9-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
debian-9-test-login - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
debian-9-test-login - nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
debian-9-test-login
Finishing: testnixinfo, duration:26 result:0
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y05fs5vv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3f3kzaxkldzq6q-user-environment.drv'...
created 0 symlinks in user environment
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nhraq58nqv6whzpm6dz3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:8 result:0
Starting: testnixinfo
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: "Linux 4.9.0-7-amd64, Debian GNU/Linux, 9 (stretch)"
- multi-user?: "yes"
- sandbox: "no"
- version: "nix-env (Nix) 2.1pre6385_d16ff76c"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05dle"
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
Finishing: testnixinfo, duration:6 result:0
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::0 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:2 result:0
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::0 hello
Hello, world!
./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::0 nix-channel --update
unpacking channels...
./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::0 hello
Hello, world!
./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:1 result:0
Starting: testnixinfo
bash: cannot set terminal process group (-1): Inappropriate ioctl for device
bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:127
Starting: testshell
./testscript::runtest::10 testshell
```

```

debian-9-test-interactive      ./testscript::testshell::0 nix-shell -p hello --run hello
debian-9-test-interactive      bash: nix-shell: command not found
debian-9-test-interactive      Finishing: testshell, duration:0 result:127
debian-9-test-interactive      Starting: testnixenv
debian-9-test-interactive      ./testscript::runtest::10 testnixenv
debian-9-test-interactive      ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
debian-9-test-interactive      bash: nix-env: command not found
debian-9-test-interactive      Finishing: testnixenv, duration:0 result:127
debian-9-test-interactive      Starting: testnixchannel
debian-9-test-interactive      ./testscript::runtest::10 testnixchannel
debian-9-test-interactive      ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-interactive      bash: nix-channel: command not found
debian-9-test-interactive      Finishing: testnixchannel, duration:0 result:127
debian-9-test-ssh             Starting: testnixinfo
debian-9-test-ssh             ./testscript::runtest::39 testnixinfo
debian-9-test-ssh             ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
debian-9-test-ssh             ./testscript: line 8: nix-shell: command not found
debian-9-test-ssh             Finishing: testnixinfo, duration:0 result:127
debian-9-test-ssh             Starting: testshell
debian-9-test-ssh             ./testscript::runtest::39 testshell
debian-9-test-ssh             ./testscript::testshell::12 nix-shell -p hello --run hello
debian-9-test-ssh             ./testscript: line 12: nix-shell: command not found
debian-9-test-ssh             Finishing: testshell, duration:0 result:127
debian-9-test-ssh             Starting: testnixenv
debian-9-test-ssh             ./testscript::runtest::39 testnixenv
debian-9-test-ssh             ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
debian-9-test-ssh             ./testscript: line 16: nix-env: command not found
debian-9-test-ssh             Finishing: testnixenv, duration:0 result:127
debian-9-test-ssh             Starting: testnixchannel
debian-9-test-ssh             ./testscript::runtest::39 testnixchannel
debian-9-test-ssh             ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
debian-9-test-ssh             ./testscript: line 22: nix-channel: command not found
debian-9-test-ssh             Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-default-debian-9-image-name

debian-9

[top of data](#)

install-default-unless-selinux-fedora-27-image-name

fedora-27

[top of data](#)

install-default-unless-selinux-fedora-27-install-method

install-default-unless-selinux

[top of data](#)

install-default-unless-selinux-fedora-27-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "generic/fedora27"
  config.vm.provision "shell", inline: <<-SHELL
yum install curl

```

```

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

```

```

# for macos:
vb.customize ["modifyvm", :id, "--usb", "off"]
vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

end

[top of data](#)

install-default-unless-selinux-fedora-27-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'generic/fedora27'...

```

```

[KProgress: 10%
[KProgress: 20%
[KProgress: 30%
[KProgress: 40%
[KProgress: 40%
[KProgress: 70%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmpHShp3DcxU2_default_1535673983271_34050
==> default: Fixed port collision for 22 => 2222. Now on port 2203.
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2203 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2203
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: The guest additions on this VM do not match the installed version of
default: VirtualBox! In most cases this is fine, but in rare cases it can
default: prevent things such as shared folders from working properly. If you see
default: shared folder errors, please make sure the guest additions within the
default: virtual machine match the version of VirtualBox you have installed on
default: your host and reload your VM.
default:
default: Guest Additions Version: 5.1.38
default: VirtualBox Version: 5.2
==> default: Running provisioner: shell...
default: Running: inline script
default: Fedora 27 - x86_64 - Updates 38 MB/s | 26 MB 00:00

```



```
fedora-27-install      initialising Nix database...
fedora-27-install      Nix: creating /home/vagrant/.nix-profile
fedora-27-install      installing 'nix-2.1pre6385_d16ff76c'
fedora-27-install      building '/nix/store/hazjvcdsg96f08j3mn9mya0mmk0pbi-user-environment.drv'...
fedora-27-install      created 6 symlinks in user environment
fedora-27-install      unpacking channels...
fedora-27-install      created 2 symlinks in user environment
fedora-27-install      modifying /home/vagrant/.bash_profile...
fedora-27-install
fedora-27-install      Installation finished! To ensure that the necessary environment
fedora-27-install      variables are set, either log in again, or type
fedora-27-install
fedora-27-install      . /home/vagrant/.nix-profile/etc/profile.d/nix.sh
fedora-27-install
fedora-27-install      in your shell.
fedora-27-test-login    Starting: testnixinfo
fedora-27-test-login    ./testscript:runtest:39 testnixinfo
fedora-27-test-login    ./testscript:testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-login    these paths will be fetched (09.40 MiB download, 417.33 MiB unpacked):
fedora-27-test-login    /nix/store/09i12aakz8mhrk4wkgphk6k8fz1cr-gnumake-4.2.1
fedora-27-test-login    /nix/store/1141f22hsyfq9f3425cv49p8m9pb80-diffutils-3.6
fedora-27-test-login    /nix/store/3bn0819v7agh0wx1l7f43zrlq9yjb4-readline-7.0p5
fedora-27-test-login    /nix/store/5l4qhkyaynyf9v9yrcrk7cbmdinph8br-gcc-7.3.0
fedora-27-test-login    /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
fedora-27-test-login    /nix/store/6nqk63zypz17ng87gx6r1z189lxd11-gcc-7.3.0-lib
fedora-27-test-login    /nix/store/6v88ick1cnn5g9l8mrrqgw0lrlr27x-bash-4.4-p23
fedora-27-test-login    /nix/store/7zbrnd4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11
fedora-27-test-login    /nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2
fedora-27-test-login    /nix/store/98c80y9rplqlwxc8g1fm4qs494ajy8q-gnugrep-3.1
fedora-27-test-login    /nix/store/9xm09n08292r9n1vbbxwqwxjnf60zd-paxctl-0.9
fedora-27-test-login    /nix/store/9z650yczx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
fedora-27-test-login    /nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52
fedora-27-test-login    /nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin
fedora-27-test-login    /nix/store/agyh8vqg5q8f8xhda24fxwj2xv2bx4js-gnused-4.5
fedora-27-test-login    /nix/store/dk98cmymx1pcxv290mddq4r74zybnsk-gnutar-1.30
fedora-27-test-login    /nix/store/fai750p2q3gc71sqapi1ps2r138sz81-bzip2-1.0.6.0.1-bin
fedora-27-test-login    /nix/store/f1xk359n1l02sq5572kkspdjy303kv45-stdev-linux
fedora-27-test-login    /nix/store/h2r9w5i6x14mdj3r4x2rww4ydn0p0vd-gzip-1.9
fedora-27-test-login    /nix/store/hx54gg9r64gl0gwgdfvgdm42r2b5lkv-glibc-2.27
fedora-27-test-login    /nix/store/i4n918fn0wgyran523pfbdc57fpqz-glibc-2.27-dev
fedora-27-test-login    /nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6
fedora-27-test-login    /nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15
fedora-27-test-login    /nix/store/j2c1xf2rl9daldfwcp8ywgjxs9yxgmz-nurses-6.1
fedora-27-test-login    /nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47
fedora-27-test-login    /nix/store/jz7lmmjbyaqpcfv6vmlv3n20nin6h0g-gawk-4.2.1
fedora-27-test-login    /nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
fedora-27-test-login    /nix/store/lxj4zas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info
fedora-27-test-login    /nix/store/mdpwyfa0v4i9ravwr0gcw5i8firncs-expand-response-params
fedora-27-test-login    /nix/store/mzx4y6amjn71638c6692qs1azyz6i9-xz-5.2.4-bin
fedora-27-test-login    /nix/store/qcgvnrlryrd4xm78nfh6vsvz5afndfpl-binutils-wrapper-2.30
fedora-27-test-login    /nix/store/qga70q7m5332dr4gab0z8p004ajyg6flh-nix-info
fedora-27-test-login    /nix/store/qw8f8g0d1l7l4wsj351hlvjwz2a4-bzip2-1.0.6.0.1
fedora-27-test-login    /nix/store/rhzcwaz7xk6d9z2h9yca0z7w0nwg7-coreutils-8.29
fedora-27-test-login    /nix/store/sc4w9y5a3nsmzmyc3yhmhx6wysg66i-w-patchelf-0.9
fedora-27-test-login    /nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30
fedora-27-test-login    /nix/store/xadwbdjcnmcd21ppskfj0c0gw8wsvynd-bash-interactive-4.4-p23-dev
fedora-27-test-login    /nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rrix-pcre-8.42
fedora-27-test-login    /nix/store/xzz2anv77hx8jziz4hbfyh0wkw006d-bash-interactive-4.4-p23
fedora-27-test-login    /nix/store/y8p41rl2w9p9smy215h51757kcv5z3-findutils-4.6.0
fedora-27-test-login    /nix/store/ykz666kmm9vq5b6i97921nadrp2ym-xz-5.2.4
fedora-27-test-login    copying path '/nix/store/ksvni3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/lxj4zas56kgzsr064jbd908sh74wf4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/hx54gg9r64gl0gwgdfvgdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/i9k17g3rdr3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/jicmavp929lx0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/6v88ick1cnn5g9l8mrrqgw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/a8slaxaq3p8rxlqqbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/qw8f8g0d1l7l4wsj351hlvjwz2a4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/rhzcwaz7xk6d9z2h9yca0z7w0nwg7-coreutils-8.29' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/fai750p2q3gc71sqapi1ps2r138sz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/1141f22hsyfq9f3425cv49p8m9pb80-diffutils-3.6' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/92gpnndymm60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/mdpwyfa0v4i9ravwr0gcw5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/y8p41rl2w9p9smy215h51757kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/jz7lmmjbyaqpcfv6vmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/6nqk63zypz17ng87gx6r1z189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/ach9z9x8lg89kpid73ss4fjs0vzyg3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/09i12aakz8mhrk4wkgphk6k8fz1cr-gnumake-4.2.1' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/i4n918fn0wgyran523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/agyh8vqg5q8f8xhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/dk98cmymx1pcxv290mddq4r74zybnsk-gnutar-1.30' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/h2r9w5i6x14mdj3r4x2rww4ydn0p0vd-gzip-1.9' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/j2c1xf2rl9daldfwcp8ywgjxs9yxgmz-nurses-6.1' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/i7vcsw4p6n51b72a12ysp5j31579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/sc4w9y5a3nsmzmyc3yhmhx6wysg66i-w-patchelf-0.9' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/9xm09n08292r9n1vbbxwqwxjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/xd7yblv36sr9yix9alxr2syr2n0z9rrix-pcre-8.42' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/3bn0819v7agh0wx1l7f43zrlq9yjb4-readline-7.0p5' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/98c80y9rplqlwxc8g1fm4qs494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/ykz666kmm9vq5b6i97921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/qga70q7m5332dr4gab0z8p004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/7zbrnd4bp7mlyqvp6jhy70kxnpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/vp40my263xk32f07788srrgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/5l4qhkyaynyf9v9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/qcgvnrlryrd4xm78nfh6vsvz5afndfpl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/9z650yczx5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/f1xk359n1l02sq5572kkspdjy303kv45-stdev-linux' from 'https://cache.nixos.org'...
fedora-27-test-login    copying path '/nix/store/xadwbdjcnmcd21ppskfj0c0gw8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
fedora-27-test-login    - system: 'x86_64-linux'
fedora-27-test-login    - host os: 'Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)'
fedora-27-test-login    - multi-user?: 'no'
fedora-27-test-login    - sandbox: 'no'
fedora-27-test-login    - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
fedora-27-test-login    - channels (vagrant): 'nixpkgs-18.09pre150352.7c826371c49'
fedora-27-test-login    - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
fedora-27-test-login
fedora-27-test-login    Finishing: testnixinfo, duration:24 result:0
fedora-27-test-login    Starting: testshell
fedora-27-test-login    ./testscript:runtest:39 testshell
fedora-27-test-login    ./testscript:testshell:12 nix-shell -p hello --run hello
fedora-27-test-login    these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-27-test-login    /nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10
fedora-27-test-login    copying path '/nix/store/z87ns3bv8dz9c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
fedora-27-test-login    Hello, world!
fedora-27-test-login    Finishing: testshell, duration:1 result:0
fedora-27-test-login    Starting: testnixenv
fedora-27-test-login    ./testscript:runtest:39 testnixenv
fedora-27-test-login    ./testscript:testnixenv:16 nix-env -iA nixpkgs.hello
fedora-27-test-login    installing 'hello-2.10'
fedora-27-test-login    building '/nix/store/94bdc861l2zlpvz9p9mhbw74igl4q97c-user-environment.drv'...
fedora-27-test-login    created 38 symlinks in user environment
fedora-27-test-login    ./testscript:testnixenv:17 hello
fedora-27-test-login    Hello, world!
fedora-27-test-login    ./testscript:testnixenv:18 nix-env --uninstall 'hello.*'
fedora-27-test-login    uninstalling 'hello-2.10'
fedora-27-test-login    building '/nix/store/bj717qjczsb26acd53mv0a4nz66vj5v-user-environment.drv'...
fedora-27-test-login    created 6 symlinks in user environment
```

```

fedora-27-test-login Finishing: testnixenv, duration:1 result:0
fedora-27-test-login Starting: testnixchannel
fedora-27-test-login ./testscript::runtest:39 testnixchannel
fedora-27-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login ./testscript::testnixchannel::23 nix-channel --update
fedora-27-test-login unpacking channels
fedora-27-test-login created 5 symlinks in user environment
fedora-27-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
fedora-27-test-login installing 'hello-2.10'
fedora-27-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
fedora-27-test-login /nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10
fedora-27-test-login copying path '/nix/store/nic2bl8ry6vfyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
fedora-27-test-login building '/nix/store/q264qanqjrmh8hl76zc953awr2mly7-user-environment.drv'...
fedora-27-test-login created 38 symlinks in user environment
fedora-27-test-login ./testscript::testnixchannel::25 hello
fedora-27-test-login Hello, world!
fedora-27-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
fedora-27-test-login uninstalling 'hello-2.10'
fedora-27-test-login Finishing: testnixchannel, duration:8 result:0
fedora-27-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-login-interactive bash: no job control in this shell
fedora-27-test-login-interactive Starting: testnixinfo
fedora-27-test-login-interactive ./testscript::runtest:10 testnixinfo
fedora-27-test-login-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-login-interactive - system: "x86_64-linux"
fedora-27-test-login-interactive - host os: "Linux 4.17.17-100.fc27.x86_64, Fedora, 27 (Twenty Seven)"
fedora-27-test-login-interactive - multi-user?: 'no'
fedora-27-test-login-interactive - sandbox: 'no'
fedora-27-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
fedora-27-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e, nixpkgs-18.09pre150352.7c826371c49"
fedora-27-test-login-interactive - nixpkgs: '/home/vagrant/.nix-defexpr/channels/nixpkgs'
fedora-27-test-login-interactive Finishing: testnixinfo, duration:4 result:0
fedora-27-test-login-interactive Starting: testshell
fedora-27-test-login-interactive ./testscript::runtest:10 testshell
fedora-27-test-login-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-27-test-login-interactive Hello, world!
fedora-27-test-login-interactive Finishing: testshell, duration:2 result:0
fedora-27-test-login-interactive Starting: testnixenv
fedora-27-test-login-interactive ./testscript::runtest:10 testnixenv
fedora-27-test-login-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-27-test-login-interactive installing 'hello-2.10'
fedora-27-test-login-interactive ./testscript::testnixenv:0 hello
fedora-27-test-login-interactive Hello, world!
fedora-27-test-login-interactive ./testscript::testnixenv:0 nix-env --uninstall 'hello.*'
fedora-27-test-login-interactive uninstalling 'hello-2.10'
fedora-27-test-login-interactive Finishing: testnixenv, duration:0 result:0
fedora-27-test-login-interactive Starting: testnixchannel
fedora-27-test-login-interactive ./testscript::runtest:10 testnixchannel
fedora-27-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
fedora-27-test-login-interactive unpacking channels...
fedora-27-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
fedora-27-test-login-interactive installing 'hello-2.10'
fedora-27-test-login-interactive ./testscript::testnixchannel:0 hello
fedora-27-test-login-interactive Hello, world!
fedora-27-test-login-interactive ./testscript::testnixchannel:0 nix-env --uninstall 'hello.*'
fedora-27-test-login-interactive uninstalling 'hello-2.10'
fedora-27-test-login-interactive Finishing: testnixchannel, duration:2 result:0
fedora-27-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
fedora-27-test-interactive bash: no job control in this shell
fedora-27-test-interactive Starting: testnixinfo
fedora-27-test-interactive ./testscript::runtest:10 testnixinfo
fedora-27-test-interactive ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-interactive bash: nix-shell: command not found
fedora-27-test-interactive Finishing: testnixinfo, duration:0 result:127
fedora-27-test-interactive Starting: testshell
fedora-27-test-interactive ./testscript::runtest:10 testshell
fedora-27-test-interactive ./testscript::testshell:0 nix-shell -p hello --run hello
fedora-27-test-interactive bash: nix-shell: command not found
fedora-27-test-interactive Finishing: testshell, duration:0 result:127
fedora-27-test-interactive Starting: testnixenv
fedora-27-test-interactive ./testscript::runtest:10 testnixenv
fedora-27-test-interactive ./testscript::testnixenv:0 nix-env -iA nixpkgs.hello
fedora-27-test-interactive bash: nix-env: command not found
fedora-27-test-interactive Finishing: testnixenv, duration:0 result:127
fedora-27-test-interactive Starting: testnixchannel
fedora-27-test-interactive ./testscript::runtest:10 testnixchannel
fedora-27-test-interactive ./testscript::testnixchannel:0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-interactive bash: nix-channel: command not found
fedora-27-test-interactive Finishing: testnixchannel, duration:0 result:127
fedora-27-test-ssh Starting: testnixinfo
fedora-27-test-ssh ./testscript::runtest:39 testnixinfo
fedora-27-test-ssh ./testscript::testnixinfo:0 nix-shell -p nix-info --run 'nix-info -m'
fedora-27-test-ssh ./testscript: line 8: nix-shell: command not found
fedora-27-test-ssh Finishing: testnixinfo, duration:0 result:127
fedora-27-test-ssh Starting: testshell
fedora-27-test-ssh ./testscript::runtest:39 testshell
fedora-27-test-ssh ./testscript::testshell:12 nix-shell -p hello --run hello
fedora-27-test-ssh ./testscript: line 12: nix-shell: command not found
fedora-27-test-ssh Finishing: testshell, duration:0 result:127
fedora-27-test-ssh Starting: testnixenv
fedora-27-test-ssh ./testscript::runtest:39 testnixenv
fedora-27-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
fedora-27-test-ssh ./testscript: line 16: nix-env: command not found
fedora-27-test-ssh Finishing: testnixenv, duration:0 result:127
fedora-27-test-ssh Starting: testnixchannel
fedora-27-test-ssh ./testscript::runtest:39 testnixchannel
fedora-27-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
fedora-27-test-ssh ./testscript: line 22: nix-channel: command not found
fedora-27-test-ssh Finishing: testnixchannel, duration:0 result:127

```

[top of data](#)

install-force-daemon-debian-8-image-name

debian-8

[top of data](#)

install-force-daemon-debian-8-run-log

Bringing machine 'default' up with 'virtualbox' provider...

==> default: Importing base box 'debian/jessie64'...

```

███[KProgress: 10%
███[KProgress: 20%
███[KProgress: 40%
███[KProgress: 60%
███[KProgress: 90%

```

==> default: Matching MAC address for NAT networking...

==> default: Setting the name of the VM: tmpk1jtu8tW_default_1535666593935_24342

==> default: Clearing any previously set network interfaces...

==> default: Preparing network interfaces based on configuration...

default: Adapter 1: nat

==> default: Forwarding ports...

```

default: 22 (guest) => 2222 (host) (adapter 1)
==> default: Running 'pre-boot' VM customizations...
==> default: Booting VM...
==> default: Waiting for machine to boot. This may take a few minutes...
default: SSH address: 127.0.0.1:2222
default: SSH username: vagrant
default: SSH auth method: private key
default:
default: Vagrant insecure key detected. Vagrant will automatically replace
default: this with a newly generated keypair for better security.
default:
default: Inserting generated public key within guest...
default: Removing insecure key from the guest if it's present...
default: Key inserted! Disconnecting and reconnecting using new SSH key...
==> default: Machine booted and ready!
==> default: Checking for guest additions in VM...
default: No guest additions were detected on the base box for this VM! Guest
default: additions are required for forwarded ports, shared folders, host only
default: networking, and more. If SSH fails on this machine, please install
default: the guest additions and repack the box to continue.
default:
default: This is not an error message; everything may continue to work properly,
default: in which case you may ignore this message.
==> default: Running provisioner: shell...
default: Running: inline script
default: Get:1 http://security.debian.org/jessie/updates InRelease [44.9 kB]
default: Ign http://httpredir.debian.org/jessie InRelease
default: Hit http://httpredir.debian.org/jessie Release.gpg
default: Get:2 http://security.debian.org/jessie/updates/main Sources [246 kB]
default: Hit http://httpredir.debian.org/jessie Release
default: Hit http://httpredir.debian.org/jessie/main Sources
default: Hit http://httpredir.debian.org/jessie/main amd64 Packages
default: Get:3 http://security.debian.org/jessie/updates/main amd64 Packages [518 kB]
default: Fetched 808 kB in 2s (275 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: The following extra packages will be installed:
default:  libcurl3
default: The following NEW packages will be installed:
default:  curl libcurl3 rsync
default: 0 upgraded, 3 newly installed, 0 to remove and 29 not upgraded.
default: Need to get 851 kB of archives.
default: After this operation, 1,604 kB of additional disk space will be used.
default: Get:1 http://httpredir.debian.org/debian/ jessie/main libcurl3 amd64 7.38.0-4+deb8u11 [260 kB]
default: Get:2 http://httpredir.debian.org/debian/ jessie/main curl amd64 7.38.0-4+deb8u11 [291 kB]
default: Get:3 http://httpredir.debian.org/debian/ jessie/main rsync amd64 3.1.1-3+deb8u1 [390 kB]
default: dpkg-preconfigure: unable to re-open stdin: No such file or directory
default: Fetched 851 kB in 0s (2,813 kB/s)
default: Selecting previously unselected package libcurl3:amd64.
default: (Reading database ...
default: (Reading database ... 5%
(Reading database ... 10%
(Reading database ... 15%
(Reading database ... 20%
(Reading database ... 25%
(Reading database ... 30%
(Reading database ... 35%
(Reading database ... 40%
(Reading database ... 45%
(Reading database ... 50%
(Reading database ... 55%
(Reading database ... 60%
(Reading database ... 65%
default: (Reading database ... 70%
default: (Reading database ... 75%
default: (Reading database ... 80%
default: (Reading database ... 85%
default: (Reading database ... 90%
default: (Reading database ... 95%
default: (Reading database ... 100%
(Reading database ... 28309 files and directories currently installed.)
default: Preparing to unpack ./libcurl3_7.38.0-4+deb8u11_amd64.deb ...
default: Unpacking libcurl3:amd64 (7.38.0-4+deb8u11) ...
default: Selecting previously unselected package curl.
default: Preparing to unpack ./curl_7.38.0-4+deb8u11_amd64.deb ...
default: Unpacking curl (7.38.0-4+deb8u11) ...
default: Selecting previously unselected package rsync.
default: Preparing to unpack ./rsync_3.1.1-3+deb8u1_amd64.deb ...
default: Unpacking rsync (3.1.1-3+deb8u1) ...
default: Processing triggers for man-db (2.7.0.2-5) ...
default: Processing triggers for systemd (215-17+deb8u7) ...
default: Setting up libcurl3:amd64 (7.38.0-4+deb8u11) ...
default: Setting up curl (7.38.0-4+deb8u11) ...
default: Setting up rsync (3.1.1-3+deb8u1) ...
default: Processing triggers for libc-bin (2.19-18+deb8u10) ...
default: Processing triggers for systemd (215-17+deb8u7) ...

==> default: Machine 'default' has a post `vagrant up` message. This is a message
==> default: from the creator of the Vagrantfile, and not from Vagrant itself:
==> default:
==> default: Vanilla Debian box. See https://app.vagrantup.com/debian for help and bug reports
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:: ${FUNCNAME[0]}:: $LINENO '
set -u
set -o pipefail

testnixinfo() {
  nix-shell -p nix-info --run "nix-info -m"
}

testshell() {
  nix-shell -p hello --run hello
}

testnixenv() {
  nix-env -iA nixpkgs.hello
  hello
  nix-env --uninstall 'hello.*'
}

testnixchannel() {
  nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
  nix-channel --update
  nix-env -iA nixos-18-03.hello
  hello
  nix-env --uninstall 'hello.*'
}

runtest() {
  testFn=$1

  local testdir="$STESTDIR/tests/$testFn"

```



```

debian-8-install # [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
debian-8-install # [38;32m--> Setting up the build user nixbld23
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 23
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld24
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 24
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld25
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 25
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld26
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 26
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld27
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 27
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld28
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 28
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld29
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 29
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld30
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 30
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld31
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 31
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
debian-8-install
# [38;32m--> Setting up the build user nixbld32
# [0m# [38;1m Created# [0m: Yes
# [38;1m Hidden# [0m: Yes
# [38;1m Home Directory# [0m: /var/empty
# [38;1m usermod: no changes
# [38;1m Note# [0m: Nix build user 32
# [38;1m Logins Disabled# [0m: Yes
# [38;1m Member of nixbld# [0m: Yes
# [38;1m PrimaryGroupID# [0m: 30000
# [38;1m mkdir: created directory â€ˆ/nixâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/varâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/logâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/log/nixâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/log/nix/driversâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nixâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/dbâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/gcrootsâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/profilesâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/temprootsâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/userpoolâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/gcroots/per-userâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/profiles/per-userâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/storeâ€ˆ
# [38;1m mkdir: created directory â€ˆ/nix/var/nix/profiles/per-user/rootâ€ˆ
# [38;1m mkdir: created directory â€ˆ/root/.nix-defexprâ€ˆ
# [38;1m mkdir: created directory â€ˆ/etc/nixâ€ˆ
# [38;1m Alright! We have our first nix at /nix/store/ngjwrr8scnmfpqmgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
# [38;1m Just finished getting the nix database ready.
# [38;1m # Nix
# [38;1m if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
# [38;1m . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
# [38;1m fi
# [38;1m # End Nix
# [38;1m installing 'nix-2.1pre6385_d16ff76c'
# [38;1m building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv' ...
# [38;1m created 6 symlinks in user environment

```

```
debian-8-install installing 'nss-cacert-3.38'
debian-8-install building '/nix/store/xsv6s00z6dk3sqw156r7ab53ydk4065-user-environment.drv'...
debian-8-install created 9 symlinks in user environment
debian-8-install unpacking channels...
debian-8-install created 2 symlinks in user environment
debian-8-install Created symlink from /etc/systemd/system/nix-daemon.service to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
debian-8-install Created symlink from /etc/systemd/system/sockets.target.wants/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
debian-8-install Created symlink from /etc/systemd/system/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
debian-8-install [38;32mAlright! We're done!
[0m
debian-8-install Before Nix will work in your existing shells, you'll need to close
debian-8-install them and open them again. Other than that, you should be ready to go.
debian-8-install
debian-8-install Try it! Open a new terminal, and type:
debian-8-install
debian-8-install $ nix-shell -p nix-info --run "nix-info -m"
debian-8-install
debian-8-install Thank you for using this installer. If you have any feedback, don't
debian-8-install hesitate:
debian-8-install
debian-8-install We'd love to help if you need it.
debian-8-install
debian-8-install If you can, open an issue at https://github.com/nixos/nix/issues
debian-8-install
debian-8-install Or feel free to contact the team,
debian-8-install - on IRC #nixos on irc.freenode.net
debian-8-install - on twitter @nixos_org
debian-8-test-login Starting: testnixinfo
debian-8-test-login ./testscript::runtest::39 testnixinfo
debian-8-test-login ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
debian-8-test-login these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
debian-8-test-login /nix/store/09ij2aakzbmhrk4k4kghpk6k8fzclcr-gnumake-4.2.1
debian-8-test-login /nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6
debian-8-test-login /nix/store/3bn0819v7aghg0wx117f43zr1q9y9b4-readline-7.0p5
debian-8-test-login /nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0
debian-8-test-login /nix/store/5ml17y5albcd417121ac09g2fhdzk0-bash-interactive-4.4-p23-man
debian-8-test-login /nix/store/6nqk63zypz177ng87xk6r1z189rxd11-gcc-7.3.0-lib
debian-8-test-login /nix/store/6v88ick1cnn5g9l8m8qrrqw0lrlr27x-bash-4.4-p23
debian-8-test-login /nix/store/7zbrn4d4bpm7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
debian-8-test-login /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
debian-8-test-login /nix/store/98c80y9rpl1qwcx8g1fm4qs494ajy8q-gnugrep-3.1
debian-8-test-login /nix/store/9xm9n09n0z92r9n1vbbxwgxwxfn60zd-paxctl-0.9
debian-8-test-login /nix/store/9z650yzz5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0
debian-8-test-login /nix/store/a8slaxaq3p8rxiaqpbaskvghyxb0akb-acl-2.2.52
debian-8-test-login /nix/store/ach9z9x8l8g89kpid73s4fj50vzy3g7-glibc-2.27-bin
debian-8-test-login /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5
debian-8-test-login /nix/store/dkh9cmwv1pcxv290md6d4r74yzbhsk-gnutar-1.30
debian-8-test-login /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin
debian-8-test-login /nix/store/fjxk3k59n102sq572kxspdjy303kv45-stenv-linux
debian-8-test-login /nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9
debian-8-test-login /nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27
debian-8-test-login /nix/store/i4n918fn0wgryan523pbdck57fpqz-glibc-2.27-dev
debian-8-test-login /nix/store/i7vcs4p6n51b72a12y5p531579wk3-patch-2.7.6
debian-8-test-login /nix/store/i9k1g3rd3r7m5l7rdsqsrk58gslav1-linux-headers-4.15
debian-8-test-login /nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxqz-nurses-6.1
debian-8-test-login /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47
debian-8-test-login /nix/store/jz7lnmjbyaopcgf6vmlv3n20ni6h0g-gawk-4.2.1
debian-8-test-login /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc
debian-8-test-login /nix/store/lxj4zas56kqzr064jbd908sh74wfy4-bash-interactive-4.4-p23-info
debian-8-test-login /nix/store/mdpwyfa0v419ravrdg0cwq518firncs-expand-response-params
debian-8-test-login /nix/store/mzx4y6amjn7i638c6692qslazyyz6i9-xz-5.2.4-bin
debian-8-test-login /nix/store/qcvvnrlyrd4xm78nfh6vszyafndflp-binutils-wrapper-2.30
debian-8-test-login /nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info
debian-8-test-login /nix/store/qvw8f8g0d11714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1
debian-8-test-login /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29
debian-8-test-login /nix/store/sc4w9y5a3nszmmcy3yhm6xwysg66iw-patchelf-0.9
debian-8-test-login /nix/store/vp40my263xk32f07788srgl59rycsna-binutils-2.30
debian-8-test-login /nix/store/xadwdjcnmdc2lpskfj00g8wsvynd-bash-interactive-4.4-p23-dev
debian-8-test-login /nix/store/xd7yiv36s9yix9a1xr2syr2n0z9ix-ocre-0.42
debian-8-test-login /nix/store/xzz2anv77hx8jziz4hb7y0vkw006d-bash-interactive-4.4-p23
debian-8-test-login /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0
debian-8-test-login /nix/store/ykz6b6mhm9vq5bn61972lnadrp2ym-xz-5.2.4
debian-8-test-login copying path /nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/5ml17y5albcd417121ac09g2fhdzk0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/lxj4zas56kqzr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/hx54ggnr64g1g0wggdfvgdm42r2b5lkv-glibc-2.27' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/i9k1g3rd3r7m5l7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/jicmavp929l0x232ryl0za94rslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/6v88ick1cnn5g9l8m8qrrqw0lrlr27x-bash-4.4-p23' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/mdpwyfa0v419ravrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/jz7lnmjbyaopcgf6vmlv3n20ni6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/0nqk63zypz177ng87xk6r1z189rxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xd7yiv36s9yix9a1xr2syr2n0z9ix-ocre-0.42' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/ykz6b6mhm9vq5bn61972lnadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/j2clxfb2rl9daldfwcp8ywgjx9yxqz-nurses-6.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/agh8vqg5q8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/ach9z9x8l8g89kpid73s4fj50vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/7zbrn4d4bpm7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/9xm9n09n0z92r9n1vbbxwgxwxfn60zd-paxctl-0.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/09ij2aakzbmhrk4k4kghpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4ydnjnp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/qvw8f8g0d11714wsj3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/a8slaxaq3p8rxiaqpbaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/i7vcs4p6n51b72a12y5p531579wk3-patch-2.7.6' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/fai750p2q3gc7isqpl1psq2r138hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/98c80y9rpl1qwcx8g1fm4qs494ajy8q-gnugrep-3.1' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/vp40my263xk32f07788srgl59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/rhczwaz7xk6dq9z2h9yca0z7wx0nwg7c-coreutils-8.29' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/dkh9cmwv1pcxv290md6d4r74yzbhsk-gnutar-1.30' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/mzx4y6amjn7i638c6692qslazyyz6i9-xz-5.2.4-bin' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/i4n918fn0wgryan523pbdck57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/3bn0819v7aghg0wx117f43zr1q9y9b4-readline-7.0p5' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/sc4w9y5a3nszmmcy3yhm6xwysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/514qhky7nyfbnv9yrcrk7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/1141f22hsyf9fq3425cv49p8m9pb8g0-diffutils-3.6' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/y8p41rl2w9p9swny215h517i57kcv5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/qga70q7m5332dr4gab8zp004ajy6flh-nix-info' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/qcvvnrlyrd4xm78nfh6vszyafndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/9z650yzz5zyhcv5n36ya6x4j4q36mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xzz2anv77hx8jziz4hb7y0vkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/fjxk3k59n102sq572kxspdjy303kv45-stenv-linux' from 'https://cache.nixos.org'...
debian-8-test-login copying path /nix/store/xadwdjcnmdc2lpskfj00g8wsvynd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
debian-8-test-login - system: "x86_64-linux"
debian-8-test-login - host os: "Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)"
debian-8-test-login - multi-user?: "yes"
debian-8-test-login - sandbox: "no"
debian-8-test-login - version: "nix-env (Nix) 2.1pre6385.1d6ff76c"
debian-8-test-login - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
debian-8-test-login - nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
debian-8-test-login
debian-8-test-login Finishing: testnixinfo, duration:19 result:0
debian-8-test-login Starting: testshell
debian-8-test-login ./testscript::runtest::39 testshell
debian-8-test-login ./testscript::testshell:12 nix-shell -p hello --run hello
debian-8-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
debian-8-test-login /nix/store/z87ns3bv8dz9c7dnblv54i613ch8k10-hello-2.10
debian-8-test-login copying path /nix/store/z87ns3bv8dz9c7dnblv54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
debian-8-test-login Hello, world!
debian-8-test-login Finishing: testshell, duration:1 result:0
```

```

debian-8-test-login Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
building '/nix/store/ximiibc4pjn9y0f5svv29zcbaxsm6kx-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixenv::17 hello
Hello, world!
./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
building '/nix/store/xsk9wjy0dpp7w7d3r3f3kzaxklqdzq6q-user-environment.drv'...
created 0 symlinks in user environment
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::23 nix-channel --update
unpacking channels...
created 2 symlinks in user environment
./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
building '/nix/store/nh1raq58nqv6hwzpm6zd3vm971lsh7a-user-environment.drv'...
created 2 symlinks in user environment
./testscript::testnixchannel::25 hello
Hello, world!
./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:7 result:0
debian-8-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-8-test-login-interactive bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
- system: "x86_64-linux"
- host os: 'Linux 3.16.0-6-amd64, Debian GNU/Linux, 8 (jessie)'
- multi-user?: 'yes'
- sandbox?: 'no'
- version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
- channels(root): "nixpkgs-18.09pre150352.7c826371c49"
- channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
- nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
Finishing: testnixinfo, duration:7 result:0
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
Hello, world!
Finishing: testshell, duration:1 result:0
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
installing 'hello-2.10'
./testscript::testnixenv::10 hello
Hello, world!
./testscript::testnixenv::11 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixenv, duration:1 result:0
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript::testnixchannel::16 nix-channel --update
unpacking channels...
./testscript::testnixchannel::17 nix-env -iA nixos-18-03.hello
installing 'hello-2.10'
./testscript::testnixchannel::18 hello
Hello, world!
./testscript::testnixchannel::19 nix-env --uninstall 'hello.*'
uninstalling 'hello-2.10'
Finishing: testnixchannel, duration:1 result:0
debian-8-test-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
debian-8-test-interactive bash: no job control in this shell
Starting: testnixinfo
./testscript::runtest::10 testnixinfo
./testscript::testnixinfo::1 nix-shell -p nix-info --run 'nix-info -m'
bash: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:1
Starting: testshell
./testscript::runtest::10 testshell
./testscript::testshell::5 nix-shell -p hello --run hello
bash: nix-shell: command not found
Finishing: testshell, duration:0 result:1
Starting: testnixenv
./testscript::runtest::10 testnixenv
./testscript::testnixenv::9 nix-env -iA nixpkgs.hello
bash: nix-env: command not found
Finishing: testnixenv, duration:0 result:1
Starting: testnixchannel
./testscript::runtest::10 testnixchannel
./testscript::testnixchannel::15 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
bash: nix-channel: command not found
Finishing: testnixchannel, duration:0 result:1
debian-8-test-ssh Starting: testnixinfo
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
./testscript: line 8: nix-shell: command not found
Finishing: testnixinfo, duration:0 result:1
Starting: testshell
./testscript::runtest::39 testshell
./testscript::testshell::12 nix-shell -p hello --run hello
./testscript: line 12: nix-shell: command not found
Finishing: testshell, duration:0 result:1
Starting: testnixenv
./testscript::runtest::39 testnixenv
./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
./testscript: line 16: nix-env: command not found
Finishing: testnixenv, duration:0 result:1
Starting: testnixchannel
./testscript::runtest::39 testnixchannel
./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
./testscript: line 22: nix-channel: command not found
Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-daemon-debian-8-install-method

install-force-daemon

[top of data](#)

install-force-daemon-debian-8-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "debian/jessie64"
  config.vm.provision "shell", inline: <<-SHELL
  apt-get update
  apt-get install -y curl rsync

  SHELL
  config.vm.synced_folder ".", "/vagrant", disabled: true
  config.vm.box_check_update = false
  config.vm.provider "virtualbox" do |vb|
    vb.memory = "2048"

    # for macos:
    vb.customize ["modifyvm", :id, "--usb", "off"]
    vb.customize ["modifyvm", :id, "--usbhci", "off"]
  end
end

```

[top of data](#)

install-force-daemon-ubuntu-18-04-image-name

ubuntu-18-04

[top of data](#)

install-force-daemon-ubuntu-18-04-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'ubuntu/bionic64'...

```

[KProgress: 10%
[KProgress: 40%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmpusFEJafIQH_default_1535664617946_61515
=> default: Fixed port collision for 22 => 2222. Now on port 2206.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2206 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2206
  default: SSH username: vagrant
  default: SSH auth method: private key
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default: Warning: Connection reset. Retrying...
  default: Warning: Remote connection disconnect. Retrying...
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
=> default: Running provisioner: shell...
  default: Running: inline script
  default: Get:1 http://security.ubuntu.com/ubuntu bionic-security InRelease [83.2 kB]
  default: Hit:2 http://archive.ubuntu.com/ubuntu bionic InRelease
  default: Get:3 http://archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]
  default: Get:4 http://security.ubuntu.com/ubuntu bionic-security/universe Sources [15.7 kB]
  default: Get:5 http://security.ubuntu.com/ubuntu bionic-security/main Sources [46.1 kB]
  default: Get:6 http://security.ubuntu.com/ubuntu bionic-security/multiverse Sources [1336 B]
  default: Get:7 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages [160 kB]
  default: Get:8 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en [61.3 kB]
  default: Get:9 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages [57.0 kB]
  default: Get:10 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en [33.6 kB]
  default: Get:11 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64 Packages [1444 B]
  default: Get:12 http://security.ubuntu.com/ubuntu bionic-security/multiverse Translation-en [996 B]
  default: Get:13 http://archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
  default: Get:14 http://archive.ubuntu.com/ubuntu bionic/main Sources [829 kB]
  default: Get:15 http://archive.ubuntu.com/ubuntu bionic/universe Sources [9051 kB]
  default: Get:16 http://archive.ubuntu.com/ubuntu bionic/multiverse Sources [181 kB]
  default: Get:17 http://archive.ubuntu.com/ubuntu bionic/restricted Sources [5324 B]
  default: Get:18 http://archive.ubuntu.com/ubuntu bionic/universe amd64 Packages [8570 kB]
  default: Get:19 http://archive.ubuntu.com/ubuntu bionic/universe Translation-en [4941 kB]
  default: Get:20 http://archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages [151 kB]
  default: Get:21 http://archive.ubuntu.com/ubuntu bionic/multiverse Translation-en [108 kB]
  default: Get:22 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse Sources [2672 B]
  default: Get:23 http://archive.ubuntu.com/ubuntu bionic-updates/universe Sources [58.5 kB]
  default: Get:24 http://archive.ubuntu.com/ubuntu bionic-updates/main Sources [160 kB]
  default: Get:25 http://archive.ubuntu.com/ubuntu bionic-updates/main amd64 Packages [305 kB]
  default: Get:26 http://archive.ubuntu.com/ubuntu bionic-updates/main Translation-en [115 kB]
  default: Get:27 http://archive.ubuntu.com/ubuntu bionic-updates/universe amd64 Packages [172 kB]
  default: Get:28 http://archive.ubuntu.com/ubuntu bionic-updates/universe Translation-en [80.0 kB]
  default: Get:29 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse amd64 Packages [3772 B]
  default: Get:30 http://archive.ubuntu.com/ubuntu bionic-updates/multiverse Translation-en [2376 B]
  default: Get:31 http://archive.ubuntu.com/ubuntu bionic-backports/universe Sources [1184 B]
  default: Get:32 http://archive.ubuntu.com/ubuntu bionic-backports/universe amd64 Packages [2704 B]
  default: Get:33 http://archive.ubuntu.com/ubuntu bionic-backports/universe Translation-en [1136 B]
  default: Fetched 25.4 MB in 12s (2120 kB/s)
  default: Reading package lists...
  default: Reading package lists...
  default: Building dependency tree...
  default: Reading state information...
  default: curl is already the newest version (7.58.0-2ubuntu3.2).
  default: 0 upgraded, 0 newly installed, 0 to remove and 5 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4=' ${BASH_SOURCE}:'"${FUNCNAME[0]}":$LINENO '
set -u
set -o pipefail

testnixinfo() (
  nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
  nix-shell -p hello --run hello

```

```

)
testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)
testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)
runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-18-04-install + + sh -s -- --daemon
ubuntu-18-04-install curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-04-install % Dload Upload Total Spent Left Speed
ubuntu-18-04-install 0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
100 2528 100 2528 0 0 5138 0 ---:--:-- ---:--:-- ---:--:-- 5138
ubuntu-18-04-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-lin
ubuntu-18-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-18-04-install % Dload Upload Total Spent Left Speed
ubuntu-18-04-install 0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
0 0 0 0 ---:--:-- ---:--:-- ---:--:-- 0
2 35.5M 2 736k 0 0 614k 0 0:00:59 0:00:01 0:00:58 614k
5 35.5M 5 1984k 0 0 905k 0 0:00:40 0:00:02 0:00:38 904k
9 35.5M 9 3424k 0 0 1074k 0 0:00:33 0:00:03 0:00:30 1074k
13 35.5M 13 5056k 0 0 1208k 0 0:00:30 0:00:04 0:00:26 1208k
18 35.5M 18 6880k 0 0 1328k 0 0:00:27 0:00:05 0:00:22 1328k
24 35.5M 24 8912k 0 0 1444k 0 0:00:25 0:00:06 0:00:19 1643k
30 35.5M 30 10.7M 0 0 1536k 0 0:00:23 0:00:07 0:00:16 1813k
36 35.5M 36 12.0M 0 0 1607k 0 0:00:22 0:00:08 0:00:14 1948k
41 35.5M 41 14.0M 0 0 1663k 0 0:00:21 0:00:09 0:00:12 2045k
47 35.5M 47 16.9M 0 0 1708k 0 0:00:21 0:00:10 0:00:11 2102k
53 35.5M 53 19.1M 0 0 1750k 0 0:00:20 0:00:11 0:00:09 2127k
59 35.5M 59 21.1M 0 0 1779k 0 0:00:20 0:00:12 0:00:08 2128k
65 35.5M 65 23.2M 0 0 1804k 0 0:00:20 0:00:13 0:00:07 2125k
71 35.5M 71 25.2M 0 0 1826k 0 0:00:19 0:00:14 0:00:05 2124k
76 35.5M 76 27.3M 0 0 1845k 0 0:00:19 0:00:15 0:00:04 2123k
82 35.5M 82 29.4M 0 0 1862k 0 0:00:19 0:00:16 0:00:03 2114k
88 35.5M 88 31.4M 0 0 1876k 0 0:00:19 0:00:17 0:00:02 2114k
94 35.5M 94 33.5M 0 0 1890k 0 0:00:19 0:00:18 0:00:01 2116k
100 35.5M 100 35.5M 0 0 1903k 0 0:00:19 0:00:19 ---:--:-- 2125k
ubuntu-18-04-install [1:31mSwitching to the Daemon-based Installer[0m
ubuntu-18-04-install [38;32m[38;4;32mWelcome to the Multi-User Nix Installation
ubuntu-18-04-install [0m
This installation tool will set up your computer with the Nix package
manager. This will happen in a few stages:
1. Make sure your computer doesn't already have Nix. If it does, I
will show you instructions on how to clean up your old one.
2. Show you what we are going to install and where. Then we will ask
if you are ready to continue.
3. Create the system users and groups that the Nix daemon uses to run
builds.
4. Perform the basic installation of the Nix files daemon.
5. Configure your shell to import special Nix Profile files, so you
can use Nix.
6. Start the Nix daemon.
[38;32m[38;4;32mWould you like to see a more detailed list of what we will do?
[0mNo TTY, assuming you would say yes :)
We will:
- make sure your computer doesn't already have Nix files
(if it does, I will tell you how to clean them up.)
- create local users (see the list above for the users we'll make)
- create a local group (nixbld)
- install Nix in to /nix
- create a configuration file in /etc/nix
- set up the "default profile" by creating some Nix-related files in
/root
- load and start a service (at /etc/systemd/system/nix-daemon.service
and /etc/systemd/system/nix-daemon.socket) for nix-daemon
[38;32m[38;4;32mReady to continue?
[0mNo TTY, assuming you would say yes :)
[38;34m--- let's talk about sudo -----
[0mThis script is going to call sudo a lot. Normally, it would show you
exactly what commands it is running and why. However, the script is
run in a headless fashion, like this:

```



```
ubuntu-18-04-install $ curl https://nixos.org/nix/install | sh
ubuntu-18-04-install
ubuntu-18-04-install or maybe in a CI pipeline. Because of that, we're going to skip the
ubuntu-18-04-install verbose output in the interest of brevity.
ubuntu-18-04-install
ubuntu-18-04-install If you would like to
ubuntu-18-04-install see the output, try like this:
ubuntu-18-04-install $ curl -o install-nix https://nixos.org/nix/install
ubuntu-18-04-install $ sh ./install-nix
```

```
ubuntu-18-04-install [38;34m--- Nix config report -----
ubuntu-18-04-install [0m[38;1m Temp Dir[0m: /tmp/tmp.oTPqBceh8W
ubuntu-18-04-install [38;1m Nix Root[0m: /nix
ubuntu-18-04-install [38;1m Build Users[0m: 32
ubuntu-18-04-install [38;1m Build Group ID[0m: 30000
ubuntu-18-04-install [38;1m Build Group Name[0m: nixbld

ubuntu-18-04-install [38;4;34mbuild users:
ubuntu-18-04-install [0m[38;1m Username[0m: UID
ubuntu-18-04-install [38;1m nixbld1[0m: 30001
ubuntu-18-04-install [38;1m nixbld2[0m: 30002
ubuntu-18-04-install [38;1m nixbld3[0m: 30003
ubuntu-18-04-install [38;1m nixbld4[0m: 30004
ubuntu-18-04-install [38;1m nixbld5[0m: 30005
ubuntu-18-04-install [38;1m nixbld6[0m: 30006
ubuntu-18-04-install [38;1m nixbld7[0m: 30007
ubuntu-18-04-install [38;1m nixbld8[0m: 30008
ubuntu-18-04-install [38;1m nixbld9[0m: 30009
ubuntu-18-04-install [38;1m nixbld10[0m: 30010
ubuntu-18-04-install [38;1m nixbld11[0m: 30011
ubuntu-18-04-install [38;1m nixbld12[0m: 30012
ubuntu-18-04-install [38;1m nixbld13[0m: 30013
ubuntu-18-04-install [38;1m nixbld14[0m: 30014
ubuntu-18-04-install [38;1m nixbld15[0m: 30015
ubuntu-18-04-install [38;1m nixbld16[0m: 30016
ubuntu-18-04-install [38;1m nixbld17[0m: 30017
ubuntu-18-04-install [38;1m nixbld18[0m: 30018
ubuntu-18-04-install [38;1m nixbld19[0m: 30019
ubuntu-18-04-install [38;1m nixbld20[0m: 30020
ubuntu-18-04-install [38;1m nixbld21[0m: 30021
ubuntu-18-04-install [38;1m nixbld22[0m: 30022
ubuntu-18-04-install [38;1m nixbld23[0m: 30023
ubuntu-18-04-install [38;1m nixbld24[0m: 30024
ubuntu-18-04-install [38;1m nixbld25[0m: 30025
ubuntu-18-04-install [38;1m nixbld26[0m: 30026
ubuntu-18-04-install [38;1m nixbld27[0m: 30027
ubuntu-18-04-install [38;1m nixbld28[0m: 30028
ubuntu-18-04-install [38;1m nixbld29[0m: 30029
ubuntu-18-04-install [38;1m nixbld30[0m: 30030
ubuntu-18-04-install [38;1m nixbld31[0m: 30031
ubuntu-18-04-install [38;1m nixbld32[0m: 30032

ubuntu-18-04-install [38;32m[38;4;32mReady to continue?
ubuntu-18-04-install [0mNo TTY, assuming you would say yes :)

ubuntu-18-04-install [38;32m--> Setting up the build group nixbld
ubuntu-18-04-install [0m[38;1m Created[0m: Yes

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld1
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 1
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld2
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 2
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld3
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 3
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld4
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 4
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld5
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 5
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld6
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 6
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000

ubuntu-18-04-install [38;32m--> Setting up the build user nixbld7
ubuntu-18-04-install [0m[38;1m Created[0m: Yes
ubuntu-18-04-install [38;1m Hidden[0m: Yes
ubuntu-18-04-install [38;1m Home Directory[0m: /var/empty
ubuntu-18-04-install usermod: no changes
ubuntu-18-04-install [38;1m Note[0m: Nix build user 7
ubuntu-18-04-install [38;1m Logins Disabled[0m: Yes
ubuntu-18-04-install [38;1m Member of nixbld[0m: Yes
ubuntu-18-04-install [38;1m PrimaryGroupID[0m: 30000
```



```
ubuntu-18-04-install mkdir: created directory '/nix/var/nix/userpool'
ubuntu-18-04-install mkdir: created directory '/nix/var/nix/gcroots/per-user'
ubuntu-18-04-install mkdir: created directory '/nix/var/nix/profiles/per-user'
ubuntu-18-04-install mkdir: created directory '/nix/store'
ubuntu-18-04-install mkdir: created directory '/nix/var/nix/profiles/per-user/root'
ubuntu-18-04-install mkdir: created directory '/root/.nix-defexpr'
ubuntu-18-04-install mkdir: created directory '/etc/nix'
ubuntu-18-04-install Alright! We have our first nix at /nix/store/ngjwnr8scnmfpqymgjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
ubuntu-18-04-install Just finished getting the nix database ready.
ubuntu-18-04-install # Nix
ubuntu-18-04-install if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
ubuntu-18-04-install . '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
ubuntu-18-04-install fi
ubuntu-18-04-install # End Nix
ubuntu-18-04-install installing 'nix-2.1pre6385_d16ff76c'
ubuntu-18-04-install building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mmk0pbi-user-environment.drv'...
ubuntu-18-04-install created 6 symlinks in user environment
ubuntu-18-04-install installing 'nss-cacert-3.38'
ubuntu-18-04-install building '/nix/store/xsv6s00z6dk3sqw156rl7ab53ydk4065-user-environment.drv'...
ubuntu-18-04-install created 9 symlinks in user environment
ubuntu-18-04-install unpacking channels...
ubuntu-18-04-install created 2 symlinks in user environment
ubuntu-18-04-install Created symlink /etc/systemd/system/nix-daemon.service â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
ubuntu-18-04-install Created symlink /etc/systemd/system/sockets.target.wants/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-18-04-install Created symlink /etc/systemd/system/nix-daemon.socket â†’ /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
ubuntu-18-04-install [38;32mAlright! We're done!
ubuntu-18-04-install [0m
ubuntu-18-04-install Before Nix will work in your existing shells, you'll need to close
ubuntu-18-04-install them and open them again. Other than that, you should be ready to go.
ubuntu-18-04-install Try it! Open a new terminal, and type:
ubuntu-18-04-install $ nix-shell -p nix-info --run "nix-info -m"
ubuntu-18-04-install Thank you for using this installer. If you have any feedback, don't
ubuntu-18-04-install hesitate:
ubuntu-18-04-install We'd love to help if you need it.
ubuntu-18-04-install If you can, open an issue at https://github.com/nixos/nix/issues
Or feel free to contact the team,
ubuntu-18-04-install - on IRC #nixos on irc.freenode.net
ubuntu-18-04-install - on twitter @nixos_org
ubuntu-18-04-install Starting: testnixinfo
ubuntu-18-04-install ./testscript::runtest::39 testnixinfo
ubuntu-18-04-install ./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-install these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
ubuntu-18-04-install /nix/store/09ij2aakzb8mhrk4wqkpk6k8fzclcr-gnumake-4.2.1
ubuntu-18-04-install /nix/store/1141f22hsyf9f9q3425cv49p8m9pb080-diffutils-3.6
ubuntu-18-04-install /nix/store/3bn0819v7agho0w1i7f43zrlq9y9j04-readline-7.0p5
ubuntu-18-04-install /nix/store/514qhkya7nyfbnv9yrcr7cbmdinph8br-gcc-7.3.0
ubuntu-18-04-install /nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man
ubuntu-18-04-install /nix/store/6nqk63zyp2177ng87x6r1z189rlxd11-gcc-7.3.0-lib
ubuntu-18-04-install /nix/store/6v88ick1cnn59l8m8grrqw0lr1r27x-bash-4.4-p23
ubuntu-18-04-install /nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11
ubuntu-18-04-install /nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2
ubuntu-18-04-install /nix/store/98c80y9rplqlwxc8g1fm4qs4494ajy8g-gnugrep-3.1
ubuntu-18-04-install /nix/store/9xm9n09n0z92r9n1vbbxwqxfjnf60zd-paxctl-0.9
ubuntu-18-04-install /nix/store/9z650yzzc5zyhw5n36ya6x4j436mr-gcc-wrapper-7.3.0
ubuntu-18-04-install /nix/store/a8slaxaq3p8rxiaqppbaaskvghyxb0akb-acl-2.2.52
ubuntu-18-04-install /nix/store/ach9z9x8lq89kpid735s4fj50vzy3g7-glibc-2.27-bin
ubuntu-18-04-install /nix/store/agh9hvq5g8fsxhda24fxwj2xv2bx4js-gnused-4.5
ubuntu-18-04-install /nix/store/dkh9cmwv1pcxv290m6d0q4r74yzbshk-gnutar-1.30
ubuntu-18-04-install /nix/store/fai750p2q3gc71sqpl1psq2r130shz81-bzip2-1.0.6.0.1-bin
ubuntu-18-04-install /nix/store/fjxk359n182qs572kspdj303kv45-stdevn-linux
ubuntu-18-04-install /nix/store/h2r9w516xj4mdj3r4x2rww4jydpvdd-gzip-1.9
ubuntu-18-04-install /nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27
ubuntu-18-04-install /nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev
ubuntu-18-04-install /nix/store/i7vcs4w6p51b72a12ysp5j31579wkd3-patch-2.7.6
ubuntu-18-04-install /nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15
ubuntu-18-04-install /nix/store/j2clxb2rl9daldfwpc8ywgjxs9yxgmz-ncurses-6.1
ubuntu-18-04-install /nix/store/jicmavp929l0x232ryl0za94rslxj0p-atr-2.4.47
ubuntu-18-04-install /nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1
ubuntu-18-04-install /nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc
ubuntu-18-04-install /nix/store/lxj4zas56kgzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info
ubuntu-18-04-install /nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params
ubuntu-18-04-install /nix/store/mzx4y6amj7i638c6692qslazyz619-xz-5.2.4-bin
ubuntu-18-04-install /nix/store/qcvvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
ubuntu-18-04-install /nix/store/qga70q7m5332d4gab8z004ajy6flh-nix-info
ubuntu-18-04-install /nix/store/qw8f8g0d1l714zys3355lhlyjwz2an4-bzip2-1.0.6.0.1
ubuntu-18-04-install /nix/store/rhczwaz7xk6dd92h9yca027wx0wgc-coreutils-8.29
ubuntu-18-04-install /nix/store/s4w9y5a3nszmmcy13yhmmx6wysg66iv-patchelf-0.9
ubuntu-18-04-install /nix/store/vp40my263x32f07788srg159rycsna-binutils-2.30
ubuntu-18-04-install /nix/store/xadwbdjcnmdc21ppsxfj08g0w8vgnid-bash-interactive-4.4-p23-dev
ubuntu-18-04-install /nix/store/xd7yblv36sr9yix9alx2r29z9rix-pcre-8.42
ubuntu-18-04-install /nix/store/xzz2anv77hx8jiz4z2hb9y6vkw0066d-bash-interactive-4.4-p23
ubuntu-18-04-install /nix/store/y8p41rl2w9p9swy215h517i57kvc5z3-findutils-4.6.0
ubuntu-18-04-install /nix/store/ykz6b6mkm9vqv5bn6197921nadrp2ym-xz-5.2.4
ubuntu-18-04-install copying path '/nix/store/lxj4zas56kgzsr064jbd908sh74fy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/5mldi7y5albcd4i712lqch0q9zfhdkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/ksvmi3fjv6j7qkswp6qvrjygm2s1336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/i9k17g3rd3r7msl7rdsqsrk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/hx54ggnr64gl0wggdfvgdm42r2bs1kv-glibc-2.27' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/jicmavp929l0x232ryl0za94rslxj0p-atr-2.4.47' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/jz7lnmjbyaqpcgfvmlv3n20nin6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/6v88ick1cnn59l8m8grrqw0lr1r27x-bash-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/ach9z9x8lq89kpid735s4fj50vzy3g7-glibc-2.27-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/6nqk63zyp2177ng87x6r1z189rlxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/09ij2aakzb8mhrk4wqkpk6k8fzclcr-gnumake-4.2.1' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/mdpwyfa0v419rawrdg0cwq518firncs-expand-response-params' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/92gpnymmw60dsx9f07jvn89z6zx88gl-ed-1.14.2' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/j2clxb2rl9daldfwpc8ywgjxs9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/agh9hvq5g8fsxhda24fxwj2xv2bx4js-gnused-4.5' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/qw8f8g0d1l714zys3355lhlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/9xm9n09n0z92r9n1vbbxwqxfjnf60zd-paxctl-0.9' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/h2r9w516xj4mdj3r4x2rww4jydpvdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/xd7yblv36sr9yix9alx2r29z9rix-pcre-8.42' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/ykz6b6mkm9vqv5bn6197921nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpwxkf-zlib-1.2.11' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/a8slaxaq3p8rxiaqppbaaskvghyxb0akb-acl-2.2.52' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/fai750p2q3gc71sqpl1psq2r130shz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/i4n918fnq0wgryan523pfbdc57fpqcz-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/dkh9cmwv1pcxv290m6d0q4r74yzbshk-gnutar-1.30' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/rhczwaz7xk6dd92h9yca027wx0wgc-coreutils-8.29' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/vp40my263x32f07788srg159rycsna-binutils-2.30' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/rhczwaz7xk6dd92h9yca027wx0wgc-coreutils-8.29' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/mzx4y6amj7i638c6692qslazyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/98c80y9rplqlwxc8g1fm4qs4494ajy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/s4w9y5a3nszmmcy13yhmmx6wysg66iv-patchelf-0.9' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/514qhkya7nyfbnv9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/3bn0819v7agho0w1i7f43zrlq9y9j04-readline-7.0p5' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/y8p41rl2w9p9swy215h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/1141f22hsyf9f9q3425cv49p8m9pb080-diffutils-3.6' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/qga70q7m5332d4gab8z004ajy6flh-nix-info' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/qcvvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/9z650yzzc5zyhw5n36ya6x4j436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
ubuntu-18-04-install copying path '/nix/store/fjxk359n182qs572kspdj303kv45-stdevn-linux' from 'https://cache.nixos.org'...
```

```
ubuntu-18-04-test-login copying path '/nix/store/xzz2anv77hx8jziz4hbfyh0vkwv006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login copying path '/nix/store/xadwbjdcmndc2lppskfj009gw8wsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login - system: 'x86_64-linux'
ubuntu-18-04-test-login - host os: 'Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)'
ubuntu-18-04-test-login - multi-user?: 'yes'
ubuntu-18-04-test-login - sandbox: 'no'
ubuntu-18-04-test-login - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-18-04-test-login - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-04-test-login - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
ubuntu-18-04-test-login Finishing: testnixinfo, duration:26 result:0
ubuntu-18-04-test-login Starting: testshell
ubuntu-18-04-test-login ./testscript::runtest::39 testshell
ubuntu-18-04-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-18-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-04-test-login /nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10
ubuntu-18-04-test-login copying path '/nix/store/z87ns3bv8d29c7dnblvj54i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login Hello, world!
ubuntu-18-04-test-login Finishing: testshell, duration:1 result:0
ubuntu-18-04-test-login Starting: testnixenv
ubuntu-18-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-18-04-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-login installing 'hello-2.10'
ubuntu-18-04-test-login building '/nix/store/ximiibc4pj9y05fs5v29zcbaxsm6kx-user-environment.drv'...
ubuntu-18-04-test-login created 2 symlinks in user environment
ubuntu-18-04-test-login ./testscript::testnixenv::17 hello
ubuntu-18-04-test-login Hello, world!
ubuntu-18-04-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login uninstalling 'hello-2.10'
ubuntu-18-04-test-login building '/nix/store/xsk9wjy0dpp7w7d3r3bkzaxklqdzq6q-user-environment.drv'...
ubuntu-18-04-test-login created 0 symlinks in user environment
ubuntu-18-04-test-login Finishing: testnixenv, duration:1 result:0
ubuntu-18-04-test-login Starting: testnixchannel
ubuntu-18-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-18-04-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-login ./testscript::testnixchannel::23 nix-channel --update
ubuntu-18-04-test-login unpacking channels...
ubuntu-18-04-test-login created 2 symlinks in user environment
ubuntu-18-04-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-18-04-test-login installing 'hello-2.10'
ubuntu-18-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-18-04-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10
ubuntu-18-04-test-login copying path '/nix/store/nic2bl8ry6fyxr9717983d5b2l4sn1c-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-18-04-test-login building '/nix/store/nh1raq58nqv6hwzpm6z3vm971lsh7a-user-environment.drv'...
ubuntu-18-04-test-login created 2 symlinks in user environment
ubuntu-18-04-test-login ./testscript::testnixchannel::25 hello
ubuntu-18-04-test-login Hello, world!
ubuntu-18-04-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login uninstalling 'hello-2.10'
ubuntu-18-04-test-login Finishing: testnixchannel, duration:7 result:0
ubuntu-18-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-04-test-login-interactive bash: no job control in this shell
ubuntu-18-04-test-login-interactive Starting: testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-login-interactive - system: 'x86_64-linux'
ubuntu-18-04-test-login-interactive - host os: 'Linux 4.15.0-33-generic, Ubuntu, 18.04.1 LTS (Bionic Beaver)'
ubuntu-18-04-test-login-interactive - multi-user?: 'yes'
ubuntu-18-04-test-login-interactive - sandbox: 'no'
ubuntu-18-04-test-login-interactive - version: 'nix-env (Nix) 2.1pre6385_d16ff76c'
ubuntu-18-04-test-login-interactive - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
ubuntu-18-04-test-login-interactive - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-18-04-test-login-interactive - nixpkgs: '/nix/var/nix/profiles/per-user/root/channels/nixpkgs'
ubuntu-18-04-test-login-interactive Finishing: testnixinfo, duration:4 result:0
ubuntu-18-04-test-login-interactive Starting: testshell
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-18-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive Finishing: testshell, duration:1 result:0
ubuntu-18-04-test-login-interactive Starting: testnixenv
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-login-interactive installing 'hello-2.10'
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-04-test-login-interactive Finishing: testnixenv, duration:1 result:0
ubuntu-18-04-test-login-interactive Starting: testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-channel --update
ubuntu-18-04-test-login-interactive unpacking channels...
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-env -iA nixos-18-03.hello
ubuntu-18-04-test-login-interactive installing 'hello-2.10'
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 hello
ubuntu-18-04-test-login-interactive Hello, world!
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-env --uninstall 'hello.*'
ubuntu-18-04-test-login-interactive uninstalling 'hello-2.10'
ubuntu-18-04-test-login-interactive Finishing: testnixchannel, duration:1 result:0
ubuntu-18-04-test-login-interactive Starting: testnixinfo
ubuntu-18-04-test-login-interactive bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-18-04-test-login-interactive bash: no job control in this shell
ubuntu-18-04-test-login-interactive Starting: testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixinfo
ubuntu-18-04-test-login-interactive ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-login-interactive nix-shell: command not found
ubuntu-18-04-test-login-interactive Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-login-interactive Starting: testshell
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testshell
ubuntu-18-04-test-login-interactive ./testscript::testshell::0 nix-shell -p hello --run hello
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-18-04-test-login-interactive nix-shell: command not found
ubuntu-18-04-test-login-interactive Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-login-interactive Starting: testnixenv
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixenv
ubuntu-18-04-test-login-interactive ./testscript::testnixenv::0 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-18-04-test-login-interactive nix-env: command not found
ubuntu-18-04-test-login-interactive Finishing: testnixenv, duration:0 result:127
ubuntu-18-04-test-login-interactive Starting: testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::runtest::10 testnixchannel
ubuntu-18-04-test-login-interactive ./testscript::testnixchannel::0 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-18-04-test-login-interactive /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-18-04-test-login-interactive nix-channel: command not found
ubuntu-18-04-test-login-interactive Finishing: testnixchannel, duration:1 result:127
ubuntu-18-04-test-ssh Starting: testnixinfo
ubuntu-18-04-test-ssh ./testscript::runtest::39 testnixinfo
ubuntu-18-04-test-ssh ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-18-04-test-ssh ./testscript: line 8: nix-shell: command not found
ubuntu-18-04-test-ssh Finishing: testnixinfo, duration:0 result:127
ubuntu-18-04-test-ssh Starting: testshell
ubuntu-18-04-test-ssh ./testscript::runtest::39 testshell
ubuntu-18-04-test-ssh ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-18-04-test-ssh ./testscript: line 12: nix-shell: command not found
```

```
ubuntu-18-04-test-ssh Finishing: testshell, duration:0 result:127
ubuntu-18-04-test-ssh Starting: testnixenv
ubuntu-18-04-test-ssh ./testscript::runtest::39 testnixenv
ubuntu-18-04-test-ssh ./testscript::testnixenv:16 nix-env -iA nixpkgs.hello
ubuntu-18-04-test-ssh ./testscript: line 16: nix-env: command not found
ubuntu-18-04-test-ssh Finishing: testnixenv, duration:0 result:127
ubuntu-18-04-test-ssh Starting: testnixchannel
ubuntu-18-04-test-ssh ./testscript::runtest::39 testnixchannel
ubuntu-18-04-test-ssh ./testscript::testnixchannel:22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-18-04-test-ssh ./testscript: line 22: nix-channel: command not found
ubuntu-18-04-test-ssh Finishing: testnixchannel, duration:0 result:127
```

[top of data](#)

install-force-daemon-ubuntu-18-04-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/bionic64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-daemon-ubuntu-18-04-install-method

install-force-daemon

[top of data](#)

install-force-daemon-ubuntu-16-04-Vagrantfile

```
Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/xenial64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end
```

[top of data](#)

install-force-daemon-ubuntu-16-04-run-log

Bringing machine 'default' up with 'virtualbox' provider...
=> default: Importing base box 'ubuntu/xenial64'...

```
[KProgress: 10%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
=> default: Setting the name of the VM: tmp12egM9A9R_default_1535664528347_12110
=> default: Fixed port collision for 22 => 2222. Now on port 2202.
=> default: Clearing any previously set network interfaces...
=> default: Preparing network interfaces based on configuration...
  default: Adapter 1: nat
=> default: Forwarding ports...
  default: 22 (guest) => 2202 (host) (adapter 1)
=> default: Running 'pre-boot' VM customizations...
=> default: Booting VM...
=> default: Waiting for machine to boot. This may take a few minutes...
  default: SSH address: 127.0.0.1:2202
  default: SSH username: vagrant
  default: SSH auth method: private key
  default:
  default: Vagrant insecure key detected. Vagrant will automatically replace
  default: this with a newly generated keypair for better security.
  default:
  default: Inserting generated public key within guest...
  default: Removing insecure key from the guest if it's present...
  default: Key inserted! Disconnecting and reconnecting using new SSH key...
=> default: Machine booted and ready!
=> default: Checking for guest additions in VM...
  default: The guest additions on this VM do not match the installed version of
  default: VirtualBox! In most cases this is fine, but in rare cases it can
  default: prevent things such as shared folders from working properly. If you see
  default: shared folder errors, please make sure the guest additions within the
  default: virtual machine match the version of VirtualBox you have installed on
  default: your host and reload your VM.
  default:
  default: Guest Additions Version: 5.1.38
  default: VirtualBox Version: 5.2
=> default: Running provisioner: shell...
  default: Running: inline script
  default: Get:1 http://security.ubuntu.com/ubuntu xenial-security InRelease [107 kB]
  default: Hit:2 http://archive.ubuntu.com/ubuntu xenial InRelease
  default: Get:3 http://archive.ubuntu.com/ubuntu xenial-updates InRelease [109 kB]
  default: Get:4 http://archive.ubuntu.com/ubuntu xenial-backports InRelease [107 kB]
  default: Get:5 http://security.ubuntu.com/ubuntu xenial-security/main Sources [132 kB]
  default: Get:6 http://archive.ubuntu.com/ubuntu xenial/main Sources [868 kB]
  default: Get:7 http://security.ubuntu.com/ubuntu xenial-security/restricted Sources [2,116 B]
  default: Get:8 http://security.ubuntu.com/ubuntu xenial-security/universe Sources [72,8 kB]
  default: Get:9 http://security.ubuntu.com/ubuntu xenial-security/multiverse Sources [2,088 B]
  default: Get:10 http://security.ubuntu.com/ubuntu xenial-security/main amd64 Packages [550 kB]
  default: Get:11 http://archive.ubuntu.com/ubuntu xenial/restricted Sources [4,808 B]
  default: Get:12 http://archive.ubuntu.com/ubuntu xenial/universe Sources [7,728 kB]
  default: Get:13 http://security.ubuntu.com/ubuntu xenial-security/main Translation-en [233 kB]
  default: Get:14 http://security.ubuntu.com/ubuntu xenial-security/universe amd64 Packages [369 kB]
  default: Get:15 http://security.ubuntu.com/ubuntu xenial-security/universe Translation-en [140 kB]
  default: Get:16 http://security.ubuntu.com/ubuntu xenial-security/multiverse amd64 Packages [3,456 B]
  default: Get:17 http://security.ubuntu.com/ubuntu xenial-security/multiverse Translation-en [1,744 B]
```

```

default: Get:18 http://archive.ubuntu.com/ubuntu xenial/multiverse Sources [179 kB]
default: Get:19 http://archive.ubuntu.com/ubuntu xenial/universe amd64 Packages [7,532 kB]
default: Get:20 http://archive.ubuntu.com/ubuntu xenial/universe Translation-en [4,354 kB]
default: Get:21 http://archive.ubuntu.com/ubuntu xenial/multiverse amd64 Packages [144 kB]
default: Get:22 http://archive.ubuntu.com/ubuntu xenial/multiverse Translation-en [106 kB]
default: Get:23 http://archive.ubuntu.com/ubuntu xenial-updates/main Sources [319 kB]
default: Get:24 http://archive.ubuntu.com/ubuntu xenial-updates/restricted Sources [2,528 B]
default: Get:25 http://archive.ubuntu.com/ubuntu xenial-updates/universe Sources [219 kB]
default: Get:26 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse Sources [8,408 B]
default: Get:27 http://archive.ubuntu.com/ubuntu xenial-updates/main amd64 Packages [841 kB]
default: Get:28 http://archive.ubuntu.com/ubuntu xenial-updates/main Translation-en [344 kB]
default: Get:29 http://archive.ubuntu.com/ubuntu xenial-updates/universe amd64 Packages [681 kB]
default: Get:30 http://archive.ubuntu.com/ubuntu xenial-updates/universe Translation-en [275 kB]
default: Get:31 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse amd64 Packages [16.4 kB]
default: Get:32 http://archive.ubuntu.com/ubuntu xenial-updates/multiverse Translation-en [8,344 B]
default: Get:33 http://archive.ubuntu.com/ubuntu xenial-backports/main Sources [4,488 B]
default: Get:34 http://archive.ubuntu.com/ubuntu xenial-backports/universe Sources [6,740 B]
default: Get:35 http://archive.ubuntu.com/ubuntu xenial-backports/main amd64 Packages [6,756 B]
default: Get:36 http://archive.ubuntu.com/ubuntu xenial-backports/main Translation-en [4,180 B]
default: Get:37 http://archive.ubuntu.com/ubuntu xenial-backports/universe amd64 Packages [7,420 B]
default: Get:38 http://archive.ubuntu.com/ubuntu xenial-backports/universe Translation-en [3,996 B]
default: Fetched 25.5 MB in 11s (2,170 kB/s)
default: Reading package lists...
default: Reading package lists...
default: Building dependency tree...
default: Reading state information...
default: curl is already the newest version (7.47.0-1ubuntu2.8).
default: 0 upgraded, 0 newly installed, 0 to remove and 3 not upgraded.
#!/bin/sh

set -eux

curl "https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install" | sh -s -- --daemon
#!/usr/bin/env bash

export PS4= "${BASH_SOURCE}:""${FUNCNAME[0]}:":$LINENO '
set -u
set -o pipefail

testnixinfo() (
nix-shell -p nix-info --run "nix-info -m"
)

testshell() (
nix-shell -p hello --run hello
)

testnixenv() (
nix-env -iA nixpkgs.hello
hello
nix-env --uninstall 'hello.*'
)

testnixchannel() (
nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
nix-channel --update
nix-env -iA nixos-18-03.hello
hello
nix-env --uninstall 'hello.*'
)

runtest() {
testFn=$1

local testdir="$TESTDIR/tests/$testFn"
mkdir -p "$testdir"

start=$(date +%s)
echo "Starting: $testFn"
(
set -ex
"$testFn"
) 2>&1 | tee "$testdir/log" | sed 's/^/ /'
exitcode=$?
end=$(date +%s)
duration=$((end - start))
echo "$exitcode" > "$testdir/exitcode"
echo "$duration" > "$testdir/duration"

echo "Finishing: $testFn, duration:$duration result:$exitcode"
}

main() {
readonly TESTDIR=./nix-test-matrix-log
rm -rf "$TESTDIR"
mkdir "$TESTDIR"

(
runtest testnixinfo
runtest testshell
runtest testnixenv
runtest testnixchannel
)

tar -cf ./nix-test-matrix-log.tar "$TESTDIR"
}

main
ubuntu-16-04-install + curl https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/install
ubuntu-16-04-install + sh -s -- --daemon
ubuntu-16-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-16-04-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0
100 2528 100 2528 0 0 3615 0 0 0 0 0 0 3616
ubuntu-16-04-install downloading Nix 2.1pre6385_d16ff76c binary tarball for x86_64-linux from 'https://nixos.org/releases/nix/nix-2.1pre6385_d16ff76c/nix-2.1pre6385_d16ff76c-x86_64-linux
ubuntu-16-04-install % Total % Received % Xferd Average Speed Time Time Time Current
ubuntu-16-04-install % Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 35.5M 0 288k 0 0 284k 0 0:02:07 0:00:01 0:02:06 284k
4 35.5M 4 1472k 0 0 733k 0 0:00:49 0:00:02 0:00:47 733k
7 35.5M 7 2864k 0 0 953k 0 0:00:38 0:00:03 0:00:35 953k
12 35.5M 12 4496k 0 0 1113k 0 0:00:32 0:00:04 0:00:28 1113k
17 35.5M 17 6272k 0 0 1246k 0 0:00:29 0:00:05 0:00:24 1247k
22 35.5M 22 8224k 0 0 1364k 0 0:00:26 0:00:06 0:00:20 1582k
28 35.5M 28 10.0M 0 0 1471k 0 0:00:24 0:00:07 0:00:17 1766k
34 35.5M 34 12.1M 0 0 1549k 0 0:00:23 0:00:08 0:00:15 1906k
39 35.5M 39 14.1M 0 0 1611k 0 0:00:22 0:00:09 0:00:13 2015k
45 35.5M 45 16.2M 0 0 1661k 0 0:00:21 0:00:10 0:00:11 2081k
51 35.5M 51 18.3M 0 0 1703k 0 0:00:21 0:00:11 0:00:10 2113k
57 35.5M 57 20.3M 0 0 1736k 0 0:00:20 0:00:12 0:00:08 2109k
63 35.5M 63 22.4M 0 0 1765k 0 0:00:20 0:00:13 0:00:07 2111k
69 35.5M 69 24.5M 0 0 1791k 0 0:00:20 0:00:14 0:00:06 2113k
74 35.5M 74 26.5M 0 0 1806k 0 0:00:20 0:00:15 0:00:05 2095k
80 35.5M 80 28.5M 0 0 1825k 0 0:00:19 0:00:16 0:00:03 2092k
86 35.5M 86 30.6M 0 0 1842k 0 0:00:19 0:00:17 0:00:02 2095k
91 35.5M 91 32.6M 0 0 1857k 0 0:00:19 0:00:18 0:00:01 2098k
97 35.5M 97 34.7M 0 0 1870k 0 0:00:19 0:00:19 0:00:00 2095k

```

```
100 35.5M 100 35.5M 0 0 1876k 0 0:00:19 0:00:19 --:--:-- 2119k
ubuntu-16-04-install \e[1;3mSwitching to the Daemon-based Installer\e[0m
ubuntu-16-04-install \e[38;32mWelcome to the Multi-User Nix Installation
ubuntu-16-04-install \e[0m
ubuntu-16-04-install This installation tool will set up your computer with the Nix package
ubuntu-16-04-install manager. This will happen in a few stages:
ubuntu-16-04-install
ubuntu-16-04-install 1. Make sure your computer doesn't already have Nix. If it does, I
ubuntu-16-04-install will show you instructions on how to clean up your old one.
ubuntu-16-04-install
ubuntu-16-04-install 2. Show you what we are going to install and where. Then we will ask
ubuntu-16-04-install if you are ready to continue.
ubuntu-16-04-install
ubuntu-16-04-install 3. Create the system users and groups that the Nix daemon uses to run
ubuntu-16-04-install builds.
ubuntu-16-04-install
ubuntu-16-04-install 4. Perform the basic installation of the Nix files daemon.
ubuntu-16-04-install
ubuntu-16-04-install 5. Configure your shell to import special Nix Profile files, so you
ubuntu-16-04-install can use Nix.
ubuntu-16-04-install
ubuntu-16-04-install 6. Start the Nix daemon.
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m\e[38;4;32mWould you like to see a more detailed list of what we will do?
ubuntu-16-04-install \e[0mNo TTY, assuming you would say yes :)
ubuntu-16-04-install
ubuntu-16-04-install We will:
ubuntu-16-04-install
ubuntu-16-04-install - make sure your computer doesn't already have Nix files
ubuntu-16-04-install (if it does, I will tell you how to clean them up.)
ubuntu-16-04-install - create local users (see the list above for the users we'll make)
ubuntu-16-04-install - create a local group (nixbld)
ubuntu-16-04-install - install Nix in to /nix
ubuntu-16-04-install - create a configuration file in /etc/nix
ubuntu-16-04-install - set up the "default profile" by creating some Nix-related files in
ubuntu-16-04-install /root
ubuntu-16-04-install - load and start a service (at /etc/systemd/system/nix-daemon.service
ubuntu-16-04-install and /etc/systemd/system/nix-daemon.socket) for nix-daemon
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m\e[38;4;32mReady to continue?
ubuntu-16-04-install \e[0mNo TTY, assuming you would say yes :)
ubuntu-16-04-install
ubuntu-16-04-install \e[38;34m--- let's talk about sudo -----
ubuntu-16-04-install \e[0mThis script is going to call sudo a lot. Normally, it would show you
ubuntu-16-04-install exactly what commands it is running and why. However, the script is
ubuntu-16-04-install run in a headless fashion, like this:
ubuntu-16-04-install
ubuntu-16-04-install $ curl https://nixos.org/nix/install | sh
ubuntu-16-04-install
ubuntu-16-04-install or maybe in a CI pipeline. Because of that, we're going to skip the
ubuntu-16-04-install verbose output in the interest of brevity.
ubuntu-16-04-install
ubuntu-16-04-install If you would like to
ubuntu-16-04-install see the output, try like this:
ubuntu-16-04-install
ubuntu-16-04-install $ curl -o install-nix https://nixos.org/nix/install
ubuntu-16-04-install $ sh ./install-nix
ubuntu-16-04-install
ubuntu-16-04-install \e[38;34m--- Nix config report -----
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Nix Root: /nix
ubuntu-16-04-install \e[38;31m Build Users: 32
ubuntu-16-04-install \e[38;31m Build Group ID: 30000
ubuntu-16-04-install \e[38;31m Build Group Name: nixbld
ubuntu-16-04-install
ubuntu-16-04-install \e[38;34mbuild users:
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Username: UID
ubuntu-16-04-install \e[38;31m nixbld1: 30001
ubuntu-16-04-install \e[38;31m nixbld2: 30002
ubuntu-16-04-install \e[38;31m nixbld3: 30003
ubuntu-16-04-install \e[38;31m nixbld4: 30004
ubuntu-16-04-install \e[38;31m nixbld5: 30005
ubuntu-16-04-install \e[38;31m nixbld6: 30006
ubuntu-16-04-install \e[38;31m nixbld7: 30007
ubuntu-16-04-install \e[38;31m nixbld8: 30008
ubuntu-16-04-install \e[38;31m nixbld9: 30009
ubuntu-16-04-install \e[38;31m nixbld10: 30010
ubuntu-16-04-install \e[38;31m nixbld11: 30011
ubuntu-16-04-install \e[38;31m nixbld12: 30012
ubuntu-16-04-install \e[38;31m nixbld13: 30013
ubuntu-16-04-install \e[38;31m nixbld14: 30014
ubuntu-16-04-install \e[38;31m nixbld15: 30015
ubuntu-16-04-install \e[38;31m nixbld16: 30016
ubuntu-16-04-install \e[38;31m nixbld17: 30017
ubuntu-16-04-install \e[38;31m nixbld18: 30018
ubuntu-16-04-install \e[38;31m nixbld19: 30019
ubuntu-16-04-install \e[38;31m nixbld20: 30020
ubuntu-16-04-install \e[38;31m nixbld21: 30021
ubuntu-16-04-install \e[38;31m nixbld22: 30022
ubuntu-16-04-install \e[38;31m nixbld23: 30023
ubuntu-16-04-install \e[38;31m nixbld24: 30024
ubuntu-16-04-install \e[38;31m nixbld25: 30025
ubuntu-16-04-install \e[38;31m nixbld26: 30026
ubuntu-16-04-install \e[38;31m nixbld27: 30027
ubuntu-16-04-install \e[38;31m nixbld28: 30028
ubuntu-16-04-install \e[38;31m nixbld29: 30029
ubuntu-16-04-install \e[38;31m nixbld30: 30030
ubuntu-16-04-install \e[38;31m nixbld31: 30031
ubuntu-16-04-install \e[38;31m nixbld32: 30032
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m\e[38;4;32mReady to continue?
ubuntu-16-04-install \e[0mNo TTY, assuming you would say yes :)
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m--> Setting up the build group nixbld
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Created: Yes
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m--> Setting up the build user nixbld1
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Created: Yes
ubuntu-16-04-install \e[38;31m Hidden: Yes
ubuntu-16-04-install \e[38;31m Home Directory: /var/empty
ubuntu-16-04-install \e[38;31m usermod: no changes
ubuntu-16-04-install \e[38;31m Note: Nix build user 1
ubuntu-16-04-install \e[38;31m Logins Disabled: Yes
ubuntu-16-04-install \e[38;31m Member of nixbld: Yes
ubuntu-16-04-install \e[38;31m PrimaryGroupID: 30000
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m--> Setting up the build user nixbld2
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Created: Yes
ubuntu-16-04-install \e[38;31m Hidden: Yes
ubuntu-16-04-install \e[38;31m Home Directory: /var/empty
ubuntu-16-04-install \e[38;31m usermod: no changes
ubuntu-16-04-install \e[38;31m Note: Nix build user 2
ubuntu-16-04-install \e[38;31m Logins Disabled: Yes
ubuntu-16-04-install \e[38;31m Member of nixbld: Yes
ubuntu-16-04-install \e[38;31m PrimaryGroupID: 30000
ubuntu-16-04-install
ubuntu-16-04-install \e[38;32m--> Setting up the build user nixbld3
ubuntu-16-04-install \e[0mTemp Dir: /tmp/tmp.UdXACMcQAD
ubuntu-16-04-install \e[38;31m Created: Yes
ubuntu-16-04-install \e[38;31m Hidden: Yes
```



```
ubuntu-16-04-install [[38;1m Home Directory[[0m: /var/empty
ubuntu-16-04-install usermod: no changes
ubuntu-16-04-install [[38;1m Note[[0m: Nix build user 29
ubuntu-16-04-install [[38;1m Logins Disabled[[0m: Yes
ubuntu-16-04-install [[38;1m Member of nixbld[[0m: Yes
ubuntu-16-04-install [[38;1m PrimaryGroupID[[0m: 30000
ubuntu-16-04-install [[38;32m--> Setting up the build user nixbld30
ubuntu-16-04-install [[0m[[38;1m Created[[0m: Yes
ubuntu-16-04-install [[38;1m Hidden[[0m: Yes
ubuntu-16-04-install [[38;1m Home Directory[[0m: /var/empty
ubuntu-16-04-install usermod: no changes
ubuntu-16-04-install [[38;1m Note[[0m: Nix build user 30
ubuntu-16-04-install [[38;1m Logins Disabled[[0m: Yes
ubuntu-16-04-install [[38;1m Member of nixbld[[0m: Yes
ubuntu-16-04-install [[38;1m PrimaryGroupID[[0m: 30000
ubuntu-16-04-install [[38;32m--> Setting up the build user nixbld31
ubuntu-16-04-install [[0m[[38;1m Created[[0m: Yes
ubuntu-16-04-install [[38;1m Hidden[[0m: Yes
ubuntu-16-04-install [[38;1m Home Directory[[0m: /var/empty
ubuntu-16-04-install usermod: no changes
ubuntu-16-04-install [[38;1m Note[[0m: Nix build user 31
ubuntu-16-04-install [[38;1m Logins Disabled[[0m: Yes
ubuntu-16-04-install [[38;1m Member of nixbld[[0m: Yes
ubuntu-16-04-install [[38;1m PrimaryGroupID[[0m: 30000
ubuntu-16-04-install [[38;32m--> Setting up the build user nixbld32
ubuntu-16-04-install [[0m[[38;1m Created[[0m: Yes
ubuntu-16-04-install [[38;1m Hidden[[0m: Yes
ubuntu-16-04-install [[38;1m Home Directory[[0m: /var/empty
ubuntu-16-04-install usermod: no changes
ubuntu-16-04-install [[38;1m Note[[0m: Nix build user 32
ubuntu-16-04-install [[38;1m Logins Disabled[[0m: Yes
ubuntu-16-04-install [[38;1m Member of nixbld[[0m: Yes
ubuntu-16-04-install [[38;1m PrimaryGroupID[[0m: 30000
mkdir: created directory '/nix'
mkdir: created directory '/nix/var'
mkdir: created directory '/nix/var/log'
mkdir: created directory '/nix/var/log/nix'
mkdir: created directory '/nix/var/log/nix/drvs'
mkdir: created directory '/nix/var/nix'
mkdir: created directory '/nix/var/nix/db'
mkdir: created directory '/nix/var/nix/gcroots'
mkdir: created directory '/nix/var/nix/profiles'
mkdir: created directory '/nix/var/nix/temproots'
mkdir: created directory '/nix/var/nix/userpool'
mkdir: created directory '/nix/var/nix/gcroots/per-user'
mkdir: created directory '/nix/var/nix/profiles/per-user'
mkdir: created directory '/nix/store'
mkdir: created directory '/nix/var/nix/profiles/per-user/root'
mkdir: created directory '/root/.nix-defexpr'
mkdir: created directory '/etc/nix'
[[0m
[[0m Alright! We have our first nix at /nix/store/ngjwnr8scnmfpqymjx0namfh2wp7740-nix-2.1pre6385_d16ff76c
[[0m Just finished getting the nix database ready.

# Nix
if [ -e '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh' ]; then
. '/nix/var/nix/profiles/default/etc/profile.d/nix-daemon.sh'
fi
# End Nix

installing 'nix-2.1pre6385_d16ff76c'
building '/nix/store/hazjvcdsgg96fb08j3mn9mya0mkm0pbi-user-environment.drv'...
created 6 symlinks in user environment
installing 'nss-cacert-3.38'
building '/nix/store/xsv6s00z6dk3sqw156r7ab53ydk4065-user-environment.drv'...
created 9 symlinks in user environment
unpacking channels...
created 2 symlinks in user environment
Created symlink from /etc/systemd/system/nix-daemon.service to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.service.
Created symlink from /etc/systemd/system/sockets.target.wants/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
Created symlink from /etc/systemd/system/nix-daemon.socket to /nix/var/nix/profiles/default/lib/systemd/system/nix-daemon.socket.
[[38;32mAlright! We're done!
[[0m
Before Nix will work in your existing shells, you'll need to close
them and open them again. Other than that, you should be ready to go.

Try it! Open a new terminal, and type:

$ nix-shell -p nix-info --run "nix-info -m"

Thank you for using this installer. If you have any feedback, don't
hesitate:

We'd love to help if you need it.

If you can, open an issue at https://github.com/nixos/nix/issues

Or feel free to contact the team,
- on IRC #nixos on irc.freenode.net
- on twitter @nixos_org
Starting: testnixinfo
./testscript::runtest::39 testnixinfo
./testscript::testnixinfo:8 nix-shell -p nix-info --run 'nix-info -m'
these paths will be fetched (69.40 MiB download, 417.33 MiB unpacked):
/nix/store/09j12aakz8bmrk4wkghp6k6f8zflcr-gnumake-4.2.1
/nix/store/1141f22hsyf9fq3425cv49p809b00-diffutils-3.6
/nix/store/3bn0819v7aghg0wx1i7f43zrlq9y9j4-readline-7.0p5
/nix/store/514kqhy9nyfby9yrcr7cbmdinph8br-gcc-7.3.0
/nix/store/5mlidi7y5albcd4i7121qch0q9zfdkz0-bash-interactive-4.4-p23-man
/nix/store/6nqk63zypz17ng87gx6rl189lxd11-gcc-7.3.0-lib
/nix/store/6v881ck1cxn5991m8qrqww01rlr27x-bash-4.4-p23
/nix/store/7zbrn4d4bp7mlyqvp6jhy70kxnxpkwxf-zlib-1.2.11
/nix/store/92gpnidymm60ds9f07jvn8926zx88gl-ed-1.14.2
/nix/store/98c80y9rp1qlwxc8q1fm4qsv494ajy8q-gnugrep-3.1
/nix/store/9xm9n09n0z92r9nlvbbxwqwxjnf60zd-paxctl-0.9
/nix/store/9z650yzczx5zyhcw5n3b6ya6x4jq436mr-gcc-wrapper-7.3.0
/nix/store/a8slaxaq3p8rxiqqbaasvghyxb0akb-acl-2.2.52
/nix/store/ach9z9x8lg89kpid73s4fjs0vzyg3g7-glibc-2.27-bin
/nix/store/agyh8vqg5q8fshda24fxwj2xv2bx4js-gnused-4.5
/nix/store/dkh9cmcyw1pcxv290md6dq4r74yzbhs-knutar-1.30
/nix/store/fai750p2q3gc7isqpl1psqzr138hsz81-bzip2-1.0.6.0.1-bin
/nix/store/fjxk3k59n102sq5572kksppjy303k45-stenv-linux
/nix/store/h29w516xj4mdj3r4x2rww4ydn0pvd0-gzip-1.9
/nix/store/nxs40gnr5441g0wggdfvgdm4z2rps1kv-glibc-2.27
/nix/store/14n918fn0wgyr5an523pfbdc57f9qzcglibc-2.27-dev
/nix/store/i7vcs4w6p65l172a12ysp5j31579wk3-patch-2.7.6
/nix/store/i9kl7g3rd3r7msl7rdsasrk58gslavl-linux-headers-4.15
/nix/store/j2clxf2rl9daldfwcp8ywgjxs9yxgmz-nurses-6.1
/nix/store/jicmavp9291lx0232ryl0za94rslxj0p-attr-2.4.47
/nix/store/jz7lnmjbyaqcpgf6vmlv3n20nln6h0g-gawk-4.2.1
/nix/store/ksvmi3fjv6j7qkswpn6qvrjygm2si336-bash-interactive-4.4-p23-doc
/nix/store/lxj4zas56kgzsr064jbd9085h74fy4-bash-interactive-4.4-p23-info
/nix/store/mdpwyfa0v419ravwr9dgcwq5i8firncs-expand-response-params
/nix/store/mzx4y6amjn7i638c6692qslazyzyx619-xz-5.2.4-bin
/nix/store/qcvvnr1ryrd4xm78nfh6vszya5fndflp-binutils-wrapper-2.30
/nix/store/qga70q7m5332d4gab8z004ajygf6fl-nix-info
/nix/store/qvw8f8g0d117L4wsj33s5lhlyjwz2an4-bzip2-1.0.6.0.1
/nix/store/rhczwaz7xk6d6q9z2h9yc0a27wx0nwg7c-coreutils-8.29
```

```
ubuntu-16-04-test-login /nix/store/sc4w9y5a3nszmmcy13yhm6w6wysg66iw-patchelf-0.9
ubuntu-16-04-test-login /nix/store/vp40my263xk32f07788srj59rycsna-binutils-2.30
ubuntu-16-04-test-login /nix/store/xadwdjcnmcd2lppsxfj00g9w6wsvnd-bash-interactive-4.4-p23-dev
ubuntu-16-04-test-login /nix/store/xd7y1v36sr9ix9a1x72syr2n0z9rix-pcre-8.42
ubuntu-16-04-test-login /nix/store/xzz2anv77hx8jziz4hbffv0wkw006d-bash-interactive-4.4-p23
ubuntu-16-04-test-login /nix/store/y8p41rl2w9p9swny2l5h517i57kvc5z3-findutils-4.6.0
ubuntu-16-04-test-login /nix/store/ykz2b66khh9vq5bn619721nadrp2ym-xz-5.2.4
ubuntu-16-04-test-login copying path /nix/store/lxj4zas56kqzsr064jbd908sh74wfy4-bash-interactive-4.4-p23-info' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/ksvmi3fjv6j7qksvnp6qrvjgm25i336-bash-interactive-4.4-p23-doc' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/5mldi7y5albcd41712lqch0qz9fndkz0-bash-interactive-4.4-p23-man' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/19k17g3dr3r7msl7rdsqsk58gslav1-linux-headers-4.15' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/hx54ggnr64gl0wggdfvgdm42r2bskv-glibc-2.27' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/jicmavp929l0x0232ryl0za94rrslxj0p-attr-2.4.47' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/92gpnndymm60sd9f07jvn89z6z88gl-ed-1.14.21' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/ach9z9x8l4mdj3r4x2rww4jydp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/h2r9w516xj4mdj3r4x2rww4jydp0vdd-gzip-1.9' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/6v881cklcnx599l8m9qrrgw0lrlr2x-bash-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/xd7y1v36sr9ix9a1x72syr2n0z9rix-pcre-8.42' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/qw08f8g0d1174w5j33551hlyjwz2an4-bzip2-1.0.6.0.1' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/gyh8vq598fshda24fwj2xv2bx4j5-gnused-4.5' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/9xm9n09n02929nlvbbkxgwjnf60d-paxctl-0.9' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/89jz2aakz28mhrk4kqghk6f8fz1cr-numake-4.2.1' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/6nqk63zypz177ng87x6rlz189lxd11-gcc-7.3.0-lib' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/jz1nmjbyaqcgf6vmlv3n20n6h0g-gawk-4.2.1' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/mdpwyfa07v419ravrdm9qz5i8firncs-expand-response-params' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/ykz2b66khh9vq5bn619721nadrp2ym-xz-5.2.4' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/2clxfbr2l9dadlwfcp9ywjx9yxgmz-ncurses-6.1' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/7zbrn4d4b7mlyqvp6jhy70kxnpwxf-zlib-1.2.11' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/17vcsw4p651b72a12y5p3j1579wdk3-patch-2.7.6' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/a8slaxaq3p8rxiqqbaaskvghyxb0ak-acl-2.2.52' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/98c80y9rplq1lwcx8glf4mqsv494jy8g-gnugrep-3.1' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/fai750p23gctisapilpsq2rl38hsz81-bzip2-1.0.6.0.1-bin' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/vp40my263xk32f07788srj59rycsna-binutils-2.30' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/mzx4y6amj71638c6692g31azyz619-xz-5.2.4-bin' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/dkH9cmvxp1pcx299mddq474y2bshk-gnutar-1.30' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/rhczvaz7k6dq9z2hlyca0z7w0nw7c-coreutils-8.29' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/c4w9y5a3nszmmcy13yhm6w6wysg66iw-patchelf-0.9' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/3bn0819v7aghh0w117f43zrl9y9jB4-readline-7.0p5' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/14n918fn0gwy9n523pfbdc57fpqz-glibc-2.27-dev' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/y8p41rl2w9p9swny2l5h517i57kvc5z3-findutils-4.6.0' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/1141f22hsyf9f9q3425cv49p8m9p80b-diffutils-3.6' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/5l4qhkya7fnybn9yrcr7cbmdinph8br-gcc-7.3.0' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/qcvnrlyrd4xm78nfhvcsyafndfl-binutils-wrapper-2.30' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/gqa70q7m5332d4gab8z0p004ajyg6flh-nix-info' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/9z650yccz5zyhcn536ya6x4q436mr-gcc-wrapper-7.3.0' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/xzz2anv77hx8jziz4hbffv0wkw006d-bash-interactive-4.4-p23' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/fjxk359n102sq5572kspdj30k345-stdev-linux' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login copying path /nix/store/xadwdjcnmcd2lppsxfj00g9w6wsvnd-bash-interactive-4.4-p23-dev' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login - system: "x86_64-linux"
ubuntu-16-04-test-login - host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
ubuntu-16-04-test-login - multi-user?: "yes"
ubuntu-16-04-test-login - sandbox: "no"
ubuntu-16-04-test-login - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-16-04-test-login - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-16-04-test-login - nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
ubuntu-16-04-test-login Finishing: testnixinfo, duration:29 result:0
ubuntu-16-04-test-login Starting: testshell
ubuntu-16-04-test-login ./testscript::runtest::39 testshell
ubuntu-16-04-test-login ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-16-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-16-04-test-login /nix/store/z87ns3bv8dzc7dnblv754i613ch8k10-hello-2.10
ubuntu-16-04-test-login copying path /nix/store/z87ns3bv8dzc7dnblv754i613ch8k10-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login Hello, world!
ubuntu-16-04-test-login Finishing: testshell, duration:1 result:0
ubuntu-16-04-test-login Starting: testnixenv
ubuntu-16-04-test-login ./testscript::runtest::39 testnixenv
ubuntu-16-04-test-login ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-login installing 'hello-2.10'
ubuntu-16-04-test-login building /nix/store/ximiibc4p9j9y05f5v29zcbxasm6kx-user-environment.drv'...
ubuntu-16-04-test-login created 2 symlinks in user environment
ubuntu-16-04-test-login ./testscript::testnixenv::17 hello
ubuntu-16-04-test-login Hello, world!
ubuntu-16-04-test-login ./testscript::testnixenv::18 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login uninstalling 'hello-2.10'
ubuntu-16-04-test-login building /nix/store/xsk9wjy0dpp7w7d3r3bkzaxkldz6q6-user-environment.drv'...
ubuntu-16-04-test-login created 0 symlinks in user environment
ubuntu-16-04-test-login Finishing: testnixenv, duration:1 result:0
ubuntu-16-04-test-login Starting: testnixchannel
ubuntu-16-04-test-login ./testscript::runtest::39 testnixchannel
ubuntu-16-04-test-login ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-login ./testscript::testnixchannel::23 nix-channel --update
ubuntu-16-04-test-login unpacking channels...
ubuntu-16-04-test-login created 2 symlinks in user environment
ubuntu-16-04-test-login ./testscript::testnixchannel::24 nix-env -iA nixos-18-03.hello
ubuntu-16-04-test-login installing 'hello-2.10'
ubuntu-16-04-test-login these paths will be fetched (0.04 MiB download, 0.19 MiB unpacked):
ubuntu-16-04-test-login /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10
ubuntu-16-04-test-login copying path /nix/store/nic2bl8ry6fyxr9717983d5b2l4snlc-hello-2.10' from 'https://cache.nixos.org'...
ubuntu-16-04-test-login building /nix/store/nhraq58nqv6hwzpm6z3vm971sh7a-user-environment.drv'...
ubuntu-16-04-test-login created 2 symlinks in user environment
ubuntu-16-04-test-login ./testscript::testnixchannel::25 hello
ubuntu-16-04-test-login Hello, world!
ubuntu-16-04-test-login ./testscript::testnixchannel::26 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login uninstalling 'hello-2.10'
ubuntu-16-04-test-login Finishing: testnixchannel, duration:10 result:0
ubuntu-16-04-test-login-in bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-16-04-test-login-in bash: no job control in this shell
ubuntu-16-04-test-login-in Starting: testnixinfo
ubuntu-16-04-test-login-in ./testscript::runtest::10 testnixinfo
ubuntu-16-04-test-login-in ./testscript::testnixinfo::5 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-login-in - system: "x86_64-linux"
ubuntu-16-04-test-login-in - host os: "Linux 4.4.0-134-generic, Ubuntu, 16.04.5 LTS (Xenial Xerus)"
ubuntu-16-04-test-login-in - multi-user?: "yes"
ubuntu-16-04-test-login-in - sandbox: "no"
ubuntu-16-04-test-login-in - version: "nix-env (Nix) 2.1pre6385_d16ff76c"
ubuntu-16-04-test-login-in - channels(root): "nixpkgs-18.09pre150352.7c826371c49"
ubuntu-16-04-test-login-in - channels(vagrant): "nixos-18-03-18.03.133174.edd63e05d1e"
ubuntu-16-04-test-login-in - nixpkgs: "/nix/var/nix/profiles/per-user/root/channels/nixpkgs"
ubuntu-16-04-test-login-in Finishing: testnixinfo, duration:5 result:0
ubuntu-16-04-test-login-in Starting: testshell
ubuntu-16-04-test-login-in ./testscript::runtest::10 testshell
ubuntu-16-04-test-login-in ./testscript::testshell::11 nix-shell -p hello --run hello
ubuntu-16-04-test-login-in Hello, world!
ubuntu-16-04-test-login-in Finishing: testshell, duration:1 result:0
ubuntu-16-04-test-login-in Starting: testnixenv
ubuntu-16-04-test-login-in ./testscript::runtest::10 testnixenv
ubuntu-16-04-test-login-in ./testscript::testnixenv::3 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-login-in installing 'hello-2.10'
ubuntu-16-04-test-login-in ./testscript::testnixenv::4 hello
ubuntu-16-04-test-login-in Hello, world!
ubuntu-16-04-test-login-in ./testscript::testnixenv::5 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login-in uninstalling 'hello-2.10'
ubuntu-16-04-test-login-in Finishing: testnixenv, duration:1 result:0
ubuntu-16-04-test-login-in Starting: testnixchannel
ubuntu-16-04-test-login-in ./testscript::runtest::10 testnixchannel
ubuntu-16-04-test-login-in ./testscript::testnixchannel::9 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-login-in ./testscript::testnixchannel::10 nix-channel --update
ubuntu-16-04-test-login-in unpacking channels...
```

```

ubuntu-16-04-test-login-interactive      ./testscript::testnixchannel::11 nix-env -iA nixos-18-03.hello
ubuntu-16-04-test-login-interactive      installing 'hello-2.10'
ubuntu-16-04-test-login-interactive      ./testscript::testnixchannel::12 hello
ubuntu-16-04-test-login-interactive      Hello, world!
ubuntu-16-04-test-login-interactive      ./testscript::testnixchannel::13 nix-env --uninstall 'hello.*'
ubuntu-16-04-test-login-interactive      uninstalling 'hello-2.10'
ubuntu-16-04-test-login-interactive      Finishing: testnixchannel, duration:1 result:0
ubuntu-16-04-test-interactive            bash: cannot set terminal process group (-1): Inappropriate ioctl for device
ubuntu-16-04-test-interactive            bash: no job control in this shell
ubuntu-16-04-test-interactive            Starting: testnixinfo
ubuntu-16-04-test-interactive            ./testscript::runtest::10 testnixinfo
ubuntu-16-04-test-interactive            ./testscript::testnixinfo::0 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-16-04-test-interactive            nix-shell: command not found
ubuntu-16-04-test-interactive            Finishing: testnixinfo, duration:1 result:1
ubuntu-16-04-test-interactive            Starting: testshell
ubuntu-16-04-test-interactive            ./testscript::runtest::10 testshell
ubuntu-16-04-test-interactive            ./testscript::testshell::4 nix-shell -p hello --run hello
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-shell
ubuntu-16-04-test-interactive            nix-shell: command not found
ubuntu-16-04-test-interactive            Finishing: testshell, duration:0 result:1
ubuntu-16-04-test-interactive            Starting: testnixenv
ubuntu-16-04-test-interactive            ./testscript::runtest::10 testnixenv
ubuntu-16-04-test-interactive            ./testscript::testnixenv::8 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-env
ubuntu-16-04-test-interactive            nix-env: command not found
ubuntu-16-04-test-interactive            Finishing: testnixenv, duration:0 result:1
ubuntu-16-04-test-interactive            Starting: testnixchannel
ubuntu-16-04-test-interactive            ./testscript::runtest::10 testnixchannel
ubuntu-16-04-test-interactive            ./testscript::testnixchannel::14 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:2 '[' -x /usr/lib/command-not-found ']
ubuntu-16-04-test-interactive            /etc/bash.bashrc::command_not_found_handle:3 /usr/lib/command-not-found -- nix-channel
ubuntu-16-04-test-interactive            nix-channel: command not found
ubuntu-16-04-test-interactive            Finishing: testnixchannel, duration:0 result:1
ubuntu-16-04-test-ssh                    Starting: testnixinfo
ubuntu-16-04-test-ssh                    ./testscript::runtest::39 testnixinfo
ubuntu-16-04-test-ssh                    ./testscript::testnixinfo::8 nix-shell -p nix-info --run 'nix-info -m'
ubuntu-16-04-test-ssh                    ./testscript: line 8: nix-shell: command not found
ubuntu-16-04-test-ssh                    Finishing: testnixinfo, duration:0 result:1
ubuntu-16-04-test-ssh                    Starting: testshell
ubuntu-16-04-test-ssh                    ./testscript::runtest::39 testshell
ubuntu-16-04-test-ssh                    ./testscript::testshell::12 nix-shell -p hello --run hello
ubuntu-16-04-test-ssh                    ./testscript: line 12: nix-shell: command not found
ubuntu-16-04-test-ssh                    Finishing: testshell, duration:0 result:1
ubuntu-16-04-test-ssh                    Starting: testnixenv
ubuntu-16-04-test-ssh                    ./testscript::runtest::39 testnixenv
ubuntu-16-04-test-ssh                    ./testscript::testnixenv::16 nix-env -iA nixpkgs.hello
ubuntu-16-04-test-ssh                    ./testscript: line 16: nix-env: command not found
ubuntu-16-04-test-ssh                    Finishing: testnixenv, duration:0 result:1
ubuntu-16-04-test-ssh                    Starting: testnixchannel
ubuntu-16-04-test-ssh                    ./testscript::runtest::39 testnixchannel
ubuntu-16-04-test-ssh                    ./testscript::testnixchannel::22 nix-channel --add https://nixos.org/channels/nixos-18.03 nixos-18-03
ubuntu-16-04-test-ssh                    ./testscript: line 22: nix-channel: command not found
ubuntu-16-04-test-ssh                    Finishing: testnixchannel, duration:0 result:1

```

[top of data](#)

install-force-daemon-ubuntu-16-04-install-method

install-force-daemon

[top of data](#)

install-force-daemon-ubuntu-16-04-image-name

ubuntu-16-04

[top of data](#)

install-force-daemon-ubuntu-17-10-image-name

ubuntu-17-10

[top of data](#)

install-force-daemon-ubuntu-17-10-install-method

install-force-daemon

[top of data](#)

install-force-daemon-ubuntu-17-10-Vagrantfile

```

Vagrant.configure("2") do |config|
  config.vm.box = "ubuntu/artful64"
  config.vm.provision "shell", inline: <<-SHELL
apt-get update
apt-get install -y curl

SHELL
config.vm.synced_folder ".", "/vagrant", disabled: true
config.vm.box_check_update = false
config.vm.provider "virtualbox" do |vb|
  vb.memory = "2048"

  # for macos:
  vb.customize ["modifyvm", :id, "--usb", "off"]
  vb.customize ["modifyvm", :id, "--usbhci", "off"]
end
end

```

[top of data](#)

install-force-daemon-ubuntu-17-10-run-log

```

Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/artful64'...

[KProgress: 10%
[KProgress: 90%
[K=> default: Matching MAC address for NAT networking...
==> default: Setting the name of the VM: tmp2yUWLMY0y2_default_1535664540190_96412
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...

```

