AI DIABETES PREDICTION SYSTEM

NAME: NIYA E

REG NO:720421104038

INTRODUCTION:

K-Nearest Neighbours (KNN) is a popular machine learning algorithm used for classification and regression tasks. It is a **lazy learning**, non-parametric algorithm that uses data with several classes to predict the classification of the new sample point. KNN is non-parametric since it doesn't make any assumptions on the data being studied.

During the training phase, the KNN algorithm stores the entire training dataset as a reference. When implementing an algorithm, you will always need a data set. So, you start by loading the training and the test data. Then, you choose the nearest data points (the value of K). K can be any integer.

The working of KNN Algorithm in Machine Learning can be summarized in three steps:

- 1. Load the data
- 2. Choose the nearest data points (the value of K)
- 3. Do the following, for each test data
 - o Calculate the distance between test data and each row of training data
 - Sort the calculated distances in ascending order based on distance values
 - o Get top K rows from sorted array
 - o Get the most frequent class of these rows
 - o Return this class as output.

PROCESS:

import pandas as pd

import numpy as np

```
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import StandardScaler
from sklearn.neighbors import KNeighborsClassifier
from sklearn.metrics import confusion_matrix
from sklearn.metrics import f1_score
from sklearn.metrics import accuracy_score
dataset=pd.read_csv("/kaggle/input/diabetes-data-set/diabetes.csv")
print(len(dataset))
print(dataset.head())
OUTPUT:
768
 Pregnancies Glucose BloodPressure SkinThickness Insulin BMI \
           148
                    72
                             35
                                   0 33.6
                             29
           85
                    66
                                   0 26.6
2
       8
           183
                    64
                             0
                                   0 23.3
3
           89
                    66
                             23
                                  94 28.1
       1
           137
                    40
                             35
                                  168 43.1
 DiabetesPedigreeFunction Age Outcome
           0.627 50
           0.351 31
                       0
1
2
           0.672 32
                       1
3
           0.167 21
                       0
4
           2.288 33
nonzero=['Glucose','BloodPressure','SkinThickness','Insulin','BMI']
for col in nonzero:
  dataset[col]=dataset[col].replace(0,np.NaN)
  mean=int(dataset[col].mean(skipna=True))
  dataset[col]=dataset[col].replace(np.NaN,mean)
```

print(dataset['Glucose'])

OUTPUT:

```
0 148.0

1 85.0

2 183.0

3 89.0

4 137.0

...

763 101.0

764 122.0

765 121.0

766 126.0

767 93.0

Name: Glucose, Length: 768, dtype: float64
```

```
x=dataset.iloc[:,0:8]
y=dataset.iloc[:,8]
x_train,x_test,y_train,y_test=train_test_split(x,y,random_state=1,test_size=0.3)
sc=StandardScaler()
x_train=sc.fit_transform(x_train)
x_test=sc.transform(x_test)
classifier=KNeighborsClassifier(n_neighbors=15,p=2,metric='euclidean')
model=classifier.fit(x_train,y_train)
yp=classifier.predict(x_test)
yp
```

OUTPUT:

CM=confusion_matrix(y_test,yp)

print(CM)

OUTPUT:

[[133 13] [34 51]]

print("F-Score: ",(f1_score(y_test,yp)))

OUTPUT:

F-Score: 0.6845637583892616

CONCLUSION:

The AI prediction system using the KNN algorithm has shown promise in making accurate predictions. While it has its strengths, we acknowledge its limitations and recommend further research and improvements to maximize its potential. The system has the potential to contribute to data-driven decision-making and add value in real-world applications.