

# lando-wsl2-for-drupal

---

Local developement environment for Drupal 9 based on Lando and WSL2.

Project is based on this [article](#).

## Requirements

- [WSL2](#)
- [Ubuntu](#)
- [Docker](#)
- [Lando](#)

Here is [article](#) how to setup Lando inside WSL2 Ubuntu

## Drupal 9 installation

Go to *docroot* directory and install Drupal 9 using composer

```
$ lando start  
$ lando composer create-project drupal/recommended-project ./
```

## Module instalation

Go to *docroot* directory and

```
$ lando composer require drupal/module_name
```

e.g. `lando composer require drupal/admin_toolbar`

## Drush installation

To install drush run command

```
$ lando drush-install
```

## Drush

To use drush run command

```
$ lando drush your_command
```

# PHP Code Sniffer and PHP Code Beautifier and Fixer for VS Code

## Requirements:

- php >= 7.0.8
- php extension *mbstring*
- Composer v2
- Composer packages:
  - squizlabs/php\_codesniffer
  - drupal/coder
  - dealerdirect/phpcodesniffer-composer-installer
- [phpcs](#) extension for VS Code,
- [PHP Sniffer & Beautifier](#) extension for VS Code.

First install phpcs executable and Drupal standard globally

```
$ composer global require squizlabs/php_codesniffer drupal/coder
dealerdirect/phpcodesniffer-composer-installer
```

Then add Drupal standard to phpcs

```
$ cd ~/.composer/vendor
$ bin/phpcs --config-set installed_paths drupal/coder/coder_sniffer/
```

Then install VS Code extensions. In `.vscode` directory in project edit `settings.json`, lines:

- `phpcs.executablePath`
- `phpsab.executablePathCBF`
- `phpsab.executablePathCS`

and change `{username}` to your username in WSL.

## Twig Code Sniffer

### Requirements:

- php >= 7.0.8
- Composer v2
- Composer package: friendsoftwig/twigcs

First install twigcs executable

```
$ composer global require friendsoftwig/twigcs
```

Then install VS Code extension. In `.vscode` directory in project edit `settings.json`, line `twigcs.executablePath` and change `{username}` to your username in WSL.

## Commands

- Start / build lando

```
$ lando start
```

- Stop lando

```
$ lando stop
```

- Rebuild lando app

```
$ lando rebuild
```

- Destroy app (containers, database, NOT FILES!)

```
$ lando destroy
```

- Import database

```
$ lando db-import path/to/file.sql
```

- Connect to container's shell

```
$ lando ssh
```

- Enable xdebug

```
$ lando xdebug-on
```

- Disable xdebug

```
$ lando xdebug-off
```

