

# Semantic Similarity Report

Generated on: 2025-12-08 10:49:30

## SPATIO-TEMPORAL TRANSFORMER TO SUPPORT AUTOMATIC SIGN LANGUAGE

Sign Language Translation (SLT) systems support hearing-impaired people communication by finding equivalences between signed and spoken languages. [59]

This task is however challenging due to multiple sign variations, complexity in language and inherent richness of expressions. [21]

Computational approaches have evidenced capabilities to support SLT. [59]

Nonetheless, these approaches remain limited to cover gestures variability and support long sequence translations. [84]

This paper introduces a Transformer-based architecture that encodes spatio-temporal motion gestures, preserving both local and long-range spatial information through the use of multiple convolutional and attention mechanisms. [84]

The proposed approach was validated on the Colombian Sign Language Translation Dataset (CoL-SLTD) outperforming baseline approaches, and achieving a BLEU4 of 46.84%. [66]

Additionally, the proposed approach was validated on the RWTH-PHOENIX-Weather-2014T (PHOENIX14T), achieving a BLEU4 score of 30.77%, demonstrating its robustness and effectiveness in handling real-world variations. [84]

Index Terms— sign language translation, encoder-decoder, convolutional feature maps, transformer. [7]

1. [27]

**INTRODUCTION** Sign language is the main alternative of communication for approximately 466 million hearing-impaired individuals worldwide [1]. [61]

However, effective communication even among deaf people can be challenging due to the various cultural, regional, and socio-linguistic differences in sign language. [2]

Moreover, communication with the rest of society is severely limited due to the lack of knowledge of sign languages, creating a significant obstacle to full immersion of deaf people in daily activities. [2]

Hence, translation support alternatives are crucial to facilitate communication among hearing-impaired individuals and the rest of society [2]. [61]

Sign languages are complex visual languages that involve spatio-temporal parameters present in the articulation of signs such as motion, position, hand-shape and orientation as well as non-manual components corresponding to mouth and eyebrow shapes [3]. [55]

As a consequence, modeling, characterizing, and developing computational methods that can handle a continuous sign language translation remains a challenging task. [79]

Currently, state-of-the-art approaches for sign language translation are mostly based on sequence-to-sequence models with encoder-decoder architectures [4]. [42]

These approaches are typically built on recurrent neural networks (RNN), which can limit the network's ability to identify long-range spatial dependencies inherent in sign language [5, 6]. [41]

To address these challenges, more advanced approaches such as Transformers have been proposed to capture long temporal dependencies in sign language translation, considering multiple attention mechanism to weight importance to key gestures in a communication [7]. [42]

Current SLT Transformers, however, lose spatio-temporal information given by sign gestures, as they typically use flattened input representations, which may result in the loss of significant information in sign communication. [59]

Also, during language communication, motion information is relevant to bring additional contextual information, and therefore, new schemes require the exploitation of spatio-temporal gestural pose estimation, as well as motion kinematic primitives. [84]

The main contribution of this work is a Transformer-based architecture that takes in a more suitable spatial representation of sign gestures to encode both local and long range spatial dependencies. [84]

To achieve this, we enhance the encoding strategy by creating a better input representation which consists of first taking optical-flow images which helps the network focus on motion kinematic patterns and extract from these two-dimensional (2D)

# Semantic Similarity Report

Generated on: 2025-12-08 10:49:30

representations of convolutional feature maps in order to preserve relevant local spatial information present in gestures. [4]

We explore the application of 2D positional encodings to handle 2D data. [98]

Additionally, we include a 2D self-attention mechanism that takes the previously extracted feature maps and calculates a pixel-wise attention to better highlight long range dependencies while acting as a complement to convolutions. [59]

Our proposed approach has therefore the capability to detect variations related to both manual and non-manual articulators while trained using a sequence-to-sequence scheme. [55]

arXiv:2502.02587v1 [cs.CL] 4 Feb 2025 [21]

## Sources of Similar Content

- [1] [Similarity: 43%] V-STaR: Benchmarking Video-LLMs on Video Spatio-Temporal Reasoning  
(Source: <https://arxiv.org/pdf/2503.11495v1>)
- [2] [Similarity: 79%] Scaling up Multimodal Pre-training for Sign Language Understanding  
(Source: <https://arxiv.org/pdf/2408.08544v1>)
- [3] [Similarity: 51%] ASTER: Adaptive Spatio-Temporal Early Decision Model for Dynamic Resource Allocation  
(Source: <https://arxiv.org/pdf/2506.17929v1>)
- [4] [Similarity: 64%] 3D-LEX v1.0: 3D Lexicons for American Sign Language and Sign Language of the Netherlands  
(Source: <https://arxiv.org/pdf/2409.01901v1>)
- [5] [Similarity: 78%] Training Strategies for Isolated Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2412.11553v2>)
- [6] [Similarity: 44%] Deeply Semantic Inductive Spatio-Temporal Learning  
(Source: <https://arxiv.org/pdf/1608.02693v1>)
- [7] [Similarity: 72%] A Spatio-Temporal Representation Learning as an Alternative to Traditional Glosses in Sign Language Translation and Production  
(Source: <https://arxiv.org/pdf/2407.02854v2>)
- [8] [Similarity: 67%] The Importance of Facial Features in Vision-based Sign Language Recognition: Eyes, Mouth or Full Face?  
(Source: <https://arxiv.org/pdf/2507.20884v2>)
- [9] [Similarity: 69%] Spatio-temporal Sign Language Representation and Translation  
(Source: <https://arxiv.org/pdf/2510.19413v1>)
- [10] [Similarity: 66%] Bukva: Russian Sign Language Alphabet  
(Source: <https://arxiv.org/pdf/2410.08675v1>)
- [11] [Similarity: 54%] Grounding Spatio-Temporal Language with Transformers  
(Source: <https://arxiv.org/pdf/2106.08858v2>)
- [12] [Similarity: 69%] AutoSign: Direct Pose-to-Text Translation for Continuous Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2507.19840v1>)
- [13] [Similarity: 43%] OST-Bench: Evaluating the Capabilities of MLLMs in Online Spatio-temporal Scene Understanding  
(Source: <https://arxiv.org/pdf/2507.07984v2>)
- [14] [Similarity: 65%] Slovo: Russian Sign Language Dataset  
(Source: <https://arxiv.org/pdf/2305.14527v3>)
- [15] [Similarity: 64%] Exploiting Ensemble Learning for Cross-View Isolated Sign Language Recognition

# Semantic Similarity Report

Generated on: 2025-12-08 10:49:30

(Source: <https://arxiv.org/pdf/2502.02196v1>)

-  [16] [Similarity: 49%] Stecformer: Spatio-temporal Encoding Cascaded Transformer for Multivariate Long-term Time Series Forecasting  
(Source: <https://arxiv.org/pdf/2305.16370v1>)
-  [17] [Similarity: 43%] SpoT-Mamba: Learning Long-Range Dependency on Spatio-Temporal Graphs with Selective State Spaces  
(Source: <https://arxiv.org/pdf/2406.11244v1>)
-  [18] [Similarity: 68%] A hybrid formalism to parse Sign Languages  
(Source: <https://arxiv.org/pdf/1403.4467v2>)
-  [19] [Similarity: 74%] Toward a Motor Theory of Sign Language Perception  
(Source: <https://arxiv.org/pdf/1201.1652v1>)
-  [20] [Similarity: 38%] Part of Speech Tagging in Thai Language Using Support Vector Machine  
(Source: <https://arxiv.org/pdf/cs/0112004v1>)
-  [21] [Similarity: 78%] Skeleton Aware Multi-modal Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2103.08833v5>)
-  [22] [Similarity: 63%] ChaLearn LAP Large Scale Signer Independent Isolated Sign Language Recognition Challenge: Design, Results and Future Research  
(Source: <https://arxiv.org/pdf/2105.05066v1>)
-  [23] [Similarity: 39%] How do language models learn facts? Dynamics, curricula and hallucinations  
(Source: <https://arxiv.org/pdf/2503.21676v2>)
-  [24] [Similarity: 38%] A fast approach for analyzing spatio-temporal patterns in ischemic heart disease mortality across US counties (1999-2021)  
(Source: <https://arxiv.org/pdf/2411.14849v1>)
-  [25] [Similarity: 33%] COOLIO: A Language Support Extension for the Classroom Object Oriented Language  
(Source: <https://arxiv.org/pdf/2302.04926v1>)
-  [26] [Similarity: 73%] Contrastive Pretraining with Dual Visual Encoders for Gloss-Free Sign Language Translation  
(Source: <https://arxiv.org/pdf/2507.10306v1>)
-  [27] [Similarity: 37%] A Review of Bangla Natural Language Processing Tasks and the Utility of Transformer Models  
(Source: <https://arxiv.org/pdf/2107.03844v3>)
-  [28] [Similarity: 69%] Semantic Network Model for Sign Language Comprehension  
(Source: <https://arxiv.org/pdf/2301.11709v1>)
-  [29] [Similarity: 67%] Towards Skeletal and Signer Noise Reduction in Sign Language Production via Quaternion-Based Pose Encoding and Contrastive Learning  
(Source: <https://arxiv.org/pdf/2508.14574v1>)
-  [30] [Similarity: 33%] Deep Transfer Learning & Beyond: Transformer Language Models in Information Systems Research  
(Source: <https://arxiv.org/pdf/2110.08975v2>)
-  [31] [Similarity: 33%] Gaussian Random Functional Dynamic Spatio-Temporal Modeling of Discrete Time Spatial Time Series Data  
(Source: <https://arxiv.org/pdf/1405.6531v3>)
-  [32] [Similarity: 66%] Statistical and Spatio-temporal Hand Gesture Features for Sign Language Recognition using the Leap Motion Sensor  
(Source: <https://arxiv.org/pdf/2202.11005v1>)
-  [33] [Similarity: 46%] UrbanGPT: Spatio-Temporal Large Language Models  
(Source: <https://arxiv.org/pdf/2403.00813v3>)

# Semantic Similarity Report

Generated on: 2025-12-08 10:49:30

-  [34] [Similarity: 40%] Discriminating Similar Languages: Evaluations and Explorations  
(Source: <https://arxiv.org/pdf/1610.00031v1>)
-  [35] [Similarity: 57%] Video-Language Alignment via Spatio-Temporal Graph Transformer  
(Source: <https://arxiv.org/pdf/2407.11677v2>)
-  [36] [Similarity: 44%] Spatio-Temporal Linkage over Location Enhanced Services  
(Source: <https://arxiv.org/pdf/1801.04101v1>)
-  [37] [Similarity: 31%] Annotating Cognates and Etymological Origin in Turkic Languages  
(Source: <https://arxiv.org/pdf/1501.03191v1>)
-  [38] [Similarity: 44%] Comprehending Spatio-temporal Data via Cinematic Storytelling using Large Language Models  
(Source: <https://arxiv.org/pdf/2510.17301v1>)
-  [39] [Similarity: 59%] Towards Large-Scale Data Mining for Data-Driven Analysis of Sign Languages  
(Source: <https://arxiv.org/pdf/2006.02120v1>)
-  [40] [Similarity: 74%] Sign Language Transformers: Joint End-to-end Sign Language Recognition and Translation  
(Source: <https://arxiv.org/pdf/2003.13830v1>)
-  [41] [Similarity: 74%] Stack Transformer Based Spatial-Temporal Attention Model for Dynamic Sign Language and Fingerspelling Recognition  
(Source: <https://arxiv.org/pdf/2503.16855v2>)
-  [42] [Similarity: 80%] American Sign Language to Text Translation using Transformer and Seq2Seq with LSTM  
(Source: <https://arxiv.org/pdf/2409.10874v1>)
-  [43] [Similarity: 56%] Shifted Chunk Transformer for Spatio-Temporal Representational Learning  
(Source: <https://arxiv.org/pdf/2108.11575v5>)
-  [44] [Similarity: 40%] Adversarial Transformer Language Models for Contextual Commonsense Inference  
(Source: <https://arxiv.org/pdf/2302.05406v1>)
-  [45] [Similarity: 50%] A Survey on Transformer Compression  
(Source: <https://arxiv.org/pdf/2402.05964v2>)
-  [46] [Similarity: 39%] Unforgettable Generalization in Language Models  
(Source: <https://arxiv.org/pdf/2409.02228v1>)
-  [47] [Similarity: 39%] Modeling Language Change in Historical Corpora: The Case of Portuguese  
(Source: <https://arxiv.org/pdf/1610.00030v1>)
-  [48] [Similarity: 64%] Progressive Transformers for End-to-End Sign Language Production  
(Source: <https://arxiv.org/pdf/2004.14874v2>)
-  [49] [Similarity: 37%] Synthetic Datasets for Machine Learning on Spatio-Temporal Graphs using PDEs  
(Source: <https://arxiv.org/pdf/2502.04140v2>)
-  [50] [Similarity: 35%] Clinical information extraction for Low-resource languages with Few-shot learning using Pre-trained language models and Prompting  
(Source: <https://arxiv.org/pdf/2403.13369v2>)
-  [51] [Similarity: 39%] Turkish Native Language Identification V2  
(Source: <https://arxiv.org/pdf/2307.14850v6>)
-  [52] [Similarity: 38%] Scaling Native Language Identification with Transformer Adapters  
(Source: <https://arxiv.org/pdf/2211.10117v1>)

# Semantic Similarity Report

Generated on: 2025-12-08 10:49:30

-  [53] [Similarity: 43%] STBench: Assessing the Ability of Large Language Models in Spatio-Temporal Analysis  
(Source: <https://arxiv.org/pdf/2406.19065v1>)
-  [54] [Similarity: 44%] A Comprehensive Review of State-of-The-Art Methods for Java Code Generation from Natural Language Text  
(Source: <https://arxiv.org/pdf/2306.06371v1>)
-  [55] [Similarity: 85%] SignBLEU: Automatic Evaluation of Multi-channel Sign Language Translation  
(Source: <https://arxiv.org/pdf/2406.06648v1>)
-  [56] [Similarity: 73%] A Data-Driven Representation for Sign Language Production  
(Source: <https://arxiv.org/pdf/2404.11499v1>)
-  [57] [Similarity: 43%] An Overview of Indian Spoken Language Recognition from Machine Learning Perspective  
(Source: <https://arxiv.org/pdf/2212.03812v1>)
-  [58] [Similarity: 62%] Automatic dense annotation of large-vocabulary sign language videos  
(Source: <https://arxiv.org/pdf/2208.02802v1>)
-  [59] [Similarity: 81%] Sign Language Translation with Hierarchical Spatio-Temporal Graph Neural Network  
(Source: <https://arxiv.org/pdf/2111.07258v1>)
-  [60] [Similarity: 46%] End-to-End Spoken Language Understanding: Performance analyses of a voice command task in a low resource setting  
(Source: <https://arxiv.org/pdf/2207.08179v1>)
-  [61] [Similarity: 79%] Continuous Saudi Sign Language Recognition: A Vision Transformer Approach  
(Source: <https://arxiv.org/pdf/2509.03467v1>)
-  [62] [Similarity: 68%] GLoT: A Novel Gated-Logarithmic Transformer for Efficient Sign Language Translation  
(Source: <https://arxiv.org/pdf/2502.12223v1>)
-  [63] [Similarity: 43%] Bringing order into the realm of Transformer-based language models for artificial intelligence and law  
(Source: <https://arxiv.org/pdf/2308.05502v2>)
-  [64] [Similarity: 50%] Spatio-Temporal Motion Retargeting for Quadruped Robots  
(Source: <https://arxiv.org/pdf/2404.11557v3>)
-  [65] [Similarity: 34%] An Automated Multiple-Choice Question Generation Using Natural Language Processing Techniques  
(Source: <https://arxiv.org/pdf/2103.14757v1>)
-  [66] [Similarity: 73%] Better Sign Language Translation with STMC-Transformer  
(Source: <https://arxiv.org/pdf/2004.00588v2>)
-  [67] [Similarity: 48%] Spatio-Temporal Graph Scattering Transform  
(Source: <https://arxiv.org/pdf/2012.03363v3>)
-  [68] [Similarity: 52%] Distributed Sign Momentum with Local Steps for Training Transformers  
(Source: <https://arxiv.org/pdf/2411.17866v2>)
-  [69] [Similarity: 70%] Spotter+GPT: Turning Sign Spottings into Sentences with LLMs  
(Source: <https://arxiv.org/pdf/2403.10434v3>)
-  [70] [Similarity: 32%] Spatio-Temporal Differential Dynamic Programming for Control of Fields  
(Source: <https://arxiv.org/pdf/2104.04044v1>)
-  [71] [Similarity: 38%] Time, Tense and Aspect in Natural Language Database Interfaces  
(Source: <https://arxiv.org/pdf/cmp-lg/9803002v1>)
-  [72] [Similarity: 60%] Spatio-Temporal Transformer-Based Reinforcement Learning for Robot Crowd Navigation  
(Source: <https://arxiv.org/pdf/2305.16612v2>)

# Semantic Similarity Report


Generated on: 2025-12-08 10:49:30


-  [73] [Similarity: 72%] iLSU-T: an Open Dataset for Uruguayan Sign Language Translation  
(Source: <https://arxiv.org/pdf/2507.21104v1>)
-  [74] [Similarity: 34%] TNT-KID: Transformer-based Neural Tagger for Keyword Identification  
(Source: <https://arxiv.org/pdf/2003.09166v3>)
-  [75] [Similarity: 37%] Qualitative and Quantitative Monitoring of Spatio-Temporal Properties with SSTL  
(Source: <https://arxiv.org/pdf/1706.09334v4>)
-  [76] [Similarity: 41%] Are Compressed Language Models Less Subgroup Robust?  
(Source: <https://arxiv.org/pdf/2403.17811v1>)
-  [77] [Similarity: 46%] Large Language Models and Multimodal Retrieval for Visual Word Sense Disambiguation  
(Source: <https://arxiv.org/pdf/2310.14025v1>)
-  [78] [Similarity: 33%] Spatio-Temporal Change of Support Modeling with R  
(Source: <https://arxiv.org/pdf/1904.12092v3>)
-  [79] [Similarity: 75%] Neural Sign Actors: A diffusion model for 3D sign language production from text  
(Source: <https://arxiv.org/pdf/2312.02702v2>)
-  [80] [Similarity: 38%] Effects of Language Modeling on Speech-driven Question Answering  
(Source: <https://arxiv.org/pdf/cs/0407028v1>)
-  [81] [Similarity: 37%] How Important Is Tokenization in French Medical Masked Language Models?  
(Source: <https://arxiv.org/pdf/2402.15010v2>)
-  [82] [Similarity: 34%] GANCoder: An Automatic Natural Language-to-Programming Language Translation Approach based on GAN  
(Source: <https://arxiv.org/pdf/1912.00609v1>)
-  [83] [Similarity: 42%] RePST: Language Model Empowered Spatio-Temporal Forecasting via Semantic-Oriented Reprogramming  
(Source: <https://arxiv.org/pdf/2408.14505v3>)
-  [84] [Similarity: 79%] A multitask transformer to sign language translation using motion gesture primitives  
(Source: <https://arxiv.org/pdf/2503.19668v1>)
-  [85] [Similarity: 43%] Fotheidil: an Automatic Transcription System for the Irish Language  
(Source: <https://arxiv.org/pdf/2501.00509v1>)
-  [86] [Similarity: 67%] Resource production of written forms of Sign Languages by a user-centered editor, SWift (SignWriting improved fast transcriber)  
(Source: <https://arxiv.org/pdf/1911.09919v1>)
-  [87] [Similarity: 45%] SpeechPrompt: Prompting Speech Language Models for Speech Processing Tasks  
(Source: <https://arxiv.org/pdf/2408.13040v1>)
-  [88] [Similarity: 51%] Navigating Spatio-Temporal Heterogeneity: A Graph Transformer Approach for Traffic Forecasting  
(Source: <https://arxiv.org/pdf/2408.10822v2>)
-  [89] [Similarity: 53%] STAR-Transformer: A Spatio-temporal Cross Attention Transformer for Human Action Recognition  
(Source: <https://arxiv.org/pdf/2210.07503v1>)
-  [90] [Similarity: 53%] S2TNet: Spatio-Temporal Transformer Networks for Trajectory Prediction in Autonomous Driving  
(Source: <https://arxiv.org/pdf/2206.10902v1>)
-  [91] [Similarity: 68%] SignAttention: On the Interpretability of Transformer Models for Sign Language Translation  
(Source: <https://arxiv.org/pdf/2410.14506v1>)
-  [92] [Similarity: 51%] STAEformer: Spatio-Temporal Adaptive Embedding Makes Vanilla Transformer SOTA for Traffic Forecasting


# Semantic Similarity Report


Generated on: 2025-12-08 10:49:30


(Source: <https://arxiv.org/pdf/2308.10425v5>)


 [93] [Similarity: 50%] Enhancing Video-Language Representations with Structural Spatio-Temporal Alignment  
(Source: <https://arxiv.org/pdf/2406.19255v1>)


 [94] [Similarity: 59%] Implementation of an Automatic Sign Language Lexical Annotation Framework based on Propositional Dynamic Logic  
(Source: <https://arxiv.org/pdf/1403.6392v2>)

 [95] [Similarity: 56%] Spatio-Temporal Graph Transformer Networks for Pedestrian Trajectory Prediction  
(Source: <https://arxiv.org/pdf/2005.08514v2>)

 [96] [Similarity: 59%] Do predictability factors towards signing avatars hold across cultures?  
(Source: <https://arxiv.org/pdf/2307.02103v3>)

 [97] [Similarity: 44%] Ad Text Classification with Transformer-Based Natural Language Processing Methods  
(Source: <https://arxiv.org/pdf/2106.10899v2>)

 [98] [Similarity: 59%] Diagnostic Spatio-temporal Transformer with Faithful Encoding  
(Source: <https://arxiv.org/pdf/2305.17149v1>)

 [99] [Similarity: 49%] PASTS: Progress-Aware Spatio-Temporal Transformer Speaker For Vision-and-Language Navigation  
(Source: <https://arxiv.org/pdf/2305.11918v1>)