

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

## SPATIO-TEMPORAL TRANSFORMER TO SUPPORT AUTOMATIC SIGN LANGUAGE

Sign Language Translation (SLT) systems support hearing-impaired people communication by finding equivalences between signed and spoken languages. [1]

This task is however challenging due to multiple sign variations, complexity in language and inherent richness of expressions. [4]

Computational approaches have evidenced capabilities to support SLT. [25]

Nonetheless, these approaches remain limited to cover gestures variability and support long sequence translations. [20]

This paper introduces a Transformer-based architecture that encodes spatio-temporal motion gestures, preserving both local and long-range spatial information through the use of multiple convolutional and attention mechanisms. [12]

The proposed approach was validated on the Colombian Sign Language Translation Dataset (CoL-SLTD) outperforming baseline approaches, and achieving a BLEU4 of 46.84%. [6]

Additionally, the proposed approach was validated on the RWTH-PHOENIX-Weather-2014T (PHOENIX14T), achieving a BLEU4 score of 30.77%, demonstrating its robustness and effectiveness in handling real-world variations. [6]

Index Terms— sign language translation, encoder-decoder, convolutional feature maps, transformer. [17]

1.

**INTRODUCTION** Sign language is the main alternative of communication for approximately 466 million hearing-impaired individuals worldwide [1]. [3]

However, effective communication even among deaf people can be challenging due to the various cultural, regional, and socio-linguistic differences in sign language. [3]

Moreover, communication with the rest of society is severely limited due to the lack of knowledge of sign languages, creating a significant obstacle to full immersion of deaf people in daily activities. [6]

Hence, translation support alternatives are crucial to facilitate communication among hearing-impaired individuals and the rest of society [2]. [1]

Sign languages are complex visual languages that involve spatio-temporal parameters present in the articulation of signs such as motion, position, hand-shape and orientation as well as non-manual components corresponding to mouth and eyebrow shapes [3]. [2]

As a consequence, modeling, characterizing, and developing computational methods that can handle a continuous sign language translation remains a challenging task. [28]

Currently, state-of-the-art approaches for sign language translation are mostly based on sequence-to-sequence models with encoder-decoder architectures [4]. [33]

These approaches are typically built on recurrent neural networks (RNN), which can limit the network's ability to identify long-range spatial dependencies inherent in sign language [5, 6]. [11]

To address these challenges, more advanced approaches such as Transformers have been proposed to capture long temporal dependencies in sign language translation, considering multiple attention mechanism to weight importance to key gestures in a communication [7]. [24]

Current SLT Transformers, however, lose spatio-temporal information given by sign gestures, as they typically use flattened input representations, which may result in the loss of significant information in sign communication. [28]

Also, during language communication, motion information is relevant to bring additional contextual information, and therefore, new schemes require the exploitation of spatio-temporal gestural pose estimation, as well as motion kinematic primitives. [6]

The main contribution of this work is a Transformer-based architecture that takes in a more suitable spatial representation of sign gestures to encode both local and long range spatial dependencies. [6]

To achieve this, we enhance the encoding strategy by creating a better input representation which consists of first taking optical-flow images which helps the network focus on motion kinematic patterns and extract from these two-dimensional (2D)

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

representations of convolutional feature maps in order to preserve relevant local spatial information present in gestures. [15]

We explore the application of 2D positional encodings to handle 2D data. [26]

Additionally, we include a 2D self-attention mechanism that takes the previously extracted feature maps and calculates a pixel-wise attention to better highlight long range dependencies while acting as a complement to convolutions. [15]

Our proposed approach has therefore the capability to detect variations related to both manual and non-manual articulators while trained using a sequence-to-sequence scheme. [13]

arXiv:2502.02587v1 [cs.CL] 4 Feb 2025

## Sources of Similar Content

- [1] [Similarity: 93%] Sign Language Translation with Hierarchical Spatio-Temporal Graph Neural Network  
(Source: <https://arxiv.org/pdf/2111.07258v1>)
- [2] [Similarity: 93%] SignBLEU: Automatic Evaluation of Multi-channel Sign Language Translation  
(Source: <https://arxiv.org/pdf/2406.06648v1>)
- [3] [Similarity: 92%] American Sign Language to Text Translation using Transformer and Seq2Seq with LSTM  
(Source: <https://arxiv.org/pdf/2409.10874v1>)
- [4] [Similarity: 91%] Skeleton Aware Multi-modal Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2103.08833v5>)
- [5] [Similarity: 90%] Scaling up Multimodal Pre-training for Sign Language Understanding  
(Source: <https://arxiv.org/pdf/2408.08544v1>)
- [6] [Similarity: 89%] A multitask transformer to sign language translation using motion gesture primitives  
(Source: <https://arxiv.org/pdf/2503.19668v1>)
- [7] [Similarity: 89%] Stack Transformer Based Spatial-Temporal Attention Model for Dynamic Sign Language and Fingerspelling Recognition  
(Source: <https://arxiv.org/pdf/2503.16855v2>)
- [8] [Similarity: 89%] Neural Sign Actors: A diffusion model for 3D sign language production from text  
(Source: <https://arxiv.org/pdf/2312.02702v2>)
- [9] [Similarity: 89%] AutoSign: Direct Pose-to-Text Translation for Continuous Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2507.19840v1>)
- [10] [Similarity: 89%] Bukva: Russian Sign Language Alphabet  
(Source: <https://arxiv.org/pdf/2410.08675v1>)
- [11] [Similarity: 88%] Training Strategies for Isolated Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2412.11553v2>)
- [12] [Similarity: 88%] Spatio-Temporal Transformer-Based Reinforcement Learning for Robot Crowd Navigation  
(Source: <https://arxiv.org/pdf/2305.16612v2>)
- [13] [Similarity: 88%] Continuous Saudi Sign Language Recognition: A Vision Transformer Approach  
(Source: <https://arxiv.org/pdf/2509.03467v1>)
- [14] [Similarity: 88%] Contrastive Pretraining with Dual Visual Encoders for Gloss-Free Sign Language Translation  
(Source: <https://arxiv.org/pdf/2507.10306v1>)
- [15] [Similarity: 88%] Video-Language Alignment via Spatio-Temporal Graph Transformer

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

(Source: <https://arxiv.org/pdf/2407.11677v2>)

[16] [Similarity: 87%] Sign Language Transformers: Joint End-to-end Sign Language Recognition and Translation  
(Source: <https://arxiv.org/pdf/2003.13830v1>)

[17] [Similarity: 87%] Better Sign Language Translation with STMC-Transformer  
(Source: <https://arxiv.org/pdf/2004.00588v2>)

[18] [Similarity: 87%] Statistical and Spatio-temporal Hand Gesture Features for Sign Language Recognition using the Leap Motion Sensor  
(Source: <https://arxiv.org/pdf/2202.11005v1>)

[19] [Similarity: 87%] Enhancing Video-Language Representations with Structural Spatio-Temporal Alignment  
(Source: <https://arxiv.org/pdf/2406.19255v1>)

[20] [Similarity: 86%] Toward a Motor Theory of Sign Language Perception  
(Source: <https://arxiv.org/pdf/1201.1652v1>)

[21] [Similarity: 86%] GLoT: A Novel Gated-Logarithmic Transformer for Efficient Sign Language Translation  
(Source: <https://arxiv.org/pdf/2502.12223v1>)

[22] [Similarity: 86%] Spotter+GPT: Turning Sign Spottings into Sentences with LLMs  
(Source: <https://arxiv.org/pdf/2403.10434v3>)

[23] [Similarity: 85%] UrbanGPT: Spatio-Temporal Large Language Models  
(Source: <https://arxiv.org/pdf/2403.00813v3>)

[24] [Similarity: 85%] Grounding Spatio-Temporal Language with Transformers  
(Source: <https://arxiv.org/pdf/2106.08858v2>)

[25] [Similarity: 85%] SignAttention: On the Interpretability of Transformer Models for Sign Language Translation  
(Source: <https://arxiv.org/pdf/2410.14506v1>)

[26] [Similarity: 85%] Implementation of an Automatic Sign Language Lexical Annotation Framework based on Propositional Dynamic Logic  
(Source: <https://arxiv.org/pdf/1403.6392v2>)

[27] [Similarity: 85%] Slovo: Russian Sign Language Dataset  
(Source: <https://arxiv.org/pdf/2305.14527v3>)

[28] [Similarity: 85%] A Spatio-Temporal Representation Learning as an Alternative to Traditional Glosses in Sign Language Translation and Production  
(Source: <https://arxiv.org/pdf/2407.02854v2>)

[29] [Similarity: 85%] Navigating Spatio-Temporal Heterogeneity: A Graph Transformer Approach for Traffic Forecasting  
(Source: <https://arxiv.org/pdf/2408.10822v2>)

[30] [Similarity: 85%] iLSU-T: an Open Dataset for Uruguayan Sign Language Translation  
(Source: <https://arxiv.org/pdf/2507.21104v1>)

[31] [Similarity: 85%] STAR-Transformer: A Spatio-temporal Cross Attention Transformer for Human Action Recognition  
(Source: <https://arxiv.org/pdf/2210.07503v1>)

[32] [Similarity: 85%] 3D-LEX v1.0: 3D Lexicons for American Sign Language and Sign Language of the Netherlands  
(Source: <https://arxiv.org/pdf/2409.01901v1>)

[33] [Similarity: 84%] TNT-KID: Transformer-based Neural Tagger for Keyword Identification  
(Source: <https://arxiv.org/pdf/2003.09166v3>)

[34] [Similarity: 84%] Progressive Transformers for End-to-End Sign Language Production  
(Source: <https://arxiv.org/pdf/2004.14874v2>)

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

-  [35] [Similarity: 84%] Spatio-Temporal Motion Retargeting for Quadruped Robots  
(Source: <https://arxiv.org/pdf/2404.11557v3>)
-  [36] [Similarity: 84%] SpeechPrompt: Prompting Speech Language Models for Speech Processing Tasks  
(Source: <https://arxiv.org/pdf/2408.13040v1>)
-  [37] [Similarity: 84%] Deeply Semantic Inductive Spatio-Temporal Learning  
(Source: <https://arxiv.org/pdf/1608.02693v1>)
-  [38] [Similarity: 84%] Spatio-temporal Sign Language Representation and Translation  
(Source: <https://arxiv.org/pdf/2510.19413v1>)
-  [39] [Similarity: 84%] RePST: Language Model Empowered Spatio-Temporal Forecasting via Semantic-Oriented Reprogramming  
(Source: <https://arxiv.org/pdf/2408.14505v3>)
-  [40] [Similarity: 83%] A Data-Driven Representation for Sign Language Production  
(Source: <https://arxiv.org/pdf/2404.11499v1>)
-  [41] [Similarity: 83%] Shifted Chunk Transformer for Spatio-Temporal Representational Learning  
(Source: <https://arxiv.org/pdf/2108.11575v5>)
-  [42] [Similarity: 83%] SpoT-Mamba: Learning Long-Range Dependency on Spatio-Temporal Graphs with Selective State Spaces  
(Source: <https://arxiv.org/pdf/2406.11244v1>)
-  [43] [Similarity: 83%] ChaLearn LAP Large Scale Signer Independent Isolated Sign Language Recognition Challenge: Design, Results and Future Research  
(Source: <https://arxiv.org/pdf/2105.05066v1>)
-  [44] [Similarity: 83%] OST-Bench: Evaluating the Capabilities of MLLMs in Online Spatio-temporal Scene Understanding  
(Source: <https://arxiv.org/pdf/2507.07984v2>)
-  [45] [Similarity: 83%] ASTER: Adaptive Spatio-Temporal Early Decision Model for Dynamic Resource Allocation  
(Source: <https://arxiv.org/pdf/2506.17929v1>)
-  [46] [Similarity: 83%] The Importance of Facial Features in Vision-based Sign Language Recognition: Eyes, Mouth or Full Face?  
(Source: <https://arxiv.org/pdf/2507.20884v2>)
-  [47] [Similarity: 83%] Towards Skeletal and Signer Noise Reduction in Sign Language Production via Quaternion-Based Pose Encoding and Contrastive Learning  
(Source: <https://arxiv.org/pdf/2508.14574v1>)
-  [48] [Similarity: 83%] Time, Tense and Aspect in Natural Language Database Interfaces  
(Source: <https://arxiv.org/pdf/cmp-lg/9803002v1>)
-  [49] [Similarity: 82%] Ad Text Classification with Transformer-Based Natural Language Processing Methods  
(Source: <https://arxiv.org/pdf/2106.10899v2>)
-  [50] [Similarity: 82%] Spatio-Temporal Linkage over Location Enhanced Services  
(Source: <https://arxiv.org/pdf/1801.04101v1>)
-  [51] [Similarity: 82%] STAEformer: Spatio-Temporal Adaptive Embedding Makes Vanilla Transformer SOTA for Traffic Forecasting  
(Source: <https://arxiv.org/pdf/2308.10425v5>)
-  [52] [Similarity: 82%] Bringing order into the realm of Transformer-based language models for artificial intelligence and law  
(Source: <https://arxiv.org/pdf/2308.05502v2>)
-  [53] [Similarity: 82%] V-STaR: Benchmarking Video-LLMs on Video Spatio-Temporal Reasoning  
(Source: <https://arxiv.org/pdf/2503.11495v1>)

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

-  [54] [Similarity: 82%] Stecformer: Spatio-temporal Encoding Cascaded Transformer for Multivariate Long-term Time Series Forecasting  
(Source: <https://arxiv.org/pdf/2305.16370v1>)
-  [55] [Similarity: 82%] An Automated Multiple-Choice Question Generation Using Natural Language Processing Techniques  
(Source: <https://arxiv.org/pdf/2103.14757v1>)
-  [56] [Similarity: 82%] Effects of Language Modeling on Speech-driven Question Answering  
(Source: <https://arxiv.org/pdf/cs/0407028v1>)
-  [57] [Similarity: 82%] Spatio-Temporal Differential Dynamic Programming for Control of Fields  
(Source: <https://arxiv.org/pdf/2104.04044v1>)
-  [58] [Similarity: 82%] Qualitative and Quantitative Monitoring of Spatio-Temporal Properties with SSTL  
(Source: <https://arxiv.org/pdf/1706.09334v4>)
-  [59] [Similarity: 81%] Exploiting Ensemble Learning for Cross-View Isolated Sign Language Recognition  
(Source: <https://arxiv.org/pdf/2502.02196v1>)
-  [60] [Similarity: 81%] Spatio-Temporal Change of Support Modeling with R  
(Source: <https://arxiv.org/pdf/1904.12092v3>)
-  [61] [Similarity: 81%] Comprehending Spatio-temporal Data via Cinematic Storytelling using Large Language Models  
(Source: <https://arxiv.org/pdf/2510.17301v1>)
-  [62] [Similarity: 81%] Deep Transfer Learning & Beyond: Transformer Language Models in Information Systems Research  
(Source: <https://arxiv.org/pdf/2110.08975v2>)
-  [63] [Similarity: 81%] Distributed Sign Momentum with Local Steps for Training Transformers  
(Source: <https://arxiv.org/pdf/2411.17866v2>)
-  [64] [Similarity: 81%] Scaling Native Language Identification with Transformer Adapters  
(Source: <https://arxiv.org/pdf/2211.10117v1>)
-  [65] [Similarity: 81%] Do predictability factors towards signing avatars hold across cultures?  
(Source: <https://arxiv.org/pdf/2307.02103v3>)
-  [66] [Similarity: 81%] Large Language Models and Multimodal Retrieval for Visual Word Sense Disambiguation  
(Source: <https://arxiv.org/pdf/2310.14025v1>)
-  [67] [Similarity: 81%] S2TNet: Spatio-Temporal Transformer Networks for Trajectory Prediction in Autonomous Driving  
(Source: <https://arxiv.org/pdf/2206.10902v1>)
-  [68] [Similarity: 81%] How Important Is Tokenization in French Medical Masked Language Models?  
(Source: <https://arxiv.org/pdf/2402.15010v2>)
-  [69] [Similarity: 81%] Adversarial Transformer Language Models for Contextual Commonsense Inference  
(Source: <https://arxiv.org/pdf/2302.05406v1>)
-  [70] [Similarity: 81%] Modeling Language Change in Historical Corpora: The Case of Portuguese  
(Source: <https://arxiv.org/pdf/1610.00030v1>)
-  [71] [Similarity: 80%] Discriminating Similar Languages: Evaluations and Explorations  
(Source: <https://arxiv.org/pdf/1610.00031v1>)
-  [72] [Similarity: 80%] GANCoder: An Automatic Natural Language-to-Programming Language Translation Approach based on GAN  
(Source: <https://arxiv.org/pdf/1912.00609v1>)
-  [73] [Similarity: 80%] A Review of Bangla Natural Language Processing Tasks and the Utility of Transformer Models  
(Source: <https://arxiv.org/pdf/2107.03844v3>)








# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

-  [74] [Similarity: 80%] Synthetic Datasets for Machine Learning on Spatio-Temporal Graphs using PDEs  
(Source: <https://arxiv.org/pdf/2502.04140v2>)
-  [75] [Similarity: 80%] Fothaidil: an Automatic Transcription System for the Irish Language  
(Source: <https://arxiv.org/pdf/2501.00509v1>)
-  [76] [Similarity: 80%] STBench: Assessing the Ability of Large Language Models in Spatio-Temporal Analysis  
(Source: <https://arxiv.org/pdf/2406.19065v1>)
-  [77] [Similarity: 80%] An Overview of Indian Spoken Language Recognition from Machine Learning Perspective  
(Source: <https://arxiv.org/pdf/2212.03812v1>)
-  [78] [Similarity: 80%] Resource production of written forms of Sign Languages by a user-centered editor, SWift (SignWriting improved fast transcriber)  
(Source: <https://arxiv.org/pdf/1911.09919v1>)
-  [79] [Similarity: 80%] Clinical information extraction for Low-resource languages with Few-shot learning using Pre-trained language models and Prompting  
(Source: <https://arxiv.org/pdf/2403.13369v2>)
-  [80] [Similarity: 80%] A fast approach for analyzing spatio-temporal patterns in ischemic heart disease mortality across US counties (1999-2021)  
(Source: <https://arxiv.org/pdf/2411.14849v1>)
-  [81] [Similarity: 80%] End-to-End Spoken Language Understanding: Performance analyses of a voice command task in a low resource setting  
(Source: <https://arxiv.org/pdf/2207.08179v1>)
-  [82] [Similarity: 80%] Diagnostic Spatio-temporal Transformer with Faithful Encoding  
(Source: <https://arxiv.org/pdf/2305.17149v1>)
-  [83] [Similarity: 80%] Automatic dense annotation of large-vocabulary sign language videos  
(Source: <https://arxiv.org/pdf/2208.02802v1>)
-  [84] [Similarity: 80%] A Comprehensive Review of State-of-The-Art Methods for Java Code Generation from Natural Language Text  
(Source: <https://arxiv.org/pdf/2306.06371v1>)
-  [85] [Similarity: 79%] How do language models learn facts? Dynamics, curricula and hallucinations  
(Source: <https://arxiv.org/pdf/2503.21676v2>)
-  [86] [Similarity: 79%] Part of Speech Tagging in Thai Language Using Support Vector Machine  
(Source: <https://arxiv.org/pdf/cs/0112004v1>)
-  [87] [Similarity: 79%] Spatio-Temporal Graph Scattering Transform  
(Source: <https://arxiv.org/pdf/2012.03363v3>)
-  [88] [Similarity: 79%] Semantic Network Model for Sign Language Comprehension  
(Source: <https://arxiv.org/pdf/2301.11709v1>)
-  [89] [Similarity: 79%] Turkish Native Language Identification V2  
(Source: <https://arxiv.org/pdf/2307.14850v6>)
-  [90] [Similarity: 79%] Spatio-Temporal Graph Transformer Networks for Pedestrian Trajectory Prediction  
(Source: <https://arxiv.org/pdf/2005.08514v2>)
-  [91] [Similarity: 79%] A hybrid formalism to parse Sign Languages  
(Source: <https://arxiv.org/pdf/1403.4467v2>)
-  [92] [Similarity: 79%] A Survey on Transformer Compression  
(Source: <https://arxiv.org/pdf/2402.05964v2>)

# Semantic Similarity Report

Generated on: 2025-12-09 13:48:52

-  [93] [Similarity: 79%] Towards Large-Scale Data Mining for Data-Driven Analysis of Sign Languages  
(Source: <https://arxiv.org/pdf/2006.02120v1>)
-  [94] [Similarity: 79%] Language Bias in Self-Supervised Learning For Automatic Speech Recognition  
(Source: <https://arxiv.org/pdf/2501.19321v1>)
-  [95] [Similarity: 78%] Annotating Cognates and Etymological Origin in Turkic Languages  
(Source: <https://arxiv.org/pdf/1501.03191v1>)
-  [96] [Similarity: 77%] Unforgettable Generalization in Language Models  
(Source: <https://arxiv.org/pdf/2409.02228v1>)
-  [97] [Similarity: 76%] Gaussian Random Functional Dynamic Spatio-Temporal Modeling of Discrete Time Spatial Time Series Data  
(Source: <https://arxiv.org/pdf/1405.6531v3>)
-  [98] [Similarity: 76%] Are Compressed Language Models Less Subgroup Robust?  
(Source: <https://arxiv.org/pdf/2403.17811v1>)
-  [99] [Similarity: 75%] COOLIO: A Language Support Extension for the Classroom Object Oriented Language  
(Source: <https://arxiv.org/pdf/2302.04926v1>)