JavaScript Examples

06 JavaScript Functions

1. Call a function

</form>

```
<html>
<head>
<script type="text/javascript">
function displaymessage()
     alert("Hello World!");
</script>
</head>
<body>
<form>
<input type="button" value="Click me!" onclick="displaymessage()"</pre>
/>
</form>
By pressing the button above, a function will be called. The
function will alert a message.
</body>
</html>
2. Function with an argument
<html>
<head>
<script type="text/javascript">
function myfunction(txt)
{
     alert(txt);
</script>
</head>
<body>
<form>
<input type="button" onclick="myfunction('Hello')" value="Call</pre>
function">
```

```
By pressing the button above, a function will be called with "Hello" as a parameter. The function will alert the parameter.
</body>
</html>
```

3. Function with an argument 2

```
<html>
<head>
<script type="text/javascript">
function myfunction(txt)
     alert(txt);
}
</script>
</head>
<body>
<form>
<input type="button"</pre>
onclick="myfunction('Good Morning!')"
value="In the Morning">
<input type="button"</pre>
onclick="myfunction('Good Evening!')"
value="In the Evening">
</form>
<q>>
When you click on one of the buttons, a function will be called.
The function will alert
the argument that is passed to it.
</body>
</html>
```

4. Function that returns a value

5. Function with arguments, that returns a value

```
<html>
<head>
<script type="text/javascript">
     function product(a,b)
     {
          return a*b;
     }
</script>
</head>
<body>
<script type="text/javascript">
     document.write(product(4,3));
</script>
The script in the body section calls a function with two
parameters (4 and 3).
The function will return the product of these two
parameters.
</body>
</html>
```