

Standard Name 123 of 179

DataColor TOOLS 2.4.4

S/N NO. 8823242

↑

8C 1096-2 BRSC L/D DARK RED

↓

Visual Hue Request:

New Std

Retrieve Std

Store Std

List Std

Update Std

Instrument Setup:%R LAV SCI UV Cal

Date: 01-Sep-20 Time: 15:45:43

Batch Name 2 of 2

↑

BOOKING 1ST R1117235 1-1 3018092/III/21

↓

New Bat

Retrieve Bat

Store Bat

List Bat

Update Bat

Instrument Setup: %R LAV SCI UV Cal

Date: 05-Apr-21 Time: 16:50:12

CMC DE Pass/Fail Tolerance: 1.00


I:c Ratio: (2.00 1.00)

Delta

D65 / 10

F11 / 10

A / 10



- Single/All
- CMC Plot
- Zoom Out
- Zoom In
- Print Form

Batch Name

III/Obs

DL*

Da*

Db*

DL*/ISL

DC*/cSC

DH*/SH

CMC DE

M.I.

P/E

Color Comments

BOOKING 1ST R1117235 1-1 3018092/III/21	D65 10 Deg	1.07	0.94	0.02	0.64	0.33	-0.23	0.76		Warn lighter	more saturated more blue
BOOKING 1ST R1117235 1-1 3018092/III/21	F11 10 Deg	0.78	0.32	-0.54	0.44	0.00	-0.46	0.64	0.89	Pass lighter	more saturated more blue
BOOKING 1ST R1117235 1-1 3018092/III/21	A 10 Deg	1.22	1.01	0.39	0.64	0.38	-0.17	0.77	0.09	Warn lighter	more saturated more blue