

Standard Name5 of 51

54F0 Collegiate Navy CONST F

Visual Hue Request: blue (greenish)

New StdRetrieve StdStore StdList Std

Instrument Setup:%R LAV SCI UV Cal

Date: 24-Jun-13Time: 14:19:23

Batch Name2 of 2

021420 FTM-L2100746 1-1 3018306/III/21

New BatRetrieve BatStore BatList Bat


Instrument Setup: %R LAV SCI UV Cal

Date: 21-May-21Time: 22:10:29

Batch Name

70021420 FTM-L2100746 1-1 3018306/III/21

70021420 FTM-L2100746 1-1 3018306/III/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.4.4S/N NO.

Standard %R						
400-450nm	6.21	5.47	5.07	4.79	4.63	4.54
460-510nm	4.47	4.40	4.25	3.95	3.62	3.20
520-570nm	2.90	2.60	2.44	2.28	2.15	2.05
580-630nm	1.99	1.95	1.94	1.93	1.94	1.94
640-690nm	1.98	2.04	2.17	2.52	3.26	4.49
700nm	7.39					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments
D65 10 Deg	-0.78	0.07	-0.44	-0.69	0.34	0.09	0.77		Warn	darker	more saturated more red
F11 10 Deg	-0.91	-0.46	-0.87	-0.84	0.64	-0.49	1.16	0.74	Fail	darker	more saturated more green