

Standard Name27 of 27

↑A9NH Trace Grey SS17↓

Visual Hue Request: Red (Bluish)

New StdRetrieve StdStore StdList Std

Instrument Setup:%R LAV SCI UV Cal

Date: 11-Aug-15Time: 08:45:37

Batch Name1 of 1

↑70012565 BK1STLOT 1-1 3028654/IV/21↓

New BatRetrieve BatStore BatList Bat


Instrument Setup: %R LAV SCI UV Cal

Date: 25-Jun-21Time: 09:36:21

Batch Name

70012565 BK1STLOT 1-1 3028654/IV/21

70012565 BK1STLOT 1-1 3028654/IV/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.4.4S/N NO. 8823242

Standard %R

400-450nm 19.12 17.08 15.94 15.04 14.46 14.03

460-510nm 13.69 13.42 13.18 12.94 12.77 12.63

520-570nm 12.52 12.48 12.41 12.37 12.37 12.41

580-630nm 12.52 12.63 12.64 12.63 12.72 13.01

640-690nm 13.87 15.34 17.79 21.39 26.53 31.93

700nm 40.02

CMC DE Pass/Fail Tolerance: 0.80

L:c Ratio: (2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments	
D65 10 Deg	0.19	0.15	-0.13	0.10	0.22	0.04	0.24		Pass	too light	too bright	too red
F11 10 Deg	0.15	-0.31	-0.26	0.08	0.15	-0.50	0.53	0.47	Pass	too light	too bright	too green