

Standard Name5 of 5

↑ AEJS Linen GreenF22 ↓

Visual Hue Request: GREEN/YELLOWISH

New StdRetrieve StdStore StdList Std

Instrument Setup: %R LAV SCI UV Cal

Date: 15-Jul-21Time: 09:48:29

Batch Name2 of 2

↑ 24818 BOOKING FW22 1-1 3081206/XI/21 ↓

New BatRetrieve BatStore BatList Bat


Instrument Setup: %R LAV SCI UV Cal

Date: 29-Nov-21Time: 14:12:36

Batch Name

.60024818 BOOKING FW22 1-1 3081206/XI/21

.60024818 BOOKING FW22 1-1 3081206/XI/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R

400-450nm 60.12 57.81 53.82 49.81 49.62 46.40

460-510nm 49.72 58.46 62.41 62.62 62.37 60.74

520-570nm 58.85 59.08 59.56 58.67 57.60 58.56

580-630nm 60.17 59.92 58.09 55.35 52.83 50.74

640-690nm 49.05 47.84 46.72 45.62 45.22 45.37

700nm 47.47

CMC DE Pass/Fail Tolerance: 0.80

L:c Ratio: (2.00 1.00)

| <u>Ill/Obs</u> | <u>DL*</u> | <u>Da*</u> | <u>Db*</u> | <u>DL*/ISL</u> | <u>DC*/cSC</u> | <u>DH*/SH</u> | <u>CMC DE</u> | <u>M.L</u> | <u>P/F</u> | <u>Color</u> | <u>Comments</u> | |
|----------------|------------|------------|------------|----------------|----------------|---------------|---------------|------------|------------|--------------|-----------------|------------|
| D65 10 Deg | 0.73 | 0.15 | 0.08 | 0.27 | -0.05 | -0.18 | 0.33 | | Pass | too light | too dull | too yellow |
| F11 10 Deg | 0.79 | -1.60 | -0.19 | 0.29 | 0.86 | 1.49 | 1.74 | 1.77 | Fail | too light | too bright | too blue |