

Standard Name23 of 30

54F0 Collegiate Navy CONST F

Visual Hue Request: blue (greenish)

New StdRetrieve StdStore StdList Std

Instrument Setup:%R LAV SCI UV Cal

Date: 24-Jun-13Time: 14:19:23

Batch Name1 of 1

FC-014217-L 1-1 62745473 3013106/III/21

New BatRetrieve BatStore BatList Bat


Instrument Setup: %R LAV SCI UV Cal

Date: 29-Apr-21Time: 09:33:49

Batch Name

ATRF210033FC-014217-L 1-1 62745473 3013106/III/21

ATRF210033FC-014217-L 1-1 62745473 3013106/III/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.4.4S/N NO.

| Standard %R | | | | | | |
|-------------|------|------|------|------|------|------|
| 400-450nm | 6.21 | 5.47 | 5.07 | 4.79 | 4.63 | 4.54 |
| 460-510nm | 4.47 | 4.40 | 4.25 | 3.95 | 3.62 | 3.20 |
| 520-570nm | 2.90 | 2.60 | 2.44 | 2.28 | 2.15 | 2.05 |
| 580-630nm | 1.99 | 1.95 | 1.94 | 1.93 | 1.94 | 1.94 |
| 640-690nm | 1.98 | 2.04 | 2.17 | 2.52 | 3.26 | 4.49 |
| 700nm | 7.39 | | | | | |

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

| III/Obs | DL* | Da* | Db* | DL*/ISL | DC*/cSC | DH*/SH | CMC DE | M.I. | P/F | Color | Comments |
|------------|------|-------|-------|---------|---------|--------|--------|------|------|---------|---------------------------|
| D65 10 Deg | 0.75 | -0.23 | 0.12 | 0.66 | -0.09 | -0.28 | 0.73 | | Warn | lighter | less saturated more green |
| F11 10 Deg | 0.65 | -0.76 | -0.24 | 0.60 | 0.20 | -0.87 | 1.08 | 0.62 | Fail | lighter | more saturated more green |