

Standard Name41 of 151

ADWE Crew NavyS21

Visual Hue Request: Blue/ green

New StdRetrieve StdStore StdList Std

Instrument Setup:%R LAV SCI UV Cal

Date: 30-Mar-21Time: 13:48:24

Batch Name3 of 5

FTM-L2100598 2-1 70003498 3014858/III/21

New BatRetrieve BatStore BatList Bat


Instrument Setup: %R LAV SCI UV Cal

Date: 30-Mar-21Time: 13:47:44

Batch Name

FTM-L2100598 2-1 70003498 3014858/III/21

FTM-L2100598 2-1 70003498 3014858/III/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.4.4S/N NO. 8823242

Standard %R						
400-450nm	11.44	10.20	9.24	8.27	7.62	7.36
460-510nm	7.23	7.28	7.40	7.37	7.11	6.57
520-570nm	6.03	5.51	4.94	4.44	4.00	3.69
580-630nm	3.46	3.37	3.32	3.32	3.42	3.74
640-690nm	4.48	5.70	7.63	10.35	13.93	17.51
700nm	22.65					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: ( 2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments
D65 10 Deg	-0.05	-0.48	-0.07	-0.04	0.13	-0.53	0.55		Pass	darker	more saturated more green
F11 10 Deg	-0.01	-0.03	-0.03	-0.01	0.03	-0.03	0.04	0.43	Pass	darker	more saturated more green