

Standard Name1 of 78

095A Black CONST FW14

Visual Hue Request: blue (reddish)

New StdRetrieve StdStore StdList Std

Instrument Setup:%R LAV SCI UV Cal

Date: 08-Feb-20Time: 20:21:41

Batch Name46 of 46

BOOKING 1ST 1-1 70003498 3011430/II/2


New BatRetrieve BatStore BatList Bat

Instrument Setup: %R LAV SCI UV Cal

Date: 23-Mar-21Time: 10:22:23

Batch Name

BOOKING 1ST 1-1 70003498 3011430/II/21  
BOOKING 1ST 1-1 70003498 3011430/II/21



Single/AllZoom InZoom OutCMC PlotPrint Form

DataColor TOOLS 2.4.4S/N NO. 8823242

Standard %R						
400-450nm	3.17	2.83	2.63	2.50	2.42	2.40
460-510nm	2.36	2.35	2.33	2.32	2.32	2.30
520-570nm	2.29	2.27	2.28	2.25	2.20	2.15
580-630nm	2.12	2.11	2.11	2.10	2.11	2.13
640-690nm	2.20	2.32	2.57	3.06	4.30	5.96
700nm	9.57					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: ( 2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments
D65 10 Deg	-0.22	0.12	-0.25	-0.21	0.35	0.14	0.43		Pass	darker	more saturated more red
F11 10 Deg	-0.42	-0.33	-0.57	-0.40	0.87	-0.14	0.96	0.60	Fail	darker	more saturated more green