

Standard Name4 of 4

AEK5 Wonder RedF22

Visual Hue Request: RED/YELLOWISH

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal

Date: 15-Jul-21Time: 09:48:36

Batch Name2 of 2


03314 BOOKINGFW22 1-1 3081176/XI/21.

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal

Date: 29-Nov-21Time: 14:09:32

Batch Name
62703314 BOOKINGFW22 1-1 3081176/XI/21.
62703314 BOOKINGFW22 1-1 3081176/XI/21.



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R						
400-450nm	24.17	20.92	17.86	14.93	12.78	11.48
460-510nm	10.78	10.43	10.73	11.22	11.24	10.41
520-570nm	9.67	9.44	9.48	9.84	11.17	14.33
580-630nm	19.70	26.18	31.09	33.47	34.28	35.75
640-690nm	38.48	42.87	48.47	54.92	61.87	67.08
700nm	72.85					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

Ill/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments	
D65 10 Deg	-0.57	0.91	0.84	-0.27	0.54	0.41	0.73		Warn	too dark	too bright	too yellow
F11 10 Deg	-0.49	0.52	1.08	-0.23	0.42	0.66	0.81	0.51	Fail	too dark	too bright	too yellow