

Standard Name1 of 1

AEKA Pulse OliveF22

Visual Hue Request: Yellow(Greenish)

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal

Date: 15-Jul-21Time: 09:48:41

Batch Name1 of 1

70003498 BOOKING FW22 3-1 3081268/X

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------



Instrument Setup: %R LAV SCI UV Cal

Date: 29-Nov-21Time: 13:51:38

Batch Name

70003498 BOOKING FW22 3-1 3081268/XI/21

70003498 BOOKING FW22 3-1 3081268/XI/21



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.8.1

S/N NO. 8823227

Standard %R

400-450nm	11.55	8.70	6.87	5.57	4.73	4.55
460-510nm	4.53	4.94	6.06	8.69	12.69	16.39
520-570nm	19.81	23.44	26.86	29.54	30.93	30.67
580-630nm	30.09	29.10	28.15	27.19	27.23	27.94
640-690nm	30.28	34.21	39.47	45.77	52.82	58.50
700nm	65.05					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments	
D65 10 Deg	0.52	-0.50	0.21	0.22	0.08	0.34	0.42		Pass	too light	too bright	too green
F11 10 Deg	1.04	-0.71	1.35	0.44	0.53	0.38	0.79	1.21	Warn	too light	too bright	too green