

Standard Name51 of 175

↑AECV Wonder Mauve22↓

Visual Hue Request: RED/BLUISH

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal

Date: 29-Sep-20Time: 14:03:19

Batch Name3 of 3

↑70021420 FTM-L2101319 4-1 3033884/V/21↓

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------


Instrument Setup: %R LAV SCI UV Cal

Date: 14-Jun-21Time: 11:24:07

Batch Name

70021420 FTM-L2101319 4-1 3033884/V/21

70021420 FTM-L2101319 4-1 3033884/V/21



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.4.4S/N NO. 8823242

Standard %R						
400-450nm	47.62	44.03	39.09	34.75	33.93	30.27
460-510nm	32.20	37.36	37.60	36.09	34.88	32.52
520-570nm	30.43	31.20	32.60	32.42	32.37	36.72
580-630nm	44.41	51.24	55.43	57.49	56.87	55.77
640-690nm	55.47	57.73	63.93	72.26	80.80	85.93
700nm	90.70					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments
D65 10 Deg	0.07	0.45	-0.06	0.03	0.26	-0.21	0.33		Pass	lighter	more saturated more blue
F11 10 Deg	0.04	0.55	-0.43	0.01	0.19	-0.68	0.70	0.39	Warn	lighter	more saturated more blue