

↑

54F0 Collegiate Navy CONST F

↓

Visual Hue Request:

blue (greenish)

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal

Date: 24-Jun-13Time: 14:19:23

Batch Name1 of 1

↑


0016582 FC1-L2100821 1-1 3022778/IV/21

↓

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal

Date: 08-May-21Time: 10:53:10



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

Standard %R						
400-450nm	6.21	5.47	5.07	4.79	4.63	4.54
460-510nm	4.47	4.40	4.25	3.95	3.62	3.20
520-570nm	2.90	2.60	2.44	2.28	2.15	2.05
580-630nm	1.99	1.95	1.94	1.93	1.94	1.94
640-690nm	1.98	2.04	2.17	2.52	3.26	4.49
700nm	7.39					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

Batch Name	III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/F	Color	Comments
70016582 FC1-L2100821 1-1 3022778/IV/21	D65 10 Deg	0.84	-0.14	0.23	0.74	-0.18	-0.17	0.78		Warn	lighter	less saturated more green
70016582 FC1-L2100821 1-1 3022778/IV/21	F11 10 Deg	0.74	-0.37	-0.10	0.69	0.09	-0.43	0.81	0.37	Fail	lighter	more saturated more green