

Standard Name

1 of 73

↑

095A Black CONST FW14

↓

Visual Hue Request:

BLUE/REDDISH

New Std

Retrieve Std

Store Std

List Std

Instrument Setup:%R LAV SCI UV Cal

Date: 22-Feb-23Time: 09:03:58

Batch Name

1 of 1

↑

026924 PRTAP00031 52392 EXP2300126

↓

New Bat


Retrieve Bat

Store Bat

List Bat

Instrument Setup: %R LAV SCI UV Cal

Date: 23-Feb-23Time: 09:17:10



Single/All

Zoom In

Zoom Out

CMC Plot

Print Form

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R						
400-450nm	3.17	2.83	2.63	2.50	2.42	2.40
460-510nm	2.36	2.35	2.33	2.32	2.32	2.30
520-570nm	2.29	2.27	2.28	2.25	2.20	2.15
580-630nm	2.12	2.11	2.11	2.10	2.11	2.13
640-690nm	2.20	2.32	2.57	3.06	4.30	5.96
700nm	9.57					

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

Batch Name	III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/E	Color Comments		
700026924 PRTAP00031 52392 EXP2300126	D65 10 Deg	-0.01	0.01	-0.15	-0.01	0.21	-0.00	0.21		Pass	too dark	too bright	too green
700026924 PRTAP00031 52392 EXP2300126	F11 10 Deg	-0.18	-0.09	-0.41	-0.17	0.56	0.07	0.59	0.32	Pass	too dark	too bright	too red