

Standard Name 274 of 274

↑

17109/220713D-A

↓

Visual Hue Request:

New Std	Retrieve Std	Store Std	List Std	Update Std
---------	--------------	-----------	----------	------------

Instrument Setup:%R LAV SCI UV Cal

Date: 16-Dec-22 Time: 08:38:24

Batch Name 1 of 2

↑

R2324/60524 70291 EXP2300368 STORM TEAL

↓

New Bat	Retrieve Bat	Store Bat	List Bat	Update Bat
---------	--------------	-----------	----------	------------

Instrument Setup: %R LAV SCI UV Cal

Date: 23-Jun-23 Time: 10:27:41


CMC DE Pass/Fail Tolerance: 1.00

I:c Ratio: (2.00 1.00)

Measured by:

▼

Batch Name		III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/E	Color	Comments	
F3C17109	PR2324/60524 70291 EXP2300368 STORM TEAL	D65 10 Deg	-1.13	0.26	0.01	-0.75	-0.17	0.06	0.77		Warn	too dark	too dull	too blue
F3C17109	PR2324/60524 70291 EXP2300368 STORM TEAL	F11 10 Deg	-1.21	0.49	-0.16	-0.84	-0.25	0.36	0.95	0.40	Warn	too dark	too dull	too blue
F3C17109	PR2324/60524 70291 EXP2300368 STORM TEAL	A 10 Deg	-1.10	0.36	0.12	-0.77	-0.25	0.10	0.82	0.15	Warn	too dark	too dull	too blue



Single/All

CMC Plot

Zoom Out

Zoom In

Print Form