

Standard Name17 of 85

AEWP Wonder BlueF23

Visual Hue Request: BLUE/GREENISH

New Std	Retrieve Std	Store Std	List Std
---------	--------------	-----------	----------

Instrument Setup:%R LAV SCI UV Cal

Date: 07-Aug-23Time: 22:54:30

Batch Name15 of 15


60024818 HBBA-23-05194 90245 EXP2300709 WONDER BL

New Bat	Retrieve Bat	Store Bat	List Bat
---------	--------------	-----------	----------

Instrument Setup: %R LAV SCI UV Cal

Date: 30-Aug-23Time: 16:01:49

DeltaD65 / 10F11 / 10



Single/All	Zoom In	Zoom Out	CMC Plot	Print Form
------------	---------	----------	----------	------------

DataColor TOOLS 2.8.1S/N NO. 8823242

Standard %R

400-450nm 59.90 57.42 53.71 50.82 49.14 46.42

460-510nm 48.82 53.23 54.20 52.61 50.61 47.78

520-570nm 44.83 43.23 41.99 40.17 38.63 37.93

580-630nm 37.24 36.42 36.56 36.65 36.09 35.03

640-690nm 35.00 37.56 42.46 55.38 68.77 74.81

700nm 82.99

CMC DE Pass/Fail Tolerance: 0.80

I:c Ratio: (2.00 1.00)

Batch Name	III/Obs	DL*	Da*	Db*	DL*/ISL	DC*/cSC	DH*/SH	CMC DE	M.I.	P/E	Color	Comments	
60024818 HBBA-23-05194 90245 EXP2300709 WONDER BL	D65 10 Deg	0.63	-0.02	0.56	0.24	-0.41	-0.30	0.56		Pass	too light	too dull	too green
60024818 HBBA-23-05194 90245 EXP2300709 WONDER BL	F11 10 Deg	0.75	-1.18	0.35	0.29	0.10	-1.41	1.44	1.18	Fail	too light	too bright	too green