

# CS5331: Web Security

---

## Lecture 10: Web Privacy

# Privacy in Web

Reference:

Cybersecurity 101: Protect your privacy from hackers, spies, and the government

<https://www.zdnet.com/article/online-security-101-how-to-protect-your-privacy-from-hackers-spies-and-the-government/>


# Definition of Internet Privacy

- **Internet privacy** involves the right or mandate of personal privacy concerning the storing, repurposing, provision to third parties, and displaying of information pertaining to oneself via the Internet. -- *Wikipedia*
- Security vs. Privacy
  - Security is about who can access data.
  - Privacy is about who, *at what time, for which purpose*, can have access data.

# Scope of Privacy and Data Management


- Types of data relevant to privacy
  - Personally Identifiable Information (PII)
  - Browsing habits and web visits
  - Messages, Emails, etc.
  - Shopping and financial information
  - Medical information
- Data management is at the heart

# Tor Anonymity Network




<https://2019.www.torproject.org/about/overview.html.en>


# Tor Anonymity Network



# Tor Anonymity Network




# Tor Browser





# Tor: Leakage from DNS Request




# VPN and Public Wifi


- What are the threat model?
  - What data is visible to whom?
  - Encryption vs. plain text
- Learn to trace the data through the life cycle in the web infrastructure to have a clear understanding of the threat model.

# Browser History Sniffing

- Stealing browsing history



# Benefits of Browser Cache




1<sup>st</sup>: 1360ms

2<sup>nd</sup>: 320ms

3<sup>rd</sup>: 350ms

Save Time


# Timing Channels via the Browser Cache



1st: 1360ms  
2nd: 320ms  
3rd: 350ms

# Geo-Inference Attacks via the Browser Cache

Browser cache  
is shared  
across all sites



Infer users'  
geo-locations!



geo-oriented resources

# Measuring Image Load Time

Before Loading




img.onload Fires



```
var image = document.createElement('img');  
  
image.setAttribute('startTime', (new  
Date().getTime()));  
  
image.onload = function()  
{  
    var endTime = new Date().getTime();  
    var loadTime = endTime -  
    parseInt(this.getAttribute('startTime'));  
  
    .....  
}
```

attacker.com


# How to Infer a User's Neighborhood?





# Web Tracking

- Web tracking is based on third-party cookie



- Mobile tracking can use more device information

# Private Browsing Mode

- Clear cookies when browser starts
  - Disable tracking by cookies
- Tracking is to identify users
  - Can users be directly identified?
  - Browser fingerprinting
    - Browser size, extra fonts, extensions/plugins, hardware information

# Browser Fingerprinting


- Guest lecture by Brave
  - Fingerprinting and Privacy on the Web  
<https://web.stanford.edu/class/cs253/lectures/Lecture%2008.pdf>

# Side-Channel Probing in Browsers

- CSS blur filter can be applied to web images
  - Different timing!



- Text can be stolen by pages in other origins.



ABBOESR%G

(a) Original Text

ABBOESR%G

(b) Text after applying filters



ABBOESR%G

(c) Stolen Text


# Resources Control on Mobile

- Resources
  - Files
  - Photos
  - Camera/Microphone
  - Location
  - Sensors
  - ...
- Apple's privacy updates
  - Explicit confirmation on tracking
  - Privacy labels for apps

- Major pushback from Internet companies



# Mobile App Privacy Labels



Question: what is the difference between accessing a mobile web site and running its app on phones.

Source: <https://twitter.com/DuckDuckGo/status/1371509053613084679>

# Messenger App Privacy

							
	Telegram	Signal	Whatsapp	WeChat	Line	KakaoTalk	Messenger
Leverages P2P Protocols	✗	✗	✗	✗	✗	✗	✗
E2E encryption by default	✗	✓	✓	✗	✓	✗	✗
App & Server Complete Open source	✗	✓	✗	✗	✗	✗	✗
No phone number or email required	✗	✗	✗	✗	✗	✗	✗
Perfect forward secrecy	✓	✓	✓	✗	✗	✗	✓

# Identifying User Accounts

- If I know your twitted at a few time points, how likely can I obtain your identify in Twitter's records.
  - High-order vector matching
  - Can uniquely locate a user with 6 – 10 distinct time points.


User1	0	1	0	0	...	1	...	0
User2	1	0	1	0	...	1	...	0
Target	?	?	1	?	...	1	...	?

- How to obtain the time points of twits?
  - Network activity can be monitored by apps from /proc of Android without permission.



# Route Identification

- Can you identify routes without using GPS?
  - Speaker will be on when there is a turn.



User1	0	1	0	0	...	1	...	0
User2	1	0	1	0	...	1	...	0
Target	?	?	1	?	...	1	...	?

# Summary

- Beyond Web, from the system angle
  - IoT Security
  - Web3?
- Privacy vs. Security
  - Subtle and more difficult to decide
  - Anonymity network
  - Fingerprinting
  - Mobile privacy