External CSS...

Exercise1:

```
File Edit rormat view reep

<!DOCTYPE HTML>
<HTML>
<HEAD>
:LINK REL="STYLESHEET" HREF="MYSTYLE.CSS">
:/HEAD>
:BODY>
:H1>THIS IS A HEADING</H1>
:P>THIS IS A PARAGRAPH</P>
</BODY>
</BODY>
</HTML>
```

Exercise 2:


```
<!--
<HTML>
<HEAD>
<STYLE>
BODY{


          BACKGROUND-COLOR:LINEN;
          }


H1{

          COLOR:MARGON;
          MARGIN-LEFT:40PX;
          }

</STYLE>
</HEAD>
<BODY>
<HI>>THIS IS A HEADING</HI>
<P>THIS IS A PARAGRAPH</P>
</BODY>
</HTML>
```









```
Z:\ex css\ex-4css.html - Notepad++
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           - 🗇 ×
Z'\ex css\ex-4css.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

3 Paragraph Re Formatted File Language Setting S
                1 <!DOCTYPE HTML>
2 =<HTML>
                 3 =<HEAD>
                                           <meta charset="utf-8">
                                                     <TITLE></TITLE>
            6 H1 8 BACK
                                                 <STYLE MEDIA="SCREEN">
                               BACKGROUND-COLOR: DarkSeaGreen;
          9
10
11
                                                  DIV{
                                                                                  BACKGROUND-COLOR: DarkSeaGreen;
          12 | BACKGROUND-COLOR: BAFKSEAG:
13 | P{
14 | BACKGROUND-COLOR: HotPink;
15 | </STYLE> | </HEAD>
       length: 354 lines: 24
 Hyper Text Markup Language file
                                                                                                                                                                                                                                                                                                                                                                                           Ln:1 Col:1 Pos:1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        Windows (CR LF) UTF-8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Desktop * 15:34 03-07-2023
```




```
Z:\ex css\ex5css.html - Notepad++
                                                                                                                                                                                          - 🗇 ×
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

| Search View Encoding Language Settings Tools Macro Run Plugins Window ?
| Search View Encoding Language Settings Tools Macro Run Plugins Window ?
| Search View Encoding Language Settings Tools Macro Run Plugins Window ?
                   natted Tag html 🗵 📴 2. Header Tags html 🗵 🗎 M32. RUN 🗵 📑 HTMLbt 🗵 🚍 ex-3css HTML 🗵 🚍 ex-4css html 🗵 🚞 ex-4css html 🗵
         HTML>
           BODY {
              BACKGROUND-COLOR:#808000;
                 BACKGROUND-IMAGE:URL("Z:\pics\cr7.jpg");
                 BACKGROUND-REPEAT: NO-REPEAT:
                BACKGROUND-POSITION: RIGHT TOP;
   9
10
11
12
13
14
15
          SHORT AND PROPERTY
          BODY {
                BACKGROUND: #FFFFFF URL ("Z:\pics\cr7.jpg") NO-REPEAT RIGHT TOP;
  15 */
16 </STYLE>
17 </HEAD>
18 e>BODY>
19 </HII
20 </BODY>
21 </HTML>
                 </H1>VIJAY</H1>
                                                                                         length: 351 lines: 22
                                                                                                                        Ln:1 Col:1 Pos:1
                                                                                                                                                                Windows (CR LF) UTF-8
Hyper Text Markup Language file
                                                                                                                                                                Desktop * _ 15:36 03-07-2023
```



```
| ZACSS exercise*boarders.html.html - Notepad++
| File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
| Color | 
                                                                                                                                                                                                                         - 0 - X
      1 <! DOCTYPE html>
       3 d<style>
      4 p.dotted{border-style:dotted;}
      5 p.dashed{border-style:dashed;}
      6 p.solid{border-style:solid;}
              p.double{border-style:double;}
      8 p.groove{border-style:groove;}
              p.ridge{border-style:ridge;}
   10 p.inset{border-style:inset;}
   p.outset{border-style:outset;}
   p.none{border-style:none;}
p.hidden{border-style:hidden;}
   14 p.mix{border-style:dotted dashed solid double;}
              </style>
   16 </head>
   19 A solid border
   20 A double border
              A groove border
   22 A ridge border
              A inset border
             A outset border
   25 A none border
              A hidden border
              A dotted dashed solid double border
   28 </body>
                </html>
                                                                               length : 899 lines : 30
                                                                                                                                                                                                 Windows (CR LF) UTF-8
```



Input:

```
**CSS day 3\css6 listhtml - Notepad+**


File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window 7


X


X

X


A management of the control of the cont
```









output:








Exercise:12.1


```
Xi Sasch View Encoding Language Settings Tools Macro Run Plugins Window ?


X X

2 Means Top Ind X Mark Rule X Mark
```




Exercise:12.2







```
File Edit Format View Help
                                              css13 dropdowns2 - Notepad
                                                                                                    _ 🗇 🗙
<!DOCTYPE html>
<head>
<style>
.dropdown {
 position: relative;
  display: inline-block;
.dropdown-content {
  display: none;
position: absolute;
  background-color: #f9f9f9;
  min-width: 160px;
  box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
  z-index: 1;
.dropdown:hover .dropdown-content {
  display: block;
.desc {
 padding: 15px;
  text-align: center;
/style>
</head>
<body>
                                                                                       Desktop * 17:33 03-07-2023
```




```
_ 🗇 🗙
                                                      css14 trans1 - Notepad
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<head>
<style>
div {
  width: 100px;
  height: 100px;
  background: red;
  transition: width 2s linear 1s;
div:hover {
  width: 300px;
</style>
</head>
<body>
<h1>Using The transition Shorthand Property</h1>
Hover over the div element below, to see the transition effect:
<div></div>
<b>Note:</b> The transition effect has a 1 second delay before starting.
                 Desktop * 17:36
```



```
css15 tans2 - Notepad
                                                                                                   _ 🗇 🗙
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
Hover over the div element below:
<style>
div {
  width: 100px;
  height: 100px;
 background: red;
transition: width 2s, height 2s, transform 2s;
div:hover {
 width: 300px;
  height: 300px;
  transform: rotate(1800deg);
</style>
</head>
<body>
<h1>Transition + Transform</h1>
<div></div>
</body>
</html>
Desktop * 17:38 03-07-2023
```



```
css16 ani1 - Notepad
                                                                                                                              _ 🗇 🗙
File Edit Format View Help
<!DOCTYPE html>
<html>
<head>
<style>
div {
  width: 100px;
  height: 100px;
  background-color: red;
  position: relative;
  animation-name: example;
  animation-duration: 1s ;
 animation-iteration-count: infinite;
 //animation-direction: reverse;
  //animation-direction: alternate;
@keyframes example {
  0% {background-color:red; left:0px; top:0px;}
25% {background-color:yellow; left:200px; top:0px;}
50% {background-color:blue; left:200px; top:200px;}
75% {background-color:green; left:0px; top:200px;}
  100% {background-color:red; left:0px; top:0px;}
</style>
</head>
<body>
<h1>CSS Animation</h1>
    Desktop * A 17:39 03-07-2023
```



```
_ 🗇 🗙
                                                                         css17 ani2 - Notepad
<!DOCTYPE html>
<html>
<style>
div {
   width: 100px;
height: 50px;
   background-color: red;
   font-weight: bold;
position: relative;
   animation: mymove 5s infinite;
// Shorthand Eg = animation: myfirst 5s linear 2s infinite alternate;
#div1 {animation-timing-function: linear;}
#div2 {animation-timing-function: ease;}
#div3 {animation-timing-function: ease-in;}
#div4 (animation-timing-function: ease-out;)
#div5 (animation-timing-function: ease-in-out;)
@keyframes mymove {
  from {left: 0px;}
    to {left: 300px;}
</style>
</head>
<body>
<h1>CSS Animation</h1>
Desktop <sup>≫</sup> ▲ ♀ № 17:41
03-07-2023
```

