

Laboratory Work №10 — In-Class Task

SQL Transactions and Isolation Levels

Initial Setup

Use the following pre-created tables:

-- tickets table

id	event	available	price
1	Concert	100	50.00
2	Theater	50	75.00
3	Sports Game	200	35.00

-- wallets table

id	user_name	balance
1	Emma	500.00
2	James	300.00
3	Sophie	150.00

Task 1: What Happens Next?

For each scenario, write what the final state will be:

Scenario A:

```
BEGIN;  
UPDATE wallets SET balance = balance + 100.00 WHERE user_name  
= 'Emma';  
UPDATE wallets SET balance = balance - 50.00 WHERE user_name  
= 'James';  
ROLLBACK;  
Emma's final balance: _____ James's final balance: _____
```

Scenario B:

```
BEGIN;  
UPDATE tickets SET available = available - 5 WHERE event =  
'Concert';  
COMMIT;
```

```
UPDATE tickets SET available = available - 3 WHERE event = 'Concert';
```

```
ROLLBACK;
```

Concert tickets available: _____

(Hint: What happens to statements after COMMIT?)

Scenario C:

```
BEGIN;
```

```
DELETE FROM wallets WHERE user_name = 'Sophie';
```

```
SAVEPOINT before_delete;
```

```
INSERT INTO wallets (user_name, balance) VALUES ('Sophie', 200.00);
```

```
ROLLBACK TO before_delete;
```

```
COMMIT;
```

Does Sophie exist in the table? ☐ Yes ☐ No

If yes, what is her balance? _____

Task 2: Concurrent Transactions Timeline

Two users are buying concert tickets simultaneously. Follow the timeline:

Time	User A (READ COMMITTED)	User B
T1	BEGIN;	
T2	SELECT available FROM tickets WHERE event='Concert';	
T3		BEGIN;
T4		UPDATE tickets SET available = available - 10 WHERE event='Concert';
T5		COMMIT;
T6	SELECT available FROM tickets WHERE event='Concert';	
T7	COMMIT;	

Initial available tickets: 100

2.1 What value does User A see at T2? _____ (1 point)

2.2 What value does User A see at T6? _____ (1 point)

2.3 If User A used SERIALIZABLE instead of READ COMMITTED, what would User A see at T6? _____ (1 point)

2.4 What type of read phenomenon occurred in the READ COMMITTED scenario? (1 point)

- ☐ Dirty Read
- ☐ Non-Repeatable Read
- ☐ Phantom Read

Task 3: ACID Properties

Match each scenario with the ACID property it demonstrates:

Property
A. Atomicity
B. Consistency
C. Isolation
D. Durability

3.1 After COMMIT, even if the power goes out, the data changes are preserved when the system restarts.

Answer: ____

3.2 A transaction transferring money ensures the total amount in all accounts remains the same (no money created or lost).

Answer: ____

3.3 If a transaction fails halfway through, none of its changes are applied to the database.

Answer: ____

3.4 Two transactions running at the same time don't interfere with each other's operations.

Answer: ____

Task 4: Write the Transaction

Write a transaction that:

1. Deducts \$75 from Emma's wallet
2. Decreases Theater tickets by 1
3. Uses a savepoint after step 1
4. Commits the changes

_____;

```
UPDATE wallets SET balance = balance - 75.00
  WHERE user_name = 'Emma';
```

_____ after_payment;

```
UPDATE tickets SET available = available - 1
  WHERE event = 'Theater';
```

_____;

Quick Reference

Command	Description		
BEGIN	Start a transaction		
COMMIT	Save all changes permanently		
ROLLBACK	Undo all changes		
SAVEPOINT name	Create a checkpoint		
ROLLBACK TO name	Return to checkpoint		
RELEASE SAVEPOINT name	Remove checkpoint		

Isolation Level	Dirty	Non-Repeatable	Phantom
READ UNCOMMITTED	Yes	Yes	Yes
READ COMMITTED	No	Yes	Yes
REPEATABLE READ	No	No	Yes
SERIALIZABLE	No	No	No