

OBJECT ORIENTED PROGRAMMING LAB



Lab Manual # 04

Functions and Arrays in C++

Instructor: Hurmat Hidayat

Semester Spring, 2022

Course Code: CL1004

**Fast National University of Computer and Emerging Sciences
Peshawar**

Department of Computer Science

OBJECT ORIENTED PROGRAMMING LANGUAGE

Table of Contents

Function	1
Types of Functions	2
1. Built in Functions.....	2
2. User Defined Functions	2
Defining a Function (Syntax)	3
Calling a or invoking function.....	3
Function Declaration and Definition	4
Multiple Parameters	6
Functions different Scenarios	6
1. Function have no parameters list and return type	7
2. Function have no return type but parameter list.....	7
3. Function have both return type and parameter list.....	8
4. Function have return type but no parameter list	9
How to pass arguments to functions	10
1. Pass by Values	10
2. Pass by Reference	11
Function Overloading in C++	14
Function Overloading Example 1	16
Function Overloading Example 2	16
Function Overloading Example 3	17
Function with Default Parameters	18
Arrays	20
One Dimensional Array	20
Loop through an Array (for loop)	24
Loop through an Array (enhanced for loop)	26
String Arrays.....	27
How to Pass 1D array to function	28
Multidimensional Array	30
Two Dimensional Arrays (2D Array)	30
References	33

Function

Function is a set of instructions that are designed to perform a specific task. A function is a complete and independent program. A function is a block of code which only runs when it is called. It is executed by the main function to perform its tasks. Functions are used to write the code of a large program by dividing it into smaller independent units. It avoids the replication of code in the program. A function is a group of statements that together perform a task. Every C++ program has at least one function, which is **main()**, and all the most trivial programs can define additional functions. You can divide up your code into separate functions. How you divide up your code among different functions is up to you, but logically the division usually is such that each function performs a specific task. A function is known with various names like a method or a sub-routine or a procedure etc.

Functions are like building blocks. They let you divide complicated programs into manageable pieces. They have other advantages, too:

1. While working on one function, you can focus on just that part of the program and construct it, debug it, and perfect it.
2. Different people can work on different functions simultaneously.
3. If a function is needed in more than one place in a program or in different programs, you can write it once and use it many times.
4. Using functions greatly enhances the program's readability because it reduces the complexity of the function main.





Figure 1: Functions

Types of Functions

1. Built in Functions or standard library functions
2. User Defined Functions



1. Built in Functions

The standard library methods are built-in functions in C++ that are readily available for use.

Built-in functions are also known as library functions. We need not to declare and define these functions as they are already written in the C++ libraries such as `iostream`, `cmath` etc. We can directly call them when we need.

For example `pow(a,x)`, `sqrt(x)`, `round(x)` etc.

2. User Defined Functions

- ❖ We can also create functions of our own choice to perform some task. Such functions are called user-defined functions.
- ❖ User define functions are the one that programmer writes it by himself.

```
void myFunction()
{
    cout<<"welcome to C++ Programming";
}
```

Defining a Function (Syntax)

```
return_type  function_name (parameter(s))
{
    //C++ Statements
}
```

Return Type – A function may return a value. The return_type is the data type of the value the function returns. Some functions perform the desired operations without returning a value. In this case, the return_type is the keyword void.

Function Name – This is the actual name of the function. The function name and the parameter list together constitute the function signature.

Parameters – A parameter is like a placeholder. When a function is invoked, you pass a value to the parameter. This value is referred to as actual parameter or argument. The parameter list refers to the type, order, and number of the parameters of a function. Parameters are optional; that is, a function may contain no parameters.

Function Body – The function body contains a collection of statements that define what the function does.

Calling a or invoking function

- ❖ Executing the statement(s) of function to perform task is called calling a function.
- ❖ Calling a function is called invoking a function.
- ❖ Declared functions are not executed immediately. They are "saved for later use", and will be executed later, when they are called.
- ❖ To call a function, write the function's name followed by two parentheses () and a semicolon ;

Example:

```
addition();
```

In the following example, myFunction() is used to print a text (the action), when it is called:

Example

Inside main, call myFunction():

```
#include <iostream>
using namespace std;

// Create a function
```

```
void myFunction()
{
    cout<<"I just got executed!";
}

int main()
{
    myFunction(); // call the function
    return 0;
}

// Outputs "I just got executed!"
A function can be called multiple times:
Example
void myFunction() {

    cout << "I just got executed!\n";
}

int main() {
    myFunction();
    myFunction();
    myFunction();
    return 0;
}
/*
Output
// I just got executed!
// I just got executed!
// I just got executed!
*/
```

Function Declaration and Definition

A C++ function consist of two parts:

Declaration: the function's name, return type, and parameters (if any). Function declarations is also known prototype of the function.

Definition: the body of the function (code to be executed). The function definition consist of two parts:

- (1) Declarator
- (2) Body of the function

void myFunction(int x, int v);

```
void myFunction() { // declaration
    // the body of the function (definition)
}
```

Note: If a user-defined function, such as myFunction() is declared after the main() function, **an error will occur**.

It is because C++ works from top to bottom; which means that if the function is not declared above main(), the program is unaware of it:

```
int main() {
    myFunction();
    return 0;
}

void myFunction() {
    cout << "I just got executed!";
}

// Error

/*
Output
In function 'int main()':
5:3: error: 'myFunction' was not declared in this scope
*/
```

- ❖ However, it is possible to separate the declaration and the definition of the function - for code optimization.
- ❖ You will often see C++ programs that have function declaration above main(), and function definition below main().
- ❖ This will make the code better organized and easier to read:

```
#include <iostream>
using namespace std;

// Function declaration
void myFunction();

// The main method
int main() {
    myFunction(); // call the function
    return 0;
}
```

```
}

// Function definition
void myFunction() {
    cout << "I just got executed!";
}
/*
Output
I just got executed!
*/
```

Multiple Parameters

Inside the function, you can add as many parameters as you want:

```
#include <iostream>
#include <string>
using namespace std;

void myFunction(string fname, int age) {
    cout << fname << "Khalil" << age << " years old. \n";
}

int main() {
    myFunction("Abid", 3);
    myFunction("Hassan", 14);
    myFunction("Yasin", 30);
    return 0;
}

/*
Output
Abid Khalil 3 years old.
Hassan Khalil 14 years old.
Yasin Khalil 30 years old.
*/
```

Functions different Scenarios

1. Function have no parameters list and return type.
2. Function have no return type but parameter list.
3. Function have both return type and parameter list (Function return values).
4. Function have return type but no parameter list.

1. Function have no parameters list and return type

```
#include <iostream>
using namespace std;

void printStar()
{
    cout<<"*****";
}

int main()
{
    printStar(); // call the function
    return 0;
}
```

2. Function have no return type but parameter list

```
#include <iostream>
using namespace std;
void sum(int x, int y) // parameters
{
    int sum=x+y;
    cout<<"Result is: "<<sum;
}
int main() {

    sum(5,6);    //Arguments
    return 0;
}
/*
Output
Result is: 11*/
```

Parameters or Arguments

- ❖ The terms *parameter* and *argument* can be used for the same thing: information that are passed into a function.

From a function's perspective:

- ❖ A parameter is the variable listed inside the parentheses in the function definition.
- ❖ An argument is the value that is sent to the function when it is called.

3. Function have both return type and parameter list

Function return values

Function can return only one value.

Return Statement: The return statement is used to return calculated value from function definition to calling function.

Syntax:

return x;

```
#include <iostream>
using namespace std;

int sum(int x, int y) //parameters
{
    return(x+y);
}

int main() {

    int result=sum(5,6);    //Arguments
    cout<<"Result is: "<<result;
    //cout<<"Result is: "<<sum(5,6);
    return 0;
}

/*
Output
Result is: 11
*/
```

```
// function example
#include <iostream>
using namespace std;
int addition (int a, int b)
{
    int r;
    r=a+b;
    return r;
}
```

```
}

int main ()
{
    int z;
    z = addition (5,3);
    cout << "The result is " << z<<endl;
}

/*
Output
The result is 8
*/
```

4. Function have return type but no parameter list

```
#include <iostream>
using namespace std;

int sum()    {
    int x=50;
    int y=3;
    return(x+y);
}

int main() {

    int result=sum();
    cout<<"Result is: "<<result;
    //cout<<"Result is: "<<sum();
    return 0;
}

/*
Output
Result is: 53
*/
```

Functions User Enters Arguments Values

```
#include <iostream>
using namespace std;
```

```
int sum(int x, int y) //parameters
{
    return(x+y);
}

int main() {
    int n1, n2;
    cout<<"Enter number 1:";
    cin>>n1;
    cout<<"Enter number 2:";
    cin>>n2;
    int result=sum(n1,n2);    //Arguments
    cout<<"Result is: "<<result;
    //cout<<"Result is: "<<sum(5,6);
    return 0;
}

/*
Output
Enter number 1: 3
Enter number 2: 3
Result is: 6
*/
```

How to pass arguments to functions

We can pass arguments to functions by two ways:

1. Passing by values.
2. Passing by references.

1. Pass by Values

Passing arguments in such a way where the function creates copies of the arguments passed to it , it is called passing by value.

When an argument is passed by value to a function, a new variable of the data type of the argument is created and the data is copied into it. The function accesses the value in the newly created variable and the data in the original variable in the calling function is not changed.

```
#include<iostream>
using namespace std;
void sum(int x, int y)
{
```

```
    int sum =x+y;
    cout<<"Result is: "<<sum;
}
int main()
{
    int a=5;
    int b=6;
    sum(a,b);
    return 0;
}
/*
Output
Result is: 11
*/
```

2. Pass by Reference

- ❖ The data can also be passed to a function by reference of a variable name and that contains data.
- ❖ The reference provides the second name (or **alias**) for a variable name.
- ❖ **Alias:** Two variables refer to the same thing or entity. Alias are the alternate name for referring to the same thing.
- ❖ When a variable is passed by reference to a function, no new copy of the variable is created. Only the address of the variable is passed to the function.
- ❖ The original variable is accessed in the function with reference to its second name or alias. Both variables use the same memory location.
- ❖ Thus, any change in the reference variable also changes the value in the original variable.
- ❖ The reference parameters are indicated by an ampersand (&) sign after the data type both in the function prototype and in the function definition.

```

#include <iostream>

using namespace std;
void swapNums(int &x, int &y) {
    int z = x;

    x = y;

    y = z;
}
int main() {

    int firstNum = 10;

    int secondNum = 20;
    cout << "Before swap: " << "\n";

    cout << firstNum << secondNum << "\n";
    swapNums(firstNum, secondNum);
    cout << "After swap: " << "\n";

    cout << firstNum << secondNum << "\n";
    return 0;

}
/*
Output
Before swap:
10 20
After swap:
20 10
*/

```

- ❖ The ampersand sign (&) is also used with the data type of “x” and “y” variables. The x and y are the aliases of “firstNum” and “secondNum” variables respectively.
- ❖ The memory location of “x” and “firstNum” is the same and similarly, memory location of “y” and “secondNum” is same.

Function Example:

```

#include <iostream>
#include <cctype>
#include <iomanip>
using namespace std;
double getNumber();
char identifyInput();
double getKilos (double);
double getMeters (double);

```

```
int main()
{
    double numberIn = 0.0, kilos = 0.0, meters = 0.0, answer = 0.0 ;
    char choice;
    numberIn = getNumber();
    choice = identifyInput();
    if (choice == 'P')
    {
        answer = getKilos (numberIn);
        cout << numberIn << " pounds are equivalent to " << answer << "
        Kilograms.\n";
    }
    else
    {
        answer = getMeters (numberIn);
        cout << numberIn << " yards are equivalent to " << answer << "
        Meters.\n";
    }
    system("pause");
    return 0;
}

double getNumber()
{
    double input;
    do
    {
        cout << "Enter a number greater than 0 that represents a measurement
        in either pounds or yards: ";
        cin >> input;
    }while (input <= 0);
    return input;
}

char identifyInput()
{
    char option;
    do
    {
        cout << "Enter a P if the number you input was pounds and Y if the
        number input was yards: ";
        cin >> option;
        option = toupper(option);
    }while(!(option == 'P' || option == 'Y'));
    return option;
}

double getKilos (double lbs)
{

```

```
double result;  
result = lbs * 0.45359237;  
return result;  
}  
double getMeters ( double yds)  
{  
double result;  
result = yds * 0.9144;  
return result;  
}
```

Output

```
/* Sample Run-I:  
Enter a number greater than 0 that represents a measurement in either pounds or yards: 512  
Enter a P if the number you input was pounds and Y if the number input was yards: P  
512.00 pounds are equivalent to 232.24 Kilograms.  
  
Sample Run-II:  
Enter a number greater than 0 that represents a measurement in either pounds or yards: 512  
Enter a P if the number you input was pounds and Y if the number input was yards: Y  
512.00 yards are equivalent to 468.17 Meters.  
Press any key to continue . . .  
*/
```

Function Overloading in C++

Functions having same name with different set of parameters (type, order, number) then such kind of functions is called overloaded functions and this mechanism is called method overloading.

Function overloading is a compile time polymorphism or static binding. It increases the readability of the program.

Example

```
void myFunction(int x)  
void myFunction(float x)  
void myFunction(double x, double y)
```

Creating several functions with the same name but different formal parameters.

Two functions are said to have different formal parameter lists if both functions have:

- A different number of formal parameters or
- If the number of formal parameters is the same, then the data type of the formal parameters, in the order you list them, must differ in at least one position.

If a function's name is overloaded, then all of the functions in the set have the same name. Therefore, all of the functions in the set have different signatures if they have different formal parameter lists. Thus, the following function headings correctly overload the function functionXYZ:

```
void functionXYZ()  
void functionXYZ(int x, double y)  
void functionXYZ(double one, int y)  
void functionXYZ(int x, double y, char ch)
```

Consider the following function headings to overload the function functionABC:

```
void functionABC(int x, double y)  
int functionABC(int x, double y)
```

Both of these function headings have the same name and same formal parameter list. Therefore, these function headings to overload the function functionABC are incorrect. In this case, the compiler will generate a syntax error.

Consider the following example, which have two functions that add numbers of different type:

```
int plusFuncInt(int x, int y) {  
    return x + y;  
}  
  
double plusFuncDouble(double x, double y) {  
    return x + y;  
}  
  
int main() {  
    int myNum1 = plusFuncInt(8, 5);  
  
    double myNum2 = plusFuncDouble(4.3, 6.26);  
    cout << "Int: " << myNum1 << "\n";  
    cout << "Double: " << myNum2;  
    return 0;  
}
```

- ❖ Instead of defining two functions that should do the same thing, it is better to overload one.
- ❖ In the example below, we overload the plusFunc function to work for both int and double:

Function Overloading Example 1

```
#include <iostream>
using namespace std;
int plusFunc(int x, int y) {
    return x + y;
}

double plusFunc(double x, double y) {
    return x + y;
}

int main() {
    int myNum1 = plusFunc(8, 5);
    double myNum2 = plusFunc(4.3, 6.26);
    cout << "Int: " << myNum1 << "\n";
    cout << "Double: " << myNum2;
    return 0;
}
```

/*

Output

Int: 13

Double: 10.56

*/

Function Overloading Example 2

```
#include <iostream>
using namespace std;

void sum(int x, int y) // formal arguments
{
    cout<<"sum of int is: "<<(x+y)<<endl;
}

void sum(double x, double y) // formal arguments
{
    cout<<"sum of double is: "<<(x+y)<<endl;
}

void sum(int x, double y) // formal arguments
{
    cout<<"sum of int & double is: "<<(x+y)<<endl;
}

void sum(double x, int y) // formal arguments
{
    cout<<"sum of double & int is: "<<(x+y)<<endl;
}
```

```
    }

int main() {
    sum(3,5);
    sum(3.3,5.6);
    sum(3,5.4);
    sum(3.6,5);

    return 0;
}
/*
```

Output

```
sum of int is: 8
sum of double is: 8.9
sum of int & double is: 8.4
sum of double & int is: 8.6
*/
```

Function Overloading Example 3

```
#include <iostream>
#include <conio.h>
using namespace std;
void repchar();
void repchar(char);
void repchar(char, int);
void main()
{
    repchar();
    repchar('=');
    repchar('+', 30);
    system("pause");
}
void repchar()
{
    for(int j=0; j<45; j++)
        cout << '*';
    cout << endl;
}
void repchar(char ch)
{
    for(int j=0; j<45; j++)
        cout << ch;
    cout << endl;
}
```

```
void repchar(char ch, int n)
{
    for(int j=0; j<n; j++)
        cout << ch;
    cout << endl;
}
```

Output

```
*****
=====
+++++
```

Function with Default Parameters

- ❖ The default parameter is a way to set default values for function parameters a value is not passed in (i.e. it is undefined).
- ❖ In C++ programming, we can provide default values for function parameters.
- ❖ If a function with default arguments is called without passing arguments, then the default parameters are used.
- ❖ However, if arguments are passed while calling the function, the default arguments are ignored.
- ❖ You can also use a default parameter value, by using the equals sign (=).
- ❖ If we call the function without an argument, it uses the default value ("Norway"):

```
void myFunction(string country = "Norway")
{
    cout << country << "\n";
}

myFunction("Sweden");

myFunction();
```

```
#include <iostream>
#include <string>
using namespace std;

void myFunction(string country = "Norway") {
    cout << country << "\n";
}
```

```

}

int main() {
    myFunction("Sweden");
    myFunction("India");
    myFunction();
    myFunction("USA");
    return 0;
}
/*
Output
Sweden
India
Norway
USA
*/

```

A parameter with a default value, is often known as an "optional parameter". From the example above, country is an optional parameter and "Norway" is the default value.

```

#include <iostream>
#include <conio.h>
using namespace std;
void repchar(char='*', int=45);
int main()
{
    repchar();
    repchar('=');
    repchar('+', 30);
    return 0;
}
void repchar(char ch, int n)
{
    for(int j=0; j<n; j++)
    {cout << ch;}
}
/*
Output
*****
=====
+++++
*/

```

Arrays

- ❖ Same name which store multiple values. It is a collection of similar type of elements that have contiguous memory location.

Array is:

1. Linear data structure (consecutive location)
2. Static data structure (fixed size)
3. Homogeneous data will be stored.

Arrays are used to store multiple values in a single variable, instead of declaring separate variables for each value.

marks				
80	90	70	60	30
0	1	2	3	4

To declare an array, define the variable type, specify the name of the array followed by square brackets and specify the number of elements it should store:

To create an array of five integers, you could write:

```
int myNum[5] = { 10, 20, 30, 40, 50 };
```

One Dimensional Array

A **one-dimensional array** is a structured collection of components (often called array elements) that can be accessed individually by specifying the position of a component with a single index value.

To create an array of five integers, you could write:

```
int marks[5] = {80, 90, 70, 60, 30};
```

marks				
80	90	70	60	30
0	1	2	3	4

Array Declaration

```
dataType arrayName[arraySize];
```

For example,

```
int x[6];
```

Here,

int - type of element to be stored

x - name of the array


6 - size of the array

Array Initialization

In C++, it's possible to initialize an array during declaration. For example,

```
// declare and initialize an array
```

```
int x[6] = { 19, 10, 8, 17, 9, 15 };
```



Another method to initialize array during declaration:


```
// declare and initialize an array
```

```
int x[] = {19, 10, 8, 17, 9, 15};
```

Here, we have not mentioned the size of the array. In such cases, the compiler automatically computes the size.

Access the Elements of an Array

To access the element you have to provide the index number along with the name.



```
cout << myNum[0];
```

```
#include<iostream>
using namespace std;

int main() {

int myNum[] ={1,2,3,4,5};

cout<<myNum[0]<<endl;
cout<<myNum[1]<<endl;
cout<<myNum[2]<<endl;
cout<<myNum[3]<<endl;
cout<<myNum[4]<<endl;

    return 0;
}

/*
Output
1
2
3
4
5
*/
```

Array with empty members

In C++, if an array has a size n , we can store upto n number of elements in the array. However, what will happen if we store less than n number of elements.


For example,


```
// store only 3 elements in the array
```

```
int x[6] = {19, 10, 8};
```

Here, the array x has a size of 6. However, we have initialized it with only 3 elements.

In such cases, the compiler assigns random values to the remaining places. Oftentimes, this random value is simply 0.



```
#include<iostream>
using namespace std;

int main() {
    int myNum[6] = {1,2,3};
    for(int number: myNum)
    {
        cout<<number<<endl;
    }

    return 0;
}

/*
Output
1
2
3
0
0
0
*/
```

Change an Array Element

To change the value of a specific element, refer to the index number:

Example

```
myNum [2] = 4000;
```

```
#include<iostream>
using namespace std;
int main() {
int myNum[] ={1,2,3,4,5,6,7};
cout<<"Value at myNum[2]: "<<myNum[2]<<endl;

myNum[2]=7777;

cout<<"Value at myNum[2]: "<<myNum[2];

    return 0;
}
/*
Output
Value at myNum[2]: 3
Value at myNum[2]: 7777
*/
```

Loop through an Array (for loop)

You can loop through the array elements with the for loop.

The following example outputs all elements in the **myNum** array:

```
int myNum[5] = {10, 20, 30, 40, 50};
```

```
for(int i = 0; i < 4; i++)
```

```
{
    cout <<myNum[i] <<endl;
}
```

```
#include<iostream>
using namespace std;

int main() {
int myNum[] ={1,2,3,4,5,6,7};

cout<<"***Array Iteration Using for loop***"<<endl;
```

```
for(int i=0; i<sizeof(myNum)/sizeof(int); i++)
{
    cout<<myNum[i]<<endl;
}
return 0;
}
/*
Output
1
2
3
4
5
6
7
*/
```

```
#include<iostream>
using namespace std;

int main() {
    int myNum[] = {1,2,3,4,5,6,7};

    cout<<"***Array Iteration Using for loop***"<<endl;
    for(int i=0; i<7; i++)
    {
        cout<<myNum[i]<<endl;
    }
    return 0;
}
/*
Output
1
2
3
4
5
6
7
*/
```

Loop through an Array (enhanced for loop)

```
#include<iostream>
using namespace std;

int main() {
int myNum[] ={1,2,3,4,5,6,7};

cout<<"***Array Iteration Using enhanced for loop***"<<endl;

for (int number : myNum)
{
    cout<<number<<endl;
}
    return 0;
}

/*
Output
***Array Iteration Using enhanced for loop***
1
2
3
4
5
6
7
*/
```

Advantages of an Array in C/C++

- ❖ Random access of elements using array index.
- ❖ Use of less line of code as it creates a single array of multiple elements.
- ❖ Easy access to all the elements.
- ❖ Traversal through the array becomes easy using a single loop.
- ❖ Sorting becomes easy as it can be accomplished by writing less line of code.

Disadvantages of an Array in C/C++

- ❖ Allows a fixed number of elements to be entered which is decided at the time of declaration. Unlike a linked list, an array in C is not dynamic.


- ❖ Insertion and deletion of elements can be costly since the elements are needed to be managed in accordance with the new memory allocation.

Take Inputs from User and Store Them in an Array

```
#include <iostream>
using namespace std;
int main() {
    int numbers[5];
    cout << "Enter 5 numbers: " << endl;

    // store input from user to array
    for (int i = 0; i < 5; ++i) {
        cin >> numbers[i];
    }
    cout << "The numbers are: ";

    // print array elements
    for (int n = 0; n < 5; ++n) {
        cout << numbers[n] << " ";
    }
    return 0;
}
```



```
Enter 5 numbers:
2
4
5
77
8
The numbers are: 2 4 5 77 8
```

- ❖ Once again, we have used a for loop to iterate from $i = 0$ to $i = 4$. In each iteration, we took an input from the user and stored it in `numbers[i]`.
- ❖ Then, we used another for loop to print all the array elements.

String Arrays

```
#include<iostream>
using namespace std;
int main() {
    string names[4] = {"Ali", "Asia", "Zain", "Zainab"};
    for(int i = 0; i < 4; i++)
    {
        cout << names[i] << "\n";
    }
}
```

```
}  
    return 0;  
}  
  
/*  
Output  
Ali  
Asia  
Zain  
Zainab  
*/
```

The following example outputs the index of each element together with its value:

```
#include<iostream>  
using namespace std;  
int main() {  
    string names[4] = {"Ali", "Asia", "Zain", "Zainab"};  
    for(int i = 0; i < 4; i++) {  
        cout << i << ": " << names[i] << "\n";  
    }  
    return 0;  
}  
/*  
Output  
0: Ali  
1: Asia  
2: Zain  
3: Zainab  
*/
```

How to Pass 1D array to function

```
#include<iostream>  
using namespace std;  
void arrayIterationFunction(int test[])  
{  
    for (int i = 0; i <6 ; i++)  
    {  
        cout<<"myNum["<<i<<"]="<<test[i]<<endl;  
    }  
}
```

```
}
int main()
{
    int myNum[]= {1,3,4,5,6,7};
    arrayIterationFunction(myNum);
}
/*
Output
myNum[0]=1
myNum[1]=3
myNum[2]=4
myNum[3]=5
myNum[4]=6
myNum[5]=7
*/
```

```
#include<iostream>
using namespace std;
int array_size;    // initialization at the top
void arrayIterationFunction(int test[])
{
    for (size_t i = 0; i <array_size; i++)
    {
        cout<<"Enter value at test["<<i<<"]=";
        cin>>test[i];
    }

    for (int i = 0; i <array_size; i++)
    {
        cout<<"myNum["<<i<<"]="<<test[i]<<endl;
    }
}
int main()
{
    cout<<"Enter Array Size: ";
    cin>>array_size;
    int myNum[array_size];

    arrayIterationFunction(myNum);
}
/*
Output
Enter Array Size: 4
Enter value at test[0]=3
Enter value at test[1]=2
```

```
Enter value at test[2]=1
Enter value at test[3]=6
myNum[0]=3
myNum[1]=2
myNum[2]=1
myNum[3]=6
*/
```

Multidimensional Array

- ❖ C++ allows multidimensional arrays. Here is the general form of a multidimensional array declaration –
- ❖ `type name[size1] [size2]...[sizeN];`
- ❖ For example, the following declaration creates a three dimensional 5 . 10 . 4 integer array –
 - `int threedim[5][10][4];`
- ❖ But our focus will on 2- dimensional arrays

Two Dimensional Arrays (2D Array)

- The simplest form of the multidimensional array is the two-dimensional array. A two-dimensional array is, in essence, a list of one-dimensional arrays.
- An array that is represented with two indices/subscripts is called 2D array.
- It is similar to matrix in maths.
- Logically it consists of rows and columns.
- 2D array is called an array of an arrays.
- To declare a two-dimensional integer array of size x,y, you would write something as follows:

```
type arrayName [ r ][ c ];
```

- Where **type** can be any valid C++ data type and **arrayName** will be a valid C++ identifier.
- A two-dimensional array can be think as a table, which will have **r** number of rows and **c** number of columns.

- A 2-dimensional array **a**, which contains three rows and four columns can be shown as below:

	Column 0	Column 1	Column 2	Column 3
Row 0	<code>a[0][0]</code>	<code>a[0][1]</code>	<code>a[0][2]</code>	<code>a[0][3]</code>
Row 1	<code>a[1][0]</code>	<code>a[1][1]</code>	<code>a[1][2]</code>	<code>a[1][3]</code>
Row 2	<code>a[2][0]</code>	<code>a[2][1]</code>	<code>a[2][2]</code>	<code>a[2][3]</code>

Thus, every element in array **a** is identified by an element name of the form **a[r][c]**, where **a** is the name of the array, and **r** and **c** are the subscripts that uniquely identify each element in **a**.

2D Array logical Representation

	0	1	2
0	(0,0 7	(0,1 8	(0,2 9
1	(1,0 1	(1,1 2	(1,2 3
2	(2,0 5	(2,1 1	(2,2 1
3	(3,0 5	(3,1 6	(3,2 7

Initializing Two-Dimensional Arrays

Multidimensional arrays may be initialized by specifying bracketed values for each row. Following is an array with 3 rows and each row have 4 columns.

```
int a[3][4] = { {0, 1, 2, 3}, /* initializers for row indexed by 0 */
               {4, 5, 6, 7}, /* initializers for row indexed by 1 */
               {8, 9, 10, 11} /* initializers for row indexed by 2 */
             };
```

```
int a[3][4] = { {0, 1, 2, 3} , {4, 5, 6, 7} , {8, 9, 10, 11} };
```

The nested braces, which indicate the intended row, are optional. The following initialization is equivalent to previous example –

```
int a[3][4] = {0,1,2,3, 4,5,6,7,8, 9,10,11};
```

Accessing Two-Dimensional Array Elements

An element in 2-dimensional array is accessed by using the subscripts, i.e., row index and column index of the array. For example –

```
int val = a[2][3]; //assigning value of a[2][3] that is 11 to variable val
```

```
cout<<a[2][3];
```

The above statement will take 4th element from the 3rd row of the array. You can verify it in the above diagram.

```
#include <iostream>
using namespace std;
int main () {
    // an array with 5 rows and 2 columns.
    int a[5][2] = { {0,0}, {1,2}, {2,4}, {3,6},{4,8}};
    // output each array element's value
    for ( int r = 0; r < 5; r++ )
    {
        for ( int c = 0; c < 2; c++ )
        {
            cout << "a[" << r << "][" << c << "]: ";
            cout << a[r][c]<< endl;
        }
    }
    return 0;
}
```

```
a[0][0]: 0
a[0][1]: 0
a[1][0]: 1
a[1][1]: 2
a[2][0]: 2
a[2][1]: 4
a[3][0]: 3
a[3][1]: 6
a[4][0]: 4
a[4][1]: 8
```

❖ When the above code is compiled and executed, it produces the following result –

```
a[0][0]: 0  
a[0][1]: 0  
a[1][0]: 1  
a[1][1]: 2  
a[2][0]: 2  
a[2][1]: 4  
a[3][0]: 3  
a[3][1]: 6  
a[4][0]: 4  
a[4][1]: 8
```

- ❖ As explained above, you can have arrays with any number of dimensions, although it is likely that most of the arrays you create will be of one or two dimensions.

References

<https://beginnersbook.com/2017/08/cpp-data-types/>

http://www.cplusplus.com/doc/tutorial/basic_io/

<https://www.w3schools.com/cpp/default.asp>

<https://www.javatpoint.com/cpp-tutorial>

<https://www.geeksforgeeks.org/object-oriented-programming-in-cpp/?ref=lbp>

<https://www.programiz.com/>

<https://ecomputernotes.com/cpp/>