

PHP

MySQL – phpMyAdmin - CRUD

Basis stappen connectie database

Verbinding openen met
MySQL



Database selecteren



SQL-opdracht sturen



Verbinding sluiten

Database connectie via MySQLi of PDO

- Maak een folder “includes” aan
- Maak hierin een nieuwe file `inc/db_const.php`
- Plaats volgende code hierin:

```
/*  
 * Database constanten  
 */  
define("DB_PDO_DSN",  
"mysql:host=ID201584_naam.db.webhosting.be;dbname=ID201584_naam  
;charset=utf8");  
  
define("DB_HOST", "ID201584_naam.db.webhosting.be");  
define("DB_USER", "ID201584_naam");  
define("DB_PASS", "*****");  
define("DB_BASE", "ID201584_naam");
```

Wijzig `naam` door je eigen voornaam.

```
<?php
// Create connection mysqli
$conn = mysqli_connect(DB_HOST, DB_USER, DB_PASS, DB_BASE);

// Check connection
if (!$conn) {
    die("Connection failed mysqli: " . mysqli_connect_error());
}
echo "Connected successfully mysqli";

?>
```

Database connectie via MySQLi (*procedureel*)

```
<?php
// Create connection MySQLi Object-Oriented
// Create connection
$conn = new mysqli(DB_HOST, DB_USER, DB_PASS, DB_BASE);

// Check connection
if ($conn->connect_error) {
    die("Connection failed mysqli: " . $conn->connect_error);
}
echo "Connected successfully mysqli OOP";
?>
```

Database connectie via MySQLi (Object-Oriented)

```
<?php
// Create connection PDO
try {
    $conn = new PDO(DB_PDO_DSN, DB_USER, DB_PASS);
    // set the PDO error mode to exception
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    echo "Connected successfully PDO";
} catch(PDOException $e) {
    echo "Connection failed PDO: " . $e->getMessage();
}

?>
```

Database connectie via PDO

CRUD – Create Read Update Delete

- **SELECT data**
 - `SELECT column_name(s) FROM table_name`
 - `SELECT * FROM table_name`
- **INSERT data**
 - `INSERT INTO table_name (column1, column2, column3,...)
VALUES (value1, value2, value3,...)`
- **UPDATE data**
 - `UPDATE table_name
SET column1=value, column2=value2,...
WHERE some_column=some_value`
- **DELETE data**
 - `DELETE FROM table_name
WHERE some_column = some_value`



**"Practice is the best of all instructors
— Publilius Syrus**