01 / Custom SVG · Fields and behaviour

D · Existing node/recipe mechanisms; numeric bounds and compatibility review are proposed.


PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Harbour player overlay AUTHORING Home

IMPORT / FIELDS

Choose what can change

4 TEXT · 1 IMAGE



Outlined title? Replace it with live text over the original shape, then check its fit.

Artwork node	Field	Type
player-name	f0 · Player	Text
portrait-slot	f1 · Portrait	Image
player-score	f2 · Score	Number
recent-plays	f4 · Recent plays	List

Selected: Score

Operator label: Score

Default: 12

Minimum: 0 | Maximum: 999 | Step: 1

Only whole scores from 0 to 999 can be entered.

Behaviour

Recipe: Score ▾

score role → f2 · Score

Suggested from artwork labels. Confirm the role before continuing.

Field identity

Keep the reviewed field IDs when artwork changes. New or removed nodes need a compatibility check.

Back | **Review fields →**

CLICK
Select the score node, confirm its field and recipe role.

WHAT HAPPENS NEXT
A typed field/control preview appears. Repeat for the image and list roles.

VERIFY
Min/max/step is a proposal. Imported field order must be reviewed; labels do not establish semantics.

02 / Custom mapper · Your columns, your fields

C/D · Proposed explicit mapping; Fill copies to a cue, Connect follows selected values.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back Harbour Cup LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

SOURCE / PLAYERS

Map the selected player

Row key: player_id = north_07

Player	TeamLogo	Score	Status
Ari Kova	north_crest	12	Ready
Mira Vale	orbit_crest	9	Waiting

Image resolution

N **north_crest**
Library asset · North crest.svg · Validated READY

Rows may move. A live row follows north_07; a filled cue stays unchanged.

Apply to

Graphic

Harbour player overlay

Cue

Ari · interview

No catalogue category is required.

Confirm field mapping

Player · Ari Kova	→	f0 · Player · text
TeamLogo · north_crest	→	f1 · Portrait / logo · image
Score · 12	→	f2 · Score · number
Status · Ready	→	f3 · Status · text

f4 Recent plays is a separate connected list. It is not overwritten by this row.

Choose ownership

✓ **Fill this cue**
Copy selected fields once. Later source edits leave the cue alone.

○ **Connect selected fields**
Follow this player key. Review any current live values before changing.

Cancel

Fill selected fields

CLICK
Pick the source tab and player key, then map mismatched column names.

WHAT HAPPENS NEXT
Choose snapshot Fill or live Connect explicitly for the selected fields.

VERIFY
Every mapped value has a type/sample. The logo resolves to an approved asset; no positional fallback.

03 / One graphic · Three kinds of ownership

C · PR1390 scalar override and read-only lists; Return to Sheet value is a proposed action.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED — Playout | Data | Messages — Setup ▾ — Published ✓ — ■ All out

● **Sheet · Harbour players** Checked 2 s ago · changed 10 s ago — Pause — Details

● PREVIEW — Selected cue — ● PROGRAM — ON AIR · L20

PLAYER VIDEO · ILLUSTRATIVE BACKGROUND

AK **Ari Kova** NORTH / PLAYER 07 READY 13

LAST ROUND +3 / BEST STREAK 7

PLAYER VIDEO · ILLUSTRATIVE BACKGROUND

AK **Ari Kova** NORTH / PLAYER 07 READY 13

LAST ROUND +3 / BEST STREAK 7

■ Take off

↻ Re-take

✎ Update

› Next

■ Out

Ari · player overlay

Player · f0

Ari Kova CUE

Filled from north_07; later source edits cannot replace this name.

Portrait · f1

North crest CUE

Approved asset copied into this cue.

Score · f2

– 13 +

Connected · shared with North scorebug

OVERRIDE · SHEET HAS 12 — Return to Sheet value

Status · f3

Ready CONNECTED

Players / north_07 / Status

Recent plays · f4

LAST ROUND +3 / BEST STREAK 7 READ-ONLY

Edit in the source, or Disconnect to edit here.

Cue rundown

+

1 **Ari · player overlay**
● ON AIR · L20

2 **North scorebug**
Ready · L21

3 **Match intro**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK

Press + on Score, then inspect the source value and the second scorebug.

WHAT HAPPENS NEXT

Both bound graphics show 13. An unchanged poll or unrelated list edit does not undo it.

VERIFY

Return to Sheet value writes 12 to the shared path. An API sender has next-write-wins semantics instead.

04 / Top 16 · Results change values; operator actions change presentation

A · Fixed keyed match slots; no current bracket recipe and no relational Show.data engine.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back Harbour Cup PUBLISHED — Playout | Data | Messages — Setup ▾ — Published ✓ — ■ All out

SOURCE / MATERIALIZED MATCHES

15 match slots

Progression is computed in the source.

Key	Side A	Score	Side B
R16_01	North	3 : 2	Orbit
R16_02	Lynx	0 : 0	Reef
QF_01	North	0 : 0	TBD
SF_01	TBD	0 : 0	TBD
F_01	TBD	0 : 0	TBD

One slot, explicit fields

R16_01.a_name	→	f0 · Side A
R16_01.a_logo	→	f1 · Side A logo
R16_01.a_score	→	f2 · Side A score

The table selects content for fixed slots. A winner value does not press Crown Champion.

● PROGRAM — 15 SLOTS



Operator actions

Highlight Round — Crown Champion — Reset

Declared machine controls. Available actions follow the graphic's state.

Current route: custom authored fields and controls. A visual table-slots recipe is a separate proposal.

CLICK

Update R16_01 in the source, then separately press Highlight Round.

WHAT HAPPENS NEXT

Names/scores refresh first. The presentation action occurs only on the operator press.

VERIFY

All 15 keys remain stable if rows reorder. No data patch invokes any machine event.

05 / Live recovery · Preserve the picture, repair the field

C/D · Proposed field diagnostics and host-side image validation; not guaranteed by raw image assignment.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

• **Sheet · Harbour players** 2 fields need attention — Pause — Details

• PROGRAM · LAST VALIDATED VALUES

PLAYER VIDEO · ILLUSTRATIVE BACKGROUND

AK **Ari Kova** READY **13**
NORTH / PLAYER 07
LAST ROUND +3 / BEST STREAK 7

Ari, score 13 and the last approved crest remain visible. No automatic re-take.

Source health

Last good read 20:14:10 · latest check failed validation
Other independent valid fields may continue; coupled name/logo changes stay together.

Score · f2

COLUMN MISSING

“Score” was renamed

Source now contains “Points”. Nothing has been guessed or cleared.

Old: Score · 12 → New: Points · 12

Review remapping

Portrait · f1

ASSET UNRESOLVED

north_crest_v2 not found

Last approved image is retained by the proposed host resolver.

Choose library asset | Retry

Need manual control?

Disconnect the affected field to keep its current value and edit it here.

Disconnect field...

CLICK
Open the warning beside the affected field, then Review remapping or Choose library asset.

WHAT HAPPENS NEXT
A before/after sample is validated before any replacement reaches air.

VERIFY
A missing column is not an empty cell; a failed image does not replace a validated image. This requires adapter work.

06 / Reuse · Take the graphic, reconnect the production

A–D · Existing native pack transport; compatible mapping hints and rebind review are proposed.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back Harbour Cup LOCAL — Playout | Data | Messages — Setup ▾ — Publish — ■ All out

EXPORT / NATIVE GRAPHICS PACK

Harbour graphics.noacgpack.json

Included

Item	Result
Artwork + field schema	✓ Validated
Bundled images + fonts	✓ Included
Prepared cue values	✓ Included
Production source credentials	Not included

Before disconnecting

The selected connected field keeps its last resolved value as a cue value. Review all affected cues before confirming.

Keep value & disconnect | Cancel

Source connections are production-specific. The new show must not silently follow the old Sheet.

Export pack

NEW PRODUCTION / WINTER CUP

Reconnect the same fields

Source replacement

Old source hint

Harbour Players / player_id

New source

Winter Players / player_id

Player	→	f0 · Player
Logo	→	f1 · Portrait / logo
Points	→	f2 · Score
Status	→	f3 · Status

Review 4 mappings · 1 list connection separately. The first production is unaffected.

Preview sample

Confirm new connections

CLICK

Export the validated pack, add it to the new show, and choose its replacement source.

WHAT HAPPENS NEXT

The field schema and artwork are reused; production access is explicitly re-established.

VERIFY

No old credentials or silent live connections. Current pack support does not itself implement this proposed rebind screen.

07 / Finland elections · Start with the source

Election example · Yle follows Ministry of Justice publication; its exact feed contract is not public in this research.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Finland election rehearsal** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

THE DATA LEAD'S JOB

18 APRIL 2027 · ELECTION DAY

Where do the numbers come from?

February: replay files. Election day: replace the input with an approved results feed.

1 UPSTREAM

Ministry / distributor

Party votes
Candidate votes
Area and counting status

Obtain the 2027 schema and test delivery.

2 EXTERNAL CONNECTOR

Validate and normalize

Stable IDs + current revision
Approved roster + image assets
One coherent JSON snapshot

Replay results-01 → 02 → 03 now.

3 NOACG

Connect the fields

Party board
Candidate card
Count bug + ticker

Operator previews and presses Take.

Results → adapter → PATCH /api/data/patch → bound fields

Separate newsroom collection

Candidate names, translations, portraits, party artwork and editorial headlines are maintained by the newsroom. Do not assume the results feed supplies them.

What we could verify

Yle's 2023 service followed Ministry publication. Official archive locations are identified, but downloads were blocked here. Fixtures use our normalized schema, not an asserted Yle wire format.

CLICK

Data lead opens the source investigation and obtains an approved test delivery/schema.

WHAT HAPPENS NEXT

The connector replaces file replay with the real provider parser, while NoaCG bindings stay the same.

VERIFY

No invented Yle API endpoint. Graphics never scrape a results website or contain the data key.

08 / Rehearsal files · Open these before connecting anything

Election example · Ten party/group records, six fictional candidates, three synthetic snapshots.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Finland election rehearsal** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

PRODUCER / REHEARSAL FOLDER

Small, inspectable files

CSV **parties.csv**
KOK, SDP, PS, KESK, VAS, VIHR, RKP, KD, LIIK, ALAND demo

CSV **candidates.csv**
Aino Example · Mika Example · Sara Example + 3

JSON **results-01 / 02 / 03-correction.json**
First count → new count → corrected count

JSON **assets.json**
Bundled demo tiles and portrait silhouette

Aino's key: FI2027_02_101. Election + district + candidate number; sorting rows cannot change her identity.

Watch one candidate change

Snapshot	Aino votes	Meaning
01 · 20:00:00	3,500	Initial synthetic count
02 · 20:00:05	3,700	Newer count
03 · 20:00:10	3,680	Newer correction

A correction can reduce votes. Revision order decides which snapshot is newer.

Watch one party change

KOK · snapshot 01 **225,000** → KOK · snapshot 02 **228,000**

Reporting units and seat projections are synthetic. "61 of 100 reporting units" is not a claim that 61% of ballots are counted.

CLICK
Open the CSV roster and results-01.json, then compare results-02.json.

WHAT HAPPENS NEXT
The adapter produces patch-01.json and patch-02.json with validated field values.

VERIFY
All example counts and candidates are synthetic. Missing candidate votes must not be silently converted to zero.

09 / Connect once · Follow the exact value to the exact field

Election example · Existing ProductionBindings; this readable mapping screen is proposed.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Finland election rehearsal** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

PRODUCER / SELECT DESTINATIONS

One feed, four graphics

Connect the changing values. Prepare identity and editorial choices separately.

Election Party Board

KOK votes f1 · text	election.parties.KOK.votes_text
KOK share f2 · text	election.parties.KOK.share_text
KOK logo f4 · image	election.parties.KOK.logo

Election Candidate Card

Aino · votes_text	→	f2 · Votes · CONNECT
Aino · status	→	f3 · Status · CONNECT

Name, party/district and portrait are prepared cue values. They stay with Aino.

Preview the mapped value

Source sample: 228,000

Destination: Election Party Board / f1

Ownership: Connected — NEXT API WRITE WINS

Count bug and ticker

Summary fields follow reporting units, preliminary status and timestamp.

The ticker follows approved headline text. Neither source controls Take.

Today: configure bindings, then publish. Rebinding requires republishing until C2 implements immediate persistence.

Preview all four

Review & publish

CLICK

Select the destination field and confirm its exact source path.

WHAT HAPPENS NEXT

A patch resolves only declared bindings; unbound values remain stored without affecting graphics.

VERIFY

No catalogue category. No object is forced into one text field. Candidate key and cue identity agree.

10 / Election night · Data updates; the operator runs the show

Election example · Output images captured from the actual local NoaCG preview composition.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Finland election rehearsal** PUBLISHED

Playout Data Messages | Setup ▾ | Published ✓ | ■ All out

• PROGRAM · PARTY BOARD

SYNTHETIC

FINLAND / PARLIAMENT 2027 — REHEARSAL · SYNTHETIC DATA

National vote · preliminary

PARTY	VOTES	SHARE	DEMO SEAT PROJECTION
KOK	228,000	22.7%	48
SDP	217,000	21.6%	44
PS	180,000	17.9%	36
KESK	130,000	12.9%	26
VAS	85,000	8.5%	16
VIHR	75,000	7.5%	14
RKP	45,000	4.5%	9
KD	30,000	3.0%	5
LIIK	10,000	1.0%	1
ALAND	5,000	0.5%	1

Sample artwork · Fictional candidates · Illustrative seat projections

Source received

Revision 2 · 20:00:05 Helsinki
KOK 228,000 · SDP 217,000 · all shares updated together

LOCAL REHEARSAL

The board was taken on air once. This update did not press Take again.

NEXT PREPARED GRAPHIC · AINO

CUE IDENTITY

FINLAND / PARLIAMENT 2027 — REHEARSAL · SYNTHETIC DATA

Aino Example
KOK · Uusimaa
Counting

3,700

Sample artwork · Fictional candidates · Illustrative seat projections

Operator controls

Take candidate | Take off | Preview next

Changing vote counts never select the next candidate or advance the rundown.

If the incoming data looks wrong

Stop the API sender to freeze current values. Inspect the last accepted snapshot; take a prepared backup graphic if needed. Resume only with a validated current snapshot.

CLICK
Preview and Take the party board; receive snapshot 02; then deliberately choose the candidate card.

WHAT HAPPENS NEXT
Votes change on the board and candidate fields. Only the operator's Take chooses the program graphic.

VERIFY
Actual local output captures, proposed operator shell. Hosted API, real supplier and broadcast output still require qualification.

11 / February to election day · What must be proven next

Election example · Local mechanism proved; feed, hosted service and actual output remain qualification steps.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Finland election rehearsal** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

PRODUCER / READINESS

14 LOCAL CHECKS PASSED

A rehearsal that can fail honestly

Do not call this election-ready from a mockup or a successful HTTP response alone.

When	Who	Concrete action	Observable evidence
Before February	Data lead	Obtain 2027 delivery/schema + approved roster	Known IDs, revision rules and test payloads
February rehearsal	Producer + operator	Replay updates, reorder, corrections, missing data and outage	Right numbers; no automatic playout actions
Before live use	Engineering + operator	Repeat with hosted NoaCG and actual output engine	Measured latency, restarts, quotas and recovery
18 April 2027	Producer + operator	Preview, Take, monitor freshness, use backup if required	Correct live picture and clear preliminary labels
After counting	Data lead + producer	Reconcile confirmed result and archive evidence	Official confirmation; retained raw snapshots

Proved locally

Four native packages pass publication validation. Actual binding/preview code updates their fields. Duplicate retry, row reorder and a lower correction behave as expected.

Still to qualify

Real results-feed access/parser, hosted database/realtime, complete Sheet override behavior, custom machine actions, human usability and OBS/vMix/CasparCG output.

CLICK

Run the local replay, then use the same acceptance sheet for the real integration rehearsal.

WHAT HAPPENS NEXT

Each boundary gains concrete evidence instead of being inferred from the previous step.

VERIFY

No product implementation was started. Research scripts and static screens are isolated in this folder.