01 / SVG · Start with unfamiliar artwork

D · Existing import flow, with proposed checks made visible.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Harbour match strip AUTHORING Home

✓ Start
Choose mode

2 Design
Your artwork

3 Fields
Operator fields

4 Animation
In & out motion

5 Finish
Name & save

PROJECT FORMAT
16:9 · 1920 × 1080
25 fps

Bring in your artwork

Keep the design. Choose what the operator can change next.

SVG

harbour-match.svg

Illustrator · 1920 × 1080 · 184 KB

Choose another file


Import check

✓	4 text elements	Editable
✓	2 image elements	Embedded
✓	Inter font	Available

Artwork does not declare score rules or match relationships. You choose those in Fields.

← Back **Choose fields →**

PREVIEW · HARBOUR MATCH STRIP 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

From the designer

Two team names, two scores and two crests. Decorative shapes remain part of the artwork.

CLICK
Import graphic → Design → choose harbour-match.svg.

WHAT HAPPENS NEXT
The artwork preview appears; Choose fields opens the existing Fields step.

VERIFY
All text, logos and fonts are visible before exposing any operator control.

02 / SVG · Expose text, scores and images

D · Uses existing text/image extraction; field review and selection treatment are proposed.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Harbour match strip AUTHORING Home

✓ **Start**
Choose mode

✓ **Design**
Your artwork

3 **Fields**
Operator fields

4 **Animation**
In & out motion

5 **Finish**
Name & save

PROJECT FORMAT
16:9 · 1920 × 1080
25 fps

Choose what can change

Select an element here or on the artwork.

USE	FIELD	TYPE
✓	Home team	Text
✓	Away team	Text
✓	Home score	Number
✓	Away score	Number
✓	Home crest	Image
✓	Away crest	Image

Selected element

Home score text · "3"

Field type

Number ▾

"3" suggests a number. Confirm the type; it does not imply scoring or a Goal action.

← Design **Configure controls →**

PREVIEW · HOME SCORE SELECTED 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

6 fields exposed

Team labels → Text
Score figures → Number
Embedded crests → Image

Outlined lettering stays artwork unless you replace it with a positioned text field.

CLICK
Click Home score on the artwork; confirm Number in the field type selector.

WHAT HAPPENS NEXT
The selected artwork element and its field row highlight together.

VERIFY
Both crests are image fields. No bracket, score rules or actions are inferred from the SVG.

03 / SVG · Keep values and actions separate

D · Existing generated controls, with a proposed explicit authoring review.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Harbour match strip AUTHORING Home

✓ **Start**
Choose mode

✓ **Design**
Your artwork

3 **Fields**
Operator fields

4 **Animation**
In & out motion

5 **Finish**
Name & save

PROJECT FORMAT
16:9 · 1920 × 1080
25 fps

Operator controls

Review what changes a value and what operates the graphic.

Values

Home score
Number · minimum 0 · step 1

Away score
Number · minimum 0 · step 1

− + Change the selected score

Graphic actions


Take / Out · standard playout actions
Clear highlight · explicitly declared

+ Add an action...

A new score changes the number. It does not fire Take, Goal, Next or Reset.

← Fields **Animation →**

PREVIEW · CONTROL PREVIEW 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

Test controls off air

Home score − 3 +

Clear highlight Action

CLICK
Set Home score to step 1. Test the + control in the off-air preview.

WHAT HAPPENS NEXT
The preview changes from 3 to 4; no animation action is fired.

VERIFY
The field contract and control schema identify values and actions separately.

04 / SVG · Finish, add to production, prepare a cue

D · Proposed connection entry point follows the agreed field-led workflow.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back Harbour Cup LOCAL | Playout | Data | Messages | Setup ▾ | Publish | ■ All out

● PREVIEW — Selected cue

HARBOUR CUP / QUARTER-FINAL
N NORTH 3 : 2 ORBIT O

● PROGRAM — OFF AIR

No graphic on air

▶ Take
↻ Re-take
✎ Update
› Next
■ Out

EDITING PREVIEW CUE · Quarter-final

Home team
North — Fill from...

Away team
Orbit — Fill from...

Home score
3 — ① Connect...

Away score
2 — Connect...

① Connect... Google Sheet
Another system data API
Existing production value

Connect follows live values for every cue of this graphic.

Fill from... copies once into this cue.

Cue rundown

+

1 Quarter-final · North / Orbit
● IN PREVIEW · L20

2 Final · North / Orbit
Ready · L21

3 Opening title
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Finish → Save & add to Harbour Cup → prepare Quarter-final → Home score → Connect...

WHAT HAPPENS NEXT
Choose Google Sheet, Another system, or an existing production value.

VERIFY
The destination is Home score on this graphic. Creating the cue has not Taken it live.

05 / SVG · Connect one score to a Sheet cell

D · Cell/range picker is a new proposal; the shared production binding path is retained.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** LOCAL — Playout | Data | Messages — Setup ▾ — Publish — ■ All out

Quarter-final › Home score › Connect

GOOGLE SHEET

Choose a Sheet value

Harbour results · tab: Live

Sheet link

docs.google.com/spreadsheets/d/example... ✓

	A · name	B · value
1	home_team	North
2	away_team	Orbit
3	home_score	3
4	away_score	2
5	home_crest	north.svg
6	away_crest	orbit.svg

Selected B3 → Home score · Number · current value 3

Use value from

Cell B3 — Change selection

PREVIEW · HOME SCORE = 3

1920 × 1080



SAFE AREA 7%

25 FPS · 100%

Connection scope

Harbour match strip — USED BY 2 CUES

Quarter-final and Final follow this score. Choose a separate graphic if they need independent live values.

Cancel — **Connect Home score**

CLICK

In Connect, paste the Sheet link and select cell B3.

WHAT HAPPENS NEXT

The preview highlights Home score and displays the parsed number 3.

VERIFY

The dialog states “Used by 2 cues.” B3 is an explicit cell binding; row movement needs remapping.

06 / SVG · Add a scrolling list from another tab

D · Demonstrates a column/list without a catalogue template; a scrolling behavior is explicitly authored.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

Quarter-final › Upcoming matches › Connect

Choose a list

Harbour schedule · one row per upcoming match

Source / tab

Harbour schedule / Upcoming ▾

A · time	B · match	C · line
20:30	Lynx vs Reef	Lynx vs Reef at 20:30
21:00	Halo vs Kite	Halo vs Kite at 21:00
21:30	Volt vs Echo	Volt vs Echo at 21:30

Use


Column C · line — List of text

3 non-empty lines. The graphic already declares a scrolling list; the source supplies its content.

Content preview

Lynx vs Reef at 20:30
Halo vs Kite at 21:00
Volt vs Echo at 21:30

PREVIEW · SCORES + TEXT + IMAGES + LIST — 1920 × 1080



SAFE AREA 7% — 25 FPS · 100%

Connections on this graphic

Home / away score → Harbour results
Home / away crest → Harbour results
Upcoming matches → Harbour schedule
Competition label → Manual

Back — **Connect Upcoming matches**

CLICK

Expose an Upcoming matches list with scrolling behavior, then Connect… → Sheet → Column C.

WHAT HAPPENS NEXT

The list preview uses the selected column in source order.

VERIFY

Text fields, images, scores and a scrolling list coexist. Source layout does not choose a catalogue category.

07 / SVG · Verify images and mappings before air

D · Proposed review consolidates the selected fields without changing binding ownership.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** LOCAL — Playout | Data | Messages — Setup ▾ — Publish — ■ All out

Harbour match strip › Connections

Check the result

One graphic · two sources · two cues

FIELD	FROM	VALUE
Home team	Live!B1	North
Away team	Live!B2	Orbit
Home score	Live!B3	3
Away score	Live!B4	2
Home crest	Live!B5	✓ north.svg
Away crest	Live!B6	✓ orbit.svg
Upcoming matches	Upcoming!C2:C	3 lines

2 images loaded in preview. The output must also be able to load their approved asset references.

Image fallback: keep the last good image on a failed read. Empty SVG image fields restore the original artwork. This is not the same as a failed load.

PREVIEW · MAPPED CONTENT — 1920 × 1080



SAFE AREA 7% — 25 FPS · 100%

7 / 7 FIELDS CHECKED

2 / 2 IMAGES AVAILABLE

Off air PREVIEW ONLY

Edit connections — **Save & return to Playout**

CLICK

Check each field against the source sample; inspect both crest images; save the connections.

WHAT HAPPENS NEXT

The cue preview uses the saved live values. Take remains a separate action.

VERIFY

Expected values, image availability and affected cues are visible before any on-air update.

08 / SVG · Take once, then follow changing values

D · Agreed browser-led reading, source status and manual score behavior.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

- **Harbour results** Checked 3 s ago · changed 12 s ago — Pause | Details
- **Harbour schedule** Checked 2 s ago · changed 4 min ago — Pause | Details

• PREVIEW — Selected cue

HARBOUR CUP / QUARTER-FINAL
N NORTH 3 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

• PROGRAM — ON AIR · L20

HARBOUR CUP / QUARTER-FINAL
N NORTH 3 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

■ Take off
↻ Re-take
✎ Update
› Next
■ Out

EDITING ON-AIR CUE · Quarter-final

Home score
3 — Connected
Harbour results · Live!B3

Away score
2 — Connected
Harbour results · Live!B4

Upcoming matches
3 lines — View connection
Harbour schedule · Upcoming!C2:C

Competition label
HARBOUR CUP — Manual

Live numbers Home score – + Shared value

Cue rundown +

1 **Quarter-final · North / Orbit**
• ON AIR · L20

2 **Final · North / Orbit**
Ready · L21

3 **Opening title**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Press Take. A Sheet cell edit subsequently updates its connected field without another Take.

WHAT HAPPENS NEXT
The graphic stays on air while values change; controls remain available beside it.

VERIFY
Open-page reads target 5 s. Closed-page published reads use about a minute; real latency still needs qualification.

09 / Bracket · Declare matches, not just sixteen labels

A · Structured authoring is a new proposal, layered over ordinary fields and declared actions.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Harbour Top 16 AUTHORING Home

PREVIEW · TOP 16 · 8 OPENING MATCHES

1920 × 1080



SAFE AREA 7%

25 FPS · 100%

Authoring intent

Codex creates the artwork plus named team, score and crest slots. It must validate 16 unique teams, 15 matches, valid progression references and no cyclic match relationships.

Artwork can suggest repeated groups. The author confirms match IDs and relationships; the importer cannot infer a tournament.

Graphic contract

Repeated structure

Teams 16
Matches 15
Key match_id
Relationship next_match + next_slot

Each match exposes

`Home team` `Away team` `Home crest` `Away crest` `Home score` `Away score`

Operator actions

Highlight winner
Advance selected winner
Reset selection

Confirm these groups before connecting rows. Each match keeps its own team, crest and score fields.

Validate & add to production

CLICK

Create/import the bracket, then confirm the declared match structure and actions.

WHAT HAPPENS NEXT

Validation reports missing IDs, invalid relationships or duplicate match slots before the graphic is saved.

VERIFY

All 16 teams are visible. A score value alone does not advance the bracket.

10 / Bracket · Match structured rows by stable IDs

A · New mapping proposal: explicit row keys plus a finite field map, without formulas.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** LOCAL — Playout | Data | Messages — Setup ▾ — Publish — ■ All out

Top 16 overview › Matches › Connect

Connect the match set

Harbour bracket · Matches tab

match_id	home	away	home_score	away_score
R16-01	North	Orbit	3	2
R16-02	Lynx	Reef	0	0
R16-03	Halo	Kite	0	0
R16-04	Volt	Echo	0	0

Match rows to slots using

match_id → Graphic match ID

home_score → Home score

away_score → Away score

home_crest / away_crest → Home crest / Away crest

Row order can change. R16-01 still targets the same match. Missing or duplicate IDs block this mapping.

Validate 15 match rows

PREVIEW · SOURCE → MATCH R16-01 — 1920 × 1080



SAFE AREA 7% — 25 FPS · 100%

Relationship review

MATCH	NEXT MATCH	SLOT
R16-01	QF-01	Home
R16-02	QF-01	Away

Relationships describe the authored bracket. Progression is applied only by the declared operator action.

NEW PROPOSAL

Connect Matches

CLICK
Select match_id as the row key, map columns to match fields, then validate the full set.

WHAT HAPPENS NEXT
A mapping preview resolves source rows to bracket slots independently of row order.

VERIFY
The existing engine does not bind object arrays directly. This screen proposes an adapter to existing leaf bindings.

11 / Bracket · Scores update; the operator advances

A · Proposed bracket controls preserve the rule that data does not operate the show.


PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

● **Harbour bracket** Checked 2 s ago · 15 matches — Pause | Details

● PREVIEW — Selected cue



● PROGRAM — ON AIR · L20



■ Take off
↻ Re-take
✎ Update
› Next
■ Out

MATCH R16-01 · North vs Orbit

Home score: 3 Sheet | Away score: 2 Sheet | Selected winner: North ▾

Advance North → QF-01 · Home

Apply only after confirming the match result.

① Advance selected winner

Highlight winner | Clear highlight | Reset...

Cue rundown +

1 **Top 16 overview**
● ON AIR · L20

2 **Quarter-final focus**
Ready · L21

3 **Match scorebug**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Select R16-01, confirm North as winner, then press Advance selected winner.

WHAT HAPPENS NEXT
The declared action updates the downstream bracket slot; a subsequent score edit cannot fire it.

VERIFY
Upstream result changes after advancement need an explicit correction flow. Its details remain a design decision.

12 / Commercial roll · Package and hosted content are different

B · Proposed provider intake distinguishes editable local material from a remote render.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · North partner roll AUTHORING Home

Bring in provider graphics

Choose the material the provider supplied.

1 **Import assets or a compatible package**

SVG, images and media; or a package with a supported graphic contract. Inspect assets, fonts and declared fields.

Choose files...

2 **Reference hosted content**

Use the provider's render URL. It stays remote and needs a reachable, embeddable page. Editable fields require a supported provider contract.

Enter hosted URL...

An arbitrary ZIP or web page does not become an editable NoaCG graphic. Unsupported material needs conversion or a defined adapter.

PREVIEW · PROVIDER ARTWORK 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

Campaign fixture

North Equipment · three-slide partner roll
Headline, product image, sponsor logo and legal line
Advance and Reset are operator actions.

CLICK
Choose Import assets for supplied files, or Reference hosted content for a provider URL.

WHAT HAPPENS NEXT
Each route gets its own readiness checks and capability preview.

VERIFY
Packaging assets transfers material. A hosted URL keeps rendering and availability under the provider's control.

13 / Commercial roll · Inspect a supplied package

B · Proposed package inspection; the example assumes a compatible manifest.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · North partner roll AUTHORING Home

North campaign package

3 SLIDES

north-partner-roll.zip · compatible manifest detected

Assets

N	north-logo.svg Sponsor logo	Ready
▥	bottle-product.webp Product image	Ready
Aa	Inter Typeface	Available

DECLARED FIELD	TYPE	SAMPLE
Headline	Text	Built for the long run.
Product image	Image	bottle-product.webp
Legal line	Text	Official hydration partner

Imported assets can be packaged with the graphic. Later provider changes are not automatically included.

Back

Expose fields & continue

PREVIEW · SLIDE 1 OF 3

1920 × 1080



SAFE AREA 7%

25 FPS · 100%

Declared actions

Next slide | Reset roll

Data can replace content. It cannot press these buttons.

CLICK

Choose the ZIP, inspect its declared fields and asset checks, then continue.

WHAT HAPPENS NEXT

The local graphic exposes editable content and preserves the provider's artwork.

VERIFY

An unsupported manifest or missing required asset blocks readiness with the exact conversion/replacement needed.

14 / Commercial roll · A URL does not imply editable fields

B · Hosted-content UI is a new proposal. Capabilities remain explicit and provider-dependent.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Hosted partner bumper AUTHORING Home

Reference hosted content

Provider render URL

https://graphics.example/harbour/north

Check availability SIMULATED RESULT

CHECK	RESULT
HTTPS & reachability	Passed in this sample
Embedding permission	Allowed in this sample
Editable-field contract	Not supplied
Asset dependencies	Provider-hosted

This page exposes no compatible fields. Show it as supplied, or ask the provider for an editable package/contract.

Available controls

NoaCG: Take / Out wrapper
Next / Reset: unavailable without a supported provider control contract

Add as hosted graphic

PREVIEW · REMOTE RENDER · NO FIELD ACCESS 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

Availability

Internet access and provider uptime are required. Preview is not a portability guarantee. Recheck the actual output environment before use.

No arbitrary API URL mapper or cross-origin DOM editing is implied by this proposal.

CLICK
Enter the hosted URL and inspect reachability, embedding and contract results.

WHAT HAPPENS NEXT
NoaCG shows a remote preview with only the controls the integration can actually support.

VERIFY
No field mapping is offered when the provider has not declared editable content.

15 / Commercial roll · External content, deliberate playback

B · Imported-package route: data supplies content; the operator controls the roll.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

● **North campaign API** Received 8 s ago — Details

● PREVIEW — Selected cue

NORTH / EQUIPMENT

Built for the long run.

Official hydration partner

HARBOUR CUP · PARTNER FEATURE 01 / 03



● PROGRAM — ON AIR · L20

NORTH / EQUIPMENT

Built for the long run.

Official hydration partner

HARBOUR CUP · PARTNER FEATURE 01 / 03



■ Take off

↻ Re-take

✎ Update

› Next

■ Out

NORTH PARTNER ROLL · Slide 1 of 3

Headline: Built for the long run.
Connected · North campaign API

Product image: bottle-product.webp ✓
Connected · approved asset reference

Legal line: Official hydration partner
Connected · North campaign API

Campaign label: HARBOUR CUP
Manual

① Next slide | Reset roll — Operator actions

Cue rundown

+

1 **North partner roll**
● ON AIR · L20

2 **Hosted partner bumper**
Ready · L21

3 **Back to studio**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK

Preview the supplied content, Take the roll, then press Next slide for each planned advance.

WHAT HAPPENS NEXT

API values update declared fields; playback advances only when the operator asks.

VERIFY

If provider-hosted media becomes unavailable, switch to a separately prepared local fallback cue.


16 / Player overlay · Author the mixed-content contract

C · Text, image, score, status and scrolling list in one graphic, with separate actions.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Import graphic** · Ari player overlay AUTHORING Home

PREVIEW · ABOVE PLAYER VIDEO 1920 × 1080



SAFE AREA 7% 25 FPS · 100%

Create with Codex or configure visually

Both routes produce the same declared fields and controls. Validation checks field IDs, compatible types, sample content and action separation before the graphic is added to the production.

Video is illustrative. The overlay is the name card, score, status and scrolling strip.

Editable content

FIELD	TYPE
Player name	Text
Portrait	Image
Score	Number
Status	Choice value
Recent updates	List of text

Actions

Take / Out
Flash player
Clear emphasis

“Ready” is a data value. “Flash player” is an action. A status update cannot trigger the action.

Save & add to production

CLICK
Create the overlay and confirm its fields and actions in the authoring review.

WHAT HAPPENS NEXT
The graphic enters the library with explicit, source-independent editable content.

VERIFY
The same declaration supports manual values, Sheet content and API values together.

17 / Player overlay · Connect an API value or collection

C · Uses the existing push API; arbitrary JSON-address fetching remains outside the agreed run.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

Ari overlay › Score › Connect › Another system

Choose received data

Production is published · data key hidden

Send to this production

PATCH https://noacg.studio/api/data/patch

Copy example | Reveal data key

```
{ "player": {
    "name": "Ari Kova",
    "score": 12,
    "status": "Ready",
    "updates": ["Last round +3", "Best streak 7"]
  } }
```

RECEIVED VALUE	CURRENT	CONNECT TO
Player · score	12	Score
Player · status	Ready	Status
Player · updates	2 text items	Recent updates


Text collections can fill a list. Collections of objects need explicit item mapping; they are not a direct binding.

RECEIVED 2 S AGO

Connect selected values

PREVIEW · API SAMPLE → OVERLAY

1920 × 1080



SAFE AREA 7%

25 FPS · 100%

Credentials stay with the sender

Give the production data key to the authorized sender. Nothing in this screen gives the output renderer a writer credential.

CLICK

Publish, provide the sender its data key, then select the received Score, Status and Updates values.

WHAT HAPPENS NEXT

The field picker previews real data names and values rather than requiring typed paths.

VERIFY

This is pushed API data, not a claim that arbitrary external JSON URLs are already supported.

18 / Player overlay · Fill a selected roster row once

C · Existing row-to-cue behavior, with a proposed explicit field mapping review.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** LOCAL

Playout | Data | Messages | Setup ▾ | Publish | ■ All out

Ari overlay › Player details › Fill from...

Choose a player

Harbour roster · source: Google Sheet

player_id	name	portrait	team
P07	Ari Kova	ari.webp	North
P12	Mika Vale	mika.webp	Orbit
P19	Lea Marin	lea.webp	Lynx


name	→	Player name
portrait	→	Portrait
team	→	Team label

Fill copies this row into the cue. Roster edits will not change this prepared player card.

Score and Recent updates stay connected to their own sources. Unmapped fields keep their values.

Cancel | **Fill this cue**

PREVIEW · ROSTER ROW P07 — 1920 × 1080



SAFE AREA 7% — 25 FPS · 100%

One graphic, mixed ownership

Player name + portrait → this cue, from roster P07
Score + status → connected API values
Recent updates → connected list
Flash player → operator action

CLICK

Fill from... → roster → select P07 → confirm the name, portrait and team mapping.

WHAT HAPPENS NEXT

Those three fields are copied into this cue; existing API connections stay intact.

VERIFY

Fill is a snapshot. Live selection by row key would be a distinct proposed Connect behavior, not implied here.

19 / Player overlay · Operate without losing value ownership

C · Demonstrates multiple sources on one graphic and intentional sharing across graphics.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED — Playout | Data | Messages — Setup ▾ — Published ✓ — ■ All out

- **Match API** Received 2 s ago — Details
- **Harbour activity** Checked 3 s ago — Pause — Details

• PREVIEW — Selected cue

PLAYER VIDEO · ILLUSTRATIVE BACKGROUND

AK **Ari Kova** READY 12
NORTH / PLAYER 07
LAST ROUND +3 / BEST STREAK 7

• PROGRAM — ON AIR · L20

PLAYER VIDEO · ILLUSTRATIVE BACKGROUND

AK **Ari Kova** READY 12
NORTH / PLAYER 07
LAST ROUND +3 / BEST STREAK 7

■ Take off
↻ Re-take
✎ Update
› Next
■ Out

EDITING ON-AIR CUE · Ari overlay

Player name: Ari Kova
This cue · filled from roster P07

Score: 12 — View connection
Match API · also used by North scorebug

Status: Ready
Match API · current value

Recent updates: 2 lines
Harbour activity · connected Sheet list

Score – +

Flash player — Clear emphasis

A score press changes the shared value. The next API push can replace it.

Cue rundown +

1 **Ari · player overlay**
• ON AIR · L20

2 **North scorebug**
Ready · L21

3 **Match intro**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Take Ari’s cue. Use + for a manual correction or Flash player for the explicit visual action.

WHAT HAPPENS NEXT
A score correction also updates the North scorebug because both intentionally share the value.

VERIFY
Sheet overrides last until the source cell changes; pushed API updates can overwrite on the next write.

20 / Recovery · Failed reads keep the last good values

D + C · Agreed stale behavior; source and field warnings stay visible in Playout.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

- **Harbour results** Can't read · not shared · stale — Pause | Details
- **Harbour schedule** Checked 2 s ago — Pause | Details

• PREVIEW — Selected cue

HARBOUR CUP / QUARTER-FINAL
N NORTH 3 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

• PROGRAM — ON AIR · L20

HARBOUR CUP / QUARTER-FINAL
N NORTH 3 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

■ Take off
↻ Re-take
✎ Update
› Next
■ Out

HARBOUR RESULTS · Cannot read since 20:14:05

Home score
3 STALE
Last good value · 20:14:00

Away score
2 STALE
Last good value · 20:14:00

The Sheet is no longer shared. Restore link access to the required tab, then check again.

Open source | ① Check again | Pause

Program keeps 3 : 2 and the last good images. The independent schedule source continues updating.

Cue rundown +

1 **Quarter-final · North / Orbit**
• ON AIR · L20

2 **Final · North / Orbit**
Ready · L21

3 **Opening title**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Restore sharing in the Sheet, return to Playout and press Check again.

WHAT HAPPENS NEXT
A successful read clears the stale marker and applies changed cells. Failed reads write nothing.

VERIFY
An unavailable source never becomes an empty score or an automatic Out action.

21 / Recovery · Pause holds an operator's correction

D · D4 retained: shared manual value, changed-cell comparison, no Sheet writeback.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout | Data | Messages | Setup ▾ | Published ✓ | ■ All out

- **Harbour results** Paused · manual correction active — Resume | Details
- **Harbour schedule** Checked 3 s ago — Pause | Details

• PREVIEW — Selected cue

HARBOUR CUP / QUARTER-FINAL
N NORTH 4 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

• PROGRAM — ON AIR · L20

HARBOUR CUP / QUARTER-FINAL
N NORTH 4 : 2 ORBIT O
NEXT · LYNX vs REEF at 20:30 / HALO vs KITE at 21:00

■ Take off
↻ Re-take
✎ Update
› Next
■ Out

HOME SCORE · Manual value while paused

4	3	2
SHARED VALUE / ON AIR	LAST GOOD SHEET VALUE	GRAPHICS USING THIS SCORE

Harbour results is paused

The + press updated both graphics. Nothing was written back to the Sheet.

① Resume

On Resume, only cells changed since the last good source snapshot replace their values. If B3 is still 3, the manual 4 stays.

Cue rundown +

1 **Quarter-final · North / Orbit**
• ON AIR · L20

2 **Final · North / Orbit**
Ready · L21

3 **Opening title**
Ready · L22

Connections belong to the graphic. Every cue of that graphic follows.

+ Add a graphic...

CLICK
Pause Harbour results, then press Home score +. Resume when ready.

WHAT HAPPENS NEXT
The correction changes the shared value on both graphics; unchanged source cells do not erase it.

VERIFY
If B3 changes to 5 during Pause, Resume applies 5. API Pause is a later, separately qualified capability.

22 / Recovery · A valid empty list is not a failed read

D + C · Agreed adapters clear on valid empty reads; failures preserve the previous content.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout Data Messages | Setup ▾ | Published ✓ | ■ All out

Harbour activity recovered

- **Harbour activity** Checked just now · empty — Pause | Details

A · item	B · time
–	No rows

The source read succeeded. This list contains zero items.

What changes

The scrolling strip clears. Player name, portrait, status and score remain because they come from other values or sources.


What would happen on failure

A failed read would keep the last good list and display a stale/error state. It would not clear the strip.

Return to Playout

PREVIEW · LIST CLEARED · OTHER FIELDS REMAIN

1920 × 1080



SAFE AREA 7%

25 FPS · 100%

The adapter emits an empty string for this valid empty list. Legacy null / object / missing-path semantics remain unchanged.

CLICK

After source access is restored, inspect the successful read and zero-item result.

WHAT HAPPENS NEXT

The empty list clears the strip through an ordinary data update; the graphic remains on air.

VERIFY

“Empty” is shown only after a valid read. It is never a fallback interpretation of a network failure.

23 / Reuse · Disconnect deliberately, then reconnect elsewhere

All scenarios · Proposed reuse review preserves contracts while treating production sources separately.

PROPOSED UI · STATIC MOCKUP
SIMULATED DATA · NO PRODUCT CHANGES

NoaCG ← Back **Harbour Cup** PUBLISHED

Playout Data Messages | Setup ▾ | Published ✓ | ■ All out

Harbour match strip › Upcoming matches

Disconnect this field?

Current connection

Harbour schedule → Upcoming matches
Graphic: Harbour match strip
Used by 2 cues

Both cues return to cue-owned content using the last value. Other fields and other graphics connected to this source are unaffected.

Last value to keep

Lynx vs Reef at 20:30
Halo vs Kite at 21:00
Volt vs Echo at 21:30

Keep connection

Disconnect Upcoming matches

Published connection changes are intended to save immediately under C2. Today's implementation still requires republishing bindings.

New production › Coastal Open › Add graphic

Reuse the graphic

Connection review

Harbour results	→	Choose Coastal results...
Harbour schedule	→	Choose Coastal schedule...

Keep fields, artwork and controls. Reconfirm production sources and row keys. Do not copy data keys.

NEW PROPOSAL

Review & add

CLICK
Disconnect the selected field; when reusing the graphic, review every production-specific source.

WHAT HAPPENS NEXT
The old production retains its own sources. The new one gets explicitly chosen connections and credentials.

VERIFY
Schema changes or missing field IDs require remapping. No existing plan or authority is changed by these screens.