ESG DATA API DOCUMENTATION

MSCI ESG Data Application Programming Interface (API) Documentation. Additional documentation can be found at:

https://developer.msci.com/apis/esg-data-api

Version 3.0

July 2026

Information Classification: GENERAL

Overview and Conventions 3
ESG Data API 3
HTTP Method 3
API Versioning 3
Version Wise Change Details 4
Metering and Throttling 4
Gateway Limits 5
Batching Response Strategy 6
Backward Compatibility 7
Authentication 7
Step 1 – Generate Client Id 7
Step 2 – Generate Client Secret 7
Step 3 – Obtain token 7
ESG Data API 10
Description 10
Authentication Details 10
Endpoints List 10
Endpoints Detail 11
/issuers 11
/instruments 21
/funds 31
/coverage 42
/metadata/factors 52
/metadata/datasets 54
/metadata/products 57
/metadata/thematictags 59
/metadata/mscimodeltags 61
/funds/History 63
/instruments/history 88
/issuers/history 106
/metadata/history/factors 133
/metadata/history/datasets 136

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

/metadata/history/historicalproducts 139
/metadata/history/thematictags 140
/metadata/history/mscimodeltags 142
/INSTRUMENT-REFERENCE 145

OVERVIEW AND CONVENTIONS

MSCI ESG APIs are RESTful Web APIs that enable direct access to MSCI ESG reports and data over the internet, enabling the seamless integration of ESG Reports and data into client and third-party platforms.

Additional documentation is available on the MSCI API Portal located here: https://developer.msci.com/apis/esg-data-api

ESG DATA API

The ESG Data API offers access to MSCI ESG data including ratings and raw data. All client facing data is expected to be available via the Data API.

HTTP METHOD

Unless stated otherwise, all Web Services are using HTTP 'GET' method.

API VERSIONING

ESG APIs uses version numbers. If change is necessary to be made to an API that will break the current version, then the version number will be changed.

API	V3 (OAuth 2.0)	V4 (OAuth 2.0)
Ongoing Data	/esg/data/v3.0/issuers	/esg/data/v4.0/issuers
	/esg/data/v3.0/funds	/esg/data/v4.0/funds
	~~/esg/data/v3.0/instruments~~ – Not available	/esg/data/v4.0/instruments
Historical Data	/esg/data/v3.0/issuers/history	/esg/data/v4.0/issuers/history
	/esg/data/v3.0/funds/history	/esg/data/v4.0/funds/history
	/esg/data/v3.0/instruments/history	/esg/data/v4.0/instruments/history
Metadata	/esg/data/v3.0/metadata/factors	/esg/data/v4.0/metadata/factors
	/esg/data/v3.0/metadata/history/factors	/esg/data/v4.0/metadata/history/factors
Instrument Ref API	/esg/data/v3.0/instrument-reference	/esg/data/v4.0/instrument-reference

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Coverage	NA	/esg/data/v4.0/coverage

VERSION WISE CHANGE DETAILS

Sr No	Changed Description	Document Version
1	Introduction of the current day instruments V4 API URL "/esg/data/v4.0/instruments" based on the new current-day products permissions.	Version 1
2	Introduction of the current day metadata V4 API URLs "/esg/data/v4.0/metadata/factors" for instruments based on the new current-day product permissions.	Version 1
3	Introduction of the new current day coverage endpoint for instruments to retrieve all identifiers belonging to the current day product passed by the user.	Version 1
4	Added details for the **change transparency** request and response parameters to the Issuers History API	Version 2
5	Introduction of the current day funds V4 API URL "/esg/data/v4.0/funds" based on the new current-day products permissions.	Version 3
6	Introduction of the current day metadata V4 API URLs "/esg/data/v4.0/metadata/factors" for funds based on the new current-day product permissions.	Version 3
7	Introduction of the new current day coverage endpoint for funds to retrieve all identifiers belonging to the current day product passed by the user.	Version 3
8	Introduction of the current day issuers V4 API URL "/esg/data/v4.0/issuers " based on the new current-day products permissions.	Version 3
9	Introduction of the new current day coverage endpoint for issuers to retrieve all identifiers belonging to the current day product passed by the user.	Version 3
10	Introduction of the current day metadata V4 API URLs "/esg/data/v4.0/metadata/factors" for issuers based on the new current-day product permissions.	Version 3

METERING AND THROTTLING

To prevent misuse due to either malicious intent or programmatic errors and ensure continuous availability of API Services to all our Clients, MSCI implements Throttling (also referred to as Rate Limiting Features). Rate Limits are typically defined in terms of number of API requests made per minute and per day for an API Key.
These limits may be subject to commercial Terms & Conditions.

HTTP Response 429 - Too Many Requests are sent back by the API Server (Gateway) whenever a client breaches a predefined rate limit.
This response also includes a Retry-After header, specifying the number of seconds after which the request can be retried.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

GATEWAY LIMITS

GATEWAY LIMITS (ALL URLS)

Parameter	Description	Value
rate limit - user request rate	How many requests/second can an individual user make to your API?	100
rate limit - user connection limit	How many concurrent HTTP connections can an individual user have to your API?	75
rate limit - cluster/global request limit	Across all users, how many total requests/second can your API handle? This will depend on the characteristics of your API and how it scales.	1000
rate limit - cluster/global connection limit	Across all users, how many total concurrent HTTP connections can your API handle? This will depend on the characteristics of your API and how it scales.	500

GATEWAY LIMITS (FOR V3 & V4 HISTORY BATCH REQUESTS)

Parameter	Description	Value
rate limit - user request rate	How many requests/second can an individual user make to your API?	25
rate limit - cluster/global request limit	Across all users, how many total requests/second can your API handle? This will depend on the characteristics of your API and how it scales.	100

GATEWAY LIMITS (FOR V3 & V4 INSTRUMENT REFERENCE API)

Parameter	Description	Value
rate limit - user request rate	How many requests/second can an individual user make to your API?	5
rate limit - cluster/global request limit	Across all users, how many total requests/second can your API handle? This will depend on the characteristics of your API and how it scales.	20

DATA RANGE LIMIT PER "DATA_LAYOUT" AND "DATA_SAMPLE_FREQUENCY"

FOR "HISTORICAL_PRODUCT" REQUEST - V4.0

data_sample_frequency	Daily	NA	Daily	calendar_month_end	calendar_month_end
data_layout	by_factor	change_ranges	matrix_by_factor	by_factor	matrix_by_factor
/v4.0/issuers/history	1 day	1 year	1 day	1 year	1 year
/v4.0/funds/history	1 day	1 year	1 day	1 year	1 year
/v4.0/instruments/history	1 day	1 year	1 day	1 year	1 year

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

BATCHING RESPONSE STRATEGY

While using History API, a user might request data for many Identifiers and factors for a wide date range (say 1 year), which could result in a response that is too large to handle efficiently. To address this, we have implemented a batching strategy, where we send the response in smaller, more manageable chunks or 'batches'.

If the number of Identifiers or the number of Factors is more than 100, History APIs response will be in the form of Batches where each Batch can have data for maximum 100 identifiers and 100 factors.

Batch No.	Identifiers (Range)	Factors (Range)
1	1-100	1-100
2	1-100	101-200
3	1-100	201-250
4	101-150	1-100
5	101-150	101-200
6	101-150	201-250

In this scenario, we are dealing with 150 identifiers and 250 factors. Our batching strategy is designed to manage this data efficiently:

- The first batch contains data for the initial 100 identifiers and the first 100 factors.
- The second batch includes data for the same initial 100 identifiers but moves on to the next 100 factors.
- The third batch continues with the same 100 identifiers but now includes the remaining 50 factors.

Through these first three batches, we have successfully transmitted data for all 250 factors pertaining to the first 100 identifiers.

- The fourth batch begins with data for the next set of 50 identifiers, covering the first 100 factors.
- The fifth batch continues with these 50 identifiers but includes data for the next 100 factors.

This pattern continues, ensuring that we first send data for the initial 100 identifiers across all factors (in multiple batches), before proceeding to the next set of identifiers. This strategy allows for the efficient transmission of large data sets by breaking them down into manageable, organized batches.

If the number of Identifiers and number of factors are less than 100, batching will not be required, and all the data will be sent in a single response.

Batch No.	Identifiers (Range)	Factors (Range)
1	1-50	1-50

Notes:

1. Refer to sections “/funds/history”, “/issuers/history” and “/instruments/history” for batching request and response.
2. Maximum number of identifiers and maximum number of factors is 100 for Issuers and Instrument API, 50 for Funds API.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

BACKWARD COMPATIBILITY

When changes are needed to an API, MSCI will strive to make them backward compatible.

AUTHENTICATION

The following section describes machine to machine OAuth 2.0 authentication.

To use MSCI Web Services, the user needs:

- Client Id
- Client Secret

Client Id and secret are obtained once and are reusable. To obtain a client Id and secret, the client needs to call MSCI's client service.

STEP 1 – GENERATE CLIENT ID

1. Log in to the MSCI Customer Center using your MSCI credentials.
2. Select the OAuth 2.0 Client IDs tab.
3. In the top-right corner, click Request Client ID.
4. From the product drop-down list, select ESG.
5. Provide the required additional information– describe the purpose and indicate that you are requesting a new ID.
6. Select the I agree to MSCI terms check box.
7. Click Submit. You will receive an email with your Client ID.

Note that you must have an active subscription of the product for which you are requesting the Client ID.
A Client ID is generated and sent to the backend team for provisioning with the requested API.
You will receive an email confirmation once the ID is provisioned. You can also track the status from the MSCI Customer Center.

STEP 2 – GENERATE CLIENT SECRET

1. Once you receive an email confirmation that your client ID is provisioned, go to the MSCI Customer Center again. Select the OAuth 2.0 Client IDs tab.
2. Select the OAuth 2.0 Client IDs tab.
3. Locate the new Client ID that was assigned to you, as described in the previous section.
4. Click Generate Secret. For security reasons, this is a one-time activity that is visible in the portal only at the time of generation.
5. Save your IDs in a safe place. If you require assistance with this process, contact your MSCI representative. Note that MSCI does not store the API Secret.

STEP 3 – OBTAIN TOKEN

Once you have the Client ID and Client Secret, you need to make an API call to obtain the token.

Auth Server URL https://accounts.msci.com/oauth/token
Request Type POST
Body
client_id: <Client_ID>
client_secret: <Client_Secret>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

grant_type: “client_credentials”
audience: “https://esg/data”

Response of a successful call contains the access token and expiry time.
Use the access token as a bearer token for further API communication.
To ensure security, all API requests must be made over HTTPS.

TOKEN EXPIRY: 24 HOUR

After Token expires, we will get “401 unauthorized” response.
DOs:
Please reuse the OAuth token until it expires.
Don’ts:
Please avoid requesting a new OAuth token for every single API request. Instead, reuse the existing token until its validity expires.

CODE EXAMPLE OF USAGE:

CURL:

(TOKEN GENERATION) –

```
curl -X POST \
https://accounts.msci.com/oauth/token/ \
-H 'Content-Type: application/json' \
-d '{
"grant_type": "client_credentials",
"client_id": "**Client-Id-value**",
"client_secret": "**Client-Secret-value**",
"audience": "https://esg/data"
}'
```

(API REQUEST)

```
curl –H “Authorization: Bearer
***bearer token value***”
-X GET " https://api.msci.com/esg/data/v4.0/metadata/factors?factor_type=instrument”
```

JAVA :

(TOKEN GENERATION) –

```
OkHttpClient client = new OkHttpClient();
MediaType mediaType = MediaType.parse("application/json");
RequestBody body = RequestBody.create(mediaType, "{ \"grant_type\":
\"client_credentials\"," +
            " \"client_id\": \"**Client-Id-Value**\"," +
            " \"client_secret\": \"**Client-Secret-Value**\"," +
            " \"audience\": \"https://esg/data\"" +
            "}");
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
Request request = new Request.Builder()
        .url("https://accounts.msci.com/oauth/token/")
        .post(body)
        .addHeader("Content-Type", "application/json")
        .build();
Response response = client.newCall(request).execute();
```

(API REQUEST) –

```
OkHttpClient client = new OkHttpClient();
Request request = new Request.Builder()
        .url("https://api.msci.com/esg/data/v4.0/metadata/factors?factor_type=instrument")
        .get()
        .addHeader("Accept", "application/json")
        .addHeader("Content-Type", "application/json")
        .addHeader("Authorization", "Bearer **Bearer-Token-Value")
        .build();
Response response = client.newCall(request).execute();
```

PYTHON :

(TOKEN GENERATION) –

```
import http.client
import json
conn = http.client.HTTPSConnection("accounts.msci.com")
payload = json.dumps({"grant_type": "client_credentials",
"client_id": "**Client-Id-value**",
"client_secret": "** Client-Secret-Value **",
"audience": "https://esg/data"})
headers = {
  'Content-Type': ‘application/json’}
conn.request("POST", "/oauth/token/", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

(API REQUEST) –

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = {' Accept ': ‘application/json’, ' Content-Type ': ‘application/json’, 'Authorization': ‘Bearer **Bearer Token
Value**’}
payload = ‘’
conn.request("GET", "/esg/data/v4.0/metadata/factors?factor_type=instrument ", payload,
headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

ESG DATA API

The base URL of the ESG Data API is https://api.msci.com/esg/data/v4.0

DESCRIPTION

The ESG Data API provides a way for a client to retrieve current day ESG data for all issuers and data points that the user is entitled to receive. Data entitlements match what is available in MSCI ESG Manager.

AUTHENTICATION DETAILS

ESG Data API supports OAuth 2.0 authentication. Please check Authentication section.

ENDPOINTS LIST

Endpoint	Description
/instruments (GET)	Retrieve instruments ESG current day data for a set of instruments identifiers.
/instruments (POST)	Retrieve instruments ESG current day data for a set of instruments identifiers based on the posted input specification.
/issuers (GET)	Retrieve issuer ESG current day data for a set of issuers identifiers.
/issuers (POST)	Retrieve issuer ESG current day data for a set of issuers identifiers based on the posted input specification.
/funds (GET)	Retrieve a list of funds and related fund Ratings data.
/funds (POST)	Retrieve a list of funds and related fund Ratings data based on the posted input specification.
/funds/history [GET]	Retrieve ESG data history for a given set of fund identifiers
/funds/history [POST]	Retrieve ESG data history for a given set of fund identifiers based on the posted input specification
/instruments/history [GET]	Retrieve ESG data history for a given set of instrument identifiers

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

/instruments/history [POST]	ESG data history for a given set of instrument identifiers based on the posted input specification
/issuers/history [GET]	Retrieve issuer ESG Data History for a set of issuers identifiers
/issuers/history [POST]	Retrieve issuer ESG Data History for a set of issuers identifiers based on the posted input specification
/metadata/factors [GET]	Retrieve a list of factors permitted to the account, optionally limited to instrument factors for now.
/metadata/history/factors [GET]	Retrieve a list of issuer, fund and instrument history factors irrespective of account permission.
/instrument-reference/[GET]	Retrieve a list of all instruments for an issuer
/instrument-reference/[POST]	Retrieve a list of all instruments for an issuer

ENDPOINTS DETAIL

/ISSUERS

The /issuer endpoint provides a mechanism to retrieve current day ESG data for a given set of issuer identifiers. A user of the API can send in a list of issuer identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current date. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/json. If the Content-Type header is not properly specified, the request may be rejected with a 400-status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

When requesting ESG current day data, it is possible to create a request which returns a large amount of data. When a request is made for current day data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all the requested data. Every response returned from the current day API endpoint contains a response_metadata property. A typical response will look like this:

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
"response_metadata": {
"total_number_of_identifiers": 300,
"total_number_of_batches": 3,
"current_batch": 1,
"data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```


In this example, a request was made for current day data. The response indicates that there will be 300 issuers in the response, broken into 3 batches. The current_batch property indicates that this is the first batch in the result.

To retrieve additional batches, additional calls are made to /issuers, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key for retrieving additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes. While calling the endpoint use encoding as the data_request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications.
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period to refer to the same request. After the first request, the client will know how many batches exist, and if desired, can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for the requested identifier. There are no order dependencies in response. After some defined period, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.
Below code sample for encoding in Java/Python

Java:

```
import java.net.URLEncoder;

url = "https://api.msci.com/esg/data/v4.0/issuers?
batch_id=2&data_request_id="+URLEncoder.encode(data_request_id, StandardCharsets.UTF_8.toString());
```

Python:

```
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id, batch_id=batch_id))
```

- **RETRIEVE ESG CURRENT DAY DATA FOR REQUESTED IDENTIFIERS**

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

The /issuer endpoint provides a mechanism to retrieve current day ESG data for a given set of issuers identifiers. A user of the API can send in a list of issuer identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current date. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /issuers endpoint uses a dynamic batching scheme to return data if the results are too large to return to one request (see the section on data batching for more details on how large results are returned).
The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (issuers) who have ESG Data. The identifiers can represent Bonds, Securities, or the issuers themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint such as /metadata/history/factors.
- Other parameters to fine tune the request

HTTP Method:

GET

ENDPOINT DESCRIPTION

Fetches ESG current-day data for the supplied issuer identifiers and factors passed as query parameters, returning the values for each requested factor as of the current date. Intended for quick, exploratory queries with small inputs.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/issuers

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		Json	Json, csv	The result of the issuers endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into applications such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data.
factor_name_list	Array				A list of ESG Factor names is defined in the ESG Factor Metadata.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

issuer_identifier_list	Array		A list of one or more issuer/instrument identifiers which resolve to issuers. Identifiers can be MSCI Issuer IDs, ISINs, CUSIPs, etc
dataset_list	Array		A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with issuer_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.
inherit_missing_values	Boolean	N	A Boolean value used to indicate whether the API should inherit missing values from a parent issuer. This option will automatically be set to true if the caller is permitted to receive inherited data

RESPONSE:

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that could not be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id represents this request. It can be used in future requests to retrieve subsequent batches of data.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects. The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned. An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers. factor permissions will come under messages only in messages[] tag.

Output Encoding

application/Json, text/csv

Output Description

The /issuers endpoint returns a collection of data for the issuer identifiers and datapoints requested. By default, the result is returned in JSON format. The results can also be returned as a CSV file if the request uses the format parameter, or if the accept header specifies text/csv as an acceptable result.

Sample Output

Possible outputs for status: 200


```
{
  "status": "OK",
  "code": 200,
  "trace_id": "6a2ba8e91796e0ab3ed343860ebea2e7",
  "timestamp": "2026-06-12T06:36:25Z",
  "messages": [],
  "result": {
    "response_metadata": {
      "total_number_of_identifiers": 2,
      "total_number_of_unresolved_identifiers": 0,
      "total_number_of_batches": 1,
      "current_batch": 1,
      "data_request_id": "0-2248d207-e0ba-492c-bcc4-8b927c5695ea-2026-06-13T06:36:25Z",
      "data_request_id_expiration_time": "2026-06-13T06:36:25+0000",
      "resolved_factors": [
        "EST_EU_TAXONOMY_MAX_REV",
        "EST_EU_TAXONOMY_MAX_CONTRIB_MITIGATION"
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
        ]
      },
      "data": [
        {
          "requested_id": "IID000000002224520",
          "issuer_metadata": [
            {
              "ISSUERID": "IID000000002224520",
              "ISSUER_NAME": "NERCO, INC."
            }
          ],
          "factors": [
            {
              "name": "EST_EU_TAXONOMY_MAX_REV",
              "value": 1
            },
            {
              "name": "EST_EU_TAXONOMY_MAX_CONTRIB_MITIGATION",
              "value": 1
            }
          ]
        },
        {
          "requested_id": "IID000000002234608",
          "issuer_metadata": [
            {
              "ISSUERID": "IID000000002234608",
              "ISSUER_NAME": "LA MONDIALE SAM",
              "ISSUER_ISIN": "XS1556395710",
              "ISSUER_TICKER": "SGAMA"
            }
          ],
          "factors": [
            {
              "name": "EST_EU_TAXONOMY_MAX_REV",
              "value": 0
            },
            {
              "name": "EST_EU_TAXONOMY_MAX_CONTRIB_MITIGATION",
              "value": 0
            }
          ]
        }
      ]
    }
}
```


CODE SAMPLES

cURL

```
curl --request GET \
  --url 'https://api.msci.com/esg/data/v4.0/issuers?
factor_name_list=json&format=json&issuer_identifier_list=json' \
  --header 'Authorization: Replace with your Authorization Token'
```

Python

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = { 'Authorization': " Replace with your Authorization Token" }
conn.request("GET", "/esg/data/v4.0/issuers?
factor_name_list=json&format=json&issuer_identifier_list=json", headers=headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse<String> response = Unirest.get('https://api.msci.com/esg/data/v4.0/issuers?
factor_name_list=json&format=json&issuer_identifier_list=json")
  .header("Authorization", " Replace with your Authorization Token ")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/issuers?

factor_name_list=json&format=json&issuer_identifier_list=json");

var request = new RestRequest(Method.GET);

request.AddHeader("Authorization", " Replace with your Authorization Token ");

IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

Fetches ESG current-day data for the supplied issuer identifiers and factors submitted in a JSON request body (Content-Type: application/json), returning the values for each requested factor as of the current date. Recommended for most API clients, as it supports larger request payloads.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/issuers

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the issuers endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into applications such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
factor_name_list	Array				A list of ESG Factor names is defined in the ESG Factor Metadata. Factor names, but at least one factor name must be specified for a request to be valid.
issuer_identifier_list	Array				A list of one or more identifiers which are issuers. Identifiers can be ISINs, CUSIPs, MDS UIDS, etc.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

dataset_list	Array	A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with issuer_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized
403	No subscription available for this data
500	Internal Server Error
503	Service Unavailable

Output Encoding

application/json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

Input

```
{
  "issuer_identifier_list": [
    "IID000000002171563",
    "IID000000005027178",
    "IID000000002132993"
  ],
  "factor_name_list": [
    "ISSUER_TICKER",
    "EST_EU_TAXONOMY_MAX_REV",
    "ISSUER_NAME"
  ]
}
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Output


```
{
  "status": "OK",
  "code": 200,
  "trace_id": "6a2bb56435a3fa85aca2805f2ceabc89",
  "timestamp": "2026-06-12T07:29:40Z",
  "messages": [],
  "result": {
    "response_metadata": {
      "total_number_of_identifiers": 3,
      "total_number_of_unresolved_identifiers": 0,
      "total_number_of_batches": 1,
      "current_batch": 1,
      "data_request_id": "0-187b8486-711d-4456-8b2d-c399b90f8cbc-2026-06-13T07:29:40Z",
      "data_request_id_expiration_time": "2026-06-13T07:29:40+0000",
      "resolved_factors": [
        "EST_EU_TAXONOMY_MAX_REV",
        "ISSUER_NAME",
        "ISSUER_TICKER"
      ]
    },
    "data": [
      {
        "requested_id": "IID000000002132993",
        "issuer_metadata": [
          {
            "ISSUERID": "IID000000002132993",
            "ISSUER_NAME": "Ferrotec Corporation",
            "CIK_NUM": "0001100195",
            "ISSUER_ISIN": "JP3802720007",
            "ISSUER_TICKER": "6890"
          }
        ],
        "factors": [
          {
            "name": "EST_EU_TAXONOMY_MAX_REV",
            "value": 0
          },
          {
            "name": "ISSUER_NAME",
            "value": "Ferrotec Corporation"
          },
          {
            "name": "ISSUER_TICKER",
            "value": "6890"
          }
        ]
      },
      {
        "requested_id": "IID000000002171563",
        "issuer_metadata": [
          {
            "ISSUERID": "IID000000002171563",
            "ISSUER_NAME": "JYP Entertainment Corporation",
            "ISSUER_ISIN": "KR7035900000",
            "ISSUER_TICKER": "035900"
          }
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
          ],
          "factors": [
            {
              "name": "EST_EU_TAXONOMY_MAX_REV",
              "value": 0
            },
            {
              "name": "ISSUER_NAME",
              "value": "JYP Entertainment Corporation"
            },
            {
              "name": "ISSUER_TICKER",
              "value": "035900"
            }
          ]
        },
        {
          "requested_id": "IID000000005027178",
          "issuer_metadata": [
            {
              "ISSUERID": "IID000000005027178",
              "ISSUER_NAME": "PERNOD RICARD INTERNATIONAL FINANCE LLC",
              "ISSUER_ISIN": "USU7136QAB78"
            }
          ],
          "factors": [
            {
              "name": "EST_EU_TAXONOMY_MAX_REV",
              "value": 0
            },
            {
              "name": "ISSUER_NAME",
              "value": "PERNOD RICARD INTERNATIONAL FINANCE LLC"
            }
          ]
        }
      ]
    }
}
```


CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/issuers \
  --header 'Authorization:Replace with your Auth token’ \
  --header 'content-type: application/json' \
  --data '{"issuer_identifier_list
":["string"],factor_name_list":["string"],"format":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload = "{\"
issuer_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    }
conn.request("POST", "/esg/data/v4.0/issuers", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response = Unirest.post("https://api.msci.com/esg/data/v4.0/issuers")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"issuer_identifier_list \":[\"string\"],\"factor_name_list\":
[\"string\"],\"format\":\"string\"}")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/issuers");
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json", "{\"issuer_identifier_list \":
[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/INSTRUMENTS

The /instruments endpoint provides a mechanism to retrieve current day ESG data for a given set of instruments identifiers. A user of the API can send in a list of instruments identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current date. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/json. If the Content-Type header is not properly specified, the request may be rejected with a 400 status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

When requesting ESG current day data, it is possible to create a request which returns a large amount of data. When a request is made for current day data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all of the requested data. Every response returned from the current day API endpoint contains a response_metadata property. A typical response will look something like this:

```
"response_metadata": {
"total_number_of_identifiers": 300,
"total_number_of_batches": 3,
"current_batch": 1,
"data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

In this example, a request was made for current day data. The response is indicating that there will be 300 instruments in the response, broken into 3 batches. The current_batch property indicates that this the first batch in the result.

To retrieve additional batches, additional calls are made to /instruments, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes . While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications.
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period of time to refer to the same request. After the first request, the client will know how many batches exist, and if desired can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for a requested identifier. There are no order dependencies in the response. After some set period of time, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

Below code sample for encoding in Java/Python

Java:
```
import java.net.URLEncoder;

url = "https://api.msci.com/esg/data/v4.0/instruments
?batch_id=2&data_request_id="+URLEncoder.encode(data_request_id, StandardCharsets.UTF_8.toString());
```

Python:
```
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id,batch_id=batch_id))
```

- **RETRIEVE ESG CURRENT DAY DATA FOR REQUESTED IDENTIFIERS**

The /instruments endpoint provides a mechanism to retrieve ESG current day data for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /instruments endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned).

HTTP Method:

GET

ENDPOINT DESCRIPTION

The /instruments endpoint provides a mechanism to retrieve ESG current day data for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate bonds, equities etc who has ESG Data.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through other API endpoints such as /metadata/factors.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instruments

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the instruments endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data.
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata.
instrument_identifier_list	Array				A list of one or more instrument identifiers which resolve to issuers. Identifiers can be ISINs, CUSIPs, MDS UIDS, etc.
dataset_list	Array				A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with instrument_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json, text/csv

Output Description

The instrument endpoint returns a collection of data for the instrument identifiers and datapoints requested. By default, the result is returned in JSON format. The results can also be returned as a CSV file if the request uses the format parameter, or if the accept header specifies text/csv as an acceptable result.

Sample Output

Possible outputs for status: 200


```
{
  "status": "OK",
  "code": 200,
  "trace_id": "6998464b065d64d92532d380d7ae58a8",
  "timestamp": "2026-02-20T11:32:28Z",
  "messages": [],
  "result": {
    "response_metadata": {
      "total_number_of_identifiers": 2,
      "total_number_of_unresolved_identifiers": 0,
      "total_number_of_batches": 1,
      "current_batch": 1,
      "data_request_id": "0-5536322a-634f-4c02-964f-6172fb8202f1-2026-02-21T11:32:28Z",
      "data_request_id_expiration_time": "2026-02-21T11:32:28+0000",
      "resolved_factors": {
        "BOND": [
          "ANALYSIS_SUMMARY_EXTERNAL",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "GB_MSCI_VERIFIED",
            "UOP_ALT_ENERGY"
          ]
        }
      },
      "data": [
        {
          "requested_id": "UIF000000027804394",
          "instrument_type": "BOND",
          "factors": [
            {
              "name": "ANALYSIS_SUMMARY_EXTERNAL",
              "value": "Not Available"
            },
            {
              "name": "GB_MSCI_VERIFIED",
              "value": "Not Assessed"
            }
          ]
        },
        {
          "requested_id": "UIF000000055452902",
          "instrument_type": "BOND",
          "factors": [
            {
              "name": "ANALYSIS_SUMMARY_EXTERNAL",
              "value": "Not Available"
            },
            {
              "name": "GB_MSCI_VERIFIED",
              "value": "True"
            },
            {
              "name": "UOP_ALT_ENERGY",
              "value": "True"
            }
          ]
        }
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    ]
  }
}
```

CODE SAMPLES

cURL

```
curl --request GET \
  --url 'https://api.msci.com/esg/data/v4.0/instruments?
factor_name_list=json&format=json&instrument_identifier_list=json' \
  --header 'Authorization: Replace with your Authorization Token'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = { 'Authorization': " Replace with your Authorization Token" }

conn.request("GET",
"/esg/data/v4.0/instruments?factor_name_list=json&format=json&instrument_identifier_list=json
", headers=headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse<String> response =
Unirest.get("https://api.msci.com/esg/data/v4.0/instruments?factor_name_list=json&format=json
&instrument_identifier_list=json")
  .header("Authorization", " Replace with your Authorization Token ")
  .asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/instruments?factor_name_list=json&format=json&
instrument_identifier_list=json");

var request = new RestRequest(Method.GET);

request.AddHeader("Authorization", " Replace with your Authorization Token ");

IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

The /instruments endpoint provides a mechanism to retrieve ESG current day data for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate bonds/equities (instruments) who have ESG Data. The identifiers can represent Bonds, Securities.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through other API endpoints such as /metadata/factors.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instruments

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the instruments endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, but at least one factor name must be specified for a request to be valid.
instrument_identifier_list	Array				A list of one or more instrument identifiers which resolve to issuers. Identifiers can be ISINs, CUSIPs, MDS UIDS, etc.
dataset_list	Array				A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with instrument_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not found
500	Internal Server Error
503	Service Unavailable

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Output Encoding

application/xml, application/json, text/csv

Output Description

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

Input


```
{
    "instrument_identifier_list": [
        "UIF000000027804394",
        "UIF000000055452902"
    ],
    "factor_name_list": [
        "GB_MSCI_VERIFIED",
        "UOP_ALT_ENERGY",
        "ANALYSIS_SUMMARY_EXTERNAL"
    ]
}
```


Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "6998464b065d64d92532d380d7ae58a8",
    "timestamp": "2026-02-20T11:32:28Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-5536322a-634f-4c02-964f-6172fb8202f1-2026-02-21T11:32:28Z",
            "data_request_id_expiration_time": "2026-02-21T11:32:28+0000",
            "resolved_factors": {
                "BOND": [
                    "ANALYSIS_SUMMARY_EXTERNAL",
                    "GB_MSCI_VERIFIED",
                    "UOP_ALT_ENERGY"
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                ]
            }
        },
        "data": [
            {
                "requested_id": "UIF000000027804394",
                "instrument_type": "BOND",
                "factors": [
                    {
                        "name": "ANALYSIS_SUMMARY_EXTERNAL",
                        "value": "Not Available"
                    },
                    {
                        "name": "GB_MSCI_VERIFIED",
                        "value": "Not Assessed"
                    }
                ]
            },
            {
                "requested_id": "UIF000000055452902",
                "instrument_type": "BOND",
                "factors": [
                    {
                        "name": "ANALYSIS_SUMMARY_EXTERNAL",
                        "value": "Not Available"
                    },
                    {
                        "name": "GB_MSCI_VERIFIED",
                        "value": "True"
                    },
                    {
                        "name": "UOP_ALT_ENERGY",
                        "value": "True"
                    }
                ]
            }
        ]
    }
}
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/instruments \
  --header 'Authorization:Replace with your Auth token' \
  --header 'content-type: application/json' \
  --data '{"instrument_identifier_list
":["string"],factor_name_list":["string"],"format":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload = "{\"
instrument_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"stri
ng\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("POST", "/esg/data/v4.0/instruments", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response =
Unirest.post("https://api.msci.com/esg/data/v4.0/instruments")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"instrument_identifier_list
\":[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/instruments");
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json", "{\" instrument_identifier_list
\":[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}",
ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/FUNDS

The /funds endpoint provides a mechanism to retrieve current day ESG data for a given set of funds identifiers. A user of the API can send in a list of funds identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current date. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/Json. If the Content-Type header is not properly specified, the request may be rejected with a 400-status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

When requesting ESG current day data, it is possible to create a request which returns a large amount of data. When a request is made for current day data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all the requested data. Every response returned from the current day API endpoint contains a response_metadata property. A typical response will look something like this:

```
"response_metadata": {
"total_number_of_identifiers": 300,
"total_number_of_batches": 3,
"current_batch": 1,
"data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```

In this example, a request was made for current day data. The response indicates that there will be 300 funds in the response, broken into 3 batches. The current_batch property indicates that this is the first batch in the result.

To retrieve additional batches, additional calls are made to /funds, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes . While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications.
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period of time to refer to the same request. After the first request, the client will know how many batches exist, and if desired, can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for a requested identifier. There are no order dependencies in response. After some set period of time, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

Below code sample for encoding in Java/Python

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Java:
import java.net.URLEncoder;

url = "https://api.msci.com/esg/data/v4.0/funds?
batch_id=2&data_request_id="+URLEncoder.encode(data_request_id, StandardCharsets.UTF_8.toString());

Python:
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id,batch_id=batch_id))

- **RETRIEVE ESG CURRENT DAY DATA FOR REQUESTED IDENTIFIERS**

The /funds endpoint provides a mechanism to retrieve ESG current day data for a given set of fund identifiers. A user of the API can send in a list of fund identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /funds endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned).

HTTP Method:

GET

ENDPOINT DESCRIPTION

The /funds endpoint provides a mechanism to retrieve ESG current day data for a given set of fund identifiers. A user of the API can send in a list of fund identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (funds) who have ESG Data. The identifiers can represent Bonds, Securities, or the funds themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint “/metadata/factors”.
- Other parameters to fine tune the request.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/funds
Query parameters

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the funds endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data.
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata.
fund_identifier_list	Array				A list of one or more fund identifiers which resolve to funds. Identifiers can be MDSUIDS, etc.
dataset_list	Array				A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with fund_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that could not be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

current_batch	The index of the current batch.
data_request_id	The id represents this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects. The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned. An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers. factor permissions will come under messages only in messages[] tag.

Output Encoding

application/json, text/csv

Output Description

The fund endpoint returns a collection of data for the fund identifiers and datapoints requested. By default, the result is returned in JSON format. The results can also be returned as a CSV file if the request uses the format parameter, or if the accept header specifies text/csv as an acceptable result.

Sample Output

Possible outputs for status: 200


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "6a26838b30f978a70ab5e5aeb0c29409",
    "timestamp": "2026-06-08T08:55:44Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 3,
            "total_number_of_unresolved_identifiers": 0,
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-90a3fac7-4186-48d9-b703-71ad6b96aa94-2026-06-09T08:55:42Z",
            "data_request_id_expiration_time": "2026-06-09 08:55:42.2251099",
            "resolved_factors": [
                "FUND_CUSIP",
                "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                "FUND_ISIN",
                "FUND_SEDOL"
            ]
        },
        "data": [
            {
                "requested_id": "UFD000000001152110",
                "factors": [
                    {
                        "name": "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                        "value": 5.841138177492795
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "LU0353681322"
                    },
                    {
                        "name": "FUND_SEDOL",
                        "value": "BD7VVJ2"
                    }
                ]
            },
            {
                "requested_id": "UFD000000001225320",
                "factors": [
                    {
                        "name": "FUND_CUSIP",
                        "value": "L4493R202"
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "LU0429683666"
                    },
                    {
                        "name": "FUND_SEDOL",
                        "value": "B4P8WT9"
                    }
                ]
            },
            {
                "requested_id": "UFD000000001186122",
                "factors": [
                    {
                        "name": "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                        "value": 5.336006321509434
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "GB0009341875"
                    },
                    {
                        "name": "FUND_SEDOL",
                        "value": "0934187"
                    }
                ]
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            }
        ]
    }
}
```

CODE SAMPLES

cURL

```
curl --request GET \
  --url 'https://api.msci.com/esg/data/v4.0/funds?
factor_name_list=json&format=json&fund_identifier_list=json' \
  --header 'Authorization: Replace with your Authorization Token'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = { 'Authorization': " Replace with your Authorization Token" }

conn.request("GET", "/esg/data/v4.0/funds?
factor_name_list=json&format=json&fund_identifier_list=json", headers=headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse<String> response = Unirest.get('https://api.msci.com/esg/data/v4.0/funds?
factor_name_list=json&format=json&fund_identifier_list=json")
  .header("Authorization", " Replace with your Authorization Token ")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/funds?

factor_name_list=json&format=json&fund_identifier_list=json");

var request = new RestRequest(Method.GET);

request.AddHeader("Authorization", " Replace with your Authorization Token ");

IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

The /funds endpoint provides a mechanism to retrieve ESG current day data for a given set of fund identifiers. A user of the API can send in a list of fund identifiers and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the current day time. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (funds) who have ESG Data. The identifiers can represent MDSUID funds themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint /metadata/factors.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

- Other parameters to fine tune the request.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/funds

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the funds endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, but at least one factor name must be specified for a request to be valid.
fund_identifier_list	Array				A list of one or more fund identifiers which resolve to funds. Identifiers can be MDSUIDS, etc.
dataset_list	Array				A list of Datasets as defined in /metadata/datasets. dataset_list Should be used along with fund_identifier_list to retrieve current day data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Output Encoding

application/xml, application/json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Sample Output

Possible outputs for status: 200

Input

```
{
    "fund_identifier_list": [
        "UFD000000001186122",
        "UFD000000001152110",
        "UFD000000001225320"
    ],
    "factor_name_list": [
        "FUND_CUSIP",
        "FUND_SEDOL",
        "FUND_ISIN",
        "FUND_ESG_SOCIAL_SCORE_AVG_PEER"
    ]
}
```

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "6a268a80f7c075429606317c6c29515a",
    "timestamp": "2026-06-08T09:25:21Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 3,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-a1ac4912-d189-455e-8cad-5fef190cbbe5-2026-06-09T09:25:21Z",
            "data_request_id_expiration_time": "2026-06-09 09:25:21.0674497",
            "resolved_factors": [
                "FUND_CUSIP",
                "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                "FUND_ISIN",
                "FUND_SEDOL"
            ]
        },
        "data": [
            {
                "requested_id": "UFD000000001152110",
                "factors": [
                    {
                        "name": "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                        "value": 5.841138177492795
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "LU0353681322"
                    },
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                    {
                        "name": "FUND_SEDOL",
                        "value": "BD7VVJ2"
                    }
                ]
            },
            {
                "requested_id": "UFD000000001225320",
                "factors": [
                    {
                        "name": "FUND_CUSIP",
                        "value": "L4493R202"
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "LU0429683666"
                    },
                    {
                        "name": "FUND_SEDOL",
                        "value": "B4P8WT9"
                    }
                ]
            },
            {
                "requested_id": "UFD000000001186122",
                "factors": [
                    {
                        "name": "FUND_ESG_SOCIAL_SCORE_AVG_PEER",
                        "value": 5.336006321509434
                    },
                    {
                        "name": "FUND_ISIN",
                        "value": "GB0009341875"
                    },
                    {
                        "name": "FUND_SEDOL",
                        "value": "0934187"
                    }
                ]
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/funds \
  --header 'Authorization:Replace with your Auth token’ \
  --header 'content-type: application/json' \
  --data '{"fund_identifier_list
":["string"],factor_name_list":["string"],"format":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload = "{\"
fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}"
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("POST", "/esg/data/v4.0/funds", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response = Unirest.post("https://api.msci.com/esg/data/v4.0/funds")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"fund_identifier_list \":[\"string\"],\"factor_name_list\":
[\"string\"],\"format\":\"string\"}")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/funds");
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json", "{\" fund_identifier_list \":
[\"string\"],\"factor_name_list\":[\"string\"],\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/COVERAGE

Return a list of available identifiers coverage universe.

When requesting current day coverage data, it is possible to create a request which returns a large amount of data. When a request is made for coverage data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all the requested data. Every response returned from the coverage API endpoint contains a response_metadata property. A typical response will look something like this:


```
"response_metadata": {
"total_number_of_identifiers": 9154,
"total_number_of_batches": 92,
"current_batch": 1,
"data_request_id": "4-6296af0c-8011-4134-8f0b-b0ab73636c38-2026-02-21T12:16:51Z"
"data_request_id_expiration_time": "2026-02-21 12:16:51.845700451"

}
```


In this example, a request was made for coverage data. The response indicates that there will be 9154 identifiers in the response, broken into 92 batches. The current_batch property indicates that this first batch in the result.

To retrieve additional batches, additional calls are made to /coverage, passing the following parameters instead of all the parameters sent on the first request:

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Property Name	Description
entity_type	Available options are issuer, fund, instrument. Note the options that are available are based on available product permissions. Some users may only be allowed to use fund, other users may only be able to use issuers and other user may be allowed to use instrument.
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieving additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes. While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period to refer to the same request. After the first request, the client will know how many batches exist, and if desired can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for the requested identifier. There are no order dependencies in the response. After some defined period, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

A data_request_id generated before the next daily data load becomes invalid due to refreshed coverage data.
Clients must regenerate a new coverage request.
Error message returned with HTTP 400 – Bad Request :
“The data_request_id is invalid or outdated because it was generated before the latest daily data load. Please generate a new coverage request.”

Daily data load runs once per day to ingest the latest data, but in rare cases it may occur more than once.
If Coverage APIs are called during this time, the API may return with (HTTP 503 – Service Unavailable):
“Data load is in progress - The API is temporarily unavailable while daily data loading is in progress. Please try again later.”
Clients should retry every 5 minutes during the load window.
Load typically completes within a few minutes but may take longer in rare cases due to high data volume.

Below is the code sample for encoding in Java/Python

Java:

```
import java.net.URLEncoder;
url = "https://api.msci.com/esg/data/v4.0/coverage?
entity_type=instrument&batch_id=2&data_request_id="+URLEncoder.encode(data_request_id,
StandardCharsets.UTF_8.toString());
```

Python:

```
from urllib.parse import urlencode
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

urlencode(dict(entity_type= entity_type,data_request_id=data_request_id,batch_id=batch_id))

HTTP Method:

GET

ENDPOINT DESCRIPTION

ESG Data is collected for many identifiers. In most cases, clients want to limit the number of identifiers they get in response to only those who have data for a particular coverage universe. For example, a client may wish to only get identifiers that have “MSCI EU Sustainable Finance Module" current day product data. The coverage universe is a way to limit the response to identifiers that meet specific data characteristics. This endpoint will return a list of coverage data for current day products that are available to the caller.

The response params for each entity type is as follows:

Instrument:

MDSUID, ISIN, CUSIP, SEDOL

Issuer:

`ISSUERID, ISSUER_ISIN, ISSUER_LEI, ISSUER_TICKER, ISSUER_NAME, ISSUER_SEDOL, CIK_NUM`

Fund:

MDSUID, ISIN, CUSIP, SEDOL, FUND_NAME

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/coverage

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
entity_type	string	Y		fund,instrument,issuer	Available options are issuer, fund, instrument. Note the options that are available are based on available product permissions. Some users may only be allowed to use fund, other users may only be able to use issuers and other user may be allowed to use instrument.
Product	string	Y			The current day product name for which coverage data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/products.
Format	string	N			The result of the coverage endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into applications such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
inherit_missing_values	Boolean	N			A Boolean value used to indicate whether the API should inherit missing values from a parent issuer. This option will automatically be set to true if the caller is permitted to receive inherited data

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not found
500	Internal Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id represents this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Output Encoding

application/Json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure, but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "699850b39e534b86670097e4d6c898d0",
    "timestamp": "2026-02-20T12:16:51Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 9154,
            "total_number_of_batches": 92,
            "current_batch": 1,
            "data_request_id": "4-6296af0c-8011-4134-8f0b-b0ab73636c38-2026-02-21T12:16:51Z",
            "data_request_id_expiration_time": "2026-02-21 12:16:51.845700451"
        },
        "data": [
            {
                "MDSUID": "UIF000000027804394",
                "ISIN": "DE000NWB1939",
                "TICKER": "NRWBK",
                "SEDOL": "BLJNFT0"
            },
            {
                "MDSUID": "UIF000000051183108",
                "ISIN": "XS0824127277",
                "TICKER": "NIB",
                "SEDOL": "B71CZM0"
            },
            {
                "MDSUID": "UIF000000055452902",
                "ISIN": "CA20010BAA94",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "TICKER": "CMWND",
                "CUSIP": "20010BAA9",
                "SEDOL": "B8HSJD8"
            },
            {
                "MDSUID": "UIF000000055703804",
                "ISIN": "NZTRPD0328L1",
                "TICKER": "TRPWR",
                "SEDOL": "B95WRC4"
            },
            {
                "MDSUID": "UIF000000057932104",
                "ISIN": "US83416WAA18",
                "TICKER": "BRK",
                "CUSIP": "83416WAA1",
                "SEDOL": "BBT35B2"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -request GET \
  --url https://api.msci.com/esg/data/v4.0/coverage \
  --header 'Authorization:Replace with your Auth token’ \
  --header 'content-type: application/json' \
  --data '{"entity_type":"string", "product":"string","format":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload = "{\"entity_type\":\"string\",\"product\":\"string\",\"format\":\"string\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("GET", "/esg/data/v4.0/coverage", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response = Unirest.get("https://api.msci.com/esg/data/v4.0/coverage")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"entity_type\":\"string\",\"product\":\"string\",\"format\":\"string\"}").asString()
;
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/coverage");
var request = new RestRequest(Method.GET);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json", "{\" entity_type \":[\"string\"],\" product
\":[\"string\"],\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

ESG Data is collected for many identifiers. In most cases, clients want to limit the number of identifiers they get in response to only those who have data for a particular coverage universe. For example, a client may wish to only get identifiers that have “MSCI EU Sustainable Finance Module" current day product data. The coverage universe is a way to limit the response to identifiers that meet specific data characteristics. This endpoint will return a list of coverage data for current day products that are available to the caller.

The response params for each entity type is as follows:

Instrument:

MDSUID, ISIN, CUSIP, SEDOL

Issuer:

ISSUERID, ISSUER_ISIN, ISSUER_LEI, ISSUER_TICKER, ISSUER_NAME, ISSUER_SEDOL, CIK_NUM

Fund:

MDSUID, ISIN, CUSIP, SEDOL, FUND_NAME

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/coverage

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
entity_type	string	Y		fund,instrument,issuer	Available options are issuer, fund, instrument. Note the options that are available are based on available product permissions. Some users may only be allowed to use fund, other users may only be able to use issuers and other user may be allowed to use instrument.
Product	string	Y			The current day product name for which coverage data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/products.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string	N			The result of the coverage endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into applications such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not found
500	Internal Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id represents this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.

Output Encoding

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

application/Json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure, but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

Input


```
{
    "entity_type":"instrument",
    "product": "MSCI EU Sustainable Finance Module",
    "format":"json"
}
```


Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "699850b39e534b86670097e4d6c898d0",
    "timestamp": "2026-02-20T12:16:51Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 9154,
            "total_number_of_batches": 92,
            "current_batch": 1,
            "data_request_id": "4-6296af0c-8011-4134-8f0b-b0ab73636c38-2026-02-21T12:16:51Z",
            "data_request_id_expiration_time": "2026-02-21 12:16:51.845700451"
        },
        "data": [
            {
                "MDSUID": "UIF000000027804394",
                "ISIN": "DE000NWB1939",
                "TICKER": "NRWBK",
                "SEDOL": "BLJNFT0"
            },
            {
                "MDSUID": "UIF000000051183108",
                "ISIN": "XS0824127277",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "TICKER": "NIB",
                "SEDOL": "B71CZM0"
            },
            {
                "MDSUID": "UIF000000055452902",
                "ISIN": "CA20010BAA94",
                "TICKER": "CMWND",
                "CUSIP": "20010BAA9",
                "SEDOL": "B8HSJD8"
            },
            {
                "MDSUID": "UIF000000055703804",
                "ISIN": "NZTRPD0328L1",
                "TICKER": "TRPWR",
                "SEDOL": "B95WRC4"
            },
            {
                "MDSUID": "UIF000000057932104",
                "ISIN": "US83416WAA18",
                "TICKER": "BRK",
                "CUSIP": "83416WAA1",
                "SEDOL": "BBT35B2"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/coverage \
  --header 'Authorization:Replace with your Auth token’ \
  --header 'content-type: application/json' \
  --data '{"entity_type":"string", "product":"string","format":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload = "{\"entity_type\":\"string\",\"product\":\"string\",\"format\":\"string\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("POST", "/esg/data/v4.0/coverage", payload, headers)
res = conn.getresponse()
data = res.read()
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response = Unirest.post("https://api.msci.com/esg/data/v4.0/coverage")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"entity_type\":\"string\",\"product\":\"string\",\"format\":\"string\"}").asString()
;
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/coverage");
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json", "{\" entity_type \":[\"string\"],\" product
\":[\"string\"],\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/METADATA/FACTORS

Retrieve data factor metadata information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the factor metadata that is available to the client. A request can filter results based on factor names, datasets, and factor type (issuers, funds, and instruments). This information can be used to formulate calls to the instruments current day end point which accepts factor IDs as query parameters.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/factors

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return factors to the specified type. If this option is not specified, all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available datasets and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.
factor_name_list	array				A caller can specify one or more factor names for which they want to retrieve factor metadata. Data will be returned for all valid

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					factor names, along with a list of any factor names which weren't recognized. If a name isn't recognized, it could be the factor doesn't exist, or the caller doesn't have access to that factor.
[array item]	string				The factor name is a simple string value. Factor metadata is available for all factors for which the dataset is available in repository.
dataset_list	array				A caller can specify one or more dataset names for which they want to retrieve factor metadata. Data will be returned for all valid datasets which are mapped to factors. If a name isn't recognized, it could be that the dataset doesn't exist.
[array item]	string				A dataset name is a simple string value. Factor metadata is available for all datasets present in repository.
product_list	array				Lists all the available current day products via current day data API.
[array item]	string				The product name is a simple string value. Factor metadata is available for all current day product names present in repository.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The factors endpoint is used to return metadata related to the data factors that can be returned in a data request made via the /instruments endpoint. The metadata includes the name of the factor, the data type, a minimum/maximum value if appropriate, as well as other basic factor information.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "699737395dc6c153e04910f21f7fb5ee",
    "timestamp": "2026-02-19T16:15:54Z",
    "messages": [],
    "result": {
        "factors": [
            {
                "factor_header": "VAR_EXW_3DEG_CURRENT_AGG_WF_INSTR",
                "description": "A security's \"worst-case\" (95th percentile)
downside or upside potential, expressed as a percentage of the security's
market value, assuming trends in wildfire continue along the 3°C REMIND Current
Policies scenario.",
                "data type": "Double",
                "factor type": "instrument",
                "display_name": "3°C Wildfire Security Climate VaR (REMIND
Current Policies Aggressive outcome) [%]",
                "min_value": "",
                "max_value": "",
                "products": [
                    "MSCI Enhanced Climate Change Metrics (CCM and CVaR)",
                    "MSCI Climate Value-at-Risk"
                ],
                "dataset": [
                    "Physical CVAR 3 DEGREE NGFS INSTRUMENT"
                ],
                "thematictag": [
                    "ClimateChange",
                    "ScenarioAnalysis"
                ],
                "mscimodeltags": []
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/factors?dataset_list= EU Taxonomy,
EU Taxonomy Nuclear and Gas Eligibility Capex
```

Python

```
import requests url = "https://api.msci.com/esg/data/v4.0/metadata/factors?dataset_list=EU
Taxonomy,EU Taxonomy Nuclear and Gas Eligibility Capex"; headers = { "Accept":
"application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/factors?dataset_list=EU Taxonomy,
EU Taxonomy Nuclear and Gas Eligibility Capex”).header("Accept",
"application/json").asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/metadata/factors?
dataset_list=EU Taxonomy,EU Taxonomy Nuclear and Gas Eligibility Capex"); var request = new
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
RestRequest(Method.GET); request.AddHeader("Accept", "application/json"); IRestResponse
response = client.Execute(request);
```

/METADATA/DATASETS

Retrieve factor datasets information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the current day product datasets that is available to the client A request can filter results based on factor type (issuer, instruments or fund factors) but currently it is available for instruments.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/datasets

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return datasets to the specified type. If this option is not specified, datasets for all factor types will be returned. Available options are issuer, fund, instrument and all. Note the options that are available are based on available datasets and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.
product_list	array				List of all current day products that are available via the current day API
[array item]	string				A product name is a simple string value. Factor metadata is available for all current day product names present in repository.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Status	Description
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The datasets endpoint is used to return datasets related to the data factors available in system.

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "69973b0eeaec6c4d9b5699b461237b33",
    "timestamp": "2026-02-19T16:32:14Z",
    "messages": [],
    "result": {
        "datasets": [
            {
                "dataset": "Physical CVAR 2 DEGREE - IPCC INSTRUMENT"
            },
            {
                "dataset": "Securitized Products Financed Emissions
Scope 1 2 3"
            },
            {
                "dataset": "Green Bonds"
            },
            {
                "dataset": "Physical CVAR 3 DEGREE IPCC INSTRUMENT"
            },
            {
                "dataset": "Multihorizon CVAR - Instrument"
            },
            {
                "dataset": "Scenario Analysis Summary - Instrument"
            },
            {
                "dataset": "Equity Financed Emissions Scope 1 2 3"
            },
            {
                "dataset": "Physical CVAR 4 DEGREE IPCC INSTRUMENT"
            },
            {
                "dataset": "Physical CVAR 1.5 DEGREE - NGFS Instrument"
            },
            {
                "dataset": "Physical CVAR 3 DEGREE NGFS INSTRUMENT"
            },
            {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "dataset": "Munis Financed Emissions Scope 1 2 3"
            },
            {
                "dataset": "Transition CVAR 3 Degree NGFS Instrument"
            },
            {
                "dataset": "Physical CVAR 2 DEGREE NGFS INSTRUMENT"
            },
            {
                "dataset": "Scenario Analysis Govt Instrument"
            },
            {
                "dataset": "Government Financed Emissions Scope 1 2 3"
            },
            {
                "dataset": "Transition CVAR 1.5 Degree NGFS Instrument"
            },
            {
                "dataset": "Transition CVAR 2 Degree NGFS Instrument"
            },
            {
                "dataset": "Physical CVAR 5 IPCC INSTRUMENT"
            },
            {
                "dataset": "Corporate Credit Financed Emissions Scope 1
2 3"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/datasets?factor_type=instrument
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/datasets?factor_type=instrument"; headers = {
"Accept": "application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/datasets?factor_type=instrument").he
ader("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/datasets?factor_type=instrument");
var request = new RestRequest(Method.GET); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

/METADATA/PRODUCTS

Retrieve factor current day products information.

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the current day products that is available to the client. A request can filter results based on factor type (issuer, instruments or fund factors) but currently it is available for instruments.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/products

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return current day products to the specified type. If this option is not specified, products for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available current day products and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The /products endpoint is used to return current day products available in system.

Response Body Returned

Possible outputs for status: 200

Sample Output

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
{
    "status": "OK",
    "code": 200,
    "trace_id": "69973d92b9c9a95c06d371ce560e7867",
    "timestamp": "2026-02-19T16:42:58Z",
    "messages": [],
    "result": {
        "products": [
            {
                "product": "MSCI Climate Value-at-Risk",
                "datasets": [
                    "Physical CVAR 5 IPCC INSTRUMENT",
                    "Transition CVAR 1.5 Degree NGFS Instrument",
                    "Scenario Analysis Summary - Instrument",
                    "Transition CVAR 3 Degree NGFS Instrument",
                    "Physical CVAR 4 DEGREE IPCC INSTRUMENT",
                    "Transition CVAR 2 Degree NGFS Instrument",
                    "Physical CVAR 3 DEGREE IPCC INSTRUMENT",
                    "Physical CVAR 3 DEGREE NGFS INSTRUMENT",
                    "Scenario Analysis Govt Instrument",
                    "Physical CVAR 2 DEGREE NGFS INSTRUMENT",
                    "Physical CVAR 1.5 DEGREE - NGFS Instrument",
                    "Multihorizon CVAR - Instrument",
                    "Physical CVAR 2 DEGREE - IPCC INSTRUMENT"
                ]
            },
            {
                "product": "MSCI EU Sustainable Finance Module",
                "datasets": [
                    "Green Bonds"
                ]
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/products?factor_type=instrument
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/products?factor_type=instrument"; headers = {
"Accept": "application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/products?factor_type=instrument").he
ader("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/products?factor_type=instrument");
var request = new RestRequest(Method.GET); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

/METADATA/THEMATICTAGS

Retrieve factor thematictags information

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the current day factor thematictags that is available to the client. A request can filter results based on factor type issuer, instruments or fund, but currently instrument is available.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/thematictags

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return thematictags to the specified type. If this option is not specified, thematictags for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available thematictags and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The thematictags endpoint is used to return thematictags related to the data factors available in system.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "69973e805c934c8ff9ed4c71553a7bd5",
    "timestamp": "2026-02-19T16:46:56Z",
    "messages": [],
    "result": {
        "thematictags": [
            {
                "thematicTagName": "SustainbleFinance"
            },
            {
                "thematicTagName": "ClimateChange"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/thematictags?factor_type=instrument
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/thematictags?factor_type=instrument"; headers =
{ "Accept": "application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/thematictags?factor_type=instrument"
).header("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/thematictags?factor_type=instrument")
; var request = new RestRequest(Method.GET); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

/METADATA/MSCIMODELTAGS

Retrieve factor mscimodeltags information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the current day factor mscimodeltags that is available to the client. A request can filter results based on factor type issuer, instrument or fund, but currently instrument is available.

REQUEST

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/mscimodeltags

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		All	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return mscimodeltags to the specified type. If this option is not specified, mscimodeltags for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available mscimodeltags and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The mscimodeltags endpoint is used to return mscimodeltags related to the data factors available in system.

Response Body Returned

Possible outputs for status: 200

Sample Output

```
{
    "status": "OK",
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    "code": 200,
    "trace_id": "699741168de94b2a645af164d0a0d36b",
    "timestamp": "2026-02-19T16:57:58Z",
    "messages": [],
    "result": {
        "mscimodeltags": [
            {
                "msciModelTagName": "ClimateChange"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/mscimodeltags?factor_type=instrument
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/mscimodeltags?factor_type=instrument"; headers =
{ "Accept": "application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/mscimodeltags?factor_type=instrument
").header("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/mscimodeltags?factor_type=instrument"
); var request = new RestRequest(Method.GET); request.AddHeader("Accept",
"application/json"); IRestResponse response = client.Execute(request);
```

/FUNDS/HISTORY

The /funds/history endpoint provides a mechanism to retrieve ESG data history for a given set of fund identifiers. A user of the API can send in a list of fund identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/json. If the Content-Type header is not properly specified, the request may be rejected with a 400 status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

When requesting ESG history data, it is possible to create a request which returns a large amount of data. When a request is made for history data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all of the requested data. Every response returned from the history API endpoint contains a response_metadata property. A typical response will look something like this:

```
"response_metadata": {
   "total_number_of_identifiers": 150,
   "total_number_of_batches": 3,
   "current_batch": 1,
   "data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```

In this example, a request was made for history data. The response is indicating that there will be 150 funds in the response, broken into 3 batches. The current_batch property indicates that this is the first batch in the result.

To retrieve additional batches, additional calls are made to /funds/history, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes . While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications.
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period of time to refer to the same request. After the first request, the client will know how many batches exist, and if desired can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for a requested identifier. There are no order dependencies in the response. After some set period of time, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

Below code sample for encoding in Java/Python

Java:

```
import java.net.URLEncoder;

url =
"https://api.msci.com/esg/data/v4.0/funds/history?batch_id=2&data_request_id="+URLEncoder.encode(data_request_id,
StandardCharsets.UTF_8.toString());
```

Python:

```
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id,batch_id=batch_id))
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

- **RETRIEVE ESG DATA HISTORY FOR REQUESTED IDENTIFIERS**

The /funds/history endpoint provides a mechanism to retrieve ESG data history for a given set of fund identifiers. A user of the API can send in a list of fund identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /funds/history endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request.

HTTP Method:

GET

ENDPOINT DESCRIPTION

The /funds/history endpoint provides a mechanism to retrieve ESG data history for a given set of fund identifiers. A user of the API can send in a list of fund identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned. The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /funds/history endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned)
The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (funds) who have ESG Data. The identifiers can represent Bonds, Securities, or the funds themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint “/metadata/history/factors”.
- Select a date range with a maximum duration of one year.
- Other parameters to fine tune the request.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/funds/history

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
Format	string		json	json, csv	The result of the fund history endpoint will be returned in JSON format by default. However,

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
start_date	string				The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. Format - date (as full-date in RFC3339).
fund_identifier_list	Array				A list of one or more fund identifiers which resolve to funds. Identifiers can be MDSUIDS, etc.
inherit_missing_values	boolean				A Boolean value used to indicate whether the API should inherit missing values from a parent fund. This option will automatically be set to true if the caller is permitted to receive inherited data. This option is not available to clients who do not have the inheritance feature associated with their account.
data_layout	String				The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs **Data Layout Name** / **Description** by_factor: The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order matrix_by_factor: This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. The exact layout of the data content is still being finalized, but it will represent the data as a 2-d matrix. This layout is compatible with both daily and business_month_end sample frequencies. change_ranges: This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

<table>
<tr><th>Name</th><th>Type</th><th>Mandatory</th><th>Default value</th><th>Accepted values</th><th>Description</th></tr>
<tr><td></td><td></td><td></td><td></td><td></td><td>
<table>
<tr><td></td><td>then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr>
</table>

The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:

<table>
<tr><th>Data Sample Name</th><th>Description</th></tr>
<tr><td>daily</td><td>A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.</td></tr>
<tr><td>business_month_end</td><td>A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range</td></tr>
<tr><td>calendar_month_end</td><td>A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr>
</table>
</td></tr>
<tr><td>data_sample_frequency</td><td>String</td><td></td><td></td><td></td><td></td></tr>
<tr><td>as_at_date</td><td>String</td><td></td><td></td><td></td><td>A date which defines which corrections should be returned. If the as_at_date is before the end_date, the as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the</td></tr>
</table>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. As a general rule, MSCI ESG Research does not restate historical data. The response using as_at_date will be the same as that of the response using as_of_date. Please see the MSCI ESG Research Data Correction Policy for more information: https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339).
end_date	String				The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. Format - date (as full-date in RFC3339).
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, product names, and category paths can be mixed together, but at least one factor name, category path, or product name must be specified for a request to be valid.
historical_product	String				The Funds historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter. User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array				A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with fund_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Description
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Output Encoding

application/json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200


```
{
   "status": "OK",
   "code": 200,
   "trace_id": "662fee6825430a69436fd75c81a948a5",
   "timestamp": "2024-04-29T19:00:56Z",
   "messages": [],
   "result": {
       "response_metadata": {
           "total_number_of_identifiers": 2,
           "total_number_of_unresolved_identifiers": 0,
           "total_number_of_batches": 1,
           "current_batch": 1,
           "data_request_id": "2-5945cb06-7d96-4721-a7f1-ea33b6b0e5c9-2024-04-30T19:00:56Z",
           "data_request_id_expiration_time": "2024-04-30 19:00:56.296783791",
           "resolved_factors": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "FUND_ACCOUNTING_FLAG_PCT",
            "FUND_CUSIP"
        ],
        "identifiers_data_not_available": [
            "UFD000000001449170"
        ],
        "factors_data_not_available": [
            "FUND_CUSIP"
        ]
    },
    "data": {
        "requested_ids": [
            "UFD000000001162834",
            "UFD000000001449170"
        ],
        "as_at_date": "2024-04-29T19:00:00Z",
        "as_of_dates": [
            "2023-10-01",
            "2023-10-02",
            "2023-10-03",
            "2023-10-04"
        ],
        "factors": [
            {
                "factor": "FUND_ACCOUNTING_FLAG_PCT",
                "values": [
                    [
                        [
                            null,
                            null,
                            "1.816067025341814",
                            "1.816067025341814"
                        ]
                    ],
                    [
                        [
                            null,
                            null,
                            null,
                            null
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                            ]
                        ]
                    ]
                },
                {
                    "factor": "FUND_CUSIP",
                    "values": [
                        [
                            [
                                null,
                                null,
                                null,
                                null
                            ]
                        ],
                        [
                            [
                                null,
                                null,
                                null,
                                null
                            ]
                        ]
                    ]
                }
            ]
        }
    }
}
```


CODE SAMPLES

cURL

```
curl --request GET \
  --url
'https://api.msci.com/esg/data/v4.0/funds/history?start_date=json&fund_identifier_list=json&f
ormat=json&inherit_missing_values=SOME_BOOLEAN_VALUE&data_layout=json&data_sample_frequency=j
son&as_at_date=json&end_date=json&factor_name_list=json'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = { 'Authorization': "Replace with your Authorization Token" }
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
conn.request("GET",
"/esg/data/v4.0/funds/history?start_date=json&fund_identifier_list=json&format=json&inherit_m
issing_values=SOME_BOOLEAN_VALUE&data_layout=json&data_sample_frequency=json&as_at_date=json&
end_date=json&factor_name_list=json", headers=headers)

res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse<String> response =
Unirest.get("https://api.msci.com/esg/data/v4.0/funds/history?start_date=json&fund_identifier
_list=json&format=json&inherit_missing_values=SOME_BOOLEAN_VALUE&data_layout=json&data_sample
_frequency=json&as_at_date=json&end_date=json&factor_name_list=json")
  .header("Authorization", "Replace with your Authorization Token ")
  .asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/funds/history?start_date=json&fund_identifier_
list=json&format=json&inherit_missing_values=SOME_BOOLEAN_VALUE&data_layout=json&data_sample_
frequency=json&as_at_date=json&end_date=json&factor_name_list=json");

var request = new RestRequest(Method.GET);

request.AddHeader("Authorization", Replace with your Authorization Token");

IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

The /funds/history endpoint provides a mechanism to retrieve ESG data history for a given set of fund identifiers. A user of the API can send in a list of fund identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /funds/history endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned)
The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (funds) who have ESG Data. The identifiers can represent MDSUID funds themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint /metadata/history/factors.
- Select a date range with a maximum duration of one year.
- Other parameters to fine tune the request.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/funds/history

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
format	string		json	json, csv	The result of the fund history endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
start_date	string				The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. Format - date (as full-date in RFC3339).
fund_identifier_list	Array				A list of one or more fund identifiers which resolve to funds. Identifiers can be MDSUIDS, etc.
inherit_missing_values	boolean				A Boolean value used to indicate whether the API should inherit missing values from a parent fund. This option will automatically be set to true if the caller is permitted to receive inherited data.
data_layout	String				The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs. **Data Layout Name** — **Description** by_factor — The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order matrix_by_factor — This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. The exact layout of the data content is still being finalized, but it will represent the data as a 2-d matrix. This layout is compatible with both daily and business_month_end sample frequencies.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

<table>
<tr><th>Name</th><th>Type</th><th>Mandatory</th><th>Default value</th><th>Accepted values</th><th>Description</th></tr>
<tr><td></td><td></td><td></td><td></td><td></td><td>
<table>
<tr><td>change_ranges</td><td>This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr>
</table>

The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:

<table>
<tr><th>Data Sample Name</th><th>Description</th></tr>
<tr><td>daily</td><td>A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.</td></tr>
<tr><td>business_month_end</td><td>A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range</td></tr>
<tr><td>calendar_month_end</td><td>A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr>
</table>
</td></tr>
<tr><td>data_sample_frequency</td><td>String</td><td></td><td></td><td></td><td></td></tr>
<tr><td>as_at_date</td><td>String</td><td></td><td></td><td></td><td>A date which defines which corrections should be returned. If the as_at_date is before the end_date, the as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a</td></tr>
</table>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. As a general rule, MSCI ESG Research does not restate historical data. The response using as_at_date will be the same as that of the response using as_of_date. Please see the MSCI ESG Research Data Correction Policy for more information:https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339).
end_date	String				The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. Format - date (as full-date in RFC3339).
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, product names, and category paths can be mixed together, but at least one factor name, category path, or product name must be specified for a request to be valid.
historical_product	String				The Funds historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter. User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array				A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with fund_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	OK
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Status	Description
403	Forbidden
404	Not found
500	Internal Server Error

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Output Encoding

application/xml, application/json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

by_factor layout:

Input

```
{
    "fund_identifier_list": [
        "UFD000000001162834"
    ],
    "factor_name_list": [
        "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
        "FUND_AFFORD_HOUSING_INVOLV_PCT",
        "FUND_SEDOL"
    ],
    "data_layout" : "by_factor",
    "start_date": "2023-10-27",
    "end_date": "2023-12-07",
    "data_sample_frequency": "business_month_end"
}
```

Output

```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662faf994ee80076fed195319e125c79",
    "timestamp": "2024-04-29T14:32:57Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 1,
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
        "total_number_of_unresolved_identifiers": 0,
        "total_number_of_batches": 1,
        "current_batch": 1,
        "data_request_id": "0-85ca6373-90fd-4b08-8b60-497b592a3843-2024-04-30T14:32:57Z",
        "data_request_id_expiration_time": "2024-04-30 14:32:57.867351987",
        "resolved_factors": [
            "FUND_AFFORD_HOUSING_INVOLV_PCT",
            "FUND_SEDOL",
            "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV"
        ]
    },
    "data": [
        {
            "requested_id": "UFD000000001162834",
            "factors": [
                {
                    "name": "FUND_SEDOL",
                    "data_values": [
                        {
                            "value": "B0L12X8",
                            "as_of_date": "2023-10-31",
                            "as_at_date": "2024-04-29T14:32:00Z"
                        },
                        {
                            "value": "B0L12X8",
                            "as_of_date": "2023-11-30",
                            "as_at_date": "2024-04-29T14:32:00Z"
                        }
                    ]
                },
                {
                    "name": "FUND_AFFORD_HOUSING_INVOLV_PCT",
                    "data_values": [
                        {
                            "value": 3.073290528863116,
                            "as_of_date": "2023-10-31",
                            "as_at_date": "2024-04-29T14:32:00Z"
                        },
                        {
                            "value": 3.006817309241662,
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "as_of_date": "2023-11-30",
                                "as_at_date": "2024-04-29T14:32:00Z"
                            }
                        ]
                    },
                    {
                        "name": "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
                        "data_values": [
                            {
                                "value": 0.46781023,
                                "as_of_date": "2023-10-31",
                                "as_at_date": "2024-04-29T14:32:00Z"
                            },
                            {
                                "value": 0.44978977,
                                "as_of_date": "2023-11-30",
                                "as_at_date": "2024-04-29T14:32:00Z"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```


change_ranges layout:

Input

```
{
    "fund_identifier_list": [
        "UFD000000001162834"
    ],
    "factor_name_list": [
        "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
        "FUND_AFFORD_HOUSING_INVOLV_PCT",
        "FUND_SEDOL"
    ],
    "data_layout" : "change_ranges",
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    "start_date": "2023-10-27",
    "end_date": "2023-12-07"
}
```

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fb008e0d2e26d51a22b742c8ef5c8",
    "timestamp": "2024-04-29T14:34:48Z",
     "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 1,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "1-47955461-f3a0-435f-af0c-8e8cbb8daf6f-2024-04-30T14:34:48Z",
            "data_request_id_expiration_time": "2024-04-30 14:34:48.753549368",
            "resolved_factors": [
                "FUND_AFFORD_HOUSING_INVOLV_PCT",
                "FUND_SEDOL",
                "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV"
            ]
        },
        "data": [
            {
                "requested_id": "UFD000000001162834",
                "factors": [
                    {
                        "name": "FUND_SEDOL",
                        "data_values": [
                            {
                                "value": "B0L12X8",
                                "as_of_date": "2023-10-27",
                                "valid_until_date": "2023-12-07",
                                "as_at_date": "2024-04-29T14:34:00Z"
                            }
                        ]
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
        },
        {
            "name": "FUND_AFFORD_HOUSING_INVOLV_PCT",
            "data_values": [
                {
                    "value": 3.073290528863117,
                    "as_of_date": "2023-10-27",
                    "valid_until_date": "2023-10-31",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.073290528863116,
                    "as_of_date": "2023-10-31",
                    "valid_until_date": "2023-11-01",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.073290528863117,
                    "as_of_date": "2023-11-01",
                    "valid_until_date": "2023-11-07",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241662,
                    "as_of_date": "2023-11-07",
                    "valid_until_date": "2023-11-15",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241661,
                    "as_of_date": "2023-11-15",
                    "valid_until_date": "2023-11-16",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241662,
                    "as_of_date": "2023-11-16",
                    "valid_until_date": "2023-11-17",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                {
                    "value": 3.006817309241661,
                    "as_of_date": "2023-11-17",
                    "valid_until_date": "2023-11-20",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241662,
                    "as_of_date": "2023-11-20",
                    "valid_until_date": "2023-11-22",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241661,
                    "as_of_date": "2023-11-22",
                    "valid_until_date": "2023-11-23",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 3.006817309241662,
                    "as_of_date": "2023-11-23",
                    "valid_until_date": "2023-12-07",
                    "as_at_date": "2024-04-29T14:34:00Z"
                }
            ]
        },
        {
            "name": "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
            "data_values": [
                {
                    "value": 0.46781023,
                    "as_of_date": "2023-10-27",
                    "valid_until_date": "2023-11-07",
                    "as_at_date": "2024-04-29T14:34:00Z"
                },
                {
                    "value": 0.44978977,
                    "as_of_date": "2023-11-07",
                    "valid_until_date": "2023-12-07",
                    "as_at_date": "2024-04-29T14:34:00Z"
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```

matrix by factor layout:

Input

```
{
    "fund_identifier_list": [
        "UFD000000001162834"
    ],
    "factor_name_list": [
        "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
        "FUND_AFFORD_HOUSING_INVOLV_PCT",
        "FUND_SEDOL"
    ],
    "data_layout" : "matrix_by_factor",
    "start_date": "2023-11-27",
    "end_date": "2023-12-07",
    "data_sample_frequency": "daily"
}
```

Output

```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fb105423345c0dbfb4f7b8d6394be",
    "timestamp": "2024-04-29T14:39:01Z",
    "messages": [],
    "result": {
        "response_metadata": {
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "total_number_of_identifiers": 1,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "2-3c8f336e-65ca-4e90-88fa-1ef1efe3cbba-2024-04-30T14:39:01Z",
            "data_request_id_expiration_time": "2024-04-30 14:39:01.145055775",
            "resolved_factors": [
                "FUND_AFFORD_HOUSING_INVOLV_PCT",
                "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
                "FUND_SEDOL"
            ]
        },
        "data": {
            "requested_ids": [
                "UFD000000001162834"
            ],
            "as_at_date": "2024-04-29T14:39:00Z",
            "as_of_dates": [
                "2023-11-27",
                "2023-11-28",
                "2023-11-29",
                "2023-11-30",
                "2023-12-01",
                "2023-12-02",
                "2023-12-03",
                "2023-12-04",
                "2023-12-05",
                "2023-12-06"
            ],
            "factors": [
                {
                    "factor": "FUND_SEDOL",
                    "values": [
                        [
                            [
                                "B0L12X8",
                                "B0L12X8",
                                "B0L12X8",
                                "B0L12X8",
                                "B0L12X8",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                    "B0L12X8",
                    "B0L12X8",
                    "B0L12X8",
                    "B0L12X8",
                    "B0L12X8"
                ]
            ]
        ]
    },
    {
        "factor": "FUND_REV_EXP_EST_EU_TAXONOMY_MAX_REV",
        "values": [
            [
                [
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977",
                    "0.44978977"
                ]
            ]
        ]
    },
    {
        "factor": "FUND_AFFORD_HOUSING_INVOLV_PCT",
        "values": [
            [
                [
                    "3.006817309241662",
                    "3.006817309241662",
                    "3.006817309241662",
                    "3.006817309241662",
                    "3.006817309241662",
                    "3.006817309241662",
                    "3.006817309241662",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "3.006817309241662",
                                "3.006817309241662",
                                "3.006817309241662"
                            ]
                        ]
                    ]
                }
            ]
        }
    }
}
```


CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/funds/history \
  --header 'Authorization:Replace with your Auth token’ \
  --header 'content-type: application/json' \
  --data
'{"fund_identifier_list":["string"],"factor_name_list":["string"],"start_date":"2019-08-
24","end_date":"2019-08-24","as_at_date":"2019-08-
24","data_sample_frequency":"string","data_layout":"string","inherit_missing_values":true,"fo
rmat":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload =
"{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\":\"20
19-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("POST", "/esg/data/v4.0/funds/history", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse<String> response =
Unirest.post("https://api.msci.com/esg/data/v4.0/funds/history")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\
":\"2019-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}")
  .asString();
```

C#

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/funds/history");
z
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json",
"{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\":\"20
19-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/INSTRUMENTS/HISTORY

The /instruments/history endpoint provides a mechanism to retrieve ESG data history for a given set of instruments identifiers. A user of the API can send in a list of instruments identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/json. If the Content-Type header is not properly specified, the request may be rejected with a 400 status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

When requesting ESG history data, it is possible to create a request which returns a large amount of data. When a request is made for history data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all of the requested data. Every response returned from the history API endpoint contains a response_metadata property. A typical response will look something like this:

```
"response_metadata": {
"total_number_of_identifiers": 300,
"total_number_of_batches": 3,
"current_batch": 1,
"data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```

In this example, a request was made for history data. The response is indicating that there will be 300 instruments in the response, broken into 3 batches. The current_batch property indicates that this the first batch in the result.

To retrieve additional batches, additional calls are made to /instruments/history, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested,

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Property Name	Description
	but will expire at some point and cannot be used for caching purposes . While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications.
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period of time to refer to the same request. After the first request, the client will know how many batches exist, and if desired can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for a requested identifier. There are no order dependencies in the response. After some set period of time, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

Below code sample for encoding in Java/Python

Java:
```
import java.net.URLEncoder;

url = "https://api.msci.com/esg/data/v4.0/instruments
/history?batch_id=2&data_request_id="+URLEncoder.encode(data_request_id, StandardCharsets.UTF_8.toString());
```

Python:
```
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id,batch_id=batch_id))
```

- **RETRIEVE ESG DATA HISTORY FOR REQUESTED IDENTIFIERS**

The /instruments/history endpoint provides a mechanism to retrieve ESG data history for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /instruments/history endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned).

HTTP Method:

GET

ENDPOINT DESCRIPTION

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

The /instruments/history endpoint provides a mechanism to retrieve ESG data history for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate bonds, equities etc who has ESG Data.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through other API endpoints such as /metadata/history/factors.
- A date range. allowed date range must be within a 1 year. the API supports date ranges of 1 date to many dates. All dates are in the format yyyy-mm-dd, i.e. 2020-04-01 would be April 1, 2020.
- Other parameters to fine tune the request.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instruments/history

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
format	string		json	json, csv	The result of the instruments endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
start_date	string				The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. Format - date (as full-date in RFC3339).
factor_name_list	Array				A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, but at least one factor name must be specified for a request to be valid.
data_layout	String				The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs. **Data Layout Name** / **Description** by_factor: The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

<table>
<tr><th>Name</th><th>Type</th><th>Mandatory</th><th>Default value</th><th>Accepted values</th><th>Description</th></tr>
<tr><td></td><td></td><td></td><td></td><td></td><td>
<table>
<tr><td>matrix_by_factor</td><td>This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. This layout is compatible with both daily and business_month_end sample frequencies.</td></tr>
<tr><td>change_ranges</td><td>This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr>
</table>

The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:
<table>
<tr><th>Data Sample Name</th><th>Description</th></tr>
<tr><td>daily</td><td>A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.</td></tr>
<tr><td>business_month_end</td><td>A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range</td></tr>
<tr><td>calendar_month_end</td><td>A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr>
</table>
</td></tr>
<tr><td>data_sample_frequency</td><td>String</td><td></td><td></td><td></td><td></td></tr>
<tr><td>as_at_date</td><td>String</td><td></td><td></td><td></td><td>A date which defines which corrections should be returned. If the as_at_date is before the end_date, the</td></tr>
</table>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. As a general rule, MSCI ESG Research does not restate historical data. The response using as_at_date will be the same as that of the response using as_of_date. Please see the MSCI ESG Research Data Correction Policy for more information:https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339).
end_date	String				The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. Format - date (as full-date in RFC3339).
instrument_identifier_list	Array				A list of one or more instrument identifiers which resolve to issuers. Identifiers can be ISINs, CUSIPs, MDS UIDS, etc.
historical_product	String				The Instrument historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter. User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array				A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with instrument_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Status	Description
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json, text/csv

Output Description

The instrument endpoint returns a collection of data for the instrument identifiers and datapoints requested. By default, the result is returned in JSON format. The results can also be returned as a CSV file if the request uses the format parameter, or if the accept header specifies text/csv as an acceptable result. And

Sample Output

Possible outputs for status: 200


```
{
  "status": "OK",
  "code": 200,
  "trace_id": "67b42de6c83cf4acdf6b527e7657d846",
  "timestamp": "2025-02-18T06:51:18Z",
  "messages": [],
  "result": {
    "response_metadata": {
      "total_number_of_identifiers": 1,
      "total_number_of_unresolved_identifiers": 0,
      "total_number_of_batches": 1,
      "current_batch": 1,
      "data_request_id": "0-d1428a46-0dbf-4024-aab2-5aced1d409ff-2025-02-19T06:51:18Z",
      "data_request_id_expiration_time": "2025-02-19T06:51:18+0000",
      "resolved_factors": {
        "BOND": [
          "GB_MSCI_VERIFIED",
          "GB_SELF_LABELLED"
        ]
      }
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    },
    "data": [
      {
        "requested_id": "UIF000000027804394",
        "instrument_type": "BOND",
        "factors": [
          {
            "name": "GB_MSCI_VERIFIED",
            "data_values": [
              {
                "value": "Not Assessed",
                "as_of_date": "2023-04-26",
                "as_at_date": "2025-02-18T06:51:00Z"
              }
            ]
          },
          {
            "name": "GB_SELF_LABELLED",
            "data_values": [
              {
                "value": "True",
                "as_of_date": "2023-04-26",
                "as_at_date": "2025-02-18T06:51:00Z"
              }
            ]
          }
        ]
      }
    ]
  }
}
```


CODE SAMPLES

cURL

```
curl --request GET \
  --url
'https://api.msci.com/esg/data/v4.0/instruments/history?start_date=json&factor_name_list=json
&format=json&data_layout=json&data_sample_frequency=json&as_at_date=json&end_date=json&instru
ment_identifier_list=json' \
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
  --header 'Authorization: Replace with your Authorization Token'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
headers = { 'Authorization': " Replace with your Authorization Token" }

conn.request("GET",
"/esg/data/v4.0/instruments/history?start_date=json&factor_name_list=json&format=json&data_la
yout=json&data_sample_frequency=json&as_at_date=json&end_date=json&instrument_identifier_list
=json", headers=headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse<String> response =
Unirest.get("https://api.msci.com/esg/data/v4.0/instruments/history?start_date=json&factor_na
me_list=json&format=json&data_layout=json&data_sample_frequency=json&as_at_date=json&end_date
=json&instrument_identifier_list=json")
  .header("Authorization", " Replace with your Authorization Token ")
  .asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/instruments/history?start_date=json&factor_nam
e_list=json&format=json&data_layout=json&data_sample_frequency=json&as_at_date=json&end_date=
json&instrument_identifier_list=json");

var request = new RestRequest(Method.GET);

request.AddHeader("Authorization", " Replace with your Authorization Token ");

IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

The /instruments/history endpoint provides a mechanism to retrieve ESG data history for a given set of instrument identifiers. A user of the API can send in a list of instrument identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate bonds/equities (instruments) who have ESG Data. The identifiers can represent Bonds, Securities.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through other API endpoints such as /metadata/history/factors.
- A date range. allowed date range must be within a 1 year. the API supports date ranges of 1 date to many dates. All dates are in the format yyyy-mm-dd, i.e. 2020-04-01 would be April 1, 2020.
- Other parameters to fine tune the request.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instruments/history

Body payload

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

<table>
<tr><th>Name</th><th>Type</th><th>Mandatory</th><th>Default value</th><th>Accepted values</th><th>Description</th></tr>
<tr><td>format</td><td>string</td><td></td><td>json</td><td>json, csv</td><td>The result of the instruments endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".</td></tr>
<tr><td>start_date</td><td>string</td><td></td><td></td><td></td><td>The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. Format - date (as full-date in RFC3339).</td></tr>
<tr><td>factor_name_list</td><td>Array</td><td></td><td></td><td></td><td>A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, but at least one factor name must be specified for a request to be valid.</td></tr>
<tr><td>data_layout</td><td>String</td><td></td><td></td><td></td><td>The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs
<table>
<tr><th>Data Layout Name</th><th>Description</th></tr>
<tr><td>by_factor</td><td>The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order</td></tr>
<tr><td>matrix_by_factor</td><td>This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. The exact layout of the data content is still being finalized, but it will represent the data as a 2-d matrix. This layout is compatible with both daily and business_month_end sample frequencies.</td></tr>
<tr><td>change_ranges</td><td>This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr>
</table></td></tr>
<tr><td>data_sample_frequency</td><td>String</td><td></td><td></td><td></td><td>The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:</td></tr>
</table>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					<table><tr><th>Data Sample Name</th><th>Description</th></tr><tr><td>daily</td><td>A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.</td></tr><tr><td>business_month_end</td><td>A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range</td></tr><tr><td>calendar_month_end</td><td>A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr></table>
as_at_date	String				A date which defines which corrections should be returned. If the as_at_date is before the end_date, the as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. As a general rule, MSCI ESG Research does not restate historical data. The response using as_at_date will be the same as that of the response using as_of_date. Please see the MSCI ESG Research Data Correction Policy for more information:https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339).
end_date	String				The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. Format - date (as full-date in RFC3339).
instrument_identifier_list	Array				A list of one or more instrument identifiers which resolve to issuers. Identifiers can be ISINs, CUSIPs, MDS UIDS, etc.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
historical_product	String				The Instrument historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter. User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array				A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with instrument_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not found
500	Internal Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Description
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Output Encoding

application/xml, application/json, text/csv

Output Description

All responses from the API are returned in JSON format. All responses have a similar structure but at the core of any response is the data property.

Sample Output

Possible outputs for status: 200

by_factor layout:

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Input


```
{
    "start_date": "2023-04-26",
    "end_date": "2023-04-27",
    "data_layout": "by_factor",
    "data_sample_frequency": "daily",
    "instrument_identifier_list": [
        "UIF000000027804394"
    ],
    "factor_name_list": [
        "GB_MSCI_VERIFIED",
        "GB_SELF_LABELLED"
    ]
}
```


Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "67b42de6c83cf4acdf6b527e7657d846",
    "timestamp": "2025-02-18T06:51:18Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 1,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-d1428a46-0dbf-4024-aab2-5aced1d409ff-2025-02-19T06:51:18Z",
            "data_request_id_expiration_time": "2025-02-19T06:51:18+0000",
            "resolved_factors": {
                "BOND": [
                    "GB_MSCI_VERIFIED",
                    "GB_SELF_LABELLED"
                ]
            }
        },
        "data": [
            {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "requested_id": "UIF000000027804394",
                "instrument_type": "BOND",
                "factors": [
                    {
                        "name": "GB_MSCI_VERIFIED",
                        "data_values": [
                            {
                                "value": "Not Assessed",
                                "as_of_date": "2023-04-26",
                                "as_at_date": "2025-02-18T06:51:00Z"
                            }
                        ]
                    },
                    {
                        "name": "GB_SELF_LABELLED",
                        "data_values": [
                            {
                                "value": "True",
                                "as_of_date": "2023-04-26",
                                "as_at_date": "2025-02-18T06:51:00Z"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```


change_ranges layout:

Input


```
{
    "start_date": "2023-04-26",
    "end_date": "2023-04-27",
    "data_layout": "change_ranges",
    "instrument_identifier_list": [
        "UIF000000027804394"
    ],
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    "factor_name_list": [
        "GB_MSCI_VERIFIED",
        "GB_SELF_LABELLED"
    ]
}
```

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "67b430595ba9a636fb6267075ed937c9",
    "timestamp": "2025-02-18T07:01:45Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 1,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "1-40690457-7557-4a8c-9c0d-88a9a5894750-2025-02-19T07:01:45Z",
            "data_request_id_expiration_time": "2025-02-19T07:01:45+0000",
            "resolved_factors": {
                "BOND": [
                    "GB_MSCI_VERIFIED",
                    "GB_SELF_LABELLED"
                ]
            }
        },
        "data": [
            {
                "requested_id": "UIF000000027804394",
                "instrument_type": "BOND",
                "factors": [
                    {
                        "name": "GB_MSCI_VERIFIED",
                        "data_values": [
                            {
                                "value": "Not Assessed",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "as_of_date": "2023-04-26",
                                "valid_until_date": "2023-04-27",
                                "as_at_date": "2025-02-18T07:01:00Z"
                            }
                        ]
                    },
                    {
                        "name": "GB_SELF_LABELLED",
                        "data_values": [
                            {
                                "value": "True",
                                "as_of_date": "2023-04-26",
                                "valid_until_date": "2023-04-27",
                                "as_at_date": "2025-02-18T07:01:00Z"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```


matrix by factor layout:

Input


```
{
    "start_date": "2023-04-26",
    "end_date": "2023-04-27",
    "data_sample_frequency": "daily",
    "data_layout": "matrix_by_factor",
    "instrument_identifier_list": [
        "UIF000000027804394"
    ],
    "factor_name_list": [
        "GB_MSCI_VERIFIED",
        "GB_SELF_LABELLED"
    ]
}
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "67b4309b5a2f65c6370e0da435ebb76a",
    "timestamp": "2025-02-18T07:02:51Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 1,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "2-83337583-f474-4726-8dea-4c9b1e6f322e-2025-02-19T07:02:51Z",
            "data_request_id_expiration_time": "2025-02-19T07:02:51+0000",
            "resolved_factors": {
                "BOND": [
                    "GB_MSCI_VERIFIED",
                    "GB_SELF_LABELLED"
                ]
            }
        },
        "data": {
            "requested_ids": [
                "UIF000000027804394"
            ],
            "as_at_date": "2025-02-18T07:02:00Z",
            "as_of_dates": [
                "2023-04-26"
            ],
            "factors": [
                {
                    "factor": "GB_MSCI_VERIFIED",
                    "values": [
                        [
                            [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "Not Assessed"
                            ]
                        ]
                    ]
                },
                {
                    "factor": "GB_SELF_LABELLED",
                    "values": [
                        [
                            [
                                "True"
                            ]
                        ]
                    ]
                }
            ]
        }
    }
}
```


CODE SAMPLES

cURL

```
curl --request POST \
  --url https://api.msci.com/esg/data/v4.0/instruments/history \
  --header 'Authorization:Replace with your Auth token' \
  --header 'content-type: application/json' \
  --data '{"fund_identifier_list":["string"],factor_name_list":["string"],"start_date":"2019-
08-24","end_date":"2019-08-24","as_at_date":"2019-08-
24","data_sample_frequency":"string","data_layout":"string","inherit_missing_values":true,"fo
rmat":"string"}'
```

Python

```
import http.client
conn = http.client.HTTPSConnection("api.msci.com")
payload =
"{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\":\"20
19-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}"
headers = {
    'Authorization': " Replace with your Auth token",
    'content-type': "application/json"
    }
conn.request("POST", "/esg/data/v4.0/instruments/history", payload, headers)
res = conn.getresponse()
data = res.read()
print(data.decode("utf-8"))
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
HttpResponse<String> response =
Unirest.post("https://api.msci.com/esg/data/v4.0/instruments/history")
  .header("Authorization", " Replace with your Auth token ")
  .header("content-type", "application/json")
.body("{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\
":\"2019-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}")
  .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/instruments/history");
var request = new RestRequest(Method.POST);
request.AddHeader("Authorization", " Replace with your Auth token ");
request.AddHeader("content-type", "application/json");
request.AddParameter("application/json",
"{\"fund_identifier_list\":[\"string\"],\"factor_name_list\":[\"string\"],\"start_date\":\"20
19-08-24\",\"end_date\":\"2019-08-24\",\"as_at_date\":\"2019-08-
24\",\"data_sample_frequency\":\"string\",\"data_layout\":\"string\",\"inherit_missing_values
\":true,\"format\":\"string\"}", ParameterType.RequestBody);
IRestResponse response = client.Execute(request);
```

/ISSUERS/HISTORY

The /issuers/history endpoint provides a mechanism to retrieve ESG data history for a given set of issuer identifiers. A user of the API can send in a list of issuer identifiers, a range of dates, and a collection of data factors to retrieve, and the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

When making a POST request, a proper Content-Type must be specified. Since the API utilizes JSON for POST requests, the Content-Type should be application/json. If the Content-Type header is not properly specified, the request may be rejected with a 400 status code and an 'Invalid formatting' error message.

Depending on the amount of data being returned, multiple requests may be required. An initial request will return the first batch of data, along with information about whether more batches are available. If more batches are available, the user should choose one of the additional data batch request services documented below.

When requesting ESG history data, it is possible to create a request which returns a large amount of data. When a request is made for history data, the API will determine the size of the total result. Based on the calculated size, the API will determine the total number of batches necessary to return all of the requested data. Every response returned from the history API endpoint contains a response_metadata property. A typical response will look something like this:

```
"response_metadata": {
"total_number_of_identifiers": 10,
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
"total_number_of_batches": 3,
"current_batch": 1,
"data_request_id": "bb005730-262c-4d1c-88bb-acc916ee0ed7"
}
```


In this example, a request was made for history data. The response is indicating that there will be 10 instruments in the response, broken into 3 batches. The current_batch property indicates that this the first batch in the result.

To retrieve additional batches, additional calls are made to /issuers/history, passing the following parameters instead of all the parameters sent in the first request:

Property Name	Description
data_request_id	This is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested, but will expire at some point and cannot be used for caching purposes. While calling get endpoint use encoding as the request_id has special characters (code sample below), Note: The POST method should be the method used by most API applications
batch_id	This is a number used to identify which batch of data to retrieve.

Note that this method of retrieving data does not involve “paging” through the data. Once an initial request is made, the client can make multiple parallel calls to retrieve different batches of data. Also, each request which utilizes the data_request_id will be idempotent.

The data_request_id is a unique identifier which can be re-used for some period of time to refer to the same request. After the first request, the client will know how many batches exist, and if desired can generate parallel requests to get subsequent batches of data. Each batch will contain a complete set of data for a requested identifier. There are no order dependencies in the response. After some set period of time, currently set to 24 hours after the first request, the data_request_id will expire and requests for batches using the given id will no longer return a response.

Below code sample for encoding in Java/Python

Java:
import java.net.URLEncoder;
url =
"https://api.msci.com/esg/data/v4.0/issuers/history?batch_id=2&data_request_id="+URLEncoder.encode(data_request_id, StandardCharsets.UTF_8.toString());

Python:
from urllib.parse import urlencode
urlencode(dict(data_request_id=data_request_id,batch_id=batch_id))

- **RETRIEVE ESG DATA HISTORY FOR REQUESTED IDENTIFIERS**

The /issuers/history endpoint provides a mechanism to retrieve ESG data history for a given set of issuer identifiers. A user of the API can send in a list of issuer identifiers, a range of dates, and a collection of data factors to retrieve, and

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

the API will return the values for each of the requested factors for the given time range. There are several options available to control how much data is returned.

The endpoint will support requests using both GET and POST. The POST method should be the method used by most API applications since it can support a larger request size (identifiers, factor names, etc.). The GET method would typically be used for quick experimental queries.

The API accepts two types of input parameters to the request, one form of input initiates a new retrieval request, the other is used to return subsequent batches of data. The /issuers/history endpoint uses a dynamic batching scheme to return data if the results are too large to return in one request (see the section on data batching for more details on how large results are returned)

The basic request for data will include the following information:

- A list of one or more identifiers. These identifiers will be used to locate companies (issuers) who have ESG Data. The identifiers can represent Bonds, Securities, or the issuers themselves.
- A list of data factors. The factors can be the names of the factors themselves. Factor information is available through an API endpoint such as /metadata/history/factors.
- A date range. Allowed date range must be within a 1 year. The API supports date ranges of 1 date to many dates. All dates are in the format yyyy-mm-dd, i.e. 2020-04-01 would be April 1, 2020.
- Other parameters to fine tune the request

HTTP Method:

GET

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/issuers/history

Query parameters

Name	Type	Description
issuer_identifier_list	array	A list of one or more issuer/instrument identifiers which resolve to issuers. Identifiers can be MSCI Issuer IDs, ISINs, CUSIPs, etc
[array item]	string	

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
factor_name_list	array	A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, product names, and category paths can be mixed together, but at least one factor name, category path, or product name must be specified for a request to be valid.
[array item]	string	
start_date	date	The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.
end_date	date	The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.
as_at_date	date	A date which defines which corrections should be returned. If the as_at_date is before the end_date, the as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. If the as_at_date parameter is set to a date earlier than the request date, the API will return a snapshot of the data as it was distributed on that date. This snapshot reflects the dataset at that point in time and may be superseded by subsequent revisions or corrections resulting from later disclosures. If you require the most current values, omit as_at_date or set it to the request date so the API returns the latest available data. Please see the MSCI ESG Research Data Correction Policy for more information:https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339). The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

<table>
<tr><th>Name</th><th>Type</th><th>Description</th></tr>
<tr><td>data_sample_frequency</td><td>string</td><td>The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:

<table>
<tr><th>Data Sample Name</th><th>Description</th></tr>
<tr><td>Daily</td><td>A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.</td></tr>
<tr><td>business_month_end</td><td>A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range</td></tr>
<tr><td>calendar_month_end</td><td>A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr>
</table>
</td></tr>
<tr><td>data_layout</td><td>string</td><td>The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs

<table>
<tr><th>Data Layout Name</th><th>Description</th></tr>
<tr><td>by_factor</td><td>The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order</td></tr>
<tr><td>matrix_by_factor</td><td>This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. The exact layout of the data content is still being finalized, but it will represent the data as a 2-d matrix. This layout is compatible with both daily and business_month_end sample frequencies.</td></tr>
<tr><td>change_ranges</td><td>This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr>
</table>
If this value is not specified, the by_factor layout will be used.</td></tr>
</table>

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
inherit_missing_values	boolean	A Boolean value used to indicate whether the API should inherit missing values from a parent issuer. This option will automatically be set to true if the caller is permitted to receive inherited data
format	string	The result of the issuers endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
historical_product	String	The historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter. User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array	A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with issuer_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
change_transparency	boolean	change_transparency is an optional Boolean parameter that enhances the **change_ranges** data layout by providing additional transparency into how and why values have changed over time. When set to true, the API response will include **three additional fields (change_type, change_description, change_notes)** for each change range entry, giving more context about the nature of the change. These fields are returned only when values are available. Supported only with data_layout = change_ranges

RESPONSE

Possible Outputs

Status	Description
200	Success
206	Partial Content may have been returned
400	Malformed request
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Description
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Output Encoding

application/xml, application/json, text/csv

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fc2f67ca74d9a28d98ffd778a803b",
    "timestamp": "2024-04-29T15:55:34Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-9b9c4d83-2af6-487c-8c17-
fff9b7c00213-2024-04-30T15:55:34+0000",
            "data_request_id_expiration_time": "2024-04-
30T15:55:34+0000",
            "resolved_factors": [
                "CONTR_COLLECTIVE_BARG_N_SEVERE",
                "CONTR_HEALTH_SAFETY_N_SEVERE"
            ],
            "resolved_series_factors": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
"CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ],
            "identifiers_data_not_available": [
                "IID000000002286384"
            ],
            "factors_data_not_available": [

"CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ]
        },
        "data": [
            {
                "requested_id": "XS2709528959",
                "issuer_metadata": [
                    {
                        "ISSUERID": "IID000000002236325",
                        "ISSUER_NAME": "COMMERZBANK
AKTIENGESELLSCHAFT",
                        "CIK_NUM": "0000839463",
                        "ISSUER_ISIN": "XS2709528959",
                        "as_of_date": "2023-10-25",
                        "valid_until_date": "2023-10-30"
                    }
                ],
                "factors": [
                    {
                        "name":
"CONTR_COLLECTIVE_BARG_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2023-10-25",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-26",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-27",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                            {
                                "value": 0,
                                "as_of_date": "2023-10-28",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-29",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            }
                        ]
                    },
                    {
                        "name":
"CONTR_HEALTH_SAFETY_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2023-10-25",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-26",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-27",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-28",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-10-29",
                                "as_at_date": "2024-04-
29T15:55:00Z",
                                "reference_issuer_id":
"IID000000002135074",
                                "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```


HTTP Method:

POST

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/issuers/history

Body payload

Name	Type	Description
	IssuerHistoryRequest	
issuer_identifier_list	array	A list of one or more issuer/instrument identifiers which resolve to issuers. Identifiers can be MSCI Issuer IDs, ISINs, CUSIPs, MDS UIDS, etc
[array item]	String	
factor_name_list	Array	A list of ESG Factor names as defined in the ESG Factor Metadata. Factor names, product names, and category paths can be mixed together, but at least one factor name, category path, or product name must be specified for a request to be valid.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
[array item]	String	
start_date	Date	The first date to be used for data retrieval. If only a start_date is given, only data for the specified date will be returned. The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.
end_date	Date	The end date for the range of values to be returned. If not specified, the request will return a single value corresponding to the given start_date. The end_date cannot exceed the as_at_date. If the end_date is after the as_at_date, the request will be rejected with a 400 status code. The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.
as_at_date	Date	A date which defines which corrections should be returned. If the as_at_date is before the end_date, the as_at_date will override the end_date. No values will be returned beyond the specified as_at_date. If no as_at_date is specified, the data will be viewed from the perspective of the date that the request was made. The Historical Data API returns data as published by MSCI ESG Research, including normal data updates and data corrections. If and when MSCI ESG Research corrects a data error, the Historical Data API returns the corrected value starting with the date the correction was made in our database. If the as_at_date parameter is set to a date earlier than the request date, the API will return a snapshot of the data as it was distributed on that date. This snapshot reflects the dataset at that point in time and may be superseded by subsequent revisions or corrections resulting from later disclosures. If you require the most current values, omit as_at_date or set it to the request date so the API returns the latest available data. Please see the MSCI ESG Research Data Correction Policy for more information: https://support.msci.com/sustainability_climate/data-correction-policy. Format - date (as full-date in RFC3339). The format of the date is yyyy-mm-dd. For example, 2020-04-01 would be April 1, 2020.
data_sample_frequency	String	The API treats historical data as a continuous stream of values for the date range specified in the call. The user can choose how often they would like to sample the stream of data. Perhaps the client only cares about what the value is at the end of each month, for example. The following options are available for the Data Sample Frequency parameter:

Data Sample Name	Description
daily	A data value sample will be taken from each date in the specified range. If there are 200 days in the given range, there will be 200 samples taken from the stream of values, one for each day in the range. The daily range is currently only available when using the matrix_by_factor layout.
business_month_end	A data value sample will be taken from each business month end date in the specified range. If there are 12 months in the given range, there will be 12 samples taken from the stream of values, one for each business month end day in the range
calendar_month_end	A data value sample will be taken from each calendar month end date in the specified range. If there are 12 months in the given range,

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
		<table><tr><td></td><td>there will be 12 samples taken from the stream of values, one for each calendar month end day in the range</td></tr></table> If a data sample frequency is not specified, the value defaults to business_month_end. When specifying a date range, keep in mind that the range must include at least one business month end date if this option is in effect.
data_layout	String	The API offers different data layouts to suit the different ways that a client may want to process the data that they receive. The Data Layout options provide a way for the client to tailor the output to their needs <table><tr><th>Data Layout Name</th><th>Description</th></tr><tr><td>by_factor</td><td>The data results will be grouped by factor, and within each factor the values will be display in reverse chronological order</td></tr><tr><td>matrix_by_factor</td><td>This layout is more compressed than the standard by_factor layout and is designed to support usage by quants who will want data rows with no gaps. The exact layout of the data content is still being finalized, but it will represent the data as a 2-d matrix. This layout is compatible with both daily and business_month_end sample frequencies.</td></tr><tr><td>change_ranges</td><td>This layout will only show change ranges for each value returned. Ranges will start at the first date in the requested range and end on the last date. If a value for a factor was value for 3 months in the range, and then changed and was valid for the remaining months, there would be two value ranges in the result for that particular value.</td></tr></table> If this value is not specified, the by_factor layout will be used.
inherit_missing_values	Boolean	A Boolean value used to indicate whether the API should inherit missing values from a parent issuer. This option will automatically be set to true if the caller is permitted to receive inherited data. This option will automatically be set to true if the caller is permitted to receive inherited data.
format	String	The result of the issuers endpoint will be returned in JSON format by default. However, the result can also be returned as a CSV file, which can then be imported directly into application such as Excel. The CSV format consists of a header row identifying each column, followed by one or more rows of data. The CSV format is supported with only data_layout parameter value "by_factor".
historical_product	String	The historical product name for which historical data is to be retrieved. Only a single product name is accepted per request. All available products can be retrieved at /metadata/history/historicalProducts. Cannot be used along with factor_name_list or dataset_list. CSV Format is not supported with historical_product parameter.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Description
		User is only allowed to fetch one day data when using 'daily - by_factor' and 'daily - matrix_by_factor' layout with 'historical_product' parameter.
dataset_list	Array	A list of Datasets as defined in /metadata/history/datasets. dataset_list Should be used along with issuer_identifier_list to retrieve historical data for specified identifiers and factors belonging to the datasets. CSV Format is not supported with dataset_list parameter.
change_transparency	boolean	change_transparency is an optional Boolean parameter that enhances the **change_ranges** data layout by providing additional transparency into how and why values have changed over time. When set to true, the API response will include **three additional fields (change_type, change_description, change_notes)** for each change range entry, giving more context about the nature of the change. These fields are returned only when values are available. Supported only with data_layout = change_ranges

RESPONSE

Possible Outputs

Status	Description
200	OK
206	Partial content may have been returned
400	Bad Request
401	Unauthorized
403	Forbidden
404	Not found
500	Internal Server Error

RESPONSE BODY

Name	Description
total_number_of_identifiers	Total number of identifiers returned.
total_number_of_unresolved_identifiers	Total number of identifiers that were not able to be resolved , An identifier is only unresolved if it did not exist at all during the specified time range.
total_number_of_batches	

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Description
	Total number of result batches.
current_batch	The index of the current batch.
data_request_id	The id representing this request. It can be used in future requests to retrieve subsequent batches of data.
data_request_id_expiration_time	This field specifies the expiration time of data_request_id.
unresolved_identifiers	A list of Unresolved Identifier objects.The Unresolved Identifier object is used to hold information about identifiers that were passed as parameters but were unable to be resolved for some reason and therefore data will not be returned.An identifier is only unresolved if it did not exist at all during the specified time range.
unresolved_factors	The Unresolved Factor object is used to hold information about factors that were passed as parameters but were not valid for some reason.
resolved_factors	A list of resolved Factor objects.
resolved_series_factors	A list of resolved series Factor objects.
identifiers_data_not_available	A list of requested identifiers for which all the requested factors data are not available.
factors_data_not_available	A list of factors for which data is not available for any of the requested identifiers.
messages[]	factor permissions will come under messages only in messages[] tag.

Sample Output

by_factor layout:

Input

```
{
    "issuer_identifier_list": [
        "IID000000002236325",
        "IID000000002286384"
    ],
    "factor_name_list": [
        "CONTR_COLLECTIVE_BARG_N_SEVERE",
        "CONTR_HEALTH_SAFETY_N_SEVERE",
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
        "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
    ],
    "start_date": "2023-10-25",
    "end_date": "2023-12-30",
    "data_layout": "by_factor",
    "data_sample_frequency": "business_month_end",
    "inherit_missing_values": true
}
```

Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fc41d2df026f167766b90adbb6d1e",
    "timestamp": "2024-04-29T16:00:29Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "0-d762a17e-4e11-47d9-acbb-093cd080b4e0-2024-04-
30T16:00:29+0000",
            "data_request_id_expiration_time": "2024-04-30T16:00:29+0000",
            "resolved_factors": [
                "CONTR_COLLECTIVE_BARG_N_SEVERE",
                "CONTR_HEALTH_SAFETY_N_SEVERE"
            ],
            "resolved_series_factors": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ],
            "identifiers_data_not_available": [
                "IID000000002286384"
            ],
            "factors_data_not_available": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ]
        },
        "data": [
            {
                "requested_id": "IID000000002236325",
                "issuer_metadata": [
                    {
                        "ISSUERID": "IID000000002236325",
                        "ISSUER_NAME": "COMMERZBANK AKTIENGESELLSCHAFT",
                        "CIK_NUM": "0000839463",
                        "ISSUER_ISIN": "XS2709528959",
                        "as_of_date": "2023-10-25",
                        "valid_until_date": "2023-12-30"
                    }
                ],
                "factors": [
                    {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                        "name": "CONTR_COLLECTIVE_BARG_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2023-10-31",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-11-30",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-12-29",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            }
                        ]
                    },
                    {
                        "name": "CONTR_HEALTH_SAFETY_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2023-10-31",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-11-30",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            },
                            {
                                "value": 0,
                                "as_of_date": "2023-12-29",
                                "as_at_date": "2024-04-29T16:00:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK
Aktiengesellschaft."
                            }
                        ]
                    }
                ]
            }
        ]
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    }
}
```

change_ranges layout:

Input

```
{
    "issuer_identifier_list": [
        "IID000000002236325",
        "IID000000002158922"
    ],
    "factor_name_list": [
        "CONTR_COLLECTIVE_BARG_N_SEVERE",
        "CONTR_HEALTH_SAFETY_N_SEVERE",
        "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS",
        "ANI_TEST_POLICY"
    ],
    "start_date": "2025-06-10",
    "end_date": "2026-05-12",
    "data_layout": "change_ranges",
    "inherit_missing_values": true,
   "change_transparency": true
}
```

Output

```
{
    "status": "OK",
    "code": 200,
    "trace_id": "6a031c32b54ee410b01504c00b6d0934",
    "timestamp": "2026-05-12T12:25:22Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "1-239e982f-27e6-493f-94e1-2459bb178777-2026-05-
13T12:25:22Z",
            "data_request_id_expiration_time": "2026-05-13T12:25:22+0000",
            "resolved_factors": [
                "ANI_TEST_POLICY",
                "CONTR_COLLECTIVE_BARG_N_SEVERE",
                "CONTR_HEALTH_SAFETY_N_SEVERE"
            ],
            "resolved_series_factors": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ],
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "factors_data_not_available": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ]
        },
        "data": [
            {
                "requested_id": "IID000000002158922",
                "issuer_metadata": [
                    {
                        "ISSUERID": "IID000000002158922",
                        "ISSUER_NAME": "BALCHEM CORPORATION",
                        "CIK_NUM": "0000009326",
                        "ISSUER_ISIN": "US0576652004",
                        "ISSUER_TICKER": "BCPC",
                        "as_of_date": "2025-06-10",
                        "valid_until_date": "2026-05-12"
                    }
                ],
                "factors": [
                    {
                        "name": "ANI_TEST_POLICY",
                        "data_values": [
                            {
                                "value": true,
                                "as_of_date": "2026-04-13",
                                "valid_until_date": "2026-05-12",
                                "as_at_date": "2026-05-12T12:25:00Z",
                                "reference_issuer_id": null,
                                "reference_issuer_name": null,
                             "change_type": "DATA_UPDATE",
                                "change_description": "Data Update",
                             "change_notes": "BALCHEM CORPORATION was added to the An
imal Welfare screen. The company qualifies for the Animal Testing Policy, Non-
Medical Testing and Supports Alternatives to Testing factors. The company conducts anima
l testing only when mandated by regulatory requirements or when no viable non-
animal alternatives are available, with all testing carried out by approved third-
party laboratories. As confirmed to MSCI Solutions in March 2026, Balchem has conducted
and outsourced animal testing within the preceding three years. (April 2026)"
                            }
                        ]
                    },
                    {
                        "name": "CONTR_COLLECTIVE_BARG_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2025-06-10",
                                "valid_until_date": "2026-05-12",
                                "as_at_date": "2026-05-12T12:25:00Z",
                                "reference_issuer_id": null,
                                "reference_issuer_name": null
                            }
                        ]
                    },
                    {
                        "name": "CONTR_HEALTH_SAFETY_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2025-06-10",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                "valid_until_date": "2026-05-12",
                                "as_at_date": "2026-05-12T12:25:00Z",
                                "reference_issuer_id": null,
                                "reference_issuer_name": null
                            }
                        ]
                    }
                ]
            },
            {
                "requested_id": "IID000000002236325",
                "issuer_metadata": [
                    {
                        "ISSUERID": "IID000000002236325",
                        "ISSUER_NAME": "COMMERZBANK AKTIENGESELLSCHAFT",
                        "CIK_NUM": "0000839463",
                        "ISSUER_ISIN": "XS3047307494",
                        "as_of_date": "2025-06-10",
                        "valid_until_date": "2026-04-03"
                    },
                    {
                        "ISSUERID": "IID000000002236325",
                        "ISSUER_NAME": "COMMERZBANK AKTIENGESELLSCHAFT",
                        "CIK_NUM": "0000839463",
                        "ISSUER_ISIN": "XS3151769059",
                        "as_of_date": "2026-04-03",
                        "valid_until_date": "2026-05-12"
                    }
                ],
                "factors": [
                    {
                        "name": "CONTR_COLLECTIVE_BARG_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2025-06-10",
                                "valid_until_date": "2026-05-12",
                                "as_at_date": "2026-05-12T12:25:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK Aktienges
ellschaft."
                            }
                        ]
                    },
                    {
                        "name": "CONTR_HEALTH_SAFETY_N_SEVERE",
                        "data_values": [
                            {
                                "value": 0,
                                "as_of_date": "2025-06-10",
                                "valid_until_date": "2026-05-12",
                                "as_at_date": "2026-05-12T12:25:00Z",
                                "reference_issuer_id": "IID000000002135074",
                                "reference_issuer_name": "COMMERZBANK Aktienges
ellschaft."
                            }
                        ]
                    }
                ]
            }
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
        ]
    }

}
```

matrix_by_factor layout

Input

```
{
    "issuer_identifier_list": [
        "IID000000002236325",
        "IID000000002286384"
    ],
    "factor_name_list": [
        "CONTR_COLLECTIVE_BARG_N_SEVERE",
        "CONTR_HEALTH_SAFETY_N_SEVERE",
        "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
    ],
    "start_date": "2023-10-25",
    "end_date": "2023-12-30",
    "data_layout": "matrix_by_factor",
    "data_sample_frequency": "business_month_end",
    "inherit_missing_values": true
}
```

Output

```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fc6112ac6a5f9be132d4e1283e5e9",
    "timestamp": "2024-04-29T16:08:50Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id": "2-7035a24b-2629-47b8-bf1d-2438d91368cc-2024-04-
30T16:08:50+0000",
            "data_request_id_expiration_time": "2024-04-30T16:08:50+0000",
            "resolved_factors": [
                "CONTR_COLLECTIVE_BARG_N_SEVERE",
                "CONTR_HEALTH_SAFETY_N_SEVERE"
            ],
            "resolved_series_factors": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ],
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "identifiers_data_not_available": [
                "IID000000002286384"
            ],
            "factors_data_not_available": [
                "CARBON_GOVERNMENT_IMPORTED_EMISSIONS_QUALITY_SCORE_TS"
            ]
        },
        "data": {
            "requested_ids": [
                "IID000000002286384",
                "IID000000002236325"
            ],
            "as_at_date": "2024-04-29T16:08:00Z",
            "as_of_dates": [
                "2023-10-31",
                "2023-11-30",
                "2023-12-29"
            ],
            "factors": [
                {
                    "factor": "CONTR_COLLECTIVE_BARG_N_SEVERE",
                    "values": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            0,
                            0,
                            0
                        ]
                    ],
                    "reference_issuer_ids": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            "IID000000002135074",
                            "IID000000002135074",
                            "IID000000002135074"
                        ]
                    ],
                    "reference_issuer_names": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            "COMMERZBANK Aktiengesellschaft.",
                            "COMMERZBANK Aktiengesellschaft.",
                            "COMMERZBANK Aktiengesellschaft."
                        ]
                    ]
                },
                {
                    "factor": "CONTR_HEALTH_SAFETY_N_SEVERE",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                    "values": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            0,
                            0,
                            0
                        ]
                    ],
                    "reference_issuer_ids": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            "IID000000002135074",
                            "IID000000002135074",
                            "IID000000002135074"
                        ]
                    ],
                    "reference_issuer_names": [
                        [
                            null,
                            null,
                            null
                        ],
                        [
                            "COMMERZBANK Aktiengesellschaft.",
                            "COMMERZBANK Aktiengesellschaft.",
                            "COMMERZBANK Aktiengesellschaft."
                        ]
                    ]
                }
            ]
        }
    }
}
```


Series Factors Request

Issuer Series factor is only supported in by_factor and change ranges layout , matrix does not support series factor.

Input


```
{
    "issuer_identifier_list": [
        "IID000000002236325",
        "IID000000002286384"
    ],
    "factor_name_list": [
        "EVIC_GBP_TS"
    ],
    "start_date": "2024-02-03",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    "end_date": "2024-04-16",
    "data_layout": "by_factor",
    "data_sample_frequency": "business_month_end",
    "inherit_missing_values": true
}
```


Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fc6875dc3c28775fe1a1d448c9901",
    "timestamp": "2024-04-29T16:10:47Z",
    "messages": [],
    "result": {
        "response_metadata": {
            "total_number_of_identifiers": 2,
            "total_number_of_unresolved_identifiers": 0,
            "total_number_of_batches": 1,
            "current_batch": 1,
            "data_request_id":  "0-b193ede1-c1d3-4e3b-baef-06bbc57bea87-2024-04-
30T16:10:47+0000",
            "data_request_id_expiration_time": "2024-04-30T16:10:47+0000",
            "resolved_series_factors": [
                "EVIC_GBP_TS"
            ],
            "identifiers_data_not_available": [
                "IID000000002286384"
            ]
        },
        "data": [
            {
                "requested_id": "IID000000002236325",
                "issuer_metadata": [
                    {
                        "ISSUERID": "IID000000002236325",
                        "ISSUER_NAME": "COMMERZBANK AKTIENGESELLSCHAFT",
                        "CIK_NUM": "0000839463",
                        "ISSUER_ISIN": "XS2756340183",
                        "as_of_date": "2024-02-03",
                        "valid_until_date": "2024-04-16"
                    }
                ],
                "series": [
                    {
                        "series_type": "SERIES_esgEsrCarbon",
                        "series_type_rows": [
                            {
                                "series_id": "2",
                                "factors": [
                                    {
                                        "name": "EVIC_GBP_TS",
                                        "data_values": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                        {
                                            "value": 162416.69,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 162416.69,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "9",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
                                        {
                                            "value": 113522.78,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 113522.78,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "15",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                        {
                                            "value": 145323.83,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 145323.83,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "10",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
                                        {
                                            "value": 108520.28,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 108520.28,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "14",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                        {
                                            "value": 144850.81,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 144850.81,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "13",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
                                        {
                                            "value": 134015.57,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 134015.57,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "12",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                                        {
                                            "value": 152021.52,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 152021.52,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        },
                        {
                            "series_id": "11",
                            "factors": [
                                {
                                    "name": "EVIC_GBP_TS",
                                    "data_values": [
                                        {
                                            "value": 152200.22,
                                            "as_of_date": "2024-02-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        },
                                        {
                                            "value": 152200.22,
                                            "as_of_date": "2024-03-29",
                                            "as_at_date":          "2024-04-
29T16:10:00Z",
                                            "reference_issuer_id":
"IID000000002135074",
                                            "reference_issuer_name":
"COMMERZBANK Aktiengesellschaft."
                                        }
                                    ]
                                }
                            ]
                        }
                    ]
                }
            ]
        }
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
}
```

/METADATA/HISTORY/FACTORS

Retrieve history factor metadata information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the factor history metadata that is available to the client. A request can filter results based on factor names, datasets, and factor type (issuer, instruments or fund factors). This information can be used to formulate calls to the issuers end point which accepts factor IDs as query parameters.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/history/factors

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return factors to the specified type. If this option is not specified, all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available datasets and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.
factor_name_list	array				A caller can specify one or more factor names for which they want to retrieve factor metadata. Data will be returned for all valid factor names, along with a list of any factor names which weren't recognized. If a name isn't recognized, it could be the factor doesn't exist, or the caller doesn't have access to that factor.
[array item]	string				A factor name is a simple string value. Factor metadata is available for all factors for which the dataset is available in repository.
dataset_list	array				A caller can specify one or more dataset names for which they want to retrieve factor metadata. Data will be returned for all valid datasets which are mapped to factors. If a name isn't recognized, it could be the dataset doesn't exist.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
[array item]	string				A dataset name is a simple string value. Factor metadata is available for all datasets present in repository.
historical_product_list	array				Lists all the available historical products via historical data API.
[array item]	string				A historical name is a simple string value. Factor metadata is available for all historical product names present in repository.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The factors endpoint is used to return metadata related to the data factors that can be returned in a data request made via the /issuers/history or /funds/history endpoint. The metadata includes the name of the factor, the data type, a minimum/maximum value if appropriate, as well as other basic factor information.

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fd4069625441f8f0fb3868bee41b2",
    "timestamp": "2024-04-29T17:08:22Z",
    "messages": [],
    "result": {
        "factors": [
            {
                "factor_header": "GOVERNMENT_RAW_POLIT_RIGHTS_FLAG",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "description": "Indicates whether a country
demonstrates weak, moderate or strong political rights. Assessment
based on the Political rights data point.",
                "data_type": "String",
                "factor_type": "issuer",
                "display_name": "Political rights Flag",
                "dataset": [
                    "Government Ratings Risk"
                ],
                "thematictag": [
                    "PoliticalGovernance"
                ],
                "mscimodeltags": [
                    "ESG Government Ratings - Governance Risk -
Political Governance"
                ]
            },
                    {
                "factor_header": "VAR_EXW_2DEG_ORDERLY_AGG_COLD_DEBT",
                "description": "A company's debt \"worst-case\" (95th
percentile) downside or upside potential, expressed as a percentage of
the company's debt market value, assuming trends in extreme cold
continue along the 2°C REMIND Orderly scenario.",
                "data_type": "Double",
                "factor type": "issuer",
                "display_name": "2°C Extreme Cold Debt Climate VaR
(REMIND Orderly Aggressive outcome) [%]",
                "dataset": [
                    "Physical REMIND NGFS 1.5 and 2 Degree - Issuer"
                ],
                "thematictag": [
                    "ClimateChange",
                    "PhysicalRisk",
                    "ScenarioAnalysis"
                ],
                "mscimodeltags": [
                    "Physical Risk Climate VaR"
                ]
            },
              ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/history/factors?dataset_list=Director Data,AGM
Data
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/history/factors?dataset_list=Director Data,AGM
Data"; headers = { "Accept": "application/json" } response = requests.request("POST", url,
headers=headers) print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/history/factors?dataset_list=Directo
r Data,AGM Data").header("Accept", "application/json").asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/metadata/history/factors?
dataset_list=Director Data,AGM Data"); var request = new RestRequest(Method.GET);
request.AddHeader("Accept", "application/json"); IRestResponse response =
client.Execute(request);
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

/METADATA/HISTORY/DATASETS

Retrieve factor datasets information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the history factor datasets that is available to the client. A request can filter results based on factor type (issuer, instruments or fund factors).

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/history/datasets

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return datasets to the specified type. If this option is not specified, datasets for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available datasets and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.
historical_product_list	array				List of all historical products that are available via the historical data API
[array item]	string				A historical name is a simple string value. Factor metadata is available for all historical product names present in repository.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Status	Description
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The datasets endpoint is used to return datasets related to the data factors available in system.

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fd4247d8a5aef97b7e93559993ce5",
    "timestamp": "2024-04-29T17:08:52Z",
    "messages": [],
    "result": {
        "datasets": [
            {
                "dataset": "Business Segments"
            },
            {
                "dataset": "Undiscounted Physical Costs 5 Degree TS -
Issuer"
            },
            {
                "dataset": "CVI Time Series"
            },
            {
                "dataset": "Emissions Intensity TS"
            },
            {
                "dataset": "USCCB_EXCLUSIONS"
            },
            {
                "dataset": "ISRAEL"
            },
            {
                "dataset": "Workforce and Diversity Data"
            },
            {
                "dataset": "Reported Non Financials Eligibility Time
Series"
            },
            {
                "dataset": "EU Taxonomy"
            },
            {
                "dataset": "Undiscounted Physical Costs 4 Degree TS -
Issuer"
            },
            {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "dataset": "SFDR"
            }
        ]
    }
}
```

CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/history/datasets?factor_type=issuer
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/history/datasets?factor_type=issuer"; headers =
{ "Accept": "application/json" } response = requests.request("POST", url, headers=headers)
print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/history/datasets?factor_type=issuer"
).header("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/history/datasets?factor_type=issuer")
; var request = new RestRequest(Method.GET); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

/METADATA/HISTORY/HISTORICALPRODUCTS

Retrieve factor historical products information.

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the historical products that is available to the client. A request can filter results based on factor type (issuer, instruments or fund factors).

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/history/historicalProducts

HTTP Method:

GET

Query parameters

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return historicalProducts to the specified type. If this option is not specified, historicalProducts for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available historicalProducts and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The historicalProducts endpoint is used to return historicalProducts related to the data factors available in system.

Response Body Returned

Possible outputs for status: 20

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "669ff71500311803ca6b7f319e1c79c1",
    "timestamp": "2024-07-23T18:31:49Z",
    "messages": [],
    "result": {
        "historical_products": [
            {
                "historical_product": "MSCI ESG Fund Ratings Historical
Data",
                "datasets": [
                    "Fund Values Alignment",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                    "Fund Impact",
                    "Fund Climate Change",
                    "Fund Risk",
                    "Fund Biodiversity",
                    "Fund Ratings And Scores",
                    "Fund EU Susfi"
                ]
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/history/historicalProducts?factor_type=issuer
```

Python

```
import requests url = "https://api.msci.com/esg/data/v4.0/metadata/history/
historicalProducts?factor_type=issuer"; headers = { "Accept": "application/json" } response =
requests.request("POST", url, headers=headers) print(response.text)
```

Java

```
HttpResponse response = Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/history/
historicalProducts?factor_type=issuer").header("Accept", "application/json").asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/metadata/history/
historicalProducts?factor_type=issuer"); var request = new RestRequest(Method.GET);
request.AddHeader("Accept", "application/json"); IRestResponse response =
client.Execute(request);
```

/METADATA/HISTORY/THEMATICTAGS

Retrieve factor thematictags information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the history factor thematictags that is available to the client. A request can filter results based on factor type (issuer, instruments or fund factors).

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/history/thematictags

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return thematictags to the

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					specified type. If this option is not specified, thematictags for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available thematictags and product permissions. Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The thematictags endpoint is used to return thematictags related to the data factors available in system.

Response Body Returned

Possible outputs for status: 20

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fd431430bf4997041816df1c5001d",
    "timestamp": "2024-04-29T17:09:05Z",
    "messages": [],
    "result": {
        "thematictags": [
            {
                "thematicTagName": "SustainbleFinance"
            },
            {
                "thematicTagName": "ClimateChange"
            }
        ]
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    }
}
```

CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/history/thematictags?factor_type=issuer
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/history/thematictags?factor_type=issuer";
headers = { "Accept": "application/json" } response = requests.request("POST", url,
headers=headers) print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/history/thematictags?factor_type=iss
uer").header("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/history/thematictags?factor_type=issu
er"); var request = new RestRequest(Method.GET); request.AddHeader("Accept",
"application/json"); IRestResponse response = client.Execute(request);
```

/METADATA/HISTORY/MSCIMODELTAGS

Retrieve factor mscimodeltags information

ENDPOINT DESCRIPTION

This endpoint is used to retrieve information about the history factor mscimodeltags that is available to the client. A request can filter results based on factor type (issuer, instruments or fund factors).

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/metadata/history/mscimodeltags

HTTP Method:

GET

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
factor_type	string		all	fund,instrument, issuer,all	Factor Type is an optional value which will restrict the return mscimodeltags to the specified type. If this option is not specified, mscimodeltags for all factor types will be returned. Available options are issuer, fund, instrument, and all. Note the options that are available are based on available mscimodeltags and product permissions.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
					Some users may only be allowed to use fund or all, other users may only be able to use issuers or all and other user may be allowed to use instrument or all.

RESPONSE

Possible Outputs

Status	Description
200	Success
401	Unauthorized
403	No subscription available for this data
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The mscimodeltags endpoint is used to return mscimodeltags related to the data factors available in system.

Response Body Returned

Possible outputs for status: 200

Sample Output


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "662fd43fa950123abce92bc0374ac3c7",
    "timestamp": "2024-04-29T17:09:19Z",
    "messages": [],
    "result": {
        "mscimodeltags": [
            {
                "msciModelTagName": "ESG Ratings - Social - Social
Opportunities"
            },
            {
                "msciModelTagName": "ESG Ratings - Social - Product
Liability - Responsible Investment - Management"
            },
            {
                "msciModelTagName": "ESG Ratings - Social - Human
Capital - Supply Chain Labor Standards - Management"
            },
            {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                "msciModelTagName": "ESG Ratings - Environmental -
Environmental Opportunities - Opportunities in Green Building"
            },
            {
                "msciModelTagName": "ESG Ratings - Environment -
Pollution & Waste - Toxic Emissions & Waste - Management"
            },
            {
                "msciModelTagName": "ESG Ratings - Environment -
Natural Capital - Biodiversity & Land Use - Management"
            },
            {
                "msciModelTagName": "ESG Ratings - Social - Product
Liability - Consumer Financial Protection"
            },
            {
                "msciModelTagName": "ESG Ratings - Environment -
Climate Change - Product Carbon Footprint"
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -X GET
https://api.msci.com/esg/data/v4.0/metadata/history/mscimodeltags?factor_type=issuer
```

Python

```
import requests url =
"https://api.msci.com/esg/data/v4.0/metadata/history/mscimodeltags?factor_type=issuer";
headers = { "Accept": "application/json" } response = requests.request("GET", url,
headers=headers) print(response.text)
```

Java

```
HttpResponse response =
Unirest.get("https://api.msci.com/esg/data/v4.0/metadata/history/mscimodeltags?factor_type=is
suer").header("Accept", "application/json").asString();
```

C#

```
var client = new
RestClient("https://api.msci.com/esg/data/v4.0/metadata/history/mscimodeltags?factor_type=iss
uer"); var request = new RestRequest(Method.GET); request.AddHeader("Accept",
"application/json"); IRestResponse response = client.Execute(request);
```

/INSTRUMENT-REFERENCE

HTTP Method:

GET

ENDPOINT DESCRIPTION

This endpoint returns all security identifiers linked to a given issuer. You can filter the response using the optional parameters identifiers_list and factor_name_list. The factor_name_list parameter supports values such as "LOOKUP_ID", "ISSUERID", "MARKET_STATUS", "ASSET_TYPE", "CINS", "TICKER", "SEDOL", "ISIN", "CUSIP", "EXCHANGE", "FIGI", "SHARECLASSFIGI", "COMPOSITEFIGI", "ISSUER_NAME", and "SECURITY_COUNTRY". If factor_name_list is not provided, all of the above fields are returned by default, except for CUSIP and SEDOL, which are included based on license entitlements. If the total number of instruments associated with a requested identifier

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

exceeds 100, the response is split into batches, with each batch containing a maximum of 100 instruments. Batches are generated based on the sorted order of issuerId or companyId mapped to the identifiers provided in the request. The response includes data_request_id, batch_id, and total_number_of_batches, which can be used to retrieve subsequent batches. A maximum of 50 identifiers can be included in a request, though it is recommended to send fewer than 10 to reduce the number of resulting batches and improve performance. If LOOKUP_ID is passed in the identifiers_list, all matching records are returned in the first batch.

The API has a rate limit policy in place. Please check the "Gateway Limits" section in the documentation for the allowed request rate.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instrument-reference

Query parameters

Name	Type	Mandatory	Default value	Accepted values	Description
identifier_list	Array	No			A caller can specify one or more identifiers for which they want to retrieve identifiers data. Data will be returned for the specified identifiers. In case if none of the identifiers are passed, response will return all the available security identifiers for all the issuers in paginated format. And contains values up to 50
factor_name_list	Array	No			A caller can specify one or more factors name for which they want to retrieve identifiers data.
data_request_id	String	If batch_id is passed			The data_request_id is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested but will expire at some point like if data_request_id is generated before the daily data load process. The data_request_id is always displayed in the response_metadata section of the response.
batch_id	Integer	If data_request_id is passed			The batch_id parameter is used to identify which batch of data to retrieve. Multiple requests with the same data_request_id and same batch_id will return the same results. This will be true until the data_request_id expires after a period of inactivity.

RESPONSE

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Possible Outputs

Status	Description
200	Success
400	Malformed request
429	Too many requests
403	No subscription available for this data
404	Requested resource was not found
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

This endpoint returns all security identifiers linked to a given issuer. You can filter the response using the optional parameters identifiers_list and factor_name_list. The factor_name_list parameter supports values such as "LOOKUP_ID", "ISSUERID", "MARKET_STATUS", "ASSET_TYPE", "CINS", "TICKER", "SEDOL", "ISIN", "CUSIP", "EXCHANGE", "FIGI", "SHARECLASSFIGI", "COMPOSITEFIGI", "ISSUER_NAME", and "SECURITY_COUNTRY". If factor_name_list is not provided, all of the above fields are returned by default, except for CUSIP and SEDOL, which are included based on license entitlements. If the total number of instruments associated with a requested identifier exceeds 100, the response is split into batches, with each batch containing a maximum of 100 instruments. Batches are generated based on the sorted order of issuerId or companyId mapped to the identifiers provided in the request. The response includes data_request_id, batch_id, and total_number_of_batches, which can be used to retrieve subsequent batches. A maximum of 50 identifiers can be included in a request, though it is recommended to send fewer than 10 to reduce the number of resulting batches and improve performance. If LOOKUP_ID is passed in the identifiers_list, all matching records are returned in the first batch.

The API has a rate limit policy in place. Please check the "Gateway Limits" section in the documentation for the allowed request rate.

Sample Output

Possible outputs for status: 200


```
{
    "status": "OK",
    "code": 200,
    "trace_id": "65688ff0e3ef0296ee51d58c1be42a2c",
    "timestamp": "2023-11-30T13:36:48Z",
    "messages": [],
    "result": {
        "response_metadata": {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
            "total_number_of_instrument_identifiers": 11,
            "total_number_of_unresolved_instrument_identifiers": 0,
            "total_number_of_batches": 12576,
            "current_batch": 1,
            "data_request_id": "3-4c6b1012-cee5-4965-98bc-ca0355398b9f-
2023-12-01T13:36:48Z",
            "data_request_id_expiration_time": "2023-12-01
13:36:48.492652451"
        },
        "instrument_identifiers": [
            {
                "requested_id": "IID000000001842895",
                "data": [
                    {
                        "ISIN": "US70338A1034",
                        "CUSIP": "70338A103",
                        "SEDOL": "2260222",
                        "TICKER": "PATRNL",
                        "ISSUER_ID": "IID000000001842895",
                        "LOOKUP_ID": "UIF000000001587679",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00007NF04",
                        "SECURITY COUNTRY": "US",
                        "ISSUER_NAME": "PATRONS' LEGACY"
                    },
                    {
                        "ISIN": "US70337U1007",
                        "CUSIP": "70337U100",
                        "SEDOL": "2268549",
                        "TICKER": "PATRNL",
                        "ISSUER_ID": "IID000000001842895",
                        "LOOKUP_ID": "UIF000000001626782",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00001Y5H9",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "PATRONS' LEGACY"
                    }
                ]
            },
            {
                "requested_id": "IID000000001981141",
                "data": [
                    {
                        "ISIN": "US86311PAA57",
                        "CUSIP": "86311PAA5",
                        "TICKER": "STRATS",
                        "ISSUER_ID": "IID000000001981141",
                        "LOOKUP_ID": "UIF000000010058755",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00008Q716",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "STRATS"
                    }
                ]
            },
            {
                "requested_id": "IID000000001786293",
                "data": [
                    {
                        "ISIN": "US4372962054",
                        "CUSIP": "437296205",
                        "SEDOL": "2541734",
                        "TICKER": "HOMOWN",
                        "ISSUER_ID": "IID000000001786293",
                        "LOOKUP_ID": "UIF000000008133931",
                        "ASSET_TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                        "FIGI": "BBG000006154",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "HOME OWNERSHIP FUNDING
CORPORATION"
                    }
                ]
            },
            {
                "requested_id": "IID0000000001787718",
                "data": [
                    {
                        "ISIN": "US8667492032",
                        "CUSIP": "866749203",
                        "SEDOL": "2242662",
                        "TICKER": "SHG",
                        "ISSUER_ID": "IID0000000001787718",
                        "LOOKUP_ID": "UIF0000000009478875",
                        "ASSET_TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG000002BP4",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "SUN FINANCING"
                    }
                ]
            },
            {
                "requested_id": "IID0000000001832643",
                "data": [
                    {
                        "ISIN": "US60686HAA59",
                        "CUSIP": "60686HAA5",
                        "TICKER": "MMCAPS",
                        "ISSUER_ID": "IID0000000001832643",
                        "LOOKUP_ID": "UIF0000000008041940",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00000R0Z0",
                        "SECURITY_COUNTRY": "KY",
                        "ISSUER_NAME": "MMCAPS FUNDING LIMITED/MMCAPS
FUNDING INC"
                    }
                ]
            },
            {
                "requested_id": "IID0000000001817947",
                "data": [
                    {
                        "ISIN": "US434803AA08",
                        "CUSIP": "434803AA0",
                        "TICKER": "HOLDEN",
                        "ISSUER_ID": "IID0000000001817947",
                        "LOOKUP_ID": "UIF0000000008010986",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00002TMR5",
                        "SECURITY_COUNTRY": "KY",
                        "ISSUER_NAME": "HOLDEN FUNDING CORPORATION"
                    }
                ]
            },
            {
                "requested_id": "IID0000000001789005",
                "data": [
                    {
                        "ISIN": "US19074VAA08",
                        "CUSIP": "19074VAA0",
                        "TICKER": "COTRS",
                        "ISSUER_ID": "IID0000000001789005",
                        "LOOKUP_ID": "UIF0000000034432295",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "COBALTS Trust for Sprint
Capital Notes"
                    }
                ]
            },
            {
                "requested_id": "IID000000001789974",
                "data": [
                    {
                        "ISIN": "US7244818743",
                        "CUSIP": "724481874",
                        "TICKER": "PBI",
                        "ISSUER_ID": "IID000000001789974",
                        "LOOKUP_ID": "UIF000000020221284",
                        "ASSET_TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG0001JLSD7",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "PITNEY BOWES INTERNATIONAL
HOLDINGS INC"
                    }
                ]
            },
            {
                "requested_id": "IID000000001832386",
                "data": [
                    {
                        "ISIN": "US114802AA98",
                        "CUSIP": "114802AA9",
                        "TICKER": "BROSIS",
                        "ISSUER_ID": "IID000000001832386",
                        "LOOKUP_ID": "UIF000000008040933",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00095VC98",
                        "SECURITY COUNTRY": "US",
                        "ISSUER_NAME": "BROSIS FINANCE LLC"
                    }
                ]
            },
            {
                "requested_id": "IID000000001850218",
                "data": [
                    {
                        "ISIN": "GB00B1347K44",
                        "CUSIP": "EG3187275",
                        "TICKER": "LCHLTD",
                        "ISSUER_ID": "IID000000001850218",
                        "LOOKUP_ID": "UIF000000021765758",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG0000H6KY3",
                        "SECURITY_COUNTRY": "GB",
                        "ISSUER_NAME": "LONDON CLEARING HOUSE LIMITED"
                    }
                ]
            }
        ]
    }
}
```


CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json"
-X GET https://api.msci.com/esg/data/v4.0/instrument-reference
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Python

```
import requests url = "https://api.msci.com/esg/data/v4.0/instrument-reference"; headers = {
"Accept": "application/json" } response = requests.request("GET", url, headers=headers)
print(response.text)
```

Java

The following example uses Unirest for Java, a lightweight HTTP request library.

```
HttpResponse response = Unirest.get("https://api.msci.com/esg/data/v4.0/instrument-
reference") .header("Accept", "application/json") .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/instrument-reference"); var
request = new RestRequest(Method.GET); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

HTTP Method:

POST

ENDPOINT DESCRIPTION

In addition to requesting instrument reference data via a GET request, users can also create a POST request where the POSTed data consists of the various query parameters that are available on the GET request. The POST form of this endpoint allows for potentially large amounts of data to be specified. For example, a client may have a list of identifier IDs that they wish to retrieve data for. Specifying the ids in a GET request may exceed the maximum length allowed for a GET request. A POST request has no such limit.
It is important to note that any POST request specify the Content-Type being used for submission. For example, if JSON is being used to send data, the Content-Type should be application/json, otherwise the request may be rejected with a 400 status code and an 'Invalid formatting' error message.

REQUEST

Service URLs:

https://api.msci.com/esg/data/v4.0/instrument-reference

Body payload

Name	Type	Mandatory	Default value	Accepted values	Description
identifier_list [array-item]	Array	No			A caller can specify one or more identifiers for which they want to retrieve identifiers data. Data will be returned for the specified identifiers. In case if none of the identifiers are passed, response will return all the available security identifiers for all the issuers in paginated format. And contains values up to 50
factor_name_list [array-item]	Array	No			A caller can specify one or more factors name for which they want to retrieve identifiers data.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

Name	Type	Mandatory	Default value	Accepted values	Description
data_request_id	String	If batch_id is passed			The data_request_id is an identifier that is assigned to a data request. It acts as a key to retrieve additional batches of information. The key remains valid for as long as data is being requested but will expire at some point like if data_request_id is generated before the daily data load process. The data_request_id is always displayed in the response_metadata section of the response.
batch_id	Integer	If data_request_id is passed			The batch_id parameter is used to identify which batch of data to retrieve. Multiple requests with the same data_request_id and same batch_id will return the same results. This will be true until the data_request_id expires after a period of inactivity.

RESPONSE

Possible Outputs

Status	Description
200	Success
400	Malformed request
401	Unauthorized
403	No subscription available for this data
404	Requested resource was not found
500	Unexpected Server Error
503	Service Unavailable

Output Encoding

application/json

Output Description

The instrument reference is used to retrieve information about all the security identifiers which are linked to an issuer and the result is returned in JSON format only.

Sample Output

Possible outputs for status: 200

```
{
```

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
    "status": "OK",
    "code": 200,
    "trace_id": "65688ff0e3ef0296ee51d58c1be42a2c",
    "timestamp": "2023-11-30T13:36:48Z",
    "messages": [],
    "result": {
        "response_metadata": {

            "total_number_of_instrument_identifiers": 11,
            "total_number_of_unresolved_instrument_identifiers": 0,
            "total_number_of_batches": 12576,
            "current_batch": 1,
            "data_request_id": "3-4c6b1012-cee5-4965-98bc-ca0355398b9f-
2023-12-01T13:36:48Z",
            "data_request_id_expiration_time": "2023-12-01
13:36:48.492652451"
        },
        "instrument_identifiers": [
            {
                "requested_id": "IID000000001842895",
                "data": [
                    {
                        "ISIN": "US70338A1034",
                        "CUSIP": "70338A103",
                        "SEDOL": "2260222",
                        "TICKER": "PATRNL",
                        "ISSUER_ID": "IID000000001842895",
                        "LOOKUP_ID": "UIF000000001587679",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00007NF04",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "PATRONS' LEGACY"
                    },
                    {
                        "ISIN": "US70337U1007",
                        "CUSIP": "70337U100",
                        "SEDOL": "2268549",
                        "TICKER": "PATRNL",
                        "ISSUER_ID": "IID000000001842895",
                        "LOOKUP_ID": "UIF000000001626782",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00001Y5H9",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "PATRONS' LEGACY"
                    }
                ]
            },
            {
                "requested_id": "IID000000001981141",
                "data": [
                    {
                        "ISIN": "US86311PAA57",
                        "CUSIP": "86311PAA5",
                        "TICKER": "STRATS",
                        "ISSUER_ID": "IID000000001981141",
                        "LOOKUP_ID": "UIF000000010058755",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00008Q716",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "STRATS"
                    }
                ]
            },
            {
                "requested_id": "IID000000001786293",
                "data": [
                    {
                        "ISIN": "US4372962054",
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                        "CUSIP": "437296205",
                        "SEDOL": "2541734",
                        "TICKER": "HOMOWN",
                        "ISSUER_ID": "IID000000001786293",
                        "LOOKUP_ID": "UIF000000008133931",
                        "ASSET_TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG000006154",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "HOME OWNERSHIP FUNDING
CORPORATION"
                    }
                ]
            },
            {
                "requested_id": "IID000000001787718",
                "data": [
                    {
                        "ISIN": "US8667492032",
                        "CUSIP": "866749203",
                        "SEDOL": "2242662",
                        "TICKER": "SHG",
                        "ISSUER_ID": "IID000000001787718",
                        "LOOKUP_ID": "UIF000000009478875",
                        "ASSET TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG000002BP4",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "SUN FINANCING"
                    }
                ]
            },
            {
                "requested_id": "IID000000001832643",
                "data": [
                    {
                        "ISIN": "US60686HAA59",
                        "CUSIP": "60686HAA5",
                        "TICKER": "MMCAPS",
                        "ISSUER_ID": "IID000000001832643",
                        "LOOKUP_ID": "UIF000000008041940",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00000R0Z0",
                        "SECURITY_COUNTRY": "KY",
                        "ISSUER_NAME": "MMCAPS FUNDING LIMITED/MMCAPS
FUNDING INC"
                    }
                ]
            },
            {
                "requested_id": "IID000000001817947",
                "data": [
                    {
                        "ISIN": "US434803AA08",
                        "CUSIP": "434803AA0",
                        "TICKER": "HOLDEN",
                        "ISSUER_ID": "IID000000001817947",
                        "LOOKUP_ID": "UIF000000008010986",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00002TMR5",
                        "SECURITY_COUNTRY": "KY",
                        "ISSUER_NAME": "HOLDEN FUNDING CORPORATION"
                    }
                ]
            },
            {
                "requested_id": "IID000000001789005",
                "data": [
                    {
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

```
                        "ISIN": "US19074VAA08",
                        "CUSIP": "19074VAA0",
                        "TICKER": "COTRS",
                        "ISSUER_ID": "IID000000001789005",
                        "LOOKUP_ID": "UIF000000034432295",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "COBALTS Trust for Sprint
Capital Notes"
                    }
                ]
            },
            {
                "requested_id": "IID000000001789974",
                "data": [
                    {
                        "ISIN": "US7244818743",
                        "CUSIP": "724481874",
                        "TICKER": "PBI",
                        "ISSUER_ID": "IID000000001789974",
                        "LOOKUP_ID": "UIF000000020221284",
                        "ASSET_TYPE": "PRFD",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG0001JLSD7",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "PITNEY BOWES INTERNATIONAL
HOLDINGS INC"
                    }
                ]
            },
            {
                "requested_id": "IID000000001832386",
                "data": [
                    {
                        "ISIN": "US114802AA98",
                        "CUSIP": "114802AA9",
                        "TICKER": "BROSIS",
                        "ISSUER_ID": "IID000000001832386",
                        "LOOKUP_ID": "UIF000000008040933",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG00095VC98",
                        "SECURITY_COUNTRY": "US",
                        "ISSUER_NAME": "BROSIS FINANCE LLC"
                    }
                ]
            },
            {
                "requested_id": "IID000000001850218",
                "data": [
                    {
                        "ISIN": "GB00B1347K44",
                        "CUSIP": "EG3187275",
                        "TICKER": "LCHLTD",
                        "ISSUER_ID": "IID000000001850218",
                        "LOOKUP_ID": "UIF000000021765758",
                        "ASSET_TYPE": "CORP",
                        "MARKET_STATUS": "ISS",
                        "FIGI": "BBG0000H6KY3",
                        "SECURITY_COUNTRY": "GB",
                        "ISSUER_NAME": "LONDON CLEARING HOUSE LIMITED"
                    }
                ]
            }
        ]
    }
}
```


© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

A data_request_id generated before the next daily data load becomes invalid due to refreshed instrument reference data.
Clients must regenerate a new instrument reference request.
Error message returned with HTTP 400 – Bad Request:
"The data_request_id appears to be invalid or expired, or it was generated before the daily data load process."

Daily data load runs once per day to ingest the latest data, but in rare cases it may occur more than once.
If Instrument reference APIs are called during this time, the API may return with (HTTP 503 – Service Unavailable):
"Data load is in progress - The API is temporarily unavailable while daily data loading is in progress. Please try again later."
Clients should retry every 5 minutes during the load window.
Load typically completes within a few minutes but may take longer in rare cases due to high data volume.

CODE SAMPLES

cURL

```
curl -i -H "Accept: application/json" -d "{}" -X POST
https://api.msci.com/esg/data/v4.0/instrument-reference
```

Python

```
import requests import json url = " https://api.msci.com/esg/data/v4.0/instrument-reference";
payload = json.dumps( {} ) headers = { "Accept": "application/json" } response =
requests.request("POST", url, data=payload, headers=headers) print(response.text)
```

Java

```
The following example uses Unirest for Java, a lightweight HTTP request library.
HttpResponse response = Unirest.post("https://api.msci.com/esg/data/v4.0/instrument-
reference") .header("Accept", "application/json") .body("{}") .asString();
```

C#

```
var client = new RestClient("https://api.msci.com/esg/data/v4.0/instrument-reference"); var
request = new RestRequest(Method.POST); request.AddHeader("Accept", "application/json");
IRestResponse response = client.Execute(request);
```

CONTACT US

esgclientservice@msci.com

AMERICAS

+ 1 212 804 5299

EUROPE, MIDDLE EAST & AFRICA

ABOUT MSCI ESG RESEARCH PRODUCTS AND SERVICES

MSCI ESG Research products and services are provided by MSCI ESG Research LLC, and are designed to provide in-depth research,

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

+ 44 20 7618 2510

ASIA PACIFIC

+ 612 9033 9339

ratings and analysis of environmental, social and governance-related business practices to companies worldwide. ESG ratings, data and analysis from MSCI ESG Research LLC. are also used in the construction of the MSCI ESG Indexes. MSCI ESG ResearchLLC is a Registered Investment Adviser under the Investment Advisers Act of 1940 and a subsidiary of MSCI Inc.

ABOUT MSCI

For more than 40 years, MSCI's research-based indexes and analytics have helped the world's leading investors build and manage better portfolios. Clients rely on our offerings for deeper insights into the drivers of performance and risk in their portfolios, broad asset class coverage and innovative research.

Our line of products and services includes indexes, analytical models, data, real estate benchmarks and ESG research.

MSCI serves 99 of the top 100 largest money managers, according to the most recent P&I ranking.

For more information, visit us at www.msci.com.

NOTICE AND DISCLAIMER

This document and all of the information contained in it, including without limitation all text, data, graphs, charts (collectively, the "Information") is the property of MSCI Inc. or its subsidiaries (collectively, "MSCI"), or MSCI's licensors, direct or indirect suppliers or any third party involved in making or compiling any Information (collectively, with MSCI, the "Information Providers") and is provided for informational purposes only. The Information may not be modified, reverse-engineered, reproduced or redisseminated in whole or in part without prior written permission from MSCI.

The Information may not be used to create derivative works or to verify or correct other data or information. For example (but without limitation), the Information may not be used to create indexes, databases, risk models, analytics, software, or in connection with the issuing, offering, sponsoring, managing or marketing of any securities, portfolios, financial products or other investment vehicles utilizing or

Index returns do not represent the results of actual trading of investible assets/securities. MSCI maintains and calculates indexes, but does not manage actual assets. Index returns do not reflect payment of any sales charges or fees an investor may pay to purchase the securities underlying the index or Index Linked Investments. The imposition of these fees and charges would cause the performance of an Index Linked Investment to be different than the MSCI index performance.

The Information may contain back tested data. Back-tested performance is not actual performance, but is hypothetical. There are frequently material differences between back tested performance results and actual results subsequently achieved by any investment strategy.

Constituents of MSCI equity indexes are listed companies, which are included in or excluded from the indexes according to the application of the relevant index methodologies. Accordingly, constituents in

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL

based on, linked to, tracking or otherwise derived from the Information or any other MSCI data, information, products or services.

The user of the Information assumes the entire risk of any use it may make or permit to be made of the Information. NONE OF THE INFORMATION PROVIDERS MAKES ANY EXPRESS OR IMPLIED WARRANTIES OR REPRESENTATIONS WITH RESPECT TO THE INFORMATION (OR THE RESULTS TO BE OBTAINED BY THE USE THEREOF), AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, EACH INFORMATION PROVIDER EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES (INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF ORIGINALITY, ACCURACY, TIMELINESS, NON-INFRINGEMENT, COMPLETENESS, MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE) WITH RESPECT TO ANY OF THE INFORMATION.

Without limiting any of the foregoing and to the maximum extent permitted by applicable law, in no event shall any Information Provider have any liability regarding any of the Information for any direct, indirect, special, punitive, consequential (including lost profits) or any other damages even if notified of the possibility of such damages. The foregoing shall not exclude or limit any liability that may not by applicable law be excluded or limited, including without limitation (as applicable), any liability for death or personal injury to the extent that such injury results from the negligence or willful default of itself, its servants, agents or sub-contractors.

Information containing any historical information, data or analysis should not be taken as an indication or guarantee of any future performance, analysis, forecast or prediction. Past performance does not guarantee future results.

The Information should not be relied on and is not a substitute for the skill, judgment and experience of the user, its management, employees, advisors and/or clients when making investment and other business decisions. All Information is impersonal and not tailored to the needs of any person, entity or group of persons.

None of the Information constitutes an offer to sell (or a solicitation of an offer to buy), any security, financial product or other investment vehicle or any trading strategy.

It is not possible to invest directly in an index. Exposure to an asset class or trading strategy or other category represented by an index is only available through third party investable instruments (if any) based on that index. MSCI does not issue, sponsor, endorse, market, offer, review or otherwise express any opinion regarding any fund, ETF, derivative or other security, investment, financial product or trading strategy that is based on, linked to or seeks to provide an investment return related to the performance of any MSCI index (collectively, "Index Linked Investments"). MSCI makes no assurance that any Index Linked Investments will accurately track index performance or provide positive investment returns. MSCI Inc. is not an investment adviser or fiduciary and MSCI makes no representation regarding the advisability of investing in any Index Linked Investments.

MSCI equity indexes may include MSCI Inc., clients of MSCI or suppliers to MSCI. Inclusion of a security within an MSCI index is not a recommendation by MSCI to buy, sell, or hold such security, nor is it considered to be investment advice.

Data and information produced by various affiliates of MSCI Inc., including MSCI ESG Research LLC and Barra LLC, may be used in calculating certain MSCI indexes. More information can be found in the relevant index methodologies on www.msci.com.

MSCI receives compensation in connection with licensing its indexes to third parties. MSCI Inc.'s revenue includes fees based on assets in Index Linked Investments. Information can be found in MSCI Inc.'s company filings on the Investor Relations section of www.msci.com.

MSCI ESG Research LLC is a Registered Investment Adviser under the Investment Advisers Act of 1940 and a subsidiary of MSCI Inc. Except with respect to any applicable products or services from MSCI ESG Research, neither MSCI nor any of its products or services recommends, endorses, approves or otherwise expresses any opinion regarding any issuer, securities, financial products or instruments or trading strategies and MSCI's products or services are not intended to constitute investment advice or a recommendation to make (or refrain from making) any kind of investment decision and may not be relied on as such. Issuers mentioned or included in any MSCI ESG Research materials may include MSCI Inc., clients of MSCI or suppliers to MSCI, and may also purchase research or other products or services from MSCI ESG Research. MSCI ESG Research materials, including materials utilized in any MSCI ESG Indexes or other products, have not been submitted to, nor received approval from, the United States Securities and Exchange Commission or any other regulatory body.

Any use of or access to products, services or information of MSCI requires a license from MSCI. MSCI, Barra, RiskMetrics, IPD, and other MSCI brands and product names are the trademarks, service marks, or registered trademarks of MSCI or its subsidiaries in the United States and other jurisdictions. The Global Industry Classification Standard (GICS) was developed by and is the exclusive property of MSCI and Standard & Poor's. "Global Industry Classification Standard (GICS)" is a service mark of MSCI and Standard & Poor's.

© 2026 MSCI Inc. All rights reserved.

Information Classification: GENERAL